Bleaching Stains Out of Wood • Radiator Covers • Historic House Plans

OFFICURSE JANUARY/FEBRUARY 1994

Caring for Stained Glass


Carpenters' Guide to

Patterned Wood Floors

Exotic Houses

Moorish Fantasies of the Victorian Era


Canvassing Plaster Walls





\$4 US \$5.00 CANADA

Welcome Back



In the ever changing world of fad and fashion it is comforting to find a cabinetmaker like Crown Point.

You see, we know the difference between a true classic and just another kitchen. We understand that a truly beautiful kitchen is one you will love twenty years from now as much as you do today. This is why we offer you the Sturbridge Series.

Meticulous craftsmanship including flush inset doors and dovetail drawers. All-wood construction. Premium hardware to complement your taste. Built-in accessories like apothecary drawers, tilt-out dry goods bins and swing-out spice racks. Modern convenience features such as hidden recycling bins, drop-down bake centers and roll-out pantries.

The Sturbridge Series from Crown Point. The highest quality cabinetry with all the storage and convenience of the 1990s and the look that says "welcome back."

Our fine quality cabinetry is made available nationwide directly from Crown Point or at designer showrooms throughout New England. Call 800-999-4994 today for details and free color literature.



PO Box 1560 Claremont, NH 03743



Volume XXII, Number 1



A Homeowner's Guide to Stained Glass ... 26

BY J. RANDALL COTTON AND SUSANNA BARUCCO

A manual on residential stained glass windows with information on the history, maintenance, and best restoration approaches for this increasingly valuable material.



Perspectives on Patterned Floors 32

BY JAMES BOORSTEIN

A basic course on planning and executing the restoration of patterned wood floors, including background on their construction and specific repair techniques.




WALL LINERS:

THE GREAT COVER-UP......37

BY MARYLEE MACDONALD

Applying textiles to plaster walls is not only a traditional technique for a high-class job, it's a good fix for aging plaster. Here are the steps with an annotated table of available products.



Out Spot, Out......42

BY GORDON BOCK

The background on bleaches and their uses in removing wood stains.



EXOTIC REVIVALS FROM THE MIDDLE EAST ...44

BY JAMES C. MASSEY AND SHIRLEY MAXWELL

A look at the uncommon but highly evocative building fashions inspired by two ancient non-western cultures: the Egyptians and the Moors.



Pursuing Perfection, Aesthetically Speaking......50

BY IOAN CONLEY AND PETER HAYES

Using their creative talents and some original thinking, Canadian readers bring out the British Aesthetic side of a 19th-century, working class row house.

ON THE COVER: A luminous stained glass window and an ornamental staircase, with an unusual sawn balustrade made of a single board, are the center of attention in Gus & Maria Kayafas' c. 1885 home in Wheeling, West Virginia. PHOTOGRAPH BY STEVE MARSEL



Editor's Page
Letters
Ask OHJ
WHO THEY WEREby Gordon Bock 18 Andrea Palladio, maestro of classical architecture.
READING THE OLD HOUSEby James C. Massey and Shirley Maxwell 20 Are the features of a turn-of-the-century pyramidal cottage Colonial Revival or Victorian?
RESTORER'S NOTEBOOK
RESTORATION PRODUCTS
HISTORIC HOUSE PLANS
Remuddling
VERNACULAR HOUSES

THE EMPORIUM

Subscription service (800) 234-3797; Back issues (\$4.95 /copy): (508) 281-8803; Advertising: (508) 283-4721. We are happy to accept editorial contributions to Old-House Journal. Query letters that include an outline of the proposed article are preferred. All manuscripts will be reviewed, and returned if unacceptable. However, we cannot be responsible for non-receipt or loss — please keep copies of all materials sent. ©Copyright 1993 by Dovetale Publishers. All rights reserved.

PRINTED IN U.S.A.



Gordon H. Bock

MANAGING EDITOR
Laura Marshall

ASSOCIATE EDITOR
Karen Fuhrman

Lynn Elliott

CONTRIBUTING EDITORS

John Leeke Sanford, Maine

James C. Massey and Shirley Maxwell

Strasburg, Virginia

J. Randall Cotton

Philadelphia

Patrick Mitchell

Inga Soderberg

Kate Gatchell

PRODUCTION MANAGER
Jim LaBelle

PRODUCTION ASSISTANT
Claire MacMaster

FULFILLMENT MANAGER
Ellen Higgins

Pamela Martin

CUSTOMER SERVICE

Cathie Hull, Nicole Gaspar

CIRCULATION DIRECTOR
Rosalie Bruno

NATIONAL SALES MANAGER
Becky Bernie

Sherrie Somers

SALES ASSISTANTS

Cassandra Smith, Melissa Sumner

Joanne Christopher

Nanci Virgilio

Patricia Poore

William J. O'Donnell

Old-House Journal [ISSN 0094-0178] is published bimonthly for \$24 per year by Dovetale Publishers, The Blackburn Tavern, 2 Main Street, Gloucester, MA 01930. Telephone (508) 283-3200. Subscriptions in Canada \$34 per year, payable in U.S. funds.


Second-class postage paid at Gloucester, MA and at additional entries. POSTMASTER: Send address changes to Old-House Journal, P.O. Box 58017, Boulder, CO 80322-8017.

Printed at the Lane Press, S. Burlington, Vermont

"I CAN'T STAND A NAKED LIGHT BULB.."

TENNESSEE WILLIAMS







variety of commercial and residential settings. Request our catalog featuring over 200 Craftsman, Victorian and Neoclassic designs.

Editor's Page

You Ought to Be in Pictures

*

F YOU HAVEN'T HEARD THE story before, the name *camera* is derived from the Latin for *room* or *chamber*. It was suggested by the large box that formed the bodies of early equipment, a darkened enclosure inside of which the magic of capturing an image took place. It's a bit of figurative language

that also sums up nicely the affinity between photography and restoration.

Photography has been common since the 1850s (truly widespread since the 1880s), and old photos make some of the best evidence for establishing how

a house looked in the past. Always keep an eye open for past photos of your old house. They could be anywhere — in historical society collections, old newspapers, postcards, albums of neighbors or former owners, or in the house itself behind walls, mirrors, or mantels. Try to keep all old photos (or copies) showing your house, no

matter how unrevealing they may seem. Even if another building dominates the shot, for instance, many a streetscape taken when trees were young shows details on the houses nearby.

No less important are new photos, ones that offer documentation of

a different kind — your tenancy in the house. Though they will be a valuable record of the house's history to those who come later, they can be helpful to you right now. Even before you get out the tools, get out the camera. Document what your old house looks like from the day you sign the purchase papers. It doesn't matter if things

aren't exactly photogenic (holes in the walls of empty rooms; unkempt grounds and failing exterior paint), remember that it takes a while to understand an old house and appreciate the you'd taken when the ceiling was down or before the doors were hung. If you have a hard time remembering to get out the camera periodically, take advantage of some routine. For example, set aside 15 minutes for pictures before the day's work starts, when there's daylight, you're clean, and the decks are clear from the last session. Just keeping the camera in a safe but handy spot can be a big incentive. Color film may be necessary if there are fancy finishes worth recording, but black-and-white film can be just as lucid for day-to-day documenting. In ad-

tographs either. Much like family pic-

tures of growing children, you can't

go back and get that shot you wish

as lucid for day-to-day documenting. In addition, it's more permanent, more forgiving about light sources (even a trouble light will give good results), and economical.

Historical research aside, taking photographs of an old-house project from "day one" has tremendous inspirational value. It provides benchmarks to gauge progress by, and can be an important

lift when the mess starts to add up or the work stalls. Memory is subjective, and it's not always easy to see how far you've come. A pile of prints can restore a lot of hindsight.



Dr. L. Mason Clarke next to his door in Dorset, Vermont, 1935. (Below) A "before" shot in Selma, Alabama, 1981.

significance of subtle details. The reason for that odd, empty shelf or the ghost mark on the wall may not be clear now, but logged in a photograph they will be there to study when you are armed with more pieces of your old-house puzzle.

Never resist the urge to take pho-



the standard of quality since 1860

SCHWERD'

wood columns







COLUMNS -Schwerd columns are durable. Our 120 + yearsof experience in manufacturing




ning 1860, you know our product; if not, send us your inquir-

years since

our begin-

wood columns has proven that the durability of a wood column depends upon the strength of the joint and the quality and thickness of the



ified by architects with complete confidence. Both standard and detail columns can be furnished from 4 in. to 50 in. in diameter and up


If you are one of our old customers during the many

ies and orders and join our list of satisfied customers.

SEND FOR OUR FREE CATA-LOG ■ Schwerd's complete aluminum bases for 8, 10, 12, 14, 16, 18, 20,

22, 24, 26, 28, and 30 in. dia. columns.

Schwerd's-Aluminum ventilated plinth and aluminum turned member base are manufactured of thick metal and are recommended for all exterior columns in the above diameters to provide a maintenance-free, seamless base which is guaranteed against deterioration for a lifetime.






A. F. SCHWERD MANUFACTURING COMPANY telephone: 412-766-6322

3215 McClure Avenue

Pittsburgh, Pa. 15212

Letters



A Heating Debate

Dear OHJ,

concerning "staple-up" underfloor heating in the November/December 1993 issue, I am amazed that OHJ would condone the practice described in the article. Drilling hundreds of 1½" holes in the floor joists of an old house is destructive and irreversible.

> — Jack P. Goosman Pickering, Ontario

IN THE "NEAT WAYS TO HEAT" ARTIcle, the installer drilled through joists to install under-floor radiant heating tubes. In my timber-framed structure, some of the "joists" are split logs up to 14" thick. Also, the network of girts and summers will interfere with the installation. Must I drill through these to install the tubing or can I drape the tubing below and around these members?

> —John C. Bittence Hiram, Ohio

THE AUTHOR RESPONDS:

"Staple-up" radiant heat does call for drilling a series of holes in a straight line through the center of the joists, but not "hundreds" of holes. You need only enough holes to be able to "lace" the tubing under the area you're heating. You can thread four hoses through a 1¾" hole (you'd never drill a larger hole), and those four hoses (actually two 200' lengths coming and going) represent 400 linear feet of hose, which, when installed on 8" centers under the floor, will usually be enough to warm 240 square feet.

Tubing manufacturers are extremely clear in their directions as to where and how to drill holes through the joists of any home, old or new. They caution against placing them near the top or bottom of the joists, and they show how to route the tubing to minimize holes. I've heard of no structural damage as a result of these installations.

As for 14" joists, good question! The goal in placing the tubing in the joist bays is to keep the water from freezing. By drilling holes through the joist material, you're ensuring the entire length of hose will be within the insulated space and reasonably safe from low ambient temperatures. However, if you're installing the hose in the underside of a first floor within a heated (or partially warmed) basement you can dip the hose under the joists and not have to worry about freez-


ing. Still, I wouldn't do this under an unheated and ventilated crawlspace because you'd face too great a risk of a freeze-up. Of course, you could always fill the system with an antifreeze solution instead of water. Part of the beauty of hydronic heating is the leeway you get on the design side. Usually if there's a will, there's a way.

> —Dan Holohan Bethpage, New York

No Place Like Home


we were excited to find our c. 1930 house pictured in John Crosby Freeman's article in the May/June 1993 issue on page 58. As you can see, the house is exactly the same except for the scalloped siding at the top.

This is a wonderful house, one that was not changed or remodeled much in 60 years. We have found



Double vision: The c.1930 Dyer home (above) is an exact match for "The Crestwood" house plan in the 1928 Home Builders Catalog (inset).

Quality, Selection, Service



and a whole bunch of door knobs!



Crown City HARDWARE CO.

Introducing the new 1993 Crown City Collection Catalog. Expanded to over 370 pages, containing hundreds of new restoration and decorative hardware items, our newest catalog is the most complete hardware resource available today. It's filled with all periods and all types of hardware for doors, windows, cabinets, and furniture, as well as informative sections on product usage, installation, and style. Still only \$6.50. To obtain your copy of the catalog send check to:

Letters

original curtain rods, kitchen cupboard doors, and bath fixtures. But so much was left alone, such as the oak woodwork, light fixtures, and the purple and yellow bath fixtures in the two bathrooms, that it was a real find. It is a house that feels like a home, and we feel lucky.

> — Elisabeth Dyer Dayton, Ohio

The twin of The Dyer's home was featured in a 1928 advertisement for "Double-Dipped" stained roof shingles from the C.A. Mauk Lumber Co. in Toledo, Ohio. We've since found their home gracing other period pages as well — it's a planbook design called "The Crestwood," offered by the Home Builders Catalog Co. in the late-1920s.

-THE EDITORS

Survival Guide for a Sorority House

THE TWENTIETH ANNIVERSARY ISsue (September/October 1993) was
the first I received as a new subscriber
to OHJ. My boyfriend and I are only
in our early twenties, so we are still a
few years away from looking for our
ideal farmhouse to restore. However,
we didn't think it was too early to begin subscribing to the magazine that
will help us when the time comes.
What a wise choice a subscription
turned out to be!

We were drafted to lead the restoration and remodeling efforts of my college sorority's early-20th-century chapter house. Your "Survival Guide" was a crash course for us. I pounced on the "So, Where Do I Start?" section, and read your paint-


stripping techniques in anticipation of my next project.


What was meant to be a longterm investment has already begun to pay off. I can assure you, I'll still be on your mailing list for your Fiftieth Anniversary!

> —Kristena Halvorsen Newark, Delaware

Radford Review

YOUR ARTICLE ABOUT WILLIAM RADford ["Who They Were," September/October 1993 OHJ] caught my attention. We recently found a 16page newsletter dated October 15, 1898, edited by Radford and Benjamin Cobb. It was called *The Red Rad*ford Review and was written for "the interests of lumber yards, building, and the home circle." It also advertised







Interior Design Collection

for only

as your introduction to the Architects & Designers Book Service.

You simply agree to buy three more books— at significant savings — within the next 12 months

Repair, replace, or re-create interiors of the 18th, 19th and 20th century with the five-volume Interior Design Collection For Historic Buildings. Published by the National Trust for Historic Preservation, each book is full of details for historic interiors, suppliers to help you find the resources you need, restoration advice and techniques, and standard preservation guidelines.



Wallpapers for Historic Buildings

by Richard C. Nylander

Select an authentic wallpaper for your period home with this unique catalog of more than 350 carefully reproduced designs. Includes a list of manufacturers, a glossary, and period installation techniques. Publisher's Price: \$13.95

Fabrics for Historic Buildings by Jane C. Nylander

This revised edition shows you how to choose, buy and install appropriate fabrics for historic interiors. Includes more than 600 fabric types and patterns with reproductions of fabrics used from 1700 to 1900, and a new chapter on 20th century fabrics.

Publisher's Price: \$16.95



Floor Coverings for Historic Buildings

by Helene Von Rosentiel and Gail Caskey Winkler

Find appropriate period floor coverings from 1750 to the 1930s. Over 175 photographs, a history of American floors, a glossary of floor covering terms, installations methods, and addresses for 82 suppliers are included. Publisher's Price: \$14.95



Lighting for Historic Buildings

by Roger W. Moss

A detailed history of lighting in America with a catalog of 481 suitable reproductions available today to help you successfully re-create historic lighting. Features information on choosing fixtures, a glossary and a suggested reading list. Publisher's Price: \$14.95

Walls & Moldings: How to Care for Old and Historic Wood and Plaster by Natalie Shivers

Learn to expertly care for, repair and revive wood and plaster walls and moldings. You'll find hundreds of answers to rehabilitation problems, 300 photographs and drawings, a glossary of terms, and standard preservation guidelines.

Publisher's Price: \$16.95



The ARCHITECTS AND DESIGNERS BOOK SERVICE will keep you on top of all the latest issues and trends in architecture. Our exciting selection of books covers residential and contract design, historic preservation, landscape architecture, graphic techniques, and interior design. All books are available to you at significant savings, with prices starting as low as \$14.95.

MEMBERSHIP BENEFITS

In addition to getting the Interior Design Collection For Historic Buildings for only \$2.95 when you join, you keep saving substantially with discounts of up to 50% off the publishers' prices on books you choose to purchase. • Also, you will immediately become eligible to participate in our Bonus Book Plan. • Moreover, our books are always identical to the publisher's editions. You'll never receive an "economy edition" with inferior paper and bindings from us. • At 3-4 week intervals (15 times per year), you will receive the Architects & Designers Book Service News, describing the coming Main Selection and Alternate Selections, together with a dated reply card. • In addition, up to three times a year, you may receive offers of Special Selections which will be made available to a group of select members. • If you want the Main Selection, do nothing, and it will be sent to you automatically. • If you prefer another selection, or no book at all, simply indicate your choice on the card and return it by the date specified. • You will have at least 10 days to decide. If, because of late mail delivery of

the News, you should receive a book you do not want, we guarantee return postage.

If reply card is missing, please write to Architects & Designers Book Service,
Dept. 8-DZZ/00153, 3000 Cindel Drive, Delran, NJ 08370-0001, for membership

information and an application O Newbridge Communications, Inc.

Old House Journal 1/94

Letters

for *The Radford Ideal Homes*. Published in Chicago, Illinois, it cost 5 cents per copy or 50 cents per year. A clever journalist, Mr. Radford devoted an entire page to a section called "The Woman's Corner," which was next to an ongoing romance story.

Fortunately, the newsletter is in very good condition, and remains about the oldest item left in our c. 1805 three-storey log home. Keep up the good articles. I've found many to be useful in our log home restoration.

—Sam Lyon Brandywine, Maryland

Pre-Chaos Plans

THE "CREATIVE CHAOS" REMUDDLING in your September/October 1993 issue is one of the houses built from plans and materials from the Chicago House Wrecking Company (later Harris Brothers). It appears the 1908 design was immediately copied by Sears, Roebuck and Co. in 1909 and offered as their Design No. 167.

Chicago House Wrecking claimed it was "the most popular design ever placed on the market," and that it was "purchased by customers from all sections of the U.S." — reminding us how very popular catalog houses were, even from companies less well-known than Sears.

— DANIEL D. REIFF Architectural Historian S.U.N.Y. College at Fredonia Fredonia, New York

U.S. Castle Search

I AM THE OWNER OF A SMALL CAStle and am researching and locating other castles throughout the United States. Large or small, new or old, I am interested in them all. Any OHJ reader who has a castle in their area, please send information to: Box 1000, Oxford, WI 53952.

-Paul F. Born Oxford, Wisc.

Correction: The address for Rejuvenation Lamp & Fixture Company, listed as a supplier in "Lights For A New Century" on page 31 of the November/December 1993 issue of Old-House Journal, was published incorrectly. The correct address and phone number is Rejuvenation Lamp and Fixture Company, 1100 SE Grand Avenue, Portland, OR 92714; (503) 231-1900. We regret the error.

-THE EDITORS

Make Tough, Flexible Molds in 1 Easy Application MasterMold 12-3



- · Brush on, build-up
- Reproduces exquisite details
- Ideal for vertical and overhead surfaces

Replicate capitals, moldings, finials, ceiling

medallions, cabriole legs, ceramics, carvings, statues . . .



ABATRON, INC.


800-445-1754

33 Center Drive, Dept. OH, Gilberts, IL 60136 USA 708-426-2200

- Conquers severe undercuts
- Use again and again
- Safe







Once you 'tap-in' to the quality, no other floor protector will do.

- Protect your flooring investment
- · Long wearing wool felt
- Easy to install *Soft and quiet Ask your flooring contractor or retailer for Safeglides.

Call or write for free brochure.

Preferred Products, Inc. 327 South Kenyon Seattle, Wa 98108 (206) 763-2855



Wood Restoration — System



This rotted - and irreplaceable - woodwork...



...can be easily and permanently restored ...



.. sanded, nailed, stained or painted



10" rotted bottoms of these load-bearing columns...



were completely sawed off and replaced with.




...WoodEpox, which outperforms and outlasts wood

The New Standards To Restore & Replace Wood

Specified by the U.S. Government, national restoration centers, museums, architects, contractors and other professionals, Abatron's restoration materials handle virtually any wood repair problem. Results are guaranteed by years of incredible performance and our service.

Liquid Wood®

Deep penetrating wood consolidant. High-strength and strong adhesion, clear, transparent, low viscosity. Regenerates and waterproofs wood by hardening after penetrating. Can be brushed or poured on. Ideal for rotted windowsills and frames, columns, doors, furniture, sculptures structural and decorative components of any size in/outdoors.



WoodEpox®

The most versatile, STRUCTURAL & decorative wood substitute & no-shrink adhesive putty used in any thickness to replace, repair, extend or fill wood and other materials in structures, frames, furniture, boats, components, sculptures, in/outdoors. Can be sawed, nailed, planed, stained, painted. Often stronger than the original, unaffected by water, weather and termites. A NEW STANDARD IN WOOD RESTORATION.



Abatron's 5-can Wood Restoration Kit contains

LiquidWood A and B, WoodEpox A and B, and Abosolv solvent.

Available in pint, quart and gallon sizes.

VISA, MASTERCARD, & AMERICAN EXPRESS ACCEPTED

Call 1-800-445-1754 IN ILLINOIS 708-426-2200



ABATRON, INC.

33 Center Drive, Dept. OHJ, Gilberts, Illinois 60136

Since 1959, manufacturers of: Structural adhesives and sealants

Protective and waterproof coatings – Seamless floors – Grouts for pitted and spalled surfaces

Terrazzo systems – Expansion joints – Anchoring grouts for posts, precasts and structures

Underwater patching compounds – Resins for fiberglas and composites


Caulks – Crack injection resins

Ask OHJ

Kerosene Clarified

A friend of mine has an old Vermont hunting cabin and two kerosene lamps, which she calls "Rochester Lamps." They

have mantles like a Coleman camp lantern and very good



- HERBERT H. Вескиітн San Francisco, Calif.

land may have done!)

The

Rochester

-style

kerosene

lamp.

SOON AFTER THE FIRST OIL WELL IN 1859, kerosene became the standard fuel of the home lighting industry. It burned brighter than lard oil, cheaper than whale oil, and safer than explosion-prone camphene. Over the next three decades, kerosene's advantages and availability generated more than 1600 patents for lamps and burners, including one granted in 1888 for the Royal Rochester Burner.

Henry E. Schaffer, of the Rochester (New York) Burner Co., improved on the traditional flat wick with his successful central draught burner, using a circular wick and a round disfuser for better kerosene

Stamped-metal Spanish roof tiles were an affordable alternative to true clay tile. Both types added a solid Latin touch to otherwise modest stucco houses of the pre-Depression years.

and air flow. The Rochester Burner became part of a distinctive new lamp style that was safe, portable, and affordable - fueling the burning American desire to have a lamp in every room.

The Mantle Lamp Co. took the design a step further in 1909 by adding incandescent mantles. Their Aladdin lamps, which are still in production, were an instant success in rural areas and remained a primary light source through World War II. Even after the introduction of gas and electric lighting, reliable kerosene lamps were kept handy for power outages. One lamp source is the Van Dyke Supply Co., P.O. Box 278, Dept. OHJ, Woonsocket, SD, 57385, (605) 796-4425.

A Match Made in Metal

◆ The prior owners of our house removed the galvanized steel roof and replaced it with an asphalt roof. My wife and I would like to put the metal roof back on, but have not been able to locate a company that sells the kind our house used to have.

> - James K. Boudreau Marietta, Georgia





The Boudreau's ridge tiles (right) closely match those offered in a 1928 catalog (left).


AT THE TURN OF THE CENTURY YOU could have shopped for your metal Spanish roof tiles among a dozen or more manufacturers. The tiles were lightweight, easy-to-install, copper or galvanized steel imitations of the Mediterranean-style clay tiles that were quite in vogue during the 'teens and '20s. It's possible that your tiles were made by the Edwards Manufacturing Co., of Cincinnati, Ohio. Metal tile production nearly disappeared during



OUR PRODUCTS CAN'T BE BEAT







... neither can our prices.

FREE CATALOG

Telephone





REN(VA7	0	R'S
	Eve	rything For To	oday's Hon	nes For Less!

For our **FREE CATALOG** call or write Renovator's Supply, PO Box 2660-Dept. 9598 North Conway, NH 03860-2660 Call us at: **1-800-659-2211**

Name_____
Address _____
City/State/Zip _____

Ask OHJ

World War II, but many roofs have survived. One manufacturer still making metal tiles is the W.F. Norman Co. (P.O. Box 323 Dept. OHJ, Nevada, MO 64772; 800-641-4038). In addition to their original roofing designs, they have also custom duplicated many other styles.

Railing About Railings

• Please tell me the average height of 1920s porch railings! I have noticed so many homes with railings that were obviously not proportioned with the porch. Perhaps my eyes deceive me, but I do believe the railings are wrong for many of the beautiful new homes being built today.


— Marilyn S. Daniels Mentor, Ohio DUE TO SAFETY REGULATIONS, NEW porch handrails may be as much as 12" higher than the 24" to 30" heights common in the 1920s. According to

BOCA (Building Officials and Code Administrators International, Inc.), an association that develops model construction codes, 1920s porch railings were only regulated through broad guidelines regarding unsafe conditions. In the late 1970s, BOCA wrote specific provisions

A porch handrail height of 26" shown in Radford's Details (1912) falls short of modern sanctions of 36" for building safety codes. for open-sided floor areas at raised levels (indoor and outdoor balconies, landings, and the like) to ensure adequate protection from falls.

Although not targeted specifically, porches are affected by these codes. BOCA recommends a minimum guard height of 36" for most floor surfaces 30" or more above ground level. These higher railings may look wrong on a porch, but not when seen through the eyes of a safety inspector.

GENERAL-INTEREST QUESTIONS WILL BE answered in print. The Editors can't promise to respond to all questions personally, but we try. Send your questions to: Questions Editor, Old-House Journal, 2 Main Street, Gloucester, MA 01930.






North Fields Restorations, Rowley, MA

Antique Flooring Specialists

- Wide pine oak and chestnut
- Original resawn custom milling
- Select grade furniture grade widths up to 33" wide
- Installations available
- Prices start \$3.00 P.S.F. and up Send for Free Brochure


Tel. 508 948-2722 • Fax 508 948-7563





Isn't there
an easier way
to look at
windows than
windows all
driving all
over town?

PARK THIS IN YOUR LAP.



Our colorful, 96-page catalog covers the entire line of made-to-order Marvin windows and doors. For your **free** copy, mail the coupon or call toll-free: **1-800-346-5128**. In Canada, 1-800-263-6161.

		Send to	: Marvin	Windows,	Warroad,	MN	56763
--	--	---------	----------	----------	----------	----	-------

	80,
Name	
	>
Address	

City_____State____Zip____

MARVIN WINDOWS



Who They Were

Andrea Palladio

by Gordon Bock

behind all things palladian? The facts that have come our way sketch a man who might fit a 19th century novel as neatly as the 16th century Renaissance.

The Italy of 1508 was home to an unmatched growth in the arts and interest in the antique when Andrea di Pietro della Gondola was born in Padua, Republic of Venice. At the age of thirteen he was apprenticed to a stone carver, and he continued to move up and around in the trade until he was working for some of the top carvers in Verona by thirty. He might have remained a stone carver if there hadn't been a job on the additions to the villa of Count Giangorgio Trissino in Vicenza, outside of town.


Trissino was a real Renaissance man — noted writer, poet, dramatist, scholar, mathematician, and amateur architect — and generous with this wealth of knowledge. He took into his household several young nobles as students, and to this elite group he decided to add the older

and far less educated

Palladio had been adapted by Trissino from Pallas Athene, the goddess of wisdom, while he was writing an epic poem, and it soon stuck to his new protege. Trissino also gave him a background in engineering, music, mathematics, and architecture — notably Vitruvius, the architect under Caesar whose treatise (then newly published) was a breakthrough window on the past for Renaissance minds.

In 1538, Trissino moved to Padua for three years, and it was here Palladio may have encountered more of the region's most stimulating thinkers. Alvise Cornaro was a noble-cum-architect like Trissino, but a vigorous originator interested in fresh ideas and the practical needs of a building (how best to center a door, for instance) rather than reproducing details from antiquity. His common sense theories undoubtedly agreed with the down-to-earth Palladio. Sebastiano Serlio was an architect producing a series of books on ancient and modern Roman build-

ings. While it is unclear if Palladio actually met the author, his books—the first of their




kind emphasizing illustrations — made a lasting impression.

Book learning and gentle talk was fine, but to become an expert in ancient architecture, Palladio had to see Rome. He made the trip with Trissino in 1541 and spent two years sketching and measuring any building not buried by the centuries. Though he had been designing all along, up to this point his work had been uneven and somewhat styleless. Once back in Vincenza, however, he won a competition to redesign the Palazzo della Ragione around 1549, and in a stroke his career was made. From then till his death in 1580, Palladio was busy with a succession of over 40 villas, palaces, and churches, as well as his own book, Quattro libri dell'architettura.

A charming tale, but what's the tie to old houses in North America? In the early 1600s, Inigo Jones absorbed Palladio's writings and his serene, individual command of the classical architectural vocabulary and brought them to England where they lent many concepts to the Georgian style. Thomas Jefferson is said to be the first American to own Four Books of Architecture (reprinted by Dover Publications, New York), and the Venetian's rational, effortless use of symmetry shows in Monticello and any Classical Revival building. Ideas such as temple-fronts, three-part windows, and columned porches, as well as a treatise on how to build with them, we inherit from the most influential architect in history.

A villa from Palladio's second book. Many a southern mansion shares the double porch and balanced wings.





Reading the Old House

COLONIAL REVIVAL OR VICTORIAN SURVIVAL?

by James C. Massey and Shirley Maxwell

UR LITTLE HOUSE WAS BUILT in 1910 and appears to have late Victorian features. The front porch has lost the original (classical?) columns, and we wonder if the flat-top roof is original. Is our house a Sears Catalog model? Is the style Colonial Revival? Or is it something else?

— KATHY NIXON Walla Walla, Washington

THIS HOUSE DEMONSTRATES THE survival of a particularly persistent type of one-storey, pyramidal (or hipped-roof) cottage with a projecting, pedimented front bay. Built in towns and villages across the continent at the end of the 19th century and the beginning of the 20th century, houses of similar design often appear in architectural pattern books and ready-cut house catalogs of the time.

This one certainly has the look of a ready-cut or pattern-book house, and we'd guess it is more likely from a pattern book. For instance, there are several similar designs in *Hodgson's*



"The Linwood" from Hodgson's Low Cost American Homes is just one variation of the pyramidalroof cottage with bay — a basic plan highly popular at the turn of the century.



The front of the Nixon's cottage clearly shows the flat top of the hipped roof and the triangular pedimented gable.

Low Cost American Houses (1904). Plans such as these sold for as little as \$5, and served a market for houses that could be built for under \$1,000 by

"the carpenter remote from the city." However, it is not among the Sears designs listed in Houses by Mail: A Guide to Houses from Sears, Roebuck & Company (by Katherine Cole Stevenson and H. Ward Jandl, The Preservation Press, 1986). Even if a nearlyidentical design did turn up in one of the period's many catalogs or pattern books,

it would be hard to establish the house's provenance without other supporting documentation. (Sears houses left especially clear paper trails, since the company financed many of their buyers after 1911.)

By the time this house was built, Craftsman bungalows and colonial-inspired homes had already edged out such "old-fashioned" designs among the more style-conscious buyers and builders. Specific features that mark this house as more Victorian than Colonial Revival or Craftsman are the use of contrasting building materials, the large-paned windows, and the projecting bay.

The owner notes that the existing, rather-too-skimpy wooden porch columns replaced modern wrought-



Ready-Laid antique heart pine Hooring.

The Joinery Is Making History With A Floor That's Easy To Install.

he tools are centuries old. So are the timbers. And through The Beauty Of Recycling,™ The Joinery Company is using them to make history with something brand new: Ready-Laid" antique heart pine flooring.

- · Authentic antique heart pine flooring that's prefitted, pre-laid, and needs no commercial sanding
- · Pre-squared ends and laser-straightened edges
- Packaged in easy-to-handle nested bundles
- · Kiln-dried to insure dimensional stability

Give us a call at (919) 823-3306. We'll tell you more about our Ready-Laid™ antique heart pine, and help you make a little history of your own.

Send \$5 for our portfolio and price list, or \$25 (refundable with your order) for samples of 16 fine woods. Credit card orders accepted.

JOINERY CO.

Antique Heart Pine Flooring

Dept. OH • PO Box 518 • Tarboro, NC 27886 (919) 823-3306



We offer over 1500 handcrafted plaster ornaments for the building industry. Custom reproduction is also available.



THEFISCHER & JIROUCH CO.

4821 Superior Ave. • Cleveland, OH 44103

Tel. (216) 361-3840

FAX (216) 361-0650

Smith · Cornell impressions





Call or write for a:

· FREE brochure

FREE quote

1545 Holland Rd. • Suite O Maumee, Ohio 43537 419-891-4335 • 800-325-0248

· Sand cast plaques in Bronze & Aluminum

We specialize in:

- GraphicsPlus-Smooth Surface Plaques and Markers
- · Combination of cast with a GraphicsPlus insert OldStandard National Register Plaques

21

Reading the Old House

iron supports. Sturdier square posts would have been closer to the original. Round columns would also have been appropriate and would have increased the Colonial Revival feeling of the house.

Indoors, columned screens, such as the one between the front rooms of this house, are more common in the 20th century. They are frequently featured not only in pattern books and ready-cut catalogs, but also in the many millwork catalogs of the period, including Sears.

The 5'x 10' flat-top roof is almost certainly original. Houses of this type had either pyramidal roofs ending in a single point or hipped roofs that terminated in ridges or tiny decks, like this one. The narrow board sid-


ing, simple window trim, and oneover-one-light sash are all typical of the construction period. So too is the pedimented front gable with fishscale shingles, although the use of contrasting materials (wood siding and shingles) fell from favor in the Colonial Revival period.

T E R M N º T E S

Pediment: In classical architecture a feature formed over a cornice by continuing all or part of the moulding up the gable ends of a roof to form a triangle. Other forms have been widely used in later centuries above windows and doors, and might be straight-sided or



curved. In broken-apex pediments the sloping sides do not meet; in broken-bed pediments the horizontal base is not continuous.



NORTHERN REFRIGERATOR COMPANY




SPECIALISTS IN THE REFRIGERATION REQUIREMENTS OF YOUR ANTIQUE KITCHEN OR PERIOD HOME

- Manufacturers of premium solid oak ice-box Electric Refrigerators
- All-refrigerator, and refrigerator-freezer combination available
- Send \$3 for descriptive literature

Northern Refrigerator Company 21149 Northland Drive P.O. Box 204 Dept OHJ Paris, Michigan 49338 616-796-8007



Quinlan, TX 75474





The Fireview Soapstone Stove, pictured here, is our most popular model!

ENJOY SOAPSTONE WARMTH

Soapstone is nature's most beautiful. durable, and efficient stove material. It radiates gentle, even and soul-satisfying warmth. Since first patented in 1797 soapstone stoves have been treasured family heirlooms in New England.

Each stove is crafted with detailed iron castings and hand polished stone. Variations in grain and color assure that each stove is unique.

Woodstock Soapstone Stoves offer both traditional and contemporary styling, and the latest in clean-burning technology. An internal catalytic combustor boosts heat output and virtually eliminates pollutants.

Our financing plan makes it easy to own a Woodstock Soapstone Stove, with no down payment and low monthly terms. Mail the coupon below to find out more, or call the factory direct at 1-800-866-4344.

FREE COLOR CATALOG

Name		
Address City/State/Zip		
Phone (daytime) (_)	
Phone (evening) ()	

WOODSTOCK SOAPSTONE CO., INC.

66 Airpark Rd., Dept. 289, W. Lebanon, NH 03784 Phone (603) 298-5955 • Mon.-Sat., 9am-5pm

800-866-434


Restorer's

N O T E B O O K

Bracing for Floor Repairs

R EPAIRS TO SQUEAKY OR LOOSE are pressed firmly to the subfloor or joist before fastening. I use a T-brace made with a broad top board, a small floor wedge, and a vertical member cut so the brace is slightly longer than the ceiling height. I jam the brace in place over the area of repair, being careful not to exert too much pressure on the ceiling. With the floorboards pushed down, each nail or screw will hold the floor down tight. For severely warped boards, I squirt construction adhesive underneath before fastening and leave the T-brace in place until the adhesive sets. Where it is not practical to take boards up, a large hypodermic syringe can apply wood glue through needle-sized holes.

— ANTHONY NOVSHEK
Eitzen, Minn.



A padded T-brace holds loose or warped floorboards in place for strong repairs.

More Pipe Repair Tips

Your Article on Copper PIPE Repair [July/August 1993] was fine, but an old plumber taught me another

tip. No matter how hard you try to clear the line for a repair, sometimes water remains in the pipe. To keep it from running, poke some bread into the pipe with a pencil. That will stop the flow long enough to solder the copper. When the water is turned on, the bread will turn to mush and run out.

— w.s. mcclelland Altoona, Florida

When a pipe splits from freezling, instead of using a coupling for a repair, consider using a stop-and-waste valve. Since the split is most likely at a low point in the system, the bleeder in this valve can be used as a drain and left open. In addition, the valve usually spans the gap created by removing the section of split pipe, eliminating the need for another joint. When soldering, remember to remove the knurled cap and the valve stem before heating, or the gaskets will need to be replaced.

RICHARD PIPP
 Columbus, Ohio

Carpet Odor Eater

In our old house, disgruntled former tenants had locked their cats indoors without a litter box, leaving the worst odor in a carpeted bedroom. My solution was activated charcoal, an odor-absorber available at pet and department stores. I sprinkled

about a pound of it all over the carpet, closed the door, and waited. After a month I noticed a definite improvement, and eventually the

odor vanished completely. I have since used loose charcoal in shallow pans for the other persistent odors that come with kids and pets.

— JULIA CASS-LIEPMANN Highland, New York



Not only can a stopand-waste valve replace split pipe, it can also prevent another leak.

Wallpaper Strip Tip

Rather than use a steamer or sprayer for wallpaper removal, I've

found a regular paint roller works great to wet the walls. Mix one quart of hot tap water with your favorite chemical wallpaper stripper. Pour half into a paint tray and soak a clean 3%" or ½" rollernap with as much solution as it will hold. If you start at the top of the wall, most of the liquid will end up on the floor. Instead, start your roller at the bottom of the wall and roll upwards. This pushes a bead of water in front of the roller, ensuring even coverage. Let it soak in and repeat as needed until the paper scrapes off easily.

— DIANE CRUDDEN Providence, Rhode Island

SHARE YOUR SOLUTIONS!

We'll pay \$25 for any hints or shortcuts that might help other old-house owners. Send them to Notebook Editor, The Old-House Journal, Two Main Street, Gloucester, MA 01930.

Faux Effects Inc.




Fine Decorative Finishing Training Studio

PROFESSIONALS! Learn our 21st Century state of the art methods for FAUX and DECORATIVE finishing using patented, water base systems and products.

FAUX EFFECTS, INC., Vero Beach, Florida is recognized nationally as a leader in the fine art of faux and decorative finishing techniques.

Fresh, exciting new finishes for residential and commercial walls and furniture from Old World to Contemporary.

IF Member of American Society Interior Designers For Information: Call (407) 778-9044



Save Up To 50% On Home Heating Cost

And never have to buy fuel wood, oil, gas, kerosene—

ever again.

Hydro-Sil is a unique zone heating system that can save you hundreds of dollars in home heating costs.

It can replace your electric heat, oil or gas furnace. Your kerosene heaters and woodstoves.

Hydro-Sil heating works like this: inside the heater case is a sealed copper tube filled with a harmless silicone fluid that will never spill, leak, boil or freeze. It's permanent. You'll never run out. Running through the liquid is a hydroelectric element that, when the thermostat is turned on, quickly warms the liquid. The silicone liquid with its heat retention qualities continues to heat after the Hydro element shuts off, saving you money. The heat radiating from the tube is directed into a gentle convection flow that delivers warm, comfortable heat into the room. It's just that simple. The principle is the same as hot water heating and provides the same comfortable benefits.

Your benefits with Hydro-Sil

- Slash Heating Cost Up to 50%
- Lifetime Warranty no service calls
- · Safe for children & furniture
- Clean no fumes no smoke
- U.L. Listed
- Preassembled ready to use
- No furnaces ducts chimney
- Portable (110V) or permanent (220V)
- Whole House Heating or Single Room
- Room by Room Control

Please read what others are saying about Hydro-Sil and how it helps them

- Bill M., Professional Engineer: "I saved hundreds of dollars on the installation cost compared to heat pump prices, plus I cut my fuel costs by one-half."
- Grant M., Accountant: "We replaced our oil furnace in our office building, and in the first year we saved \$2,700 in oil and heating costs. This was a 51% saving, plus we have no maintenance costs."
- Bob & Nancy B.: "With the Hydro-Sil heaters, we saved \$1,119 in heating costs the first year. There is no maintenance to worry about and <u>we can</u> zone every room separately for our comfort and convenience."

SEASONAL DISCOUNT AVAILABLE NOW LIFETIME WARRANTY

PROTECTION OF THE PROPERTY OF

220 Volt	Approx. Area	Your Discount	Quantity
Permanent	To Heat	Price	
8' 2000 watts	300 sq. ft.	\$239	
6' 1500 watts	250 sq. ft.	\$219	
5' 1250 watts	200 sq. ft.	\$199	
4' 1000 watts	175 sq. ft.	\$179	
3' 750 watts	150 sq. ft.	\$169	
2' 500 watts	100 sq. ft.	\$149	
Hydro-Sil Porta	ble Heaters (110)	Volt)	
5' Dual Watt 7:	50-1500 W	\$199	
4' 1000 watts	175 sq. ft.	\$179	
3' 750 watts	150 sq. ft.	\$169	
4' Dual Conve	ctor 750-1500 W	\$169	
S.C. & N.C. ad	ld sales tax	\$	
\$15.00 shipping	g per heater	\$	
Total Amount		\$	

١	LOU Can	Do Samo	thing About	the High Cos	of Winter Heating
a	rou Can	Do Some	uoda Dainie	rtne Hian Cos	t of Winter Heating

Order by Phone or Mail, Credit Card or Check • MasterCard-VISA

CREDIT ORDERS	ACCT. #
1-800-627-9276	EXP. DATE

MAIL TO: HYDRO-SIL, PO BOX 662, FORT MILL, SC 29715

NAME ___

PHONE

A window must fulfill two purposes ~ it must keep out rain, wind and cold, and must admit light; having fulfilled these ends, it may be beautiful.

~ CHRISTOPHER DRESSER, 19th-century English designer



ENJOYING THE MAGICAL QUALITIES OF COLOR and light that beam from stained glass windows is one of the special pleasures of being an old-house

owner. Stained glass is an architectural element — artwork to many — that reached a zenith in popularity in the decades around

1900, and many restorers have small or large amounts of stained glass in their homes. A century ago, new forms in architecture and a boom in homebuilding created a vast market for these windows, hitherto primarily associated with religious structures. Though it's easy to appreciate the decoration and mellow light this stained glass still pro-


vides, it's harder to know what to do when it shows signs of age or wear, or how to protect it from future harm.

One serious threat to stained glass may come as a surprise. Inappropriate or shoddy repair work by well-meaning, but inexperienced, craftspeople — or worse, insensitive "restorers" — can do more harm than good to historic stained glass. Perhaps the best advice for owners of stained glass windows in need of restoration is four-fold: 1) understand what you have; 2) get the right people to do repairs; 3) know what questions to ask of them; 4) demand appropriate and pro-

fessional results. Here, we'll explain why these questions are so important, and offer some help in finding the answers.

Decorative Leaded Glass in Houses

LEADED GLASS WINDOWS WERE USED IN NORTH America as early as the colonial era. Glass



was a luxury material so casement windows were glazed with small square or diamond-shaped panes called quarrels (or quarries) held in a wood frame with strips of lead. Inserting pictorial stained glass medallions in a field of clear quarrel panes made these windows decorative.


Leaded glass use in windows decreased sharply in the 18th century, partly due to changing architectural tastes. The Georgian and Adamesque styles favored ornamentation at window and door frames, and leaded glass was limited to sidelights and transom windows, with glass that was generally clear. Another factor was the preference for sash windows.

In the early 19th century, however, serious archaeological interest in English medieval churches led to the rediscovery of stained glass. At the same time, proponents of the Gothic style of architecture advocated a return to medieval building craft traditions and techniques, including stained glass.

When the Gothic Revival style came to America in the 1830s, it started a decorative leaded glass revival. An early example was the English stained glass incorporated in the 1823 Saint Stephen's Episcopal Church, Philadelphia, a few

years later. Stained glass continued to be imported from Europe throughout the century, but beginning in the 1830s it was also manufactured here. In 1850 the U.S. census recorded 28 "glass stainers" in New York State; by 1900, 108 "glass, cutting, staining and ornamenting" establishments were counted.

This allegorical La Farge window from the Vanderbilt house (1881) is a feast of late-19th-century glass types and techniques, including chunk glass, confetti glass, opalescent glass, and surface painting.




Adapted, at first, to religious structures, the Gothic Revival style was soon promoted for houses. For instance, A. J. Downing commented that the bay window in the library of one house "should be filled with rich stained glass, which would produce a mellow tone of light in this apartment, in admirable keeping with its character." Glass in the medieval style was adopted for residences, but overt religious symbolism was often toned down to prevent it from being too "churchy". Heraldic motifs, floral designs, fleur-de-lis and the like replaced religious emblems, and lighter colors made the windows more translucent.

Stained glass remained popular for the eclectic revival styles of the second half of the 19th century. Queen Anne residences featured top sashes that could be either fully glazed with leaded glass, or divided with small panes of colored glass forming a frame around a central clear glass pane — the Queen Anne window. Leaded casement sash with quarrel glazing lent a medieval air to Tudor Revival homes; geometric and organic designs complemented the earthy simplicity of the Bungalow and Craftsman styles. Art Nouveau windows used exaggerated patterns to express the forces of nature.

Residential stained glass windows contributed a pattern of colored decoration in the manner of wallpaper or mural paintings, and certain subjects went with specific areas of the house. For example, heraldic shields or literary motifs were usually reserved for the study or library. In the dining room, fruits and vegetables were popular subjects. A famous example is the "Eggplants" window designed by Louis Comfort Tiffany in 1897 for his own apartment in New York City. Floral motifs and geometric patterns were suitable for hallways, stairways, and bathrooms where decorative leaded glass windows were frequently found.

Stained glass use in houses dropped off in the 20th century. Home design stressed simplicity, reserving art glass for a decorative accent, along a stairway, in the dining room, or near the main entrance.



A stained glass skylight from Frank Lloyd Wright's home and studio in Oak Park, Illinois. Designed by the architect, it clearly shows his trademark use of thick and thin cames.

The Stained Glass Industry

from two principal sources: studios and catalogues. Studios, the traditional source, produced custom windows to each client's specifications. There were hundreds of studios by the late 19th century, among them the familiar names of Tiffany



Floral panels such as this one (attributed to John La Farge, c. 1900) might appear in dining rooms.

Studios and John La Farge (New York), and the Charles Connick Studio (Boston). A few architects notably Frank Lloyd Wright — designed leaded glass windows for their buildings. Windows could also be ordered by the square foot through mail-order catalogues distributed by studios and building materials supply companies.

Stained glass window manufacture in the 19th century was much the same process as in the 12th century, employing

techniques still used today. First, a small sketch by an artist establishes the design. Then this design is transferred to a full-sized drawing called a cartoon. Using the cartoon as a guide, glass is chosen, cut, then joined in a panel with metal cames (usually lead but sometimes zinc or bronze). The process relies completely on skilled hand craftsmanship. To keep up with the demand at the turn of the century, windows were mass-produced by reusing designs, leading to the typical art glass catalogues with a limited range of patterns.

In addition to designing for individual clients, studios made residential windows for sale to local lumber companies. The Henry Keck Stained Glass Studio of Syracuse was typical, producing as many as 100 windows per week for the Chapman Lumber Company and Wilson and Green Lumber companies in the same city. This bread-and-butter work kept the studio busy between less steady, but more specialized, jobs like fabricating church windows.

Maintaining Stained Glass Windows

AN IMPORTANT FIRST TASK AS STEWARD OF YOUR OLD-HOUSE stained glass is to document it. Take color photographs of the windows, both for insurance purposes and to record their "before" condition in the event they are sent out for restoration. Supplement photos with the name of the maker or

studio, if known, and a general description of the design of the window. (For more on documenting, see *The Census of Stained Glass in America*, page 31.) Clean stained glass with a soft cloth or feather duster. Stubborn dirt can usually be removed by gentle washing with distilled or soft water and a soft cloth. Do not use cleansing powder, steel wool, or chemical cleaners containing ammonia or lye. Most important, do not clean stained glass if painted surfaces are flaking, or the panes are in serious disrepair. Test all methods in a hidden spot first in case the surface is painted or easily harmed by cleaning.

How can you locate good stained glass restorers? Ask for referrals from local art museums, historic preservation organizations, or restoration architects. Follow these guidelines when making a choice:

• Get references for three or more recent projects that are similar to your type of work. Check these references.

 Visit the studios you are considering, if possible, to see firsthand their day-to-day operations.

 Ask for the name of the individual assigned to work on your stained glass, and inquire about their qualifications. Remember that experience in making new stained glass is

not the same as restoration experience.

• Get competitive bids that include a written description of the extent and nature of the work to be done. The least expensive bid is not always the best; if a bid is drastically lower or higher than others, there's probably something amiss.

Small sections of missing or broken glass can be replaced without removing the stained glass from its frame or sash, but for most repairs the stained glass will need to go to the shop. Homeowners can save some expenses by removing and transporting the windows themselves. Stained glass should be moved and stored in a vertical position. Protect the panels during transport by cushioning them with foam or batt insulation between a plywood sandwich. If tape is used, be sure it does not touch the glass.

Some of the common and appropriate restoration procedures that qualified craftspeople perform are:

Flattening bulges — Not as easy as it sounds. The window is laid on a flat surface, the putty is carefully picked out of the lead, and the panel is very slowly flattened using a com-

bination of weights, hand pressure, dry heat, or warm water.

Repairing cracked glass — Preferable to replacing it. Pieces can be reassembled by edge-gluing with two-part, conservation-grade epoxy, or by the copper-foil method where the edges are wrapped in foil and soldered together. Although copper-foil repairs are more traditional, edge-gluing, if done competently, is almost invisible.

Replacing missing glass — Replacement glass should match the color, texture, thickness, and transparency of the original to the extent possible. Many types of glass used historically

for commercially produced stained glass are still available today. A restoration studio that says your kind of glass isn't being made anymore may not be looking hard enough.

Reputtying lead cames

— Ask the restoration stulio what kind of putty they

dio what kind of putty they will use. The composition should be primarily boiled linseed oil, whiting, and coloring agent, all thinned with turpentine. Putties containing silicon, Portland cement, excessive amounts of driers, or more than 10% plaster of Paris are not appropriate.

Releading — Overall releading — that is, systematic replacement of all

the lead cames — is usually not necessary unless the cames have become brittle or cracked. Old lead still has vitality if the flanges can be lifted and flattened without cracking or powdering. If panels are releaded, new leads should match the size and profile of the originals, and resoldered joints should be neatly finished. Some restorers artificially "age" new cames or solder joints with chemical patinas, but this is not necessary; chemical patinas may damage the glass.

Paint restoration — Definitely a job for a professional. Historically, vitreous paints were used to add details in a stained-glass design — faces, hands, shadows, clothing nuances,



This art-glass window in upstate

New York might well be design # 1293

from Thomas C. Edmonds and Co.,

one of the many catalog suppliers of

garden-variety panels.

The weight of this window has defied the vertical reinforcing bars and caused a serious buckle.

flowers, trees — that could not be achieved with stained glass alone. Unfortunately, over time these finishes, which were usually fired on, may begin to deteriorate or flake off. Experienced restorers can consolidate (reattach) flaking paint, or recapture the

lost details by painting them on a plate of glass that is mechanically attached to the back of the original. Repainted glass should not be refired, a practice some "restorers" advocate.

Repairing reinforcing bars — Sometimes the connections between the reinforcing bars (also known as saddle bars)



These reinforcing bars were added to a buckled panel as part of its restoration, following the original lead lines so as to be invisible from indoors.

and the stained-glass cames are broken. These should be reattached with the original method — either by soldering or, more commonly, with copper wire ties.

Reinstalling Stained Glass

STAINED GLASS PANels should be rein-

stalled using the same methods as before, and this is a job within the skills of adept old-house restorers. There are two methods:

r) Set into a recessed rabbet. Like window glass, the panel is held in place with small nails or tacks, and covered with either glazing putty or thin retaining moldings. Before setting the stained glass panel in the sash, remember to prime the surfaces of the rabbet with linseed oil and lay down a backbead of putty. If your window frames are masonry, give the surfaces of the rabbet a coat of shellac first. This will help the backbead putty adhere to the frame. Next, secure the glass with small, non-ferrous nails pushed into the rabbet. Place these nails only where an internal lead line meets the perimeter lead of the panel. Nails at the middle of border glass can cause it to break. Finally, apply a top bead of putty (a modern flexible caulk is also acceptable) or reinstall the original retaining moldings.

2)Set into a plough. If the stained glass was set with this

method, you will note that the groove is deeper on one side of the frame than the other. Carefully slide the stained-glass panel all the way into this deeper channel, then slide it back into the rebate on the opposite side — similar to replacing sliding cabinet doors. In both cases there should be a minimum 1/8" gap between the stained glass panel and all inside edges of the frame or sash to allow for expansion and contraction of the panel.


This opalescent glass panel is being reassembled after flattening.



Protecting Stained Glass

LARGE STAINED-GLASS WINDOWS IN CHURCHES OR PUBLIC buildings are often shielded outside with large sheets of clear plastic or glass, primarily to protect them from vandalism. Unless there is a similar threat to old-house stained glass, there may not be a compelling reason to install protective glazing.

A disadvantage is that moisture and heat can be trapped



Angled weep holes in protective glazing keep out rain.

in the dead-air space. This can contribute to accelerated deterioration of lead cames, wooden sash, or painted features of the stained glass itself. An average-sized residential stained glass window will need two or three 3%" holes (drilled at a slightly upward angle to prevent rain entry) at both the top and bottom of the plastic panel. If your stained glass requires protective glazing consider these options:

Traditional wood-sash storm

windows — These will look the best, and be most historically accurate on an old house.

- Standard aluminum or vinyl storm windows Order a baked enamel finish in a color appropriate for your old house.
- Custom-made acrylic or polycarbonate panels Very strong, but can discolor, cloud, or become scratched over time.
 Acrylics can suffer from ultraviolet ray deterioration; polycarbonates (Lexan is one brand) resist this part of sunlight.
 If the sheets are screwed directly to window frames or sash, the screw holes in the plastic should be large enough to allow for movement.

Where vandalism is not a concern, don't overlook tempered or laminated glass, which does not cloud, scratch or buckle, but is stronger than ordinary glass. For all types of protective glazing, take pains to design the divisions be-

tween the protective panels. This way they will align with the divisions of the stained glass window and be a nearly invisible addition to the source of magical light.

Suzanna Barucco is a historic preservation planner with Martin J. Rosenblum, R.A., & Associates, Philadelphia; J. Randall Cotton is a project director with the Philadelphia Historic Preservation Corporation. Special thanks to Arthur Femenella of Femenella & Associates, Inc., Annadale, NJ (908-735-6840).

Stained Glass Glossary


- ARMATURE: An iron or bronze support framework (uncommon on residential panels).
- STOP MOULDING: Alternative to glazing putty for holding panel in frame.
- IN-PAINTING: Careful replication of missing sections of painted surfaces directly on the stained glass, using reversible acrylic or oil paints. Sometimes missing painted sections are restored by plating (see below).
- CAME: The metal strip that holds the pieces of stained glass to form a panel. Cames usually have an Hshaped profile.
- TIE WIRES: Copper wires or strips twisted around saddle bars and soldered on to cames to support the panel.
- REINFORCING BARS (also saddle bars): Round or flat iron bars that add support to panels of stained glass. The bars are set into the sides of the window frames, then soldered and tied to the stained glass window using copper wires.
- PLATING: Layering two or more pieces of glass to achieve
 a desired artistic effect. Plates are attached mechanically with
 lead came or copper foil. The technique is prevalent in Tiffanystyle windows, but can also be used to restore broken glass or
 missing painted effects.
- PUTTY: Paste forced under the flanges of lead cames to make the stained glass waterproof and to stiffen the panel.

 VITREOUS PAINT: Paint composed of finely ground glass, metallic oxides, and liquid mixing agents used for painting on glass. Vitreous paints are usually fired on for permanency.

- ANTIQUE GLASS: Mouthblown glass produced by traditional methods. The term is also loosely applied to glass that resembles medieval-style stained glass.
- ART GLASS: Mass-produced, commercially designed stained glass windows, such as those most often found in homes. Also broadly, the ornamental glass used to make them.
- ◆ CATHEDRAL GLASS: Though
 uniform in thickness and color, this
 material is often given a surface texture by imprinting with patterned
 metal rollers while the glass is soft.
 Many textures were produced by this
 method, ranging from subtle ripples
 to bold, raised, cross-hatching.
- DRAPERY GLASS: Textured glass that is formed into fold-like ridges while the material is still mal-

leable. Drapery glass was used to realistically depict folds in the drapery of robed figures or suggest surfaces such as bird's wings and flower petals.

 OPALESCENT GLASS: An American invention of the late 19th century, this glass is characterized by streaks of color in a milky white base with an overall iridescent appearance.



Resources

CONSERVATION AND
RESTORATION OF
STAINED GLASS: AN
OWNER'S GUIDE
The Census of Stained Glass
Windows in America
Box 1531
Raleigh, NC 27602
(919) 266-2493
This is an excellent 40-page
booklet on maintenance and
repair available for \$3.75
postpaid. CSGA also organizes
systematic surveys of stained
glass in cities across the country.

STAINED GLASS 4050 Broadway, Suite 219 Kansas City, MO 64111 (800) 888-SGAA

PROFESSIONAL
STAINED GLASS
PO Box 69
Brewster, NY 10509
(914) 279-7399
These two periodicals are primarily for the trade, but owners of old stained glass will find many useful articles and resources.


THE PRESERVATION AND REPAIR OF STAINED AND LEADED GLASS by Rolf Achilles & Neal A.Vogel Preservation Brief 33 (Stock # 024-005 II22-6) Super. of Documents, Government Printing Office Washington, D.C. 20402-9325 This latest brief from the National Park Service, covers the history, preservation, and repair of stained glass in all types of buildings (\$1.50).

STAINED GLASS
IN HOUSES
OF WORSHIP
by Rolf Achilles &
Neal A.Vogel
Inspired Partnerships
53 Wast Jackson, Suite 852
Chicago, IL 60604-3611
(312) 294-0077
Fifth in a series of
technical guides for
religious properties, this
thorough booklet contains
information also useful for
homeowners.

PERSPECTIVES ON F

A Restorer's Notes on Repairing Decorative Wood Floors

atterned floors seem to be a regular part of the interior architectural work that makes up our restoration business. Over the years we have worked on many different floors in the New York City area dating from the 1830s on, and we have learned many things that you won't find in the standard literature on new floors. I'd like to go over some of the problems that patterned floors suffer — squeaks, loose boards, missing boards, broken shoulders, faulty subfloors — and then, without getting too technical, share some of our methods and ideas for dealing with them. If you know what to expect, and what is possible when faced with restoring a complicated floor, you — or whoever is doing the work — will have better luck with results.



Matching Materials

AN IMPORTANT POINT TO BEAR IN MIND — ONE WE OFTEN forget — is that wood floors are made from a natural material. Oak, in particular, was very popular for flooring during the late-19th century, and was often sold in a grade called rift-and-quartered that essentially does not exist today. Most modern flooring is flat-sawn, a cut where the lumber is sawed roughly tangent to the growth rings. This pro-

duces the familiar flamelike pattern on the top surface — beautiful in individual pieces but less common in turn-of-the-century flooring.

In contrast, quartersawn flooring is sawed so that the width of the lum-

3 3 4 6

ber is roughly perpendicular to the growth rings. (See above.) This method is time-consuming, wasteful, and expensive. However, quarter-sawn flooring is coveted because it is 30% to 50% more stable than flat-sawn wood in terms of warp-

Left: This very common, mid-1880s "log cabin" pattern uses oak and cherry around the field. A poor match in repair woods would be obvious and destroy the effect. Above: Quartersawing methods c. 1922; riftsawing is a to c.

ATTERNED FLOORS


and Their Part in Larger Projects · BY JAMES BOORSTEIN

ing, contracting, and expanding. It also has a very uniform surface density that wears well, making for a very tough floor. The cut is also desirable because it produces a visual effect called "fleck," which is the ray cells viewed in cross-section.

Rift-sawn flooring is defined a variety of ways, but it's generally considered to be lumber sawed so its width is almost perfectly perpendicular to the growth rings. It, too, has a very distinct appearance. Rift-sawn flooring doesn't show the fleck, but it does have an even grain pattern that makes a very elegant floor. Rift-and-quartered flooring is graded to have a mix of these two cuts.

We have had difficulty finding riftand-quartered grade material that is similar to the flooring used at the turn of the century. Recycled boards are increasingly available (especially in softwoods), but the

remilling usually leaves them thinner than normal and often difficult to incorporate into repairs. Otherwise, machine-made tongue-and-groove flooring hasn't changed much in over a century. Today, many boards are relieved with a hollow or scratch back (see drawing, below). Microbevels are sometimes used to eliminate the need for sanding the



slight irregularities of a newly laid floor.

Some boards have no tongues, only grooves, and fit together with loose splines. In floors with short boards or complicated parquetry patterns, grooves on the board end help in laying a floor and keeping it flat. Bundles of splines can be purchased from flooring suppliers.

Custom sawing is an option. In one case we were unable to find a supplier of rift-and-quartered material. Since picking through a load of random-cut material for what we



Photographs as well as drawings are essential for documenting this complex pattern (possibly a catalog design) before any restoration work.

needed would have required a large over-order, we realized it would be less expensive to find a mill in Pennsylvania, select the logs, and have the flooring sawed and kiln-dried to our specifications. Newly milled wood needs to be completely seasoned. Air drying floors of less than r" in thickness takes about a year — certainly never less than six or eight months.

Moisture and Protection

NEW OR OLD, ANY FLOORING MATERIAL THAT COMES TO YOUR site has to acclimate to its environment. It should be be stacked



Above: Good stickering gives new flooring plenty of support and air circulation for acclimating. At left: Typical tongue-and-groove flooring features.



To be a useful key, a complicated patterned floor drawing bas to be precise and close to scale—no ten-minute job. Board orientation may also be noteworthy.

in the same room, or in an adjacent room, with the same climatic conditions. This is does not mean storing the flooring in an outbuilding or basement, then moving it in when you're ready to lay the floor.

If time is an issue, it pays to sticker the boards. Stickering is time-consuming. We try to get the wood as early as possible and stack it with spacer sticks every five or six boards. These spacers should be placed close to each other to support the flooring and prevent sags. We allow vertical space between the boards so air can circulate, and space between the pile and any walls. Depending upon conditions in the room, four to six weeks time will allow the boards to fully acclimate to the environment where they may spend the next 100 years or more. A fan — not an open window — will speed up the process.

The moist months of the year are the worst for laying floors, especially mid-summer. First, the boards expand as they

acclimate to the high humidity level; later in the heating season, the boards dry out and shrink, leaving gaps. The ideal times for laying new floors are the moderate seasons of spring and fall. The tightest year-round floors are laid in winter, but allowances must be made for some expansion or you may subsequently find the boards buckling or suffering compression set.

There seems to be two schools of thought regarding when floor work should be scheduled in a project: first and last, Certainly the building must be fully weathertight with no water entering. In addition, floor work should not coincide with

Under this apartment floor were sleepers (timbers on concrete) so badly notched they had to be sistered with new lumber. wall plastering or concrete pouring as they both introduce a lot of moisture into the air.

There's a lot to be said for doing floor work early on, perhaps taking it through the sanding stage, and then doing the final finishing after the bulk of the work is complete. This way cabinets can be set and baseboards scribed to the floor (though sometimes the floorboards are scribed to the baseboard). Doing the floor restoration in the beginning often yields better results because there tends to be more time, patience, and money to do a careful job.

Whatever type of floor you have, protect it while other work is going on. The most basic insurance is a carefully laid layer of building paper. We generally put down a layer of Upsom board (available at most lumber yards as E-Z Curve) and tape all the joints with duct tape. Upsom board is approximately the thickness of three pieces of shirt cardboard, and is lighter and easier to cut than Masonite. It offers very good protection. If demolition, scaffolding, and other major work is planned, the floor should be covered with plywood. Always be sure to sweep the floor clean first. Generally, it is a good idea to use paper as the first layer, no matter what goes on top.

Picking Up a Floor

sometimes, sadly, there are situations where the floor is fine, it's what's underneath that's the problem. With patterned floors, planning and a lot of careful work is required to take up the floor and lay it back down properly before you begin work.

Good photographs may suffice for simple jobs and will be valuable in any case. In the event that a whole floor needs to be replaced, it must be accurately drawn so the patterns can fit precisely within the walls. We use a photocopy of a photo or drawing as a map to label the boards. It's important to devise a labeling system, then mark the drawing and each floorboard. If the floor is not tongue-and-groove, both



the location and alignment of each board must be recorded. Chalk is a quick and easy method.

Once the boards are up, the chalk numbering is not good enough. The boards always end up getting moved a few times. We have often opened floors for work by other trades with the plan to close it back up the next day, yet this rarely happens, and days turn to weeks. You should either engrave the number on the back or use an oil marker. Masking tape and a little pencil mark just doesn't work. Keep the boards stacked and bundled neatly.

It is also critical to determine and record the exact space between each board. One good method is with shims. Before the boards are lifted, slip a piece of copper sheet, metal shim stock, or whatever you have between them (popsicle sticks could work for big gaps). The goal is to find a material which is not compressible and slips snugly between each board. Select one thickness by testing several areas or, if there is great variation, use two different thicknesses. When you relay the boards place the shim between the shoulders of the boards, pry the boards tight, nail them home, and slip the shim out. It can seem contrary to carefully relay a floor with gaps between the boards, but the result is often an invisible repair.


Frequently, in order to lift a section of flooring you have to destroy a board or two. If you're starting against a wall and are lucky, you may be able to pry the first board out with patience and no damage. After the first board is up it is basically a matter of prying one board out after another — it's not difficult. A hack saw blade is a very helpful tool. You can slip it under a board and saw the nails flush to the floor. Adhe-

sives and floor mastics were virtually never used on full-thickness older floors.

Background on Subfloors

WHEN THERE IS A PROBLEM ABOVE A patterned floor there is frequently a problem below, either with the subfloor or the structure that is supporting the subfloor.

Early plank floors were laid with the planks running perpendicular to the joists. As subfloors came into use they were laid the same way, and the finished floors were laid perpendicular to the subfloor, parallel to the joists. (This knowledge will often allow you to predict the joist locations.) Around 1850 or 1860 someone got the idea of laying the subfloor diagonal to the joists. This created a more stable base, as well as enabling new designs to be executed in almost any direction. By 1900 early plywoods were increasingly used as subfloor material. Today plywood and other manufactured wood sheet stock is used for the vast majority of new and restoration work.



The dynamics of a floor joist (top) mean penetrations do the least harm at ends and mid-width.

It is very helpful to eliminate squeaks in the subfloor when you have access to it. Some people lay sheet subfloor with a slight gap of ½6" between each panel. The theory is, inevitably the boards will move, and if they have nothing to rub against they cannot make noise. Others butt-and-glue the edges of the sheets. Some subflooring stock is sold with a tongue-and-groove milled into it (though I find this material awkward to use because of its unusual dimensions). Both methods seem to work with careful installation.

Gaining access to a subfloor requires a bit of luck. If the problem is in the basement you can usually open up the ceiling (a tin ceiling peels back nicely). If ceiling work is needed, it may create a place to get at the subfloor. Barring an easy avenue, one has to choose the least intrusive access for the particular problem. Many decisions in restoration are based

on common sense guided by historical sensitivity.

When a floor or ceiling of an old house is opened up for any reason it is a good idea to think about other work that may be planned or necessary. I know of projects where an entire floor was ripped up, the subfloor repaired, and the floor relayed; a year and a half later they were trying to figure out how to run new wiring around the house. If an area is open, consider future needs for wiring, door bells, security systems, plumbing, insulation, and other services.

When utilities are run through a floor system, make sure the structural integrity is not compromised. It is common to find other trades notching joists for their work. The proper way to pass a wire or a pipe through a joist is to drill



A dutchman repair using a patch of fireproof oak (cut first) to match the floor. Below: Typical broken shoulder damage—the price of oversanding. a hole in its center (see drawing previous page). The center of a beam is a point of zero load, which is to say that it is doing very little work. Several small holes are preferable to a larger hole.

Common Repairs

AS FOR FLOOR PROBLEMS, SQUEAKS ARE probably at the top of the list. Loose boards are often the cause of squeaks,

and trim-head drywall screws are very effective for tightening these up. One method is to have a person, the heavier the better, walk randomly around the squeaky area. A second person watches carefully for board movement and marks the spots. Drill a small pilot hole for shank and a second for the head, so it does not damage the surface of the board, then drive in a screw. (Sometimes having the heavy person stand on a loose board is a help.) It is best not to get carried away with screws; however, if the problem is structural you will have to get underneath the floor to quiet the squeaks.

When there is damage that requires replacing one or more boards, it is important to stagger the joints. Floors were never laid with adjacent boards ending in a line (on the same joist). Not only does this stand out visually, it is an invitation to squeaks. At the same time you do want to retain as much historic material as possible. Choose a board length that is appropriate for the pattern of the room. When possible, you want to have both ends of the board end on a joist.

The section of board being removed is usually destroyed in the process. Draw a line at each end, drill three holes to get started, and chisel along the line. Then saw down the middle to split the board and remove the pieces anyway you can. If you only need one piece of floor material to complete the repair, you can sometimes steal it from under a cabinet or the back of a closet.

Old floors with numerous narrow loose or missing pieces along the edge of each board have probably been sanded a few too many times. These gaps (usually '¼" wide) are broken shoulders. Every time a floor is sanded about '½" of wood is removed. As the shoulder gets thinner it starts to break. At that point the structure of the top floor starts



to go. The boards begin to move more, nails start coming out, and it's a lot of work to repair. A severely over-sanded floor has to be replaced if it is to be functional. Think twice before you sand your floor.

Broken shoulders can be replaced with long strips or patched with a dutchman, which is a wood patch best made of the same species. Cut out the dam-

aged area and glue the dutchman in place (yellow carpenter's glue works well). Glue the patch down and to the damaged edge of the board—not to the adjacent board. Clamp the dutchman in place with a shim shingle slid between boards, and a few finish nails in pre-drilled holes. Do not drive the nails home. After the glue dries they can be pulled out, leaving two very small holes to be puttied.

There are no easy solutions to deep scratches and dents, especially those running across several boards. Sometimes they can be drawn out a bit with moist heat, as in lifting a dent on a piece of furniture. Careful work with a cabinet scraper can ease the appearance of a scratch or dent without affecting neighboring areas. It is not a good idea to sand a whole floor to remove a few marks. For the long run, make sure furniture is carried when moved or has castors, and there is protection under desk chairs. High heels are probably the chief troublemaker for floors.

Finishing is a subject unto itself, but suffice it to say that getting a few newly replaced boards to match the rest of the floor and touching up problem areas are critical aspects of wood repair. It is important to consider the whole floor and, say, foolish to match a repair to a dirty area that will be cleaned in a year. Get the old wood in the condition you want, then bring the repaired areas up to match the original beauty. It is an odd notion that some of the best restoration work is practically invisible, but that is what sets it apart from so much new-house work.

Jim Boorstein is a partner in Traditional Line, Ltd., a firm that specializes in restoring interior architecture (143 West 21st St., New York, NY 10011; 212-627-3555).



WALL LINERS

The Great Cover-Up

short of starting over from scratch? One cost-effective
— and historically appropriate — answer is to hang wall
liner. These materials are heavy-duty fabrics that give your walls a like-new
surface for paint or paper. They also cover a multitude of cosmetic sins.

Fabric liners have a long history of providing a smooth surface covering for imperfect walls. The technique dates to the early-18th century, when delicate sheets of imported paper were pasted to sturdy strips of canvas before hanging. Earlier in this century, linings of canvas, burlap, or muslin were recommended as preparation on plaster for expensive decorative treatments.





Like historic liners, today's materials will mask patched plaster, bridge small cracks, cover wood paneling, and hide multiple layers of cracked or flaking paint. Liners can be also be used to encapsulate lead-based paint or bury sand-finish plaster. Because fabric liner has a high tensile strength (it's strong when pulled), it adds years to the life of the wall. Cracks won't reappear, and wall finishes look good longer.

Using a wall liner increases the project cost, but liners are more economical than the per/roll price would lead you to suspect. You don't have to match repeats, making wall liners easier and faster to hang than patterned wallpaper. Scraps can be used above doorways or windows. You use all but the few inches trimmed from the top and bottom of each sheet.

CHOOSE THE RIGHT PRODUCT

TODAY, YOU CAN CHOOSE FROM THREE basic types of wall liners: canvas, poly-

How to restore wall surfaces using a traditional technique

ester, or fiber glass. Deciding which fabric liner is best for your project depends on the condition of the walls and whether you intend to paper or paint. All liner materials are similar, but there are subtle distinctions between products.

Canvas — Wall-Tex is the material closest to traditional lining canvas made today. It is a lightweight, primed canvas made of 80% cotton and 20% polyester. Sanitas Lining, another close match, is a fabric-backed vinyl that looks something like primed artists' canvas. One side is smooth, with a barely visible weave; the other side has texture, with a weave that is more pronounced. Both can be painted or papered, and are hung with wallpaper paste.

The wall surface should be fairly smooth for a good canvas job. If you can repair damaged plaster or flaking paint, lining canvas will work well for you. Do Decorating contractor John Kimes (above) covers distressed walls using canvas and a centuries-old resurfacing technique.

not try to use canvas over paneling, masonry block, or a textured finish. Stippled plaster or sand-finish paint will show through.

Wall-Tex Lining Canvas used to come in a 27" width, but is now only available in 54" wide bolts. Sanitas Lining comes in 24" or 48" widths. Wider liners leave fewer seams, which looks better under a painted finish. However, wider liners are more difficult to hang.

Polyester — Polyester liner feels like a textile version of cotton candy. Made of cellulose and polyester, the fibers are randomly oriented and swirled rather than woven. Polyester comes in different thicknesses and is an excellent choice if the walls are uneven. It creates a smooth, paintable surface over sand finishes, cement block, and V-groove paneling. If the walls are really uneven, choose a heavy-duty polyester. You'll need to knock down high spots, but the material will bridge 1/8" cracks and holes.

Polyester seams should be butted factory edge to factory edge. Otherwise, loose fibers will unravel where the two pieces join, leaving a ragged seam. Watch out for stray fibers; like fiber glass, these threads can give you a painful cut. Also, make sure you protect the roll's edges. Crushed edges won't join properly.

Unlike other liners, most manufacturers recommend hanging this product horizontally rather than vertically. low the manufacturer's instructions. If the wall underneath is smooth, use the lighter-weight mat. For slightly uneven surfaces, use the heavy-duty mat. Either product can be painted or papered.

PREPARE THE WALL

WALL LINERS MUST BE ATTACHED TO plaster or paint that is sound, not crumbling or flaking. Here's a quick review of wall repair basics.

Remove old wallcoverings — Even if old wallpaper or canvas seems to be stuck tight to the wall, it's not worth taking a chance. Moisture in the paste used to attach the new liner could loosen old layers underneath. Remove old wallpaper

with a steamer or hot water and a large sponge. Score painted wallpaper with a utility knife or an inexpensive tool called a "tiger paw," so water can get at the old adhesive. Use a wallpaper stripping tool to pry up loose edges. Change the thin blades frequently

to keep a razor-sharp edge. As the wallpaper comes off, you may find it pulls layers of paint with it. Remove loose paint with the wallpaper scraper and be sure to work wet. Do not dry-sand old paint; lead-bearing particles may scatter through the air. Wash off all loose adhesive. If water alone does not dissolve it, try a product like DIF Wallpaper Stripper by Zinsser.

Patch and sand — For cracks, apply self-adhesive, fiber glass tape, then coat the tape and fill holes with either a quick-setting compound such as Durabond, or an all-purpose joint compound. Patches may require a light second coat to fill low spots. Quick-setting compounds build up quickly and are difficult to sand, so be careful not to apply them too thickly. While it is still workable, use a fine-

celled, damp sponge to smooth the patching material.

After they dry, lightly wet-sand the areas you have patched with wet/dry sandpaper. If you plan on using a gloss or semi-gloss paint, or wallpaper that has a sheen, check your work for smoothness by skimming a flashlight beam across the wall.

Prime and size — Spot-prime patched areas with a latex primer. (It dries quicker than alkyd primer.) However, do not use this primer over stains. Instead, seal any stains with a pigmented shellac-based sealer. The shellac traps the stain and provides a barrier so the wallpaper paste will not draw it to the surface.


Whether you've patched or not, all walls must be sized prior to hanging fabric liner. Sizing is to wall liner what primer is to paint. It provides "tooth" (a good bonding surface), and keeps the adhesive from being absorbed too quickly by the wall. Sizing also allows time to position, smooth, and double-cut the seams.

One kind of sizing is pigmented. Other sizing is clear. Use pigmented sizing if you're covering purple paint, or something equally hard to hide. A paint pan and roller are the tools you'll need. Size walls no more than 24 hours in advance. Once the sizing is dry (usually 1 to 2 hours), you're ready to hang.

HANG THE LINER

INSTALLING CANVAS OR POLYESTER IS practically the easiest part of the job. However, the material is heavier than wallpaper, so you might appreciate having a helper nearby, especially if you're hanging horizontally. (If you let an end drop on the ground, the liner may pick up bits of grime that keep it from hanging as smooth as it should.) Two people on the job makes it go faster, too. One person pastes, the other hangs, then the first washes. With paste/wash teamwork you get around the room in no time. A wallpaper table is also a big help, especially for pasting polyester.

If you intend to paint the liner, hang it vertically. If you're going with a



However, on a recent job in my bathroom it made more sense to hang the paper vertically, and the seams still disappeared when I painted them. With two coats of a good alkyd paint, the walls look like new.

Fiber glass — Made from spun glass, fiber glass liner comes with either a woven texture like heavy-duty burlap, or with random-oriented fibers like polyester. Consider fiber glass liner for highwear areas such as hallways. The product's durability is a plus; fibers close up when penetrated with a pin.

Installing fiber glass liner is more difficult than installing canvas or polyester. The material comes in 36"-wide rolls and the sheets are hung on an adhesive layer of wet paint. Hanging this product is definitely a two-person job. Be wary of glass fiber splinters, and fol-



Smooth canvas into place using your hands, then work bubbles out towards the edges.

wall covering, it's best to hang the liner horizontally. This way there is less chance wallpaper seams will align with the liner seams. The wider the liner, the less of a problem this becomes.

Measure and plumb — To position your first sheet correctly, you must determine the plumb line — the true vertical reference mark. Measure the width of the canvas and subtract ½". Start in a corner. Lay out this dimension along one wall (the extra ½" will bend around the corner). Make a vertical mark about waist high using a lead pencil; a pen or other marker will bleed through. With a 4' or 6' level, draw the plumb line. If you're hanging the paper horizontally, measure down from the ceiling and draw a level guideline across the wall.

Next, take measurements to determine the paper length. If you're hanging the paper vertically, measure from the top of the baseboard to the ceiling and add 4" to 6". Don't figure too closely. Oth-

erwise, you'll be balanced on the stepladder wondering if you're ½" shy at the baseboard. Cut two or three pieces the same length as the first.

Paste and hang — For hanging canvas or polyester, almost any vinyl premix paste will do. Ready-mix pastes come in 5-gallon tubs. You can work right out of the tub, or scoop the paste into a drywall pan or paint tray. A clean, used paint roller makes a good applicator.

When hanging canvas, apply paste directly to the wall. Roll a section a couple of inches wider than the area you intend to hang. Use a paint brush or paste brush to catch the top and bottom of the wall. If you are hanging polyester, apply paste to the back of the material and "book" it (fold each end into the middle like a book jacket) for five minutes. This gives the wall liner time to absorb the paste. Fiber glass is not pasted or booked. It is hung directly into the vapor retarder paint. Roll a section of wall with the paint and, while the paint is still wet, apply the fiber glass.


Smooth and trim — Unfurl the liner starting at the top. It will fall of its own weight. (If you're hanging horizontally, you'll need another stepladder and a helper.) Smooth the canvas with your

hands from the center of the panel to the outer edges. Cut around switches and receptacles.

Then work from top to bottom. Use a wallpaper brush, plastic straightedge, or spackle knife to slide air bubbles and wrinkles to the edges. If you can't work out a bubble, slice it with the knife and smooth. Don't apply too much pressure with the straightedge if the wall is uneven. You want the liner to bridge gaps, not fall into them. Use a large putty knife to work the liner tight against the ceiling and baseboards and trim off extra with a wallpaper knife.

Double cut seams — Apply paste to the wall next to the liner sheet you've just hung. For canvas, also brush a 2"-wide band of paste along the edge of the second piece. For fiber glass, paint over a 2" to 4" band at the edge of the first piece. Position the second sheet so it overlaps the first by 1" to 1½". Smooth this sheet as before. (Skip this step if you're hanging polyester and instead be sure to butt the factory edges.)

Now you're ready to double cut. Use a long straightedge and knife. Hold the straightedge against the lapped seam and run the knife along it. Press hard enough to cut through both layers at once. Don't be tentative. Any straightedge will do (a 6' level works well), but shorter ones may work better on bumpy walls. An even better tool is the one professionals use — a long, stiff, metal blade with a wooden handle.




putty knife, and trim

excess with a sharp knife.



When you finish running your knife the length of the seam, peel back the edge of the second sheet and remove the cut-off from the first. Both pieces will now lay flat. Smooth with a clean putty knife or wallpaper seam roller. Work gently so you don't squeeze out the adhesive or wet paint.



Clean up — Wash excess paste off each sheet of canvas or polyester as you go. Use a large, damp sponge and clean water. Washing is critical even if you plan to hang paper, because the wallpaper paste might not be compatible with the liner paste. Also make sure you wash excess paste off the ceil-

ing and baseboards, or new paint will flake off. You do not have to wash fiber glass. However, after applying two adjacent fiber glass sheets and double-cutting the seam, you must apply a second coat of paint to seal the mat. Allow wall liners to dry 48 hours before painting or papering.

LINING TYPE	NAME	SOURCE	TEXTURE
Canvas	Sanitas Lining	GenCorp	Slight linen weave.
Canvas	Wall-Tex Lining Canvas	Sunwall of America	Slight linen weave.
Polyester	BRIDGEALL Wall Lining	GenCorp	Smooth
Polyester	Fashon UNDERCOVER	GenCorp	Smooth
Polyester	Essex Wallcoverings VINYLINER	GenCorp	Smooth
Polyester	Cover-Ups	Sunwall of America	Smooth
Polyester	Home Wall Prepasted Wall Liner	Patton Wall Coverings	Smooth
Polyester	Heavy Duty Wall Liner	Patton Wall Coverings	Smooth
Polyester	R.M. Wall	R.M. Inc.	Smooth
Fiber glass	GLID-WALL	The Glidden Co.	Slight, randomly oriented texture; smooth when painted
Fiber glass	Nu-Wal	Specification Chemicals	Slight, randomly oriented text smooth when painted.

PRIME, CAULK, AND FINISH

PROFESSIONALS SAY THE EASIEST AND most predictable products to paint are the canvas and fiber glass liners. Some polyester wall liners contain fibers that stand up if an alkyd primer is used. Fibers can be lightly sanded before applying the finish coat, but in a big room, that is a pain in the neck. It's a good idea to paint a test patch of the material before you hang it on your walls.

Both latex and alkyd paints can be used over canvas, polyester, and fiber glass. Stick with alkyd paints in highmoisture rooms, such as bathrooms. Use a primer compatible with the finish coat. Some paint companies recommend an alkyd primer. Others allow you to use either a latex or an alkyd primer. After the primer coat dries, you can apply joint compound to seams that are not smooth. If you do a good job double-cutting, this should not be necessary. Sand and spot-prime after patches dry.

Run a bead of siliconized, acrylic

caulk around the baseboard, ceiling perimeter, edges of mouldings, and corners of the room. Make sure the caulk you choose is long-lasting and paintable. Silicone helps the caulk maintain flexibility. An inexpensive acrylic caulk will dry and crack within a couple of years.

Once the caulk dries, use any finish paint you wish. For best results, apply two topcoats. If you plan to use a wall covering, you do not need to paint or prime the liner but you do need to size it. With polyester liner, pick a wallpaper that is not prepasted. If you simply must use a prepasted paper, do not soak it. Instead, hang it with a lightweight wallpaper paste. Fiber glass liner can be covered with any wallpaper, prepasted or not. Whether you paint or paper, the finish will go on easier and last longer with the help of the new fabric liner now covering your old walls.

Marylee MacDonald is a freelance writer and building consultant in Evanston, Illinois.

FINAL FINISH SPECIAL INSTRUCTIONS Walls must be well patched and smooth. Paint or paper. Use lightweight clear or heavy-duty adhesive Hang vertically or horizontally. Double cut seams. Paint or paper. Same as above. Paper Covers sand finish, rough plaster, v-groove paneling, and masonry block. Some surfaces must be primed first. Hang horizontally or vertically. Butt seams. If installing prepasted wallcovering on top, do not soak. Paper. Same as above. Hang horizontally. Paper. Same as above. Hang horizontally. Paint or paper. Same as above. Hang horizontally or vertically. Paper. Same as above. Paint or paper. Same as above. Paper. Hang with low water-content clay-base adhesive. Paint or paper. Available in light, medium, and heavy weights. Hang with INSUL-AID paint for vapor retarder. May also be hung with premixed adhesive or latex primer. Paint or paper Hang with Nu-Wal saturant.

SUPPLIERS LIST

LINERS

GenCorp

3 University Plaza #200, Dept. OHJ Hackensack, NJ 07601 (201) 489-0100

The Glidden Co.

925 Euclid Ave., Dept. OHJ Cleveland, OH 44115 (800) 221-4100

Patton Wall Coverings

PO Box 12002, Dept. OHJ Columbus, OH 43212 (800) 848-1488

R.M. Inc.

4039 W. Green Tree Rd., Dept. OHJ Milwaukee, WI 53209 (800) 558-0434

Specification Chemicals

824 Keeler St., Dept. OHJ Boone, IA 50036 (800) 247-3932

Sunwall of America

2925 Courtyards Dr., Dept. OHJ Norcross, GA 30071 (800) 523-8006

SUNDRIES

The Gibson-Homans Co.

1755 Enterprise Pkwy., Dept. OHJ Twinsburg, OH 44087 (216) 425-3255 Adhesive, caulk.

The Muralo Co.

148 East 5th St., Dept. OHJ Bayonne, NJ 07002 (201) 437-0770 Sizing and adhesive.

Pratt & Lambert

75 Tonawanda St., Dept. OHJ Buffalo, NY 14207 (716) 873-6000 Sizing.

William Zinsser & Co.

39 Belmont Dr., Dept. OHJ Somerset, NJ 08876 (908) 469-8100 Stipper & scoring tools, sizing, pigmented shellac-based sealer.

Out Spot, Outaprimer on

NWANTED STAINS, BOTH bad and good, are the bane of interior woodwork restoration. Floors and furniture get marred by spilled water or food; wainscots and trim suffer attacks with pens and markers or are finish-stained the wrong tone. Bleaching - that is, removing the offending color from the wood - is the method most often used to exorcise these evil stains. There are basically three chemicals that will do the job: chlorine, oxalic acid, and hydrogen peroxide. Knowing how and when to use them is what makes a bleach job a dramatic success or just a waste of time.

Not all wood stains respond to bleaching. Likewise, not all bleaches have the same effect, on the (more-of-ten-than-not unidentified) marks that appear on old-house woodwork. Sometimes bleaches backfire, making the stain more pronounced or stubborn to remove. So, as ever, the first rule of bleaching is to test first in a spot where you can afford to make a mistake. Also, be prepared to sacrifice the mellowness of aging for like-new wood, or settle for lightening the stain instead of complete removal. Some other points to remember:

- Wood must be clean. This means not only free from paints and varnishes or their residue, but sanded or washed to remove dirt and impurities (denatured alcohol works well).
- Oil- and grease-bearing stains should be degreased before trying bleaches. Wash several times with mineral spirits, or move up to a poultice (trichloroethane in fine sawdust or shredded paper towels).
- Bleaches are invariably water-based

solutions so they will raise the wood grain, which may mean sanding later.

- Sunlight enhances the effect of most bleaches.
- Metals react with bleaches and contact should be avoided.



Pool chlorine takes the color out of aniline dye finish.

Chlorine

THE BLEACHES MOST FAMILIAR TO US from home and laundry use are based on chlorine, and these will remove or at least lighten - the bulk of garden-variety stains. Easiest to find is common laundry bleach sold under brand names such as Clorox and Purex. These liquids are weak (typically 5%) solutions of sodium hypochlorite that often work slowly on stubborn stains. More concentrated chlorine bleach is obtainable by using the swimmingpool chlorine sold at hardware stores (Super Shock It brand is sold in convenient 1-pound packages). The latter is either calcium hypochlorite or sodium hypochlorite in dry form (65% to 85%).

For mild bleaching, common laundry bleach can be used straight from the bottle. Be sure the bleach is fresh, and apply with a rag or old brush. Let sit 10 or more minutes, then re-

peat if necessary. If you choose dry pool chlorine, mix it with hot water in a glass or earthenware container to make a saturated solution — that is, one where some crystals remain undissolved because the water can't take any more. At this concentration chlorine bleaches do their work almost instantly, so if results aren't satisfactory in the first few minutes it's time to reapply. After bleaching, rinse the wood thoroughly with clean water and allow to dry at least 24 hours before refinishing.

Chlorine bleaches are everyday products, but not innocuous. Use with plenty of ventilation, rubber gloves, eye protection, and don't forget: mixing these chemicals with ammonia or ammonia-containing products can produce dangerous fumes. Try chlorine bleaches first for:

Aniline dyes —These dyes, derived from coal tar, have been widely used in wood finishing since their invention in the mid-1800s. Where aniline dyes have to be removed or lightened to permit matching with other finishes, chlorine bleaches often work.

Ink stains — Close cousins of wood, finishing dyes, ink often responds to chlorine equally well.

Oxalic Acid

mediocre bleach, but many woodworkers (myself included) favor it as the most all-around effective and userfriendly treatment for a variety of common discoloring problems. Oxalic acid is a compound that occurs naturally in some plants and is one of the strongest

WOOD-STAIN BLEACHING TECHNIQUES

by Gordon Bock

organic acids. It is used in industry for photography, ink removal, and other bleaching processes — wood finishing among them. The most storable way to buy it is as a dry crystal for around \$4 a pound at hardware stores or wood-finishing suppliers.

The trick to success with oxalic acid is using it warm and as concentrated as possible. In a glass or porcelain container, dissolve crystals in hot water until you get a saturated solution. Apply the solution with an old brush or rag, flooding the surface. (Spot bleaching only highlights the



Lye-darkened oak (left) returns to new under oxalic acid.

defect.) On some stains and woods, the effect is immediate and the acid can be washed off in about 10 minutes. Otherwise, the mix may take up to an hour to make an improvement. Agitating with a brush may help, and the solution can be left on until dry, then reapplied if necessary. Some refinishers daub the stain first with a weak alkaline mix (1/2 teaspoon of lye in 1 quart of water), letting it stand for a minute or so until dark, then follow with oxalic acid. After bleaching, the acid can be neutralized with a borax wash (3 oz. to a gallon of hot water), but thorough rinsing with clean water is usually just as good. Let all wood dry 24 hours or more before refinishing.

Oxalic acid is a poison and should be handled with care. Though it would take a hefty amount to do you in, it will smart in cuts and burn eyes and delicate tissues. Wear gloves and eye protection. Especially avoid inhaling the dust, which is easy to create while mixing. Oxalic acid is recommended for:

Blue Stains — Oxalic acid is the classic fix to try for that blue-black inky mess that appears on floors or furniture when water is allowed to stand on oak and other woods with a high tannin content.

Iron Stains — Oak gets another dark bruise-colored stain from iron, due to a reaction with the tannins in the wood. Oxalic acid does a good job of chemically converting this stain to a colorless compound. (It can be equally effective on rust stains in sinks and toilet bowls or ironstone china.)

Lye Blackening — Some hardwoods are darkened when stripped or washed with lye or TSP mixes. Oxalic acid will bring them close to the original appearance. It is also good for reversing darkening from age.

Hydrogen Peroxide

cleansing wounds and bleaching hair are two uses for household peroxide, but this liquid is tame compared to the concentrated solution (as much as 30%) used for wood bleaching. Usually sold with a caustic solution (typically sodium hydroxide) as a two-part kit, peroxide is the strongest of the three common bleaches — so strong, in fact, that it is best used to





Water, not ink, put the blue puddle in this oak. Oxalic acid (top) started to bleach before the panel was completely wet (above).

completely blanch all color from the wood. Directions will vary with each manufacturer, but most involve dampening the wood first, then applying a mixture of both solutions to the entire surface for uniform results.

Peroxide bleaches have a limited shelf life and spoil easily, and so should be used fresh for maximum effect. Rubber gloves and eye protection are also important safety precautions. Reserve peroxide for:

Blonding — Lightening woods for a decorative effect.

"Last Chance" stains — Bleaching whole sections where the wood is so discolored, or unresponsive to other treatments, that the only alternative is complete replacement.

EXOTIC REVIVALS FROM THE MIDDLE EAST

THE EGYPTIAN AND MOORISH
INFLUENCES ON AMERICAN
HOUSE STYLES


BY SHIRLEY MAXWELL AND JAMES C. MASSEY

are a few that most of us probably think we've seen more often than we actually have. Two 19th-century imports from the Middle East (by way of Europe) — the Egyptian Revival and the Moorish Revival style — come to mind. The sloping columns and thick, brooding wall of the Egyptian Revival, and the fat, onion-shaped domes and cusped arches of the Moorish, are so familiar and so seductive that they manage to evoke half-memories of houses we're sure we've seen...somewhere.

Well, there are a few such houses on this continent, but only a few. In fact, we can think of just one surviving Egyptian Revival house in the whole country — and even that one is less house than jailhouse. (It's part of the



Dubuque, Iowa, jail designed by J.F. Rague and built in 1857-58.) Two houses (recently demolished) in Troy, New York, and a porch in New Haven, Connecticut, pretty much cover the residential field, unless you count a 20th-century Egyptian Revival bungalow court (also demolished) in Los Angeles. Moorish elements almost always patched onto houses that basically belong to other styles, are found slightly more often. Still, these few examples offer tantalizing reminders that, in addition to their more common public functions, the Egyptian and Moorish Revival styles are not private residences by any definition, but public edifices and structures: libraries, prisons, courthouses, city halls, railroad stations, bridges, cemetery gates, Masonic temples and fraternal lodges, even synagogues and churches.



SOME ANCIENT HISTORY

Moorish structures had been kicking around on the European continent at least since the Renaissance, the Egyptian and Moorish Revival styles as we know them came out of the 18th and early-19th centuries. They caught the public interest here and abroad before 1800, first as part of a flurry of picturesque, mostly imaginary styles that were used to enliven gardens and architectural ensembles of that very formal age. Reaching their peak, such as it was, in the 1830s and 1840s, the Egyptian and Moorish styles began a slow fade in the 1850s, although they continued to be built into the 1870s. In the 19th-century "Battle of the Styles,"

they represented no more than a brief and bloodless skirmish, although an undeniably romantic one. In the 1920s and 1930s, wrapped in the polychromatic splendor of the Art Deco era, they made a brilliant but minor comeback, again mostly for public buildings rather than residences.

In their earliest phases, before there was much archeological awareness of the finer points of either style, Egyptian and Moorish details were usually blended to form a sort of Egyptian-Turkish-Indian hash. Throughout the 19th-century, in fact, these Middle Eastern building modes were referred to collectively as the "Oriental" style, while the term "Chinese" was used for styles derived from the Far East. Developments of the Napoleonic era made the distinctions between the Egyptian and Moorish styles much more



Elizabeth Apthorp House, New Haven, Connecticut (1837; A.J. Davis, architect). This Italianate mansion has an Egyptian entry porch. The second-floor enclosure is modern.

clear to the building and decorating public. With the explosion of knowledge about the East that followed the French conquest of the Nile Valley, Egypt joined Greece and Rome to complete the trio of sources influencing 18thand 19th-century Romantic Classicism.

THE EGYPTIAN INFLUENCE

THE ARCHITECTURAL FORMS OF EGYPT CAPTURED THE imagination of Europeans and Americans alike. Sphinxes, pyramids, obelisks, and temples hinted at age-old secrets suddenly accessible to a newly enlightened world. Egyptian-style cavetto mouldings, winged orbs above windows and doors and on cornices, papyrus and palm columns, pylons, obelisks, and hieroglyphic markings were all symbols that could bring the wisdom of the east to callow western society. New western buildings with "battered" walls, columns, and window and door architraves that sloped sharply inward as they rose bespoke stone foundations that supposedly carried the unimaginable weight of monumental walls.

It was most of all the massiveness, solidity, and seemingly immutable character of the pyramids, sphinxes, and temples of Egypt that inspired awe in their western imitators. With its unblinking stone structures, Egypt suggested something beyond mere durability — something akin to immortality. Egypt, after all, had been old when Greece and Rome were young. To a burgeoning republic in a vast and largely uncharted land, Egypt's timeless structures carried

a heartening message about the United States' chances for survival and expansion. They whispered that we might last forever, too. Come to think of it, didn't we have our own version of the wondrous Nile to conquer? Right down the center of the country, new Mississippi River towns named Cairo, Thebes, Karnac, and Memphis added weight to an already potent symbolism.

In this country, the Egyptian Revival style was first used for monuments commemorating such notable events as Columbus' arrival in the New World and various Revolutionary War battles. In fact, "monumental" was probably the term most often used to describe Egyptian architecture, although "stupendous" must have run a close second. The obelisk - that tall, pointed shaft made familiar by the Washington Monument - appeared many times in the United States before it dominated the landscape of the nation's capitol. Robert Mills, the designer of the Washington Monument, originally planned to surround the Egyptian shaft with a Greek Revival base in which thirty columns would represent the states belonging to the Union in 1845. However, time, trouble, and civil war intervened

between the idea and its execution, and only the unadorned obelisk ever got built.

Rational to the core, 18th and early 19th-century intellectuals found the geometric discipline and hard edges of Egyptian building forms very appealing. In practice, though, these forms showed up mostly as decorative elements that were added to buildings designed in whatever

The city jail in Dubuque, Iowa (1857-58; J.F. Rague, architect). Although other Egyptian Revival jails were built, this is the only one that survives. It is of particular interest because the end section, which was the jailer's office and residence, offers the domestic appearance of a house. The jail itself is in the rear. Note the cavetto cornice.





Pennsylvania Fire Insurance Company, Philadelphia, Pennsylvania (1838; John Haviland, architect). Although built as offices, this small, narrow, four-storey, party-wall structure is more domestic than commercial in feeling. Note its many Egyptian-style details.

popular style prevailed at the time. A few battered columns or pylons attached to the face of a cubical or rectangular, often Italianate, building were enough to establish the desired relationship. Even in the more archeologically correct buildings, only the exterior appearance of the structure was affected. When it came to interiors, eastern architectural precedents were ignored - and why not? Why forego comfortable, relatively open floorplans for the sake of structural and functional considerations that no longer applied? The heavy stone foundations of authentic Egyptian buildings used up a lot of precious floor space, but most Egyptian-Revival buildings looked bulkier on the outside than they actually were on the inside. Furthermore, in Egyptian temples, access to the small, sacred inner spaces had been deliberately limited to the religious elite. Public buildings of the 19th century were intended to accommodate the largest possible number of people in large, light, often domed, interior areas.

And then there was the matter of windows. Egyptian buildings didn't have them; there were hardly even any doors in those massive stone walls. What sane 19th-cen-

GLOSSARY

Egyptian Style Terms

Cavetto Moulding: large, outwardly arching, concave moulding used for building cornices and door and window entablatures.

Pyramid: a (generally) large structure with a square base and sloping sides that rise to a single point.

Pylon: one or a pair of truncated pyramidal towers flanking the gateway of a temple (often found in cemetery gates).

Winged orb (or solar disk or feroher): a decorative device with large, horizontal, birdlike wings flanking a central circular orb, or solar disk, and stylized serpent figures.

Battered walls, piers, or pilasters: gradually inward- or backward-sloping.

Papyrus columns: columns inspired by tightly banded bundles of reeds, often with lotus or palmate capitals.

☞ Moorish Style Terms


Horseshoe arch: an arch in which the top curve, or intrados, is wider then the opening it surmounts—often looks like a horseshoe.

Ogee arch: a double-curved arch rising to a sharp point.

Onion or Turkish dome: a bulbous dome, round or polygonal in plan, in an ogee, or doublecurved, shape with a pointed top.

The handsomely tiled front entry of Olana features a distinctive Moorish arch.





tury builder would settle for windowless rooms in the increasingly well-fenestrated world being created by the Industrial Revolution? Isis forbid!

The rationale for using Egyptian architectural forms in Christian churches, cemetery gates, and tombs seems to have sprung from the popular 18th- and 19th-century concepts of the "Sublime," the "Beautiful," and the "Picturesque." The "sublime" feelings evoked by Egyptian architecture included awe, dread, fear, and astonishment—all considered desirable Christian thinking about the certain proximity of the hereafter. The use of the style for jails is also easy to understand. Penitentiary designs of the day were meant to encourage criminals to reflect on their deplorable moral condition and to repent of wrongdoing—not hard to do when you're sitting behind the thick walls of a dim and solitary cell in an Egyptian Revival-style jail.

But what could possibly justify the use of such a gloomy style for houses? Ultimately, almost nothing — except, of course, fashion. As it happened, however, fashion could be served quite well (and much more cheaply and cheerfully) by the surprisingly light and elegant interior furnishings and objects inspired by the same Egyptian sources that lay behind the hopelessly glum buildings. No wonder most people were content just to buy a few Egyptian chairs and candlesticks and let the houses go!

IN THE MOORISH MODE


THE MOORISH-REVIVAL STYLE, WHICH ALSO WAS EVENTUALLY sorted out from the initial architectural hash, is only a little better represented than the Egyptian Revival in American houses. When it does appear, however, it is likely to be as exhilarating in its effect as the Egyptian is sobering. In the formative stages of the style (when it was still being called "Oriental"), it was likely to blend an assortment of Middle Eastern architectural elements with highly decorative forms picked up by the British during their long occupation of India. In England, the most powerful influence was in fact Indian, or at least Muslim (as opposed to Hindu). the Royal Pavillion in Brighton, designed by John Nash for the Prince Regent over a period of years beginning in 1815, is the ultimate example of the exotic revivals. Based loosely on a group of Indian-Moorish stables that had been built on the same site a few years earlier, it is by far the most famous, as well as the most extraordinary, of the surviving exotic revival buildings.


In the United States, much of what we think of as Moorish-Revival architecture evolved by way of Muslim influences on Spanish architecture during the Moorish occupation of that country from the 8th through the 15th centuries. Happily, there are two remarkable Moorish houses surviving here, both now historic house museums. The most picturesque Royal Pavilion, Brighton, Great Britain (1815-18; John Nash, architect). Moorish or Indian, this remains the grandest expression of the exotic styles.

of all the American exotic-revival houses is Longwood (also known as Nutt's Folly) near Natchez, Mississippi. Longwood was designed by the Philadelphia architect Samuel Sloan for Dr. Haller Nutt, a well-educated "scientific" farmer. Begun in 1859, it was inspired by a design for an "Oriental Villa" that was published in Sloan's Model Architect (1852-53). The brick structure, which came to be known as Nutt's Folly because of its disastrous construction career, was never finished, partly because of the difficulties encountered in procuring materials as the Civil War drew ever nearer. When the war did erupt in 1861, the Yankee workmen fled for home, leaving behind piles of lumber, tools, and workmen's boxes that are still in place. The house was used as a residence after the war, but only the first floor was occupied. The exterior was recently restored to its 1861 appearance. Although its interior plan is fairly symmetrical, the exterior shape of Longwood is an irregular octagon an Italianate villa rendered picturesque by the addition of Moorish-Revival ornament.

Olana, near Hudson, New York, was the much-loved 250-acre estate of the reowned Hudson River landscape painter Frederic E. Church. Unlike Longwood, Olana is no symmetrical Italian villa overlaid with bays and galleries, but a truly picturesque mansion. In collaboration with the architects Frederick Clarke Withers and Calvert Vaux, Church managed to achieve a much purer Moorish form — although one that even the happy owner described as "personal Persian" — using irregular massing and strong Moorish references such as arches and polychrome tiles.

No other major Moorish-Revival style houses from the





19th century exist. Although circus mogul P.T. Barnum built himself a Moorish mansion, Iranistan (1848; Leopold Eidlitz, architect), it is now demolished. Like the Egyptian Revival, the Moorish Revival style is far more often seen in details and ornament, such as tile work, arches, and domes, than in entire buildings.

A brief revival in the 1920s led to a spate of appealing whimsies, such as the Moorish core of Opa-locka, Florida, where the developer rejected his designer's suggestions for

an old English village and insisted on his own vision of an "Arabian Nights fantasy." He managed to build a town hall, a railroad station, a commercial hotel complex, and at least one house before the big hurricane of 1926 ended that dream and a million others.

Widely used for synagogues, the Moorish-Revival style was later popular for such diverse structures as Masonic temples and amusement parks as well. Like the Egyptian Revival, it also enlivened some of the most spectacular movie palaces of the cinema-mad 1920s.


Longwood, or Nutt's Folly, Natchez vicinity, Mississippi (1857-58; Samuel Sloan, architect). Work on this octagonal Moorish-Indian confection stopped with the Civil War. It remains unfinished to this day.

Pursuing Perfection, Aesthetically Speaking

by Joan Conley and Peter Hayes

In a way, over the past six years we've turned a sow's ear of an old house into our own version of a Victorian silk purse. We should point out, for the purists among you, that this is in no way a faithful restoration. Our house, a workingman's home, was built in 1902 by a carpenter.

That means it was — and still is, to a great extent — an architecturally unpretentious and not particularly well-made example of turn-of-the-century housing in a semi-industrial area of Toronto, Canada. Our personal philosophy has helped immeasurably in carrying us through years of dusty chaos. As an artist and a writer respectively, we use our creative abilities to not only overcome problems, but to turn potentially negative impasses into architecturally positive solutions. We believe completely in creating our peculiar vision of a British Aesthetic-stylé interior. This means not letting tradespeople, salespeople, or suppliers talk us into anything less.




Because our tastes are very specialized, finding just the right elements for the rooms is sometimes frustrating. After all, this is our vision and only we can know how it is supposed to feel, room by room, when it is finally finished.

When we first saw the house, it looked pretty grim and smelled worse. Dog hair matted the main floor's no-color industrial carpet, and rodent droppings lined the kitchen cupboards. The house was smack up against a trio of c. 1878 row houses. At some point, the brick front had been covered over with a yellowish stucco that was now cracked and crumbling. The basement leaked regularly, and a major support beam had rotted through.

Counterbalancing these points were a few, less obvious features, such as pleasantly proportioned rooms with 81/2' and 9' ceilings, and a price that, while it made our pulses race, did not quite bring them to a full stop. After much agonizing, we decided that the house had potential and that, with some attention to detail and lots of basic overhaul, it just might work.

The day we moved in, we rented a steam carpet cleaner and spent seven hours trying to rid the house of its overpowering smell: a compound of dogs, cigarette smoke, and ground-in dirt. When this didn't work, we decided to tear up the carpet, a serendipitous move that revealed a crude, original, wide-board, pine floor. After pouring paint stripper on a small area and scraping, we found a honey-colored wood that would be a warm, glowing backdrop for the room.

We know now that floors should not be the first step



in a project like ours (they must take a beating in the later stages), but we naively decided to tackle this job first. On the recommendation of a friend, we hired a between-jobs carpenter who proceeded to turn our indescribably ugly floors into gleaming works of art.


A Very Promising Contractor

WITH THE FLOORS FINISHED, IT DIDN'T TAKE LONG FOR US to find our next project. It was so obvious that we kept bumping into it (and to each other when in it): the tiny 4' x 8' main bathroom.

After a great deal of hand-wringing, we sacrificed our drawing and painting studio for a well-proportioned bathroom, and made a useful closet out of the old one. But creating a "vintage" bathroom from scratch cannot be done overnight by amateurs. Instinctively, we knew it was time to take that frightening step into the unknown and hire a contractor. Unfortunately, our first experience with a contractor was like A Nightmare on Duncan Street, our address.

Joan met this individual at her job where she was convinced he had the requisite skills for our project and also shared our beliefs in good workmanship. The fact that he was not licensed seemed to be a minor cavil. We went to see a couple of jobs he had completed, which to our untrained eyes looked fine. Unfortunately, there never seemed to be an opportunity to speak to any of his clients.

Contractor X started work at the beginning of June, paving the way for his arrival with promises that the bath-





Two views of a room: Peter (above) takes a break by the window seat where an arch of curved drywall is being made. (Left) Plaster, art wallpaper, and period drapery complete the transformation — the arch looks original.

room and a number of other essential projects would be finished and the house liveable by the time Joan's mother came to visit in August. As you've probably guessed, our special guest ended up staying in a hotel for the duration of her visit because Contractor X didn't complete the work in time. You may also have guessed that by October, we were still being

Every night in bed, we would agonize, argue, and weep about the whole mess. Then we'd write a pleading letter to Contractor X and leave it conspicuously in the middle of the wreckage the next day. Sometimes we'd leave hysteria-tinged messages on his answering machine. Just before falling asleep, we would join hands and make a fervent wish that he would at least show up for work the following day.

showered with promises, not water.

However, his attendance seemed to get worse as the house grew more uninhabitable. There was nothing we could do about it. Convinced that no other contractor could (or would) have taken over the job at that point, we were stuck. Even if a replacement had been willing to step in, we had already invested so much money in X that we simply couldn't afford to have him walk away.

At this time, several uncorrectable mistakes in the work showed up. For example, the 1910-style hexagonal ceramic tiles in the bathroom were improperly laid so that, instead of ending up with a precise geometric pattern, clumps of black tiles were scattered randomly like islands in a sea of white. Eventually we were able to salvage the appearance of the floor by chiselling out and replacing some of the tiles, but the original pattern was irretrievably lost. Also, drain and overflow outlets for the cast-iron tub were incorrectly centered. This

caused an endless stream of problems and costly modifications to the plumbing.

In hindsight, it's easy to see that the impact of these particular disasters was so great simply because they were so visible. Thankfully, there were no problems with the more mundane mechanical work that was going on at the same time, such as upgrading the electrical service and the plumbing, repairing and installing drywall, and replacing the roof.

Hearth Realities


adopted a philosophy that allowed us to compromise, but only when absolutely forced into it by impending bankruptcy. We were also trying to convert any setbacks into positive steps forward. The sitting room fireplace is a good example of this way of thinking. From the very beginning, we had had our hearts set on a real fireplace made of brick or stone as the focal point of the sitting room. We were also convinced that there was only one place this fireplace could possibly go in the room.

Once again, circumstance and budget invaded our fantasies, and we were forced to settle for a (gasp!) prefabricated metal, zero-clearance fireplace with a gleaming stainless steel chimney that ran up through the master bedroom and out onto the roof. For structural reasons, it also turned out to be impossible to locate the fireplace where we had originally wanted. Dealing with each of these problems creatively, we decided to have the fireplace installed in a corner of the room where it was also visible from the dining room. Next, we disguised the metal box by mounting reproduction vintage tiles on it with heat-resistance silicone and surrounding it with a wooden mantel. Then our new contractor boxed in the bedroom chimney and added a ceiling "beam" to form a squared archway that divides the room into two distinct areas. The final step was building a traditional-looking chimney to surround the stainless steel eyesore on the roof.

Step-By-Step Solutions


we even managed to find a creative and relatively inexpensive solution for a problem we hadn't realized we had: the stairs to the second floor. The first hint came when a friend fell down them (no harm done, thank goodness) following a lengthy dinner party featuring an excellent — albeit boozy — English trifle as well as a variety of other high-octane comestibles. Because we loathed to spend money on anything that wasn't pretty, we were inclined to blame the tumble on the trifle, rather than the uneven treads and randomly spaced risers of the 80-year-old staircase. But soon afterward, Peter ended up in a heap at the bottom of the stairs (no harm done again) and we changed our minds. The stairs would have to go.

Peter suggested to the contractor that, instead of ripping out the stairs and rebuilding them, we could simply build a new set of stairs on top of the old stairs. Despite the contractor's initial skepticism, work proceeded with the end result being



an extremely solid staircase. Now, we're not afraid to start a special dinner with a paté that's soaked in brandy and then finish up with sherried everything!

The beam that straddled the stairway and second floor hallway was another instance in which a seemingly insoluble problem was transformed into a design asset. That square, unlovely beam, framing the bathroom's light-infused leaded glass door,



had been part of the original back wall of the house. It was neither movable, nor removable. One solution would have made the already low ceiling lower by filling in the area with new drywall. Rather than try to hide the beam, we decided to transform it into something beautiful. Using two large sheets of brown kraft paper taped together, we began drawing a variety of arches, taking our cue from the gently curved shape of the original window openings, which could still be seen on the outside of the house.

When we finally settled on the appropriate shape, we gave the drawing to our contractor, who cut three pieces of drywall using the sketch as a template: one piece for each flat side, and one for the bottom curved part of the arch. One rainy day, he left the bottom piece of drywall outside. At the end of the day, he bent the soaked, pliable material into the exact shape needed, put it up, and let it dry out. After it was taped and touched up with plaster, we completed the transformation by installing plaster acanthus leaf corbels to support the ends of the arch.

The body of the arch was eventually finished with cornice moulding, embossed wallcovering, and a frieze. A four-color paint job pulled all of the elements together. The finished arch — looking as if it's always been there — not only frames the art glass of the bathroom door, but sets the landing apart. We later used the same method to form the small arch over the window seat in the sitting room.

From the beginning, we have been enormously rigid in our likes and dislikes. Because of this, we were always prepared to wait for perfection. And that, in all modesty, is pretty close to what we have ended up with.

In the long list of things we want to do over again in this life, neither of us includes renovating an old house. You see, we wanted to do that just once, and we wanted to do it to our standards. Well, last evening, for the first time since the oak-veneered mantel was transformed through the magic of paint finishes into Patrician marble, we had a roaring fire. And guess what? The four coats of wax we rubbed on to protect the finish didn't melt. Perfection.



Calcimine Ceiling Blues?



Try Sterling's Olde Yankee Towne ready-mixed Calci-Coater

- · Seals old calcimine surfaces
- · Succeeds where most paints fail
- Time tested answer for older buildings
- · Topcoat with oil or latex paints
- May be tinted with oil or universal colors

For other old house restoration jobs, try:

- · 5f5 non-flammable paint remover
- Old Time Linseed Oil Putty
- Sterling Elastic Glazing Compound
- · Quik & Clear vinyl wood finish

For a restoration products brochure, write to:

OHJ Catalog SCL Corporation, Box J Malden, MA 02148

Golden Glow Cleaning & Polishing Kit




Make your metals bright again! Here's the best of everything you need—all in one box. Cleaner, polish, applicators, and more just \$27.95, shipping and handling included.

To order call Ball And Ball 1-800-257-3711



463 W. Lincoln Highway • Exton, PA 19341 Phone: 215-363-7330 • Fax: 215-363-7639


New Lights



Urban Archaeology


285 Lafayette Street New York, NY 10012, (212) 431-6969 Montauk Highway & Halsey Lane Bridgehampton, NY 11932 (516) 537-0124

Supaflu Makes Old Chimneys Better Than New Chimneys.



Because Supaflu retains the original charm and craftsmanship built into so many older chimneys while providing a new margin of safety, performance and durability older chimneys never knew, Supaflu gives new life to some of our most historic chimneys. That's why when home restoration experts run into chimney problems, their solution is Supaflu. Whether your chimney is historic, or just very, very used, Supaflu can make it like new. Your Supaflu dealer is in the Yellow pages.

National Supaflu Systems, Inc. P.O. Box 89, Walton Industrial Park Walton, NY 13856 1-800-788-7636







Authentic Reproductions of Historic Wallpapers Designed by American Artists Made in the U.S.A.

> Screenprinted Wallpapers, Borders, Ceiling Treatments & Friezes

Available Direct by Mail Order

Design & Consultation Services Color Brochure: \$5.00

NOW ON VIDEOTAPE!

Brillion Collection Volume I - 1 hour video: \$24.95

RESTORATION PROFESSIONALS OF THE VICTORIAN PAST 845 East Glenbrook Road, Milwaukee, Wisconsin 53217 (414) 352-6971 Fax (414) 352-7290

FOR ORDERS/INFORMATION 1-800-783-3829 VISA/MASTERCARD ACCEPTED



Ceiling Mural • Mullen Advertising • 11' x 17'

Trompe l'oeil Murals Architectural Images

Robert J. Leanna II

508 • 465 • 1095

41 Green Street · Newburyport, MA 01950


Restoration Products

GOOD OUTLETS

by Lynn Elliott


Classic Cover-Ups

I F YOUR RADIATOR LOOKS MORE like the exhaust system of your car than an ornate, cast-iron masterpiece, consider covering it with Monarch's line of custommade radiator enclosures. The covers come in a number of styles, including enclosures with bookcases or shelves, and are appropriate for 1920s interiors. All are made of heavy gauge steel, and the baked-enamel finish is offered in a variety of colors, a simulated wood grain, or just primecoated. Two stock models (Squire and Ambassador) are fabricated as



The Art Deco motif on this Classic model is similar to the design found on the "Ja-Nar" radiator covers of the 1920s.

bled on site. Depending upon the size, the stock models range in price from \$21 to \$230. For a brochure, send \$1 to Monarch, 2744 Arkansas Dr., Dept. OHJ, Brooklyn, NY 11234; (201) 769-4117 (NJ office).



Versatile Vents

L metal registers? Wood Air has a complete line of wood vents for hardwood, carpet, stone, or tile floors. The

styles include louvered, cold air (grid), and specialty types with flush or self-rimming edges. The vents are available in over 25 different woods to match or contrast with your floors, and can be stained or left unfinished. The vents are custom made; some standard sizes are available. Prices for the vents start at \$30. For information, contact Wood Air, 3215 NE 76th Ave., Dept. OHJ, Portland, OR 97213; (503) 880-8211.

Top Pots

Northern roof tile is carrying a new line of handcrafted clay chimney pots and finials from England. Like those finishing the chimneys on many Gothic- and Tudor-Revival houses, the pots are press molded or thrown on the wheel, not slip cast. All of the bases, barrels, and tops can Oak openings: three styles of grid or louvered, self-rimming wood vents.

be assembled in many designs, such as the Castellated and the Barley Twist chimney pots, and colors range from light buff to deep terra cotta. Decorative roof embellishments, like the dragon, phoenix, or griffin finials, are also available and can be made to suit

many ridge shapes and roof pitches. Northern Roof Tile also offers glazed and natural clay tiles in traditional brown and red colors as well as the more unusual Staffordshire Blue, manmade and natural slate, ventilation tiles, eave and field tile hurricane clips, snow guards, and roofing tools. For information, contact The Northern Roof Tile Sales Company, P.O. Box 275, Dept. OHJ, Millgrove, Ontario LoR IVo; (416) 627-4035.


The Castellated Chimney Pots are made to suit existing flue sizes and are easily installed by a mason.





The Ward Quartersawn Clapboard

Authentically Produced Early American Clapboards



Over 100 years of continuous operation by the Ward family. Quartersawing produces a vertical grain which eliminates warping and ac-cepts paint and stain easily for extended life and beauty. Spruce and pine. Widths from 4-1/2" to 6-1/2". Pre-staining available.

Ward Clapboard Mill

P.O. Box 1030 Waitsfield, VT 05673 Moretown, Vermont (802) 496-3581

> Patten, Maine (207) 528-2933

NOBODY TAKES CARE OF Your Old House LIKE WE DO!

1-800/827-2056

& ordering information

Tuff-Kote Co.

210 Seminary Ave. Woodstock, IL 60098



Krack-kote Ends Wall & Ceiling Cracks Forever!

Problem cracks can drive you crazy. Crack fillers don't work. They shrink, harden & fall out. Krack-kote is different! It bridges cracks with a unique, flexible patch that moves with your old house--so your wall & ceiling cracks never come back!

Fast & Easy to Use NEVER NEEDS SANDING Invisible under Paint or Wallpaper

Permanent Crack Repair for Your Old House.

Everything Victorian







- Fretwork gingerbread and lots more for interior and exterior use; most complete line available
- Save with factory-to-you pricing Send \$4.50 for full color, 52-page product and design idea catalog.



P.O. Drawer 609, Carlisle, PA 17013 717/243-0063 Dept. 203



(708) 952-9010

(203) 325-8466

From the Leading Manufacturer

Chicago, IL

Stamford, CT

of Spiral Stairs

Restoration Products

DECORATIVE DETAILS



Wainscot Kits

Particularly good for kitchens, Georgia-Pacific's pine or oak wainscot kit is a less-expensive option to custom wainscotting. Each kit contains enough plank panelling to cover 15-1/2 square feet, moulding for the base and chair rail, and step-by-step directions. The planks are cut to the height of 32" and can be painted. In addition, Georgia-Pacific offers 4' x 8' sheets of panelling that can be used for wainscotting. Of the different styles, Ply-Board is appropriate for old houses because it's made to look like tongue-and-groove panelling.



Oak and birch embossed carvings are the perfect match for most woodworking projects. Another style, Timber Ridge, has a random wood pattern with channel grooves and comes in 9 colors. Matching wood moulding for chair rails and baseboards is available, too. For more information, write to Georgia-Pacific Corporation, P.O. Box 1763, Dept. Wainscot-OHI, Norcross, GA 30091.

Two New Species

E made from red gum or other hardwoods rarely used for woodworking. For replacement pieces in more popular species, check out The Woodworker's Store's embossed carvings in oak and birch plywood. The carvings accept stains and finishes just as well as solid oak and birch stock, which is an asset when replacing a detail on a mantel or on furniture. Applied with woodworking glues, the carvings come in 20 designs and range in price from \$1.95 to \$7.95. The company also offers veneers, wood parts, and finishing supplies. For a catalog, send \$2 to The Woodworker's Store, 21801 Industrial Boulevard, Dept. OHJ, Rogers, MN 55374.

In the wainscot kits, the 32" bigh planks are nailed to the wall individually and then painted or stained.

Round The Corner

Curved corner moulding is a Colonial Revival or Mediterranean interiors. Orac Decor carries a wide array of curved corner and panel mouldings in Victorian, American Colonial, and Chippendale styles. Made with high-density polyurethane, the mouldings are lightweight, but strong, and can be painted and stained. The P-8030 panel moulding measures 15%" wide x 6'6" long; the P-8030B curved corner moulding is 3 ½" wide x 7 %" long. A complete line of polyurethane ceiling medallions,



The P-8030 Small Americana moulding and curved corners can create a panel effect on walls and ceilings.

chair rails, cornices, and door and window surrounds is also available. For a list of distributors, contact Orac Decor U.S.A., P.O. Box 1057, Dept. OHJ, Lodi, NJ 07644; (800) 438-9838.

Authentic Colonial Woodworking




Windows, Doors and Entryways Old Glass, Moldings Raised Panel Walls

Brochure \$2.25

Maurer & Shepherd Joyners Inc.

122 Naubuc Avenue Glastonbury, CT 06033 (203) 633-2383









HOMESAVER® CHIMNEY LINERS

FOR RESTORING GREAT OLD CHIMNEYS ON GREAT OLD HOMES

Lifetime warranty for woodburning applications. UL Listed. Call or write for a FREE brochure and the name of an installer/dealer in your area. 1-800-437-6685, ext. 500; 9:00 A.M. to 5:00 P.M. Central Time, Monday through Friday.

HomeSaver Chimney Liners, P.O. Box 664, Fairfield, IA 52556



HOW TO ORDER OUR PLANS

the residential architecture of the country. Of the thousands of house plans available today, few exhibit good design and a grasp of historical proportion and detail. So, in response to requests from OHJ readers, the editors have "done the homework": We've hand-picked plans. In each issue, we offer the most attractive, authentic, and buildable of the historical designs, from all periods of American architectural history. Let us know what plans you're looking for.

You can order actual blueprints for all the houses featured. These plans are designed to conform to national building-code standards. However, the requirements of your site and local building codes mean you'll probably need the assistance of the conformation of the code standards.

tance of a professional designer (your builder may qualify) or an architect.

For the houses shown in this issue, blueprints include:

- Foundation plan for basement or crawl space. (Crawl space plans can easily be adapted for full basements by your builder.)
- Detailed floor plans showing dimensions for framing.
 Some may also have detailed layouts and show the location of electrical and plumbing components.
- Interior elevations are included in some plans, showing interior views of kitchen, bath, fireplace, builtins, and cabinet designs.
- Building cross sections:

cornice, fireplace, and cabinet sections when needed to help your builder understand major interior details.

- Framing diagrams that show layouts of framing pieces and their locations for roof, first and second floors.
- Energy-saving specs, where noteworthy, are included, such as vapor barriers, insulated sheathing, caulking and foam-sealant areas, batt insulation, and attic exhaust ventilators.

Why order multiple sets? If you're serious about building, you'll need a set

ZIP____

each for the general contractor, mortgage lender, electrician, plumber, heating/ventilating contractor, building permit department, other township use or interior designer, and one for yourself. Ordering the 8-set plan saves money and additional shipping charges.

Other notes: (1) Plans are copyrighted, and they are printed for you when you order. Therefore, they are not refundable. If you order additional sets (over 8 sets only) of the same plan within 30 days of your original order, you

SIGNATURE OF CARDHOLDER _

DAYTIME PHONE # _

can purchase them for \$15 each. (2) Mirror-reverse plans are useful when the house would fit the site better "flopped." For this you need one set of mirrorreverse plans for the contractor; but because the reverse plans have backwards lettering and dimensions, all other sets should be ordered right-reading. (3) Heating and air-conditioning layouts are not included. You need a local mechanical contractor to size and locate the proper unit for your specific conditions of climate and site.

MAIL TO: OHJ House Plan Service, 2 Main Street, Gloucester, MA 01930 Or call (508) 281-8803 to charge your order.


Please allow 3-4 weeks for delivery.

PRICES GOOD THROUGH NOVEMBER 1994

JF94

CITY

COMPACT SALTBOX



A Century had one bedroom upstairs and one down.

Additions off the back of the house often accommodated kitchens and, especially in New England, attached

the house to the barn. The updated floor plan of this design includes a first floor lavatory, a large fireplace, and closets in every room.





Plan EP-14-EA	
Cost	\$170
Set of 5	\$230
Set of 8	\$270
Bedrooms	2
Bathrooms	1½
Square Footage	1,040'
First floor	750'
Second floor	
Ceiling Height	
First floor	7'6"
Second floor	7'4"
Overall Dimensions	
Width	25
Depth	

MISSION-STYLE HOUSE



The Mission-Style House is most easily recognized by its shaped parapets that resemble those on Spanish Colonial mission buildings. The style began in California, where architects were inspired by their state's Hispanic heritage, and spread eastward. This house

is authentically detailed, including several patio areas created by the low, overhanging roof. The interior design is spacious and comfortable. The low massing and blend of indoor and outdoor living areas make this house ideal for warmer climates.



Plan HH-11-PV	
Cost	\$200
Set of 5	\$260
Set of 8	
Bedrooms	
Bathrooms	2
Square Footage	1,636'
Ceiling Height	
First floor	8'
Overall Dimensions	
Width	42'
Depth	53'

Catalogues · Products and Services



For Sale/Swap · Real Estate · Events

Real Estate



GLOBE, AZ—As gambling comes to the area, this 1906 hotel on a historic Main St. is prime restoration opportunity. A county seat in the middle of a National Forest with recreational lakes, mountains & Indian reservations will soon bloom. Bldg. has 25,000 sq. ft. 18 aptmts. 7 commercial. Consider sale, trade, or investors. Call (602) 425-6550.

COLCHESTER, CT - 1790 Champion

House. Between Boston & NY. 1.67 acres. Zoned commercial, but residential resort area. Uses: antiques, B&B, professional office, restaurant, residence. Carriage barn. 14 rooms, 7 fireplaces, original features. National Register. \$325,000. Ann Adams (203) 267-6027.

WILMINGTON, DE — 1910 city house, secluded neighborhood. Grand staircase, formal living & dining room, double kitchen, full basement. Master suite, 3 bdrms, 2-1/2 baths, finished attic. Near historic Brandywine

River park, minutes to Amtrack, Philadelphia airport. \$147,900. Call Katie at (302) 656-5918.

OCALA, FL — Authentic yesteryear charm, Marion County Historic District. Refurbished 2-storey 1918 residence. 3 bdrm, 2-1/2 baths, formal living/dining room, family room, study, spacious kitchen. Private courtyard, 3 fireplaces. 2680 sq ft. Lg lot. Gloriously decorated. \$169,900. Call Hope Meffert/ RE/MAX Premier Realty, Inc. (800) 476-5055.

OCALA, FL — Victorian 1886 National Historic District. Gracefully aged 1 storey. Heart pine construction. 2 or 3 bdrms., liv-

ing room with bay window, dining room kitchen, bath. 11 ft. ceilings, 2 fireplaces. Exacellent schools and convenience. \$150,000. Call Freeman's (904) 629-8190.

POLATKA, FL — c. 1926, 2-storey Mediteranean-style mansion with large pool, one acre. Very unique and impressive. Numerous stone wall/arbors with brick driveway/walkways. Detached 2-car garage with apartment. Sacrifice \$138,500. (904) 329-9366.

ATLANTA, GA — 1890, 4-storey Eastlake Victorian. B&B possible—close to olympic venues ('96). New slate roof, some work in progress, substantial rehab needed. Much architectural antiques and material goes with house, \$150,000/offers. (404) 577-2621 or (912) 994-9225.

JOLIET, IL — Limestone Mansion, 15 rooms, 3 foyers, 5 fireplaces, open staircase, elevator to finished basement. Decorative plaster walls and ceilings and original oak, cherry and mahogany woodwork. B&B po-

In This Section

Real Estate63

Wanted66

For Sale......66

Events66

Restoration Services ... 70

Products Network......74

Advertisers' Index......80

tential. Near both Harrah & Express Riverboat Casinos. \$375,000. Dave Henderson (815) 944-1000.

SPENCERVILLE, IN—1865 Brick and frame, II rooms, 3 or 4 bdrms, 2-1/2 baths, 4 fireplaces (2 woodburning, 2 electric), hardwood floors, french doors, natural gas furnace, alternative wood furnace. Large shop. 2138 sq. ft. \$80,000.

Contact, Mrs. V.O. Mathes, Box 136, Spencerville, IN 45788. Call (219) 238-4531.

SIOUX CITY, IA — 1890 Queen Anne Victorian, 3 storeys, turret. Living room, parlor, formal dining room, large kitchen, pantry area. Open staircase with landing and palladian window. 4 bdrms, 2 baths. 2 rooms on third floor. 3 balconies. Lattice windows & maple floors. \$130,000. Call (712) 258-1255.

GROTON, MA — Exquisite 12-room Victorian in historic center. Fully updated kitchen and baths. Integrity intact. Distinctive detailing includes corner cabinets with brass latches. Angled fireplace. Wain-

scotting, 4-6 bdrms. New systems and added insulation. \$237,500. call MRM Associates (508) 448-3031.

SOLON, ME — 1865 Colonial, 10 rooms with Center Hall. 2 Baths, laundry room, beamed living room ceiling, pumpkin pine floors, billiard room with wet bar, attached garage & barn. On Maine snowmobile trails, close to Sugarloaf and white water rafting. Ideal for B&B. \$77,500. (207) 474-3303.

PLATTSMOUTH, NE — Oakmount Farms — Century-old sandstone 3 bdrm, 3-1/2 bath, home on 5 acres of sloping Oaktree covered hills. 4 fireplaces, aptmt/2-car garage. 8 miles from SAC Offutt AFB. Excellent for B&B. 169,500. Terms. AC Available. Some comm. Sale/Lease. Brokers welcome. (800) 316-6978.

HENNIKER, NH — Beautifully restored Queen Anne Victorian w/turret, 3500 sq. ft., new systems, natural woodwork, Bradbury wallpapers, workshop & garages, on one landscaped acre in quaint college town w/ skiing, lakes. In-home business/B&B permitted. \$259,000. Call (603) 428-3948 or write PO Box 3009, Henniker, NH 03242.



CLINTON, NJ — Authentically restored stone bank colonial on 5 acres. 1-1/2 hr. from NYC or Philadelphia. Country living, oak floors, 2 fireplaces. \$239,900. Call B. Lidowski at Weichert (908) 735-8140 #0087915.

PLAINFIELD, NJ — Magnificent 1880 Italianate Victorian, 5+ bdrms, 2-1/2 baths, lg. living room w/marble fireplace, library w/built-ins & ornate parlor stove, lg. dining rm., eat in kitchen w/pantry & brick hearth, 3 porches, 3 staircases, ornate tower, plus a 3-car, 2-storey carriage house, all nestled on a 1/2 acre fenced property w/lovely

Real Estate (continued)

perrenial gardens. Conv. to NYC & all rec. areas. \$249,900. For brochure & info. please call (908) 755-3794.

RUMSON, NJ — Prestigious waterfront community. C. 1833 Farmer's house & gardener's cottage from one of Rumson's oldest palatial estates. 2 beautiful, private acres. Farmer's house with original wide plank spruce floors, ornamental moldings. Gardener's cottage and smoke house. \$795,000. Call Faye G. Hill (908) 530-4455.

RUTHERFORD, NJ — Tri-color Queen Anne Victorian, c. 1905. Tree-lined streets. Fully restored. Oak trim, pine floors & pocket drs. 5 bay windows. 2 fireplaces. Wd. stove. Front & rear parlors, DR, office. Impressive 440 sq. ft. kit/sunny brkfast. area. 5 bdrms, 2 baths, turret room in attic. Wraparound porch. Deck & patio. \$349,000 Owner, (201) 933-3512.

SALEM COUNTY, NJ — Pattern Brick Colonial farmhouse, c. 1730 (see OHJ May/June, 1991). 5 acres within Wildlife Management Area in Lower Alloways Creek, 20 minutes South of Del. Mem. Bridge. Modern mechanical systems. \$200,000. Call (609) 935-2463 for information.

BALLSTON LAKE, NY — 1840's Greek Revival Farmhouse. Fully restored on approx. 1 acre. 15 minutes from Saratoga. 4 bdrms., 1-1/2 baths, large kitchen, family room with atrium doors, 2-car garage. Award-winning schools. \$184,900. Welbourne & Purdy Realty, Inc. 1-800-288-HOME.



NEW WINDSOR, NY — "Area Gem," restored and wonderful c. 1860 Farmhouse. Live in beauty on 2+ acres. Have your office (5 mi. from airport, 50 mi. NYC) plus income in beautiful barn. \$575,000. Retiring Owners (914) 496-7167.

QUEENS, NY — c. 1913 Single family detached 2-storey home w/basement 4 bdrms, 2 baths, parquet floors, stained glass windows, oak staircase & doors, formal dinning room, original pocket dr., antique appls., claw foot tub, sun porch, central a/c, convenient location. Please call (718) 847-5187 for more information.

ROSLYN (LONG ISLAND), NY - 1850 Re-

stored Landmark in Historic District overlooking Duck Pond. 3 bdrms, 3 baths, front and back parlors, fireplace, sun porch, terraced patios, 1/2 acre, two car garage, low taxes. \$395,000. (516) 621-7550 after 7pm or weekends.

SYRACUSE, NY — c. 1833 Federal; on orig. site or to be moved; as-is or professional restoration available; original wall murals under wallpaper, orig. wdwk/mantles/doors/etc. 2500 sq. ft.; 1 acre lot, (315) 687-6685.



NOVASCOTIA — Completely restored 150year-old waterfront house on the Bay of Fundy. Post and beam construction, cedar shingles, fireplaces, picket fence, captivating view in a quiet fishing village. \$85,000 U.S. (902) 861-1900 (evenings).

NEW CASTLE, PA — 1897 Victorian Mansion, 18 rooms in excellent condition, 5 bdrms. 4 1/2 Baths, 3 servant quarters, 10 fireplaces each having elaborately carved mantels. Solid cherry gourmet kitchen, brick and stone exterior, very large front porch with veranda porte cochere, tile roof (412) 652-3551.

PITTSBURGH, PA — 1890 Victorian jewel converted to 5 aptmts. Beautifully restored Pittsburgh landmark located in national historic district. Richardson Romanesque greystone with turret. 9 fireplace mantels. 3-car garage. \$2000/month income. \$229,500. Call (412) 322-7032.

WARREN, PA — Established restaurant/B&B in restored 1890 Victorian Mansion. National Register of Historic Places. Near Allegheny National Forest Resort & Chatauqua Lake. \$595,000. Includes furnishings, fixtures and liquor license. Please call (814) 723-2268.

WAYNESBORO, PA — Beautiful, late Victorian home, c. 1881. 5 bdrms, 2 parlors, dinning room, full basement, attic & 2-car garage. Partially restored. Brick, corner lot, 1 acre. \$159,500. call Jane Frost at (919) 929-4245

WYALUSING, PA — Early 1900, J. Morgan Brown gingerbread home. Stone foundation, three porches, 11 rooms, 2 baths larger with claw foot tub, fireplace, original woodwork, unique staircases, stained glass windows around front doors, paved driveway, privacy picket fence, 2-storey barn. \$160,000. Call (717) 746-9086.



FORT WORTH, TX — Meticulously restored 1894 Sanguinet House in prestigious Arlington Heights. Almost 3500 SF, 5 bdrms., 3-1/2 baths on 2/3 acre corner lot. Formal dining room w/ magnificent woodwork, living room w/ fireplace, huge gournet kitchen w/ brick floor, MBR suite w/ fireplace. Pedestal sinks, claw foot tubs, many antique light fixtures. On National and Texas Historic Registers. Selected by Ft. Worth Historical Society as 1993 Designers' Showcase Home. \$299,900. Ann Nayfa (817) 732-8833 or (817) 732-7901.


RAPHINE, VA — Large, fully restored c. 1826 farmhouse on 40 acres w/ vineyard, pasture, woods and water. 5 bdrms, 4 baths, fireplaces. GREAT HOME, horse farm or B&B. Convenient to Lexington and Staunton. \$450K. \$380K w/ 12 acres. (703) 377-2398.

MADISON, WI — 10 minutes NE in Sun Prairie, WI. Turn-of-the-century Victorian sitting on one acre, turret, leaded & beveled glass window & pocket doors, 2 fireplaces, 2 bathrooms, 3 floors & basement plus 3-car garage. Have all historical papers. \$185,000. (916) 541-2304.



FAYETTEVILLE, WV — 1902 Queen Anne Victorian, corner lot, center historic district. A B&B, fully rehabilitated, wraparound porch, 4 bdrms, plus owners apartment, 4-1/2 baths, 7 fireplaces, updated plumbing & electric, fully furnished. \$250,000. Write Soros, 201 W. Maple Ave., Fayetteville W.V. 25840.





exact fit.

Write for reproduction copy of 72 page illustrated catalog. Price \$3.

W.F.Norman Corporation

P.O. Box 323 • Nevada, Missouri 64772 • 1-800-641-4038 Fax: 417-667-2708

Push Button Light Switches

Box 804-HJ = Des Moines, Iowa 50304

DIMMER & SINGLE & 3-WAY



SOLID BRASS COVERS

- * DECORATIVE
- * PLAIN
- * CHROME
- BROWN
- * IVORY
- * OAK

For Catalog Send \$1.50 to:

Classic Accents P.O. Box 1181 · Dept. OH Southgate, MI 48195 (313) 282-5525

Anytime Anywhere Anywood

Both are yours with a W&H Molder/Planer

Thousands of professionals and serious woodworkers use our Americanmade cast iron molder/planers to produce smooth moldings, raised panels, crowns and curved molding.

In the shop or at the job site, W&H meets your needs every day with quick knife changeover and ultimate versatility with all kinds of wood

Over 40 years of experience supports our products with a 5 year warranty! Call or write today for our FREE information kit!

800-258-1380 (USA) 603-654-6828 FAX 603-654-5446

Williams & Hussey Machine Co., Inc. Dept. 564AM P.O. Box 1149 Wilton, NH 03086

W& H

CHADSWORTH™ The Column Source Introduces **FIBERGLASS** COLUMNS Load Bearing Impervious to Insects Fire & Impact Resistant Ready to Prime & Paint Will Not Deteriorate Catalog \$3.00 Catalog: 800-394-5177 Inquiries: 404-876-5410 Chadsworth Incorporated P.O. Box 53268, Dept. 3 Atlanta, Georgia 30355

Real Estate (continued)

Wanted

POSTERS — Old photos of posters on walls, or being printed. Billposting information, magazines, and posters themselves pre 1960. George Theofiles, Box 191, New Freedom, PA 17349-0191.

CAST IRON RADIATORS — Old Victorian ornate radiators for hot water heat. Call with description and price — will consider all. Please help, winter is near. Call Brian eves. (908) 454-0877.

EXTERIOR GAS LIGHTING — Lamp posts wanted for outside lighting either antique or reproduction. Please write to Juanita Richards, 4535 Fawn Dr. Dresden, OH, 43821, with any information possible.

CAST IRON SINK — White enamel — piece sink with bowl, drain boards on each side, and high backsplash. Will consider similar style. S.L. Young, 607 S. 7th St., Cordele, GA, 31015. (912) 273-6559 daytime.

SECLUDED, SCENIC, RURAL ACREAGE—Old house in New England. Send details to: Jack Goosman, PO Box 13, Pickering, ONT, L1V 2R2 Canada.

INTERIOR DESIGN FIRM — Restoring a Willis Polk Bank Building. Need Beaux Arts hardware source; period 1895-1920 door handles, hinges, backplates and chandelier. Contact Susan Christman at (916) 456-7688, or Dennis Greenbaum at (916) 447-4141.

OLD STAMP MACHINES AND POSTAL OBJECTS —Wayne A. Hise, 813 Elden St., Herndon, VA 22070 (703) 437-5949.

GENTLEMAN'S FARM — Seeking a restorable and livable country estate or gentleman's farm near Albany/Glen Falls, NY or New England. Sales agreement MUST include that I will rent your property to facilitate sale of my present house. Call (516) 735-6378.

For Sale

ANYONE WITH THE INITIALS C.T.W.? — Demi-Tasse set of 12 - Liners Lennox - holders and saucers, one liner slightly chipped. \$495 Call Frank Osborne (703) 382-1800.

FANCY EMPIRE #20 FIREPLACE INSERT — For arched top mantle. Cast iron, 31" by 31" with wind god damper, dragons, urns, flowers. Excellent condition. \$250. Also white marble mantle w/fancy cast front (some pieces broken or missing). \$75. (518) 943-2921.

BACK ISSUES OF OHJ—'85, '86, '87, '91, '92, '93 — all excellent condition, \$38.00 shipping included. Wayne Hise, 813 Elden St., Herndon, VA 22070. (703) 437-5949.

CAST IRON WINDOW LINTELS — Four in Greek Key design. 58-1/2" long x 8" wide x a center tablet 10-1/2 " high. Rod Johnson (607) 547-8003.

LOUVERED FEDERAL PERIOD SHUTTERS — Many 62-1/2' x 18", many 62-1/2 x 17", some hardware, \$30/pr. One pair 79-1/2 x 17", \$50 (203) 347-9124.

ANTIQUE MAHOGANY VICTORIAN SOFA— With curved back and covered in striped velvet, asking \$900. Please call (301) 271-9931.

CHAMBERS GAS STOVE 1930s — B Series, chrome top white enamel, 3-burner, deep well, griddle, timer and folding cover. \$375. Please call (607) 467-4922.

BACK ISSUES OF OHJ — Free to a good home. 1981, 1982, 1983 missing pages and/ or issue. 1984 & 1985 complete. Perhaps you would pay the shipping charges. (513) 761-4168.

LARGE SLATE SINK — Ext. measurement, 42" x 24" x 8", has soap dish in corner and is in excellent condition. \$200 or best offer. Call Dr. J. Senders, (207) 483-4646 or Fax (207) 483-6125.

SAUTTER HOUSE FIVE — Wallpapers of a German-American Farmstead. Text, color/ B&W photos of wall coverings, 1860's-1916, Nebraska's pioneer period. Historically documented. 1983, 33 pg., pbk., 8-1/2 x II, \$8.50 plus \$2.50 shipping. Bulk rate available. Historical Society of Douglas County, PO Box IT308, Omaha. NE 68III. (402) 455-9990.

SASHES — 1890 double-hung upper and lower sashes with glass, window weights, and pulleys. Sash dimensions: 33"h x 28" w. Glass dimension: 30" h x 12" w. Pictures available. Best offer. Please call Tom Hoffman, Fremont, Ohio (419) 332-3691.

BEAUTIFULLY REFINISHED PINE PANTRY CUPBOARD — 65" wide x 97" tall. Original hardware, glass doors, hand-stencilled, \$2500. "Lapland" 2-door oak ice box, complete, \$800. "Hoosier" oak cabinet with zinc worktop, \$900. Ash drop leaf table with 4 chairs, \$350. Oak drop worktop, \$300. Photos available. Call (815) 849-5466 evenings.

TWO UNIDENTICAL 1920 CEILING LIGHTS

— Look like brass and have four shades each. Also a marble sink with chrome faucets (22" x 30"). (203) 795-4419.

1790 BRICK ENDER — Capt. Nathaniel Humphrey Homestead, excellent Federal, center hall dismantled house - 4 mantles, doors, rose colored brick, cap steps, window frames, etc. Loaded in box trailer & ready to go. For sale below my cost \$12,500.

Ben Clark (617) 659-2237.

BRASS CHURCH BELL — From the Meneely Bell Foundry, West Troy, NY dated 1872. Complete w/cast iron yoke and support legs. 27" at flange of bell, 750 lbs. Asking \$2,500. Greg Walsh, Box 747, Potsdam, NY 13676. (315) 265-9111.

PIANO — 7' Hazelton Grand, 1886, new action, soundboard, refinished to original condition. Beautiful walnut case, highly carved lags, music rack, lyre. Ideal for large older home. Call (415) 922-1351 any time. Color photos on request. \$24,000.

BALTIMORE GAS FURNACE — Wrought iron with metal logs, \$300. Call evenings, (718) 834-6887.

WINDMILL & PUMP — Decorative 8' tall windmill w/22" rotating wheel that faces wind direction. Steel construction w/ball bearing spindle. Includes ornamental plastic, 30" tall "old timey," well hand pump. Painted aluminum w/red trim. \$150. Call (706) 891-9942, free literature.

OLD-HOUSE JOURNAL ISSUES — 20 yr. collection, minus 10 issues, \$225. Fauquier, PO Box 578, Warsaw, MO 65355. Call (816) 438-7451.

Events

WORKSHOP—January 29-30, Basic Timberframe workshop (free). Feb. 20-26, Introductory Workshop in Timberframing (fee). Contact Upper Loft Design, Inc., Rt.1, Box 2901, Lakemont, GA 30552. (706) 782-5246.


SHOW — February 4, 5, 6, 1994, The 4th annual historic preservation & antique show, Gallatin County fairgrounds, Bozeman, Montana. Exhibit booths & displays available for craftsmen, products, arch. salvage, and antiques at \$45.00 and up (depending on size). Admission \$2. Call (406) 587-1082 for more information.

Classified ads in The Emporium are FREE to current subscribers for one-of-a-kind or non-commercial items, including personal house or property sales. Free ads are limited to a maximum of 40 words. Free ads and b&w photos are printed on a space available basis. For paid ads (real estate through agents, books & publications, etc.), rates are \$125 for the first 40 words, \$2 for each additional word, \$75 for a photograph. Deadline is the 1st of the month, two months prior to publication. For example: January 1st for the March/April issue. All submissions must be in writing and accompanied by a current mailing label for free ads, or a check for paid ads.

Old-House Journal Attn: Emporium Editor 2 Main Street, Gloucester, MA 01930 From the Heart of the South ... The BEST for Less\$

HEART FLOORIN

T&G Floors · Stairparts · Doors Cabinetry · Paneling Custom milled from Antique Beams EXPOSED BEAMS





CYPRESS

Custom Milled . Quality Guaranteed

Albany Woodworks

P. O. Box 729 · Albany, LA 70711 · 504/567-1155



FUNCTIONAL



The Glenwood Baseburner 8, manufactured in 1905, is one of the finest cylinder stoves made. It can burn wood or coal and maintains a fire for 10-16 hours. Its lines are timeless making this stove a fine piece of functional art. A definite must for the family that wants the best in quality, artistry and efficiency. Other models, various sizes available.

For more information call: (413) 268-3677 Stove Black Richardson



Architectural Sheet Metal Ornaments

Now available from the W.F. Norman Corporation, makers of Hi-Art* Steel Ceilings - a complete, 94-year-old line of architectural sheet metal ornamentation including

· moldings · brackets · corbels · rosettes

00

a

- · balusters · urns · capitals · festoons
- · finials · scrolls · friezes
- · marquee enrichments glass pendant
- · crestings garlands · panel
- · lion heads conductor he and fittings

0000000000

D

0000000

Over 1300 catalog items available in zinc or copper. Custom reproduction inquiries invited. W.F. Norman also produces building comices, lintels, capitals, window hoods, finials W.F. NORMAN CORP.

Complete catalog \$2.50 * P.O. Box 323, Nevada, MO 64772 * 800-641-4038 * fax 417-667-2708

DON'T PAINT YOUR

Paint drastically reduces the efficiency of steam & hot water radiators and wood enclosures are poor heat

Affordable Ace Radiator Enclosures...

- Offer durability of steel with baked enamel finish in decorator colors
- Keep drapes, walls & ceilings clean
- Project heat out into the room

FREE Estimates FREE Heat Efficiency Catalog

Manufacturing Co., Inc. 3564 Blue Rock Road, Cincinnati, Ohio 45247



1-800-543-7040 Toll-Free 1-513-385-0555 in Ohio (Collect)

Over 50 Grille Sizes & Designs LARGEST SELECTION OF IN-STOCK CAST IRON OR BRASS REGISTERS & GRILLES


Enhance the appearance of your home. Whether building, remodeling or simply redecorating, our beautiful 100% solid cast grilles finish off any room perfectly. Ideal with forced-hot-air systems, wood stoves, even solar collectors. Request our color catalog. \$1.00 The Reggio Register Co. Dept. D401 P.O. Box 511


Ayer, MA 01432

THE FINDING SERVICE FOR ARCHITECTURAL

We have all heard this when looking for a vital piece of architectural salvage. As a member of our network you will receive the Salamander and the Web, a monthly publication linking you with hundreds of salvage dealers across the nation. In it, you may place ads for items you desperately need or desperately need to get rid of! To help us celebrate our premier issue, we are offering a free want ad to the first 100 members. (some restrictions may apply)

CALL OR WRITE FOR INFORMATION TO BE SENT TO YOU TODAY!





Whether your home is on the Historical Register, or still on the drawing board, Oregon Wooden Screen Door Company has a variety of screen doors and energy-efficient storm doors suited to you.

Designed for interior as well as exterior use, each door component is constructed using the finest materials and joined with wooden pegs and glue (no nails).

For complete information and styles available, send \$3 (refundable with Purchase) for our catalogue.

Oregon Wooden Screen Door Company Dept. OHJ, 2767 Harris, Eugene, OR 97405



company =




RESTORE CRACKED WALLS

- O Vapor Barrier Cost Effective
- ⇒ 1 Day Application
- Remove no trim How to use the Nu-Wal System



- Cut fiberglass mat 2" longer than height Apply saturant to area to be covered
- Apply fiberglass mat to wet surface




- Trim mat at baseboard and windows Trim mat around outlets, switches, etc.
- Apply second coat of saturant to wet mat Apply 1st coat of saturant to adjacent area



- Apply mat to 2nd area, overlapping by 1" Cut down center of overlap (both layers)
- Remove mat strips on both sides of cut 12. Apply 2nd coat of saturant (include seam)

SPECIFICATION CHEMICALS, Inc.

800-247-3932



(LISTED

Relines/Restores **Masonry Chimneys**

With The ONLY Listed Two-Liner Cast-In-Place Masonry Process

- · First insulates and strengthens
- Second seals and protects
- · Both are immune to acids and
- No guess work. Mechanically applied.



- No exterior alterations.
- No metal to corrode.
- Improves heating efficiency —
 All for a fraction of the cost of rebuilding!

Dealership network nationwide. Call or write for more information:

2000 Industrial Ave. Sioux Falls, SD 57104

1-800-843-4417



Custom Manufacturers of Heart-of-Pine Flooring & Architectural Elements


Competitively Priced / Random Widths and Lengths Up To 25' / Tongue and Grooved Choice of Thickness / Custom Milling / Free Brochure Upon Request

(804) 574-6531 / P.O. Box 85, Prospect, VA 23960

THE SPECIALIST IN 150-YEAR-OLD HEART-OF-PINE LUMBER SINCE 1972









1116-B Park Avenue • Cranston, Rhode Island 02910 (401) 942-7855 • 1-800-932-5872




Superb grace of design.



Send \$5 for our full color catalog. (catalog fee refundable with order)

251 s. pennsylvania avenue po box 469, centre hall, pa 16828 814-364-9577

Victorian



The world's largest Amish community (it's here in Ohio, not PA) relies on our 2,000 item catalog. Traditional Heartland cookstoves are a favorite: Old World craftsmanship, breathtaking nickel trim & functional roast-size ovens. Choose wood-fired (money-saving airtight design) or elegant electric or gas versions. Grain mills, oil lamps, cast cookware, crockery & 100's of items you had no idea were still available! It's guaranteed different from any other catalog A FHMAN'C

you ever saw!	FISCO
Rush me your Amish country Mail to: Lehman's Box 41, D	y catalog. I am enclosing \$2. Pept. 1-JDB, Kidron, OH 44636
Name	
Address	
	Zip

Restoration Services

ARCHITECTURAL SERVICES — Architectural and preservation problem-solving for old buildings: Architectural services include restoration, conservation, replication and additions, building evaluation, analysis, technical assistance and trouble-shooting. Research and consultation are also available. Award-winning specialists in residences, churches and history museums. The Office of Allen Charles Hill, AIA, Historic Preservation & Architecture, 25 Englewood Road, Winchester, MA 01890, (617) 729-0748.

TILE-RELATED INFORMATION — The Tile Heritage Foundation, a national nonprofit organization, acts as an information and referral service for anyone seeking information about historic tiles, restoration, reproduction or design. For a free membership brochure or illustrated book list (\$2), contact Tile Heritage, P.O. Box 1850, Healdsburg, CA 95448, (707) 431-8453.

HISTORIC TILE RESTORATION — Damaged tile restored or replicated. Consultation, documentation, appraisals. Authentic reproduction of many American Art Tiles. Batchelder reproduction tiles, available stock including relief designs, flat and trim pieces for historic fireplace designs. Twelve authentic colors plus his elusive blue. Tile Restoration Center, 3511 Interlake North, Seattle, WA 98103, (206) 633-4866.

sympathetic additions — Thinking of an addition or deck to be correlated to the style of your home or business? Consider an experienced architect for the design solution. First consultation, no charge. Willing to travel. Ronald Meekes, AIA, 404 Central Ave., Cranford, NJ 07016, (908) 276-7844.

HONE WOODSTRIPPING AND REFINISHING, INC. — All architectural wood finishes expertly stripped and refinishes

ished, since 1983. New Jersey based - will travel. Free estimates, fully insured. Contact Jack Hone, 5 Spring Lane, Warren, NJ 07059, (908) 647-7120.

EXTERIOR COLOR SCHEMES — Custom-tailored color designs for your home or commercial buildings. Services are available nationwide through mail order. We also teach "How To" seminars to groups. Nationally known and respected. Contact: The Color People, 1522 Blake Street # 300, Denver, CO 80202, (800) 541-7174, or fax (303) 388-8686.

GOLD LEAFING AND SPECIALTY PAINT-ING — of interior woodwork, plaster. Specialists in colonial-period vinegar finished, ultra-realistic Victorian graining & matching rare wood grain. Also translucent glazing, marbling, clouds; furniture decorating; children's rooms. Large portfolio. Decorator & architect references. Serving Northeast. Mulligan & Phillips, 55 Monroe Place, Bloomfield, NJ 07003, (201) 748-4680.

SOUTHWESTERN ARCHITECTURAL SPECIALIST — Emphasis on planning, design services for restoration and rehabilitation of Southwestern properties. Peter Looms Architect, Studio Sipapu, P.O. Box 5091, Taos, NM 87571, (507) 758-8810.

BUILDING PORTRAITS — Finely crafted watercolor facade drawings for your home or admired building taken from your photographs and/or drawings or plans. Contact Robert J. Leanna II, 41 Green Street, Newburyport, MA 01950, (508) 465-1095.

STRUCTURAL RESTORATION — Specialists in structural member replacement to Colonial timberframe. Homes, barns, grist mills, and churches. We provide 23 years experience in jacking, squaring, sill replacement, interior and

exterior restorations. Repair to structures damaged by natural disasters. Consulting services available nationwide. George Yonnone Restorations, RD 2 West Center Rd., West Stockbridge, MA 01266, (413) 232-7060.

PRESERVATION CONSULTANT — Problems with your historic building? Consulting for homeowners, architects, contractors and tradespeople on restoration of historic structures. Nationally recognized and frequent OHJ contributor. Provides practical and economical solutions. John Leeke, RRI, Box 2947, Sanford, ME 04073, (207) 324-9597.

ANTIQUE ROOFING — Consulting slate & tile roof repairs, copper repair and fabrication, roof-related painting. Cedar shingles, ventilation for old roofs. Copper half-round gutters and downspouts. Will travel. Smith Slate & Tile Roofing, Chicago, IL, (312) 238-2113.

wallpaper restoration — Re-adhere and retouch historic and scenic wallpaper, failing wallcoverings. Repair murals, faux finishes. New England area or will travel. Call for information or references. Jane Winsor (508) 283-4527.

SELLING & BUYING — various colors and sizes of salvaged roofing slate and clay tiles for your restoration project. Call (803) 559-5339 or (803) 577-7597.

This classified section is available to designers, consultants, contractors, and craftspeople offering restoration services. Rates are \$200 for the first 40 words, \$4.00 for each additional word. The deadline for inclusion is the 1st of the month 2 months prior to publication (January 1st for March/April issue). Submissions must be in writing accompanied by a check.

Mail to: Old-House Journal Restora-

Mail to: Old-House Journal Restoration Services, The Blackburn Tavern, 2 Main Street, Gloucester, MA 01930

REPLACE ROTTED SASH

Any style, any size. Wood storms and screens, too. Costs less than you think.



Fast turnaround. Insulated glass available. Send \$2 for literature.



is now

MIDWEST



1051 S. Rolff St. Davenport, IA 52802 319/323-4757 FAX 319/323-1483

Restoration Glass will change your view of history.



Why are architects specifying authentic Restoration Glass™? Because it's imperfect.

Each sheet is made by craftsmen, using the original cylinder method. Yet this glass easily meets today's building codes. And it's available in two levels of distortion.

Once you've seen the difference Restoration Glass makes, no true restoration will look authentic without it.

For details call toll-free 800-221-7379. In New Jersey: 201-471-1733.

Fax: 201-471-3475. S.A. Bendheim Co., Inc.

61 Willett Street

Passaic, NJ 07055. Bendheim

\$

OLD KENTUCKY HOMES



* Complete Original Log Houses, Barns, Outbuildings

* Hand Hewn and Sawed Logs and Beams * Oak, Cherry and Poplar Boards to 16" wide x 20' long * Mantels

* "Home-Fired" Brick

* Complete Stone Chimneys

* Original Hand-Cut Stone Fireplace Arches

* Primitive Hand Tools

* Claw Foot Bathtubs and Fixtures

\$4.00 for catalog with current offerings (refundable with purchase)

\$9.00 for catalog plus wood and brick samples

OLD KENTUCKY HOMES

2098 Wisdom Road Edmonton, KY 42129



THE LEADER IN CUSTOM **ARCHITECTURAL** ORNAMENTATION

Cornices • Ceiling Medallions Niche Caps • Capitals Brackets • Sculpture Plaques • Domes Cartouches • Tudor Ceilings Adam Ceilings • Coffers Plus custom design, consultation and fabrication.



MUBBER ORNAMENTAL PLASTERENO CORP.

P.O. Box 509, 110 Ardmore Avenue, Ardmore, PA 19003-0509, 215-642-4710, 1-800-392-6896, FAX: 215-642-4863

VENTINOX Liners Save Chimneys!

...and provide safe, reliable venting for gas, oil and wood.

- · Restores deteriorated chimneys
- Preserves aesthetic appearance
- Protects against harmful flue gases
- Improves chimney performance

Complete lining systems for all types of heating appliances & fireplaces.

Call today for FREE information! 518-463-7284

ProTech Systems, Inc. 26 Gansevoort St., Albany, NY 12202 Leaders In Chimney Technology

urtains FREE CATALOG

Choose from over 100 styles of curtains and window treatments in warm colors.

OUNTRI

cheerful prints and a wide selection of fabrics and patterns . many

designs available only from Country Curtains.

CALL TOLL FREE: 1-800-876-6123

24 hours a day, 7 days a week.

☐ PLEASE SEND FREE CATALOG NAME ADDRESS CITY

ZIP ountry (Jurtains,

At The Red Lion Inn Dept. 1204, Stockbridge, MA 01262



AUTHENTIC

PERIOD WOODEN BLINDS Movable Louver Shutters

OLD FASHION WOODEN PORCH SHADES

CUSTOM MANUFACTURED


Call or write for free brochure and cost schedule

DEVENCO PRODUCTS

120F Waller Mill Rd. Ste. 240 Dept. OHJ-2.94 Williamsburg, VA 23185

1-800-888-4597







LOG HOUSES. . , and other 18th & 19th century building materials salvaged from old houses, grist mills and barns; plus. . .

Long Leaf Yellow Pine & Oak Random Width Flooring up to 13" wide at \$8.00 sq. ft. Quarterly Newsletter Subscription \$10.00/year (check or M.O.)

Sylvan Brandt

653 Main Street, Lititz, PA 17543 (717) 626-4520 Fax: (717)626-5867



Classic Hardwood Reproductions of **BORDERS** and Full Room

PATTERNED FLOORING Circa 1880-1920

Geometric & Laser-cut
MEDALLIONS

Call or write for free literature and local distributor HISTORIC FLOORS OF OSHKOSH, INC.

> P.O. Box 572 Oshkosh, WI 54902 (414) 233-5066 FAX (414) 233-7644

MANUFACTURER'S PRICES

Elegance You Can Afford

FOR OVER HALF A CENTURY

Direct from King's, the Designers and Makers.

\$3.50 for 100-pg. Illustrated catalog (1st class mail) of our ALL-crystal chandeliers; our genuine SWAROVSKY STRASS; our handsome, hand-polished brass and crystal (wired) Victorian gas reproductions. Satisfaction guaranteed.

KING's CHANDELIER COMPANY 919-623-6188

PO Box 667 Dept OHJ-194 Eden NC 27288



SERVING THE BUILDING INDUSTRY SINCE 1929

hand operated commercial & residential

dumbwaiters

VINCENT WHITNEY COMPANY

MANUFACTURERS . SASH HARDWARE . DUMBWAITER

60 Liberty Ship Way/P.O. Box 335 Sausalito, CA 94966/(415) 332-3260 (800) 332-3286 FAX (415) 332-0816





IN A RECENT POLL 100% OF THOSE BIRDS INTERVIEWED FOUND OUR PRODUCT TOTALLY REPELLING



Nixalite stainless steel needle strips - Effective, humane bird control. For

the whole story, contact us.



NIXALITE OF AMERICA 1025 16th AVENUE P.O. BOX 727 • DEPT. OHU EAST MOLINE, IL 61244 800-624-1189 • FAX 309-755-0077 SPECIALISTS IN BIRD CONTROL



ORIGINAL omers STAINED GLASS

Original & Museum Quality Replicas

Quality is our most important product. Custom Beveled & Stained Glass—Entries, Panels & Windows • Tiffany Lamps & Replicas ·Fine Custom Restorations · Estimates & Appraisals

Residential · Commercial · Ecclesiastical

OUR ONLY LOCATION! **OPEN 7 DAYS A WEEK** 108 Brook Ave., Deer Park, L.I., N.Y. (516) 667-0262 (516) 586-7772

WIDE PLANK FLOORING

Panelling, Mouldings, Stairs, Etc.

Antique Plank Flooring

- · Heart Pine
- Chestnut
- Eastern White Pine
 Spruce & Hemlock

New Plank Flooring
Ash, Maple, Oak, Cherry, Birch, Walnut, Eastern White Pine & Southern Yellow Pine

Beams & Timber Frames
Hand-Hewn, Rough Sawn & Planed Surfaces · Mortise & Tenon, Dovetail Joinery
Custom Milled to Your Order

ARCHITECTURAL TIMBER & MILLWORK 35 Mt. Warner Road, Hadley, MA 01035 (413) 586-3045 FAX (413) 586-3046

Bring Back The 1890s In The 1990s



TIN CEILINGS

ORIGINAL DESIGNS VICTORIAN-ART DECO

Send \$1.00 for Catalog to:

CHELSEA DECORATIVE METAL CO.

9603 Moonlight Dr., Dept. O93 Houston, Texas 77096

Questions: 713-721-9200

2' X 4' Sheets For Easy Handling Shipped Anywhere

Plaster Washers



Now you can save and restore your plaster ceilings and walls for just pennies.

- Charles - Cal

Charles St. Supply Co. 54 Charles Street Boston Ma. 02114



Call: (617) 367-9046 or (800) 382 4360 Low prices - Fast delivery

Call in your order today! Orders shipped within 24 hours Next day delivery available VISA and MasterCard accepted 10 doz. for \$10 - 21 doz. for \$20 Complete starter kits \$15.00 & up.

Brewery Brushes

Reprinted page from 1902 English Supply Catalog



Specify catalog #1612.

Please allow 3 to 4 weeks delivery.

Also available framed:

Light natural finish hardwood. Hunter green acid-free matte. 103/4 x 123/4.

Specify cat. #150.

S&H

Illinois residents

OSAGE



PRESS

P.O. Box 5082, Rockford, IL 61125-0082

Send for free brochure!

Products Network

The advertisers in this issue have literature available, and you can get as many catalogs as you need just by filling out one form.

Building Components

- 1. Traditional Wood Columns From 4" to 50" diameter, up to 35' long. Matching pilasters and 6 styles of capitals. Ventilated aluminum plinth and column bases. Custom work done. Free catalog. Schwerds Manufacturing.
- 2. Heart Pine Flooring Flooring cut from 200-year-lumber. Edges and bottoms of boards remilled for easy installation, but patina of old surface remains. Wainscotting, hand-hewn beams, mantels, and stair parts. Brochure, \$5.25. The Joinery Company.
- **73. Restoration Glass** Imperfect glass is perfect for restoration work. Each sheet is made by using the original cylinder method. Free brochure. Bendheim Glass.
- **125.** Architectural Roofing Tiles Tile roofs get better with age, never need maintenance, can't burn, and can last 50-125 years. Free color catalog. Vande Hey Raleigh.
- 242. Classic Columns For porches and pure decoration: Doric, Ionic, and Corinthian columns sculpted from Ponderosa pine with exquisite craftsmanship. Many sizes and shapes available. Catalog, \$3.25. Chadsworth Columns.
- 284. Dumbwaiters Residential and commercial hand-operated dumbwaiters with lifting capacities from 65 to 500 lbs. Free literature. Whitco/Vincent Whitney Co.
- **387. Quartersawn Clapboard** Vertical grain clapboard which eliminates cupping and warping. These clapboards accept paint and stain extremely well. True representations of Colonial architecture. Free brochure. Granville Manufacturing.
- 389. Antique Building Materials Covering the Colonial, Federal & Early Victorian Periods. Complete log houses, post & beam buildings available. Also long leaf yellow pine & oak random width flooring up to 13" wide at \$8.00 sq. ft. Free brochure. Sylvan Brandt.
- **392. Heart Pine Flooring** Specializing in reasonably priced heart pine lumber since 1972. Plank flooring, over 150 years old, is also available. Free brochure. Vintage Pine Company.
- **401. Cedar Shutters** Clear, old growth western red cedar shutters will outlast pine and plastic in looks and life. Five traditional styles in both standard and custom sizes. Brochure, \$3.25. Vixen Hill.
- 414. Hydronic Heater Clean, safe, healthful, and inexpensive floor-to-ceiling warmth. Portable or permanent baseboard installation. Comes pre-assembled with lifetime service warrantee. Free information. Hydro-Sil.
- 438. Quartersawn Clapboard The Ward

- family has operated this mill for over 100 yearlapboard eliminates warping for extended life. Free brochure. Ward Clapboard Mill.
- **492. Design Portfolio** Full-page drawings with descriptions of custom crafted traditional kitchens, and a color brochure featuring on-location photographs of Kennebec kitchens, \$10.25. The Kennebec Company.
- 517. Flooring Antique pine and American hardwood flooring. Stair parts, cabinetry, paneling, antique beams. Many species of woods available. Brochure, \$1.25. Albany Woodworks.
- **527. Antique Flooring** Antique wide pine flooring. Antique oak and chestnut are also available. Lengths up to 18', widths up to 14". Free brochure. North Fields Restorations.
- **580. Reproduction Hardwood Flooring** Authentic parquet borders, strips and full floor patterns. Free brochure. Historic Floors of Oshkosh.
- **631. Heart Pine Flooring** Premier flooring manufactured from antique heart pine timbers. Catalog, \$15,25. J.L. Powell &Co. Inc.
- **663.** English Coal Fire Now you can experience an authentic English gas coal fire. Most fire openings can be satisfied. Free literature. Grate Fires Inc.
- 675. Wall Restoration Repair cracked plaster walls and ceilings. Costs less than drywall over plaster, gutting, or skim coating. Installs easier than wallpaper; no need to remove woodwork. Stops air infiltration and creates a vapor barrier. Free video. Specification Chemicals Inc.
- 677. Antique Heart Pine Flooring Recycled turn-of-the-century southern long-leaf pine and cypress. Plus stair parts, millwork, and lumber. Color brochure w/ samples, \$3.75. River City Woodworks.
- **679. Custom Cabinetry** Fine quality, allwood custom cabinetry. Shaker, Colonial, Victorian, and country styles are all available in different finishes. Free detailed full-color brochure. Crown Point Cabinetry.
- **684. Fiberglass Columns** Choose from a variety of sizes for structural support or decoration. Columns are ready to prime and paint, light weight, fire and impact resistant and impervious to insects. Job site delivery. Free flier. Chadworth Columns.
- 693. Complete Original Log Houses As well as barns and outbuildings. Also available, hand hewn, sawed logs and beams. Oak cherry and poplar boards to 16" x 20'. Many other items from mantels to bathroom fixtures. \$4.25 catalog. Old Kentucky Homes.

Decorative Materials

20. Tin Ceilings — 22 original Victorian and Art deco tin ceiling patterns. Several patterns available by special order in brass and/or

- copper. Cornices, pre-cut miters, and center medallions are available. Brochure, \$1.25. AA Abbingdon Affiliates.
- **26. Push-Button Switches** Quality reproductions of push-button light switches. Switch plates in plain brass or ornamented. Brochure, \$1.25. Classic Accents.
- 27. Victorian Roomset Wallpapers A complete collection of Victorian wallpapers that you can combine in infinite variations. Neo-Grec; Anglo-Japanese; Aesthetic Movement. Superb catalog, \$10.25. Bradbury & Bradbury.
- **42. Country Curtains** Curtains in cotton, muslin, permanent-press, etc. Some with ruffles, others with fringe, braid, or lace trim. Bedspreads, dust ruffles, canopy covers, and tablecloths also available. Free catalog. Country Curtains.
- 47. Tin Ceilings 22 patterns of tin ceilings ideal for Victorian homes and commercial interiors. Patterns from Victorian to Art Deco. 2'x4' sheets available. Cornices available in 4' lengths. Brochure, \$1.25. Chelsea Decorative Metal.
- 128. Tin Ceilings Producing richly ornamented metal ceilings in turn-of-the-century patterns using original dies. Center plates, borders, corner plates, cornice, and filler plates included. Catalog, \$3.25. W.F. Norman Corp.
- 245. Plaster Ornaments Hundreds of plaster ornaments from late 19th- and early 20th-century periods made using original moulds. Ceiling medallions, brackets, grilles, cornices, etc. Illustrated catalog, \$3.25. Decorator's Supply.
- 480. Ice-Boxes Manufacturers of premium solid oak ice-box electric refrigerators. Literature, \$3.25. Northern Refrigerator Company. 554. Ornamental Plaster Restoration, renovation, and new construction; residential and commercial. 2,500 antique ornamental models of all types of architectural elements. Catalog, \$3.25. Felber Ornamental Plastering.

Doors & Windows

- 9. Replacement Wood Windows 16-page free booklet tells what to look for in a replacement window, and how to install it. Get a thermally efficient genuine wood window in almost any size and historic shape. Marvin Windows.
- 16. Wood Sash Any size and shape: divided lite, round top, curved, double-hung, fixed, casement, or storm sash. Insulated glass, shutters, screen doors, and trim. Illustrated brochure, \$2.25. Midwest Architectural Wood Products.
- **53. Wooden Screen Doors** Blending function, fine craftsmanship, and styling. Dozens of innovative styles ranging from the classic design to highly ornamental. Catalog, \$3.25.



Authentic English Gas Coal Fires

THE ULTIMATE FIREPLACE EXPERIENCE IS NOW AVAILABLE IN AMERICA!

- Perfect for giving Historic Homes the authentic coal fire look and heat.
- Burns energy efficient natural gas or propane: easy installation and use.
- Elegant case iron grate craftsmanship.
- Many different styles and sizes to fit any chimney. Starting at 16" tapered.



CALL OR WRITE FOR FREE COLOR BROCHURE: P.O. Box 351 • Athens, Georgia 30603 (PH) 706/353-8281 (FAX) 706/353-8312

CUSTOM WOOD TURNINGS

- Architectural Mouldings
- **Balusters**
- Newel posts
- Porch posts
- Columns
- Fluting
- Spiral rope twist
- Finials
- Furniture parts
 - No minimum order
- Shipment coordination
- (72 page catalog \$5.50)



156 Main St., P.O. Box 338 Ivoryton, CT 06442 (203) 767-3236 Fax (203) 767-3238

Quartersawn Clapboard Siding and Building Materials including Wide Pine

and Hardwood Flooring Quartersawing produces a vertical grain clapboard.

- · Twists and warps less
- · Wears more evenly
- · Bonds paint and stain better

Also featuring...

Olympic Machinecoat™ **Exterior Finish**

for all types of siding. Allows priming or finishing prior to installation with 15-year warranty:

- · Crack, Peel and Flake Resistant
- · Washable
- · Non-Yellowing
- · No Chalk Washdown

Granville Manufacturing

Company, Inc. • Est. 1857 Granville, Vermont 05747

802-767-4747

Call or Write for Free Brochure

Victorian Reproductions




FACTORY DIRECT SHIPMENTS

AT DISCOUNT PRICES!
Hand Carved, Solid Mahogany Wood Frames,
Over 200 Fabrics, Italian Carrara Marbie Table Tops Send \$2.00 for catalog to:

1834 West 5th Street Dept. OHJ Montgomery, AL 36106 Or call Toll Free: 1-800-288-1513

HANDCRAFTED

To The Drip On The Tapered Candles



Early American Lighting since 1938; chandeliers, copper lanterns, and wall sconces.

Knowledgeable collectors, Restorations and Museums have been buying our fine fixtures for over 30 years. A list is available on request. \$2.00 for catalog.

GATES MOORE

River Road, Dept OHI Silvermine Norwalk, Conn. 06850 - Tel. (203) 847-3231

VIXEN HILL CEDAR SHUTTERS



Solve your replacement and refinishing problems cost effectively with cedar shutters. Authentic teak-pegged mortise & tenon construction in numerous louver and panel designs, sized to your window. Send \$1.00 for color brochure. Vixen Hill, Dept. OHJ 1, Elverson, PA 19520. 215-286-0909.



The Brickyard P.O. Box A Harrisonville, MO 64701

Build With Pieces of History

Now available in very limited quantities Authentic decades-old unused clinker brick Due to changes in brick manufacture, when these are gone there won't be any more. Write for free literature or send \$10.00 for price list, color photos and sample brick. Also available-wire cut solid brick.

Niver City Woodworks 825 9th Street

New Orleans, Louisiana 70115

(504) 899-7278

ANTIQUE HEART PINE FLOORING STAIR PARTS

LUMBER

BEADED WAINSCOTTING

ANTIQUE CYPRESS

WOOD BEAMS

MOULDING w/ samples \$3.25 Color Brochure DOORS

RECYCLING LUMBER ₩ BUILDING MATERIALS SINCE 1981

Products Network (continued)

Oregon Wooden Screen Door.

- 695. Stained Glass & Tiffany Lamps Original custom & authentic reproduction designs in Victorian, Traditional, & contemporary leaded, stained & beveled glass windows, domes, panels and Tiffany replica lamps. Residential, commercial and ecclesiastical. Appraisals, repairs & restorations. Literature \$1.50. Somes Stained Glass.
- 410. Colonial Woodwork Handcrafted custom-made interior and exterior 18th-century architectural trim. Finely detailed Colonial doors, windows, shutters, wainscot, and wall paneling. Catalog, \$2.25. Maurer & Shepherd Joyners.

Finishes & Tools

- 31. Rotted Wood Restoration 2-part epoxy system restores rotted wood, so you can save historically significant and hard-to-duplicate pieces. Repairs can be sawn, drilled, sanded, and painted. Free brochure. Abatron.
- 439. Molder-Planer Restore old houses with the versatile W7 Series Molder/Planer. Reproduce railings, sashes, crowns, rails, window and door stops, and curved molding with chatter free finishes. Free information kit. Williams & Hussey.
- 539. Refinishing Products Manufacturer of paint strippers, clear finishes. lacquers, sanding sealers, caulking compounds, linseed oil putty, glazing compounds. Free information. Sterling-Clark-Lurton, Corp.
- 589. Mildew-Proof Paint A high-performance, low-odor, water-based paint that withstands humidity, prevents blistering and peeling. Provides a decorative, washable, and scrubbable finish, in satin or semi-gloss. Free application booklet. William Zinsser & Co., Inc.
- 595. Rock-Hard Putty Ideal for repairing walls, woodwork, and plaster. It can be sawed, chiseled, polished, colored, and molded. It stays put and will not shrink. Free literature. Donald Durham Company.
- 611. Paint Shaver™ This patented, ecologically-safe power tool strips paint from shingles and clapboards. The dust collector allows encapsulation of debris for retrieval. Free literature. American-International Tool Ind., Inc.
- 672. Old Fashioned Appliances Victorian style cook stoves & gas refrigerators, slater's & blacksmith's tools, 19th century style hayforks & appleparers. Catalog \$2.25. Lehman Hardware.
- 680. Professional Finishes Supplier of waterborne finishing systems and products for walls and furniture from olde world to contemporary. Offering workshop training. Free literature. Faux Effects, Inc.

Furnishings

- 221. Restored Antique Fans Restoring and selling of antique fans and parts. Large changing inventory. The proprietor wrote a book on the history of fans. Detailed brochure, \$2.25. The Fan Man.
- 353. Radiator Enclosures The durability of steel with baked enamel finish in decorator colors. More efficient than paint, and keeps drapes, walls, and ceilings clean. Free estimates. Free catalog. ARSCO Manufacturing.
- 576. Reproduction Wallpapers Reproducing antique wallpapers by silk-screen. Sidewall, ceiling, border, and corner patterns dating from mid-19th to early-20th centuries. Catalog, \$3.25. Victorian Collectibles.

Lighting Fixtures

- 4. Victorian Lighting Fixtures Authentic reproduction Victorian and turn-of-the-century electric and gas chandeliers and wall brackets. Solid brass with a variety of glass shades. Catalog, \$5.25. Victorian Lighting Works.
- 10. Craftsman Lighting Reproduction craftsman chandeliers and sconces fit right into any bungalow, mission, foursquare, or traditional home. Fixtures in solid brass or cast iron. Free catalog. Rejuvenation Lamp & Fixture Co.
- 11. Victorian & Turn of Century Lighting -Recreating fine period lighting of the 19th & 20th Century Americana. Reproduction of unusual styles. New, large color, catalog includes sconces, fixtures & glass shades, Free. Roy Electric Co.
- 334. Gorgeous Chandeliers & Sconces -Original designs of all-crystal, using genuine Strass. Solid brass and venetian crystal reproductions of Victorian gas styles (wired). Manufacturer's prices. Catalog, \$3.75. King's Chandelier Company.
- 400. Lighting Fixtures Architectural ornaments and antiques dating from 1880 through 1930. Stock reproduction iron spiral staircases as well as lighting fixtures. Free brochure. Urban Archaeology.
- 560. Early-American Lighting Reproduction fixtures such as wall sconces, chandeliers, copper lanterns, and hall fixtures. Everything is handmade. Catalog, \$2.25. Gates Moore Lighting.

Metalwork

30. Historic Markers - Proclaim your home's age with a cast bronze or aluminum marker. Manufacturers of plaques for National Register, American Buildings Survey, and custom work. Free catalog. Smith-Cornell.

- 55. Custom-Made Plaques Historic markers for indoor or outdoor use. Standard solid bronze cast plaques, 7" x 10", are \$90 plus shipping. Other dimensions and styles available. Free brochure. Erie Landmark.
- 122. Ornamental Iron Fencing Ornamental iron fences and gates are custom made. Matching of old fences is available using authentic Victorian patterns and castings. Catalog, \$2.25. Stewart Iron Works.
- 545. Spiral Stairs Magnificent for Victorian settings. The beauty of cast iron, but not the weight. All components, except handrail, are solid castings of high strength aluminum alloy. Free color brochure. The Iron Shop.
- 659. Grilles & Registers Manufacturers of a complete line of elegant cast brass and traditional cast iron decorative grilles & registers. Color catalog \$1.25. Reggio Register Company.

Millwork & Ornament

- 13. Victorian Gingerbread Authentic Victorian millwork for interior and exterior: porch posts, corner fans, balusters, brackets, corbels, headers, gazebos, and more. 50-page catalog, \$2.00. Vintage Wood Works.
- 44. Victorian Millwork 19th-century designs in solid oak and poplar: fretwork, brackets, corbels, grilles, turnings, and gingerbread precision manufactured so product groups fit together. Color catalog, \$4.75. Cumberland Woodcraft.
- 101. Shutters & Blinds Colonial wooden blinds, movable louver, and raised-panel shutters. All custom-made to specifications. Pine or cedar, painted or stained to match any color. Free brochure. Devenco Louver Products.
- 294. Plaster Ornament Ornaments of fiber-reinforced plaster. They do restoration work and can reproduce existing pieces if a good example is supplied. Complete catalog of 1500 items, \$10.25. Fischer & Jirouch.
- 518. Custom Turnings Newel posts, porch posts, column bases, fluting, spiral rope twist, etc. Custom orders. Catalog, \$5.75. Custom Wood Turnings.
- 651. Custom Millwork A prime source serving architects, designers, builders, & home owners nationwide. Custom specialties include spiral stairs, doors, bookcases & panel work. Catalog, \$5.25. American Custom Millwork, Inc.
- 652. Architectural Millwork Millwork ranges from doors to columns. Specialist in materials & architectural components. Expert manufacturers of heart pine, chestnut & wide plank flooring. Free literature. Architectural Timber & Millwork.
- 694. Custom Turnings Providing a custom turning service of porch posts, newells, balusters and stair parts from samples or

BRAND NEW!

Finding the perfect "old" house just got easier...with Old-House Journal's HISTORIC HOUSE PLANS.

For the first time, all of OHPs Historic House Plans are available in one volume — plus more than 30 designs not seen before.


RE YOU AN OLD-HOUSE lover looking for a new home? Building a reproduction "new-old house" could be your best option. You can build the exact house you want, where you want it. You can instill that old-house charm with the building materials, furnishings, and decorative finishes you choose - just as you would any restoration project - but without inheriting plumbing and wiring nightmares from previous owners.

Here's your chance to choose from over 100 plans of authentic early American, Victorian, and post-Victorian designs, including garages, sheds, and gazebos. OHJ plans are drawn by reputable architects across the country who specialize in historical reproduction. They combine authentic exteriors with updated floor plans that accommodate master baths, walk-in closets, and laundry areas. In typical OHJ

fashion, every plan's style, origins, and special features are described in detail. Square footage, ceiling heights, and overall dimensions are clearly specified.

In **Historic House Plans**, you get much more than a collection of home designs.

- In an illustrated history of the "planbook" house, you'll learn about the now-famous architects who designed the first published house plans, and why this American building tradition continues today.
- directory of 100 sources of antique and reproduction building materials from the OHJ catalog. From floorboards and roofing materials to windows and doors, plumbing fixtures and hardware, cupolas and dumbwaiters, historical materials make your reproduction house authentic.
- homes from our plans share their experiences in a full-color showcase of their reproduction houses. Their letters and beautiful homes are testimony to the rewards of building one of our authentic houses.



Special features:

- Over 100 historic designs
- Bonus section of Garages, Sheds, and Gazebos
- BLUEPRINT PACKAGES
 AVAILABLE FOR EVERY PLAN
- A source directory of authentic building materials

To Order:

Indicate #82 on the envelope order form and enclose your check, or call (508) 281-8803 to use your VISA or MasterCard.

156 pp., 200+ illustrations, 40 color photos. Softbound, \$11.95 ppd.

Why not take a look at what reproduction houses are all about?

After all, readers have looked to OHJ for over twenty years to guide them in their restoration projects...who better to trust with your "old" house search?

OLD-HOUSE JOURNAL

Products Network (continued)

drawings. Prompt, quality service with capacity to 12 feet. Free quotes. CinderWhit & Co.

Plumbing & Hardware

- 18. Victorian Hardware A vast selection of high-quality 18th- and 19th-century reproduction hardware for doors, windows, shutters, cabinets, and furniture. Plus highsecurity locks with period appearance 108-page catalog, \$5.25. Ball & Ball.
- 49. Renovation Hardware Hard-to-find supplies including brass cabinet hardware, lighting, weathervanes, pedestal sinks, oldfashioned bathtub showers, and bathroom fixtures. Mail-order catalog, \$3.25. Antique Hardware Store.
- 269. Bathroom Fixtures The complete Victorian bathroom. Clawfoot tubs, freestanding vitreous china pedestal sinks, pullchain toilets, chicago faucets, towel bars, etc. Free catalog. Sunrise Specialty.
- 302. Restoration Hardware Over 1000 different brass items for houses and furniture. Plumbing, lighting, wall and ceiling coverings, tin ceilings, and more. Wholesale/Retail. Catalog and 1-year mailings, \$5.50. Hardware+Plus.
- 303. Fancy Plumbing Fixtures Hard-tofind fixtures: pedestal lavatories, Victorianstyle washstands, drop-in-basins. Plumbing hardware and accessories, fireplace mantels, lighting fixtures, and much more. Catalog, \$5.00. Ole Fashion Things.
- 397. Hard-To-Find-Hardware Suppliers of scarce decorative hardware for doors, windows, furniture, and cabinets since 1916. Knobs, hinges, pulls, and fasteners available. All periods from 16th century through the 1930s, 227page catalog. \$6.75. Crown City Hardware.
- 538. Fixtures & Accessories Bathroom fixtures and accessories such as door, window, and cabinet hardware. Lighting fixtures also. Free Catalog. Renovator's Supply.
- 690. Faucets And Fixtures Specializing in pre-World War II faucets and fixtures. High quality reproductions as well as restoration of original faucets. Custom work welcome. Literature \$5.25. The Sink Factory.

Restoration Supplies & Services

- 5. Pigeon Control Get rid of pigeons and other birds with inconspicuous stainless steel needles that eliminate roosting places without harming your building. Free brochure. Nixalite of America.
- 23. Chimney Flue Liner Poured-in-place, 2-liner system. No mess, one day process. First liner strengthens and insulates; second liner seals and protects. UL Listed. Nationwide. Free catalog. Ahren's Chimney Technique.

- 35. Plaster Washers These inexpensive washers can resecure loose ceilings and walls. Starter packet of 3 doz. washers with instructions, \$4.75. Charles Street Supply.
- 38. Chimney Liner Ventinox continuously welded liner connects chimney-top to heat source without joints or breaks. Reduces condensation, increases heating efficiency, improves safety. Free catalog. Protech Systems, Inc.
- 113. Chimney Liner System seals, relines, and rebuilds chimneys from inside out with poured refractory materials. Especially effective for chimneys with bends and offsets. Free brochure. National Supaflu Systems.
- 565. Chimney Liners Lifetime warranteed, flexible chimney relining pipe. UL listed, safe in real-world applications. Constructed of 4 interlocked layers of the finest certified 304-stainless steel. Free brochure. Home-Saver Chimney Liners.
- 585. Building Repair Products Manufacturers of interior and exterior priming, patching, and sealing products. Free literature.

Tuff-Kote Company, Inc.

- 682. Custom House Plans Plans for houses, additions, granny flats, garages, sheds, and more. All sizes. All American architectural styles: Colonial to Comtemporary. Lots of plan and elevation options plus master plan options, free with every affordable blueprint set. \$10.75 catalog. The Homestead Partners.
- 691. Architectural Finding Service Find the parts you need to make your renovation complete. Our publication will connect you to a nationwide network of salvage dealers. Free information. Shade of the Cottonwood.
- 692. Unique Reproduction Art High quality black on parchment paper drawings reprinted from old patents, journals, catalogs, and text books. Offered framed or unframed. Free catalog. Osage Press.
- 696. Felt Floor Protectors Safeglides protect wood, vinyl, tile, stone and marble flooring and virtually eliminate scratching. Made with high quality wool felt. Easy to install. Special sizes and varities available. Free brochure. Glitsa American.

LITERATURE REQUEST FORM

Circle the numbers of the items you want, and enclose \$3 for processing. We'll forward your request to the appropriate companies. They will mail the literature directly to you ... which should arrive 30 to 60 days from receipt of your request. Price of literature, if any, follows the number. Your check, including the \$3 processing fee should be made out to OLD-HOUSE JOURNAL.

I.	Free	42.	Free	302.	\$5.50	527-	Free	672. \$2.25
2.	\$5.25	44.	\$4.75	303.	\$5.00		Free	675. Free
4.	\$5.25	47.	\$1.25		\$3.75	539.	Free	677. \$3.75
5.	Free	49.	\$3.25		Free	545.	Free	679. Free
9.	Free	53-	\$3.25		Free		\$3.25	680. Free
10.	Free	55.	Free	389.	Free	560.	\$2.25	682. \$10.75
II.	Free	73.	Free	392.	Free	565.	Free	684. Free
13.	\$2.00	IOI.	Free	397-	\$6.75	576.	\$3.25	690. \$5.25
16.	\$2.25	113.	Free		Free	580.	Free	691. Free
18.	\$5.25	122.	\$2.25		\$3.25	585.	Free	692. Free
20.	\$1.25	125.	Free	410.	\$2.25	589.	Free	693. \$4.25
23.	Free	128.	\$3.25		Free	595.	Free	694. Free
26.	\$1.25	221.	\$2.25	438.	Free	611.	Free	695. \$1.50
27.	\$10.25	242.	\$3.25	439.	Free	631.	\$15.25	696. Free
30.	Free	245.	\$3.25		\$3.25	651.	\$5.25	
31.	Free	269.	Free	492.	\$10.25	652.	Free	
35.	\$4.75	284.	Free	517.	\$1.25	659.	\$1.25	
38.	Free	294.	\$10.25	518.	\$5.75	663.	Free	
Nan	ie						Total	S
Con	pany						- P&H	\$3.00
Add	ress							
City		ST	2	Zip		Total Enclosed	s	
Pho	ne							
	to: Old-Ho			ts Netwo	rk, 2 Main	St., Glou	cester, MA or	1930

BALDWIN




Lexington Design mortise lock handleset with knob and oval plate trim inside - polished brass, \$220.00 prepaid in U.S.A. Miss. residents add 7% tax. Visa & Mastercard accepted. Call toll-free 800-821-2750 Ask for the Hardware Department



126 E. Amite St., PO Box 102, Jackson, MS 39205

Maple Grove Restorations



Interior Raised Panel Shutters Raised Panel Walls Wainscotting

P.O. Box 9194 Bolton, CT 06043-9194 (203) 742-5432

Color Brochure: \$2.00

The Original D.I.Y.Shutter™ BUILD YOUR VERY OWN AUTHENTIC

MORTISE & TENON SHUTTER!

With our Do-It-Yourself kits, traditional shutters are easy to assemble and will save you 30-50%.

For details Send \$1 to: Kestrel D.I.Y. Shutters, 28 West Main Street Elverson, PA 19520 or call us: (215) 286-5341

Ideal for Replacement Shutters!

Protect Wall Corners The Great Old-fashioned Way

Our unfinished Cornerbeads compliment any period or decor. They're among hundreds of hard-to-find, "old style" items we have to enhance your old house or capture a bit of the past in your newer home. Each cornerbead is 47%" x 134" dia, with 90" notch.

Beechwood. Ea. \$10.95, 6 or more \$9.30. Oak. Each \$13.95, 6 or more \$11.85. Add shipping: \$3.00 (1-5); \$6.50 (6 or more). WI residents add 5% tax. VISA/MC, or AMEX accepted.

To Order Call TOLL-FREE

1-800-556-7878

Or, send for more information.

7 Crawford's Old House Storê

550 Elizabeth • Rm. 94 • Waukesha, WI 53186 Dealer Inquiries Invited



Authentic Antique Hardware

- One of a Kind
- No Reproduction
- Door Hardware
- Furniture Hardware
- Door Knockers
- Curtain Tie-backs
- Twist Bells



3522 Broad St. • Chamblee, Georgia 30341 800-337-1677 • Bus. (404) 458-1677

Fine American Lighting Real American Value From Lighting by Hammerworks

- Top Quality Materials
 Completely Handcrafted
 - Reasonable Prices
 Lanterns, Sconces.
- Lanterns, Sconces, Chandeliers, and Hand Forged Hardware

Send for our catalog and discover how you can enjoy the beauty and quality of our Colonial lighting in your home.

Lighting by Hammerworks

atalog \$3.00

6 Fremont Street, iDept OHJ, Worcester, MA 01603, 508-755-3434 Other shop locations: Route 20, Marlboro, MA 508-485-6721 118 Main St., Meredith, NH 603-279-7352

WOOD HEAT



- · WOOD-GAS
- · WOOD-OIL
- 12-18 HR. BURN
- FIRE BRICK
- TESTED TO U.L.
 A FULL SIZE
- FURNACE

Never be cold again! Send for Brochures/Factory Prices

Charmaster®

2307 O HIGHWAY 2 WEST GRAND RAPIDS, MINNESOTA 55744 218/326-6788 or 218/326-2636

DETAILS THAT MAKE A DISTINCTIVE DIFFERENCE




Finely crafted roof spires, lightning

rods and weathervanes for replication or restoration. All architectural details customized to your needs.

*All copper and bronze

6530 S. Windermere St. Littleton, Colorado 80120 303-798-4841





\$5 brochure, \$16 sample kit

ALL RADIATOR STEELENCLOSURES

FOR HOMES, OFFICES, CHURCHES, INSTITUTIONS





BUY FACTORY DIRECT & SAVE • EASY TO ASSEMBLE MANY STYLES & COLORS • BAKED ENAMEL FINISH Send *1.00 for Brochures. Refundable with Order.

MONARCH Dept. OHJ

2744 ARKANSAS DRIVE, BROOKLYN, N.Y. 11234 (201) 796-4117



Antique Flooring

Wide country plank or elegant quartersawn plank. Antique Heart Pine, Oak and special hardwoods at reasonable prices. Pre-finished or unfinished.

Brochure \$5 (919) 977-7336 Sample Kit \$25

Dept. OH • PO Box 7336 • Rocky Mount, NC 27804


HAVE Advertisers' Index

PRU	DUCT NETWORK NO. PAGE NO.
	AA Abbingdon Affiliates69
20	Abatron 12,13
31	Addkison Hardware Company79
	Ahren's Chimney Technique68
23	After a Chimney Technique
517	Albany Woodworks
651	American Custom Millwork
611	Anthony Wood Products79
	Anthony Wood Products79
	Antique Building Company59 Antique Hardware StoreInside Bk Cvr
49	Antique Flardware StoreInside Bk CVI
652	Architectural Timber & Millwork73
353	ARSCO
	Atlantic Recycled Paper/N.O.P.E81
18	Ball & Ball54
73	Bendheim Glass71
27	Bradbury & Bradbury25
	The Brickyard
	Carlisle Restoration Lumber79
242	Charles Street Supply
35	Charles Street Supply73
	Charmaster Products, Inc79
47	Chelsea Decorative Metal73
694	CinderWhit & Company69
26	Classic Accents65
42	Country Curtains71
603	Country Designs7
	Crawford's Old House Store79
397	Crown City Hardware9
679	Crown Point CabinetryInside frnt Cvr
44	Cumberland Woodcraft57
518	Custom Wood Turnings75
245	Decorator's Supply59
101	Devenco Louver Products72
595	Donald Durham Company65
55	Erie Landmark16
	Eugenia's Place79
221	The Fan Man23
	Fastenation81
680	Faux Effects Inc25
554	Felber Ornamental Plastering71
400	Fischer Artworks79
294	Fischer & Jirouch21

560	Gates Moore Lighting	75
696	Glitsa American, Inc.	12
	Goodtime Stove Company	67
387	Granville Manufacturing	
663	Grate Fires Company	75
302	Hardware Plus	54
-	Heirloom Reproductions	75
580	Historic Floors Of Oshkosh	72
565	HomeSaver Chimney Liners	
682	Homestead Partners, Inc	69
414	Hydro-Sil Heat Company	
545		
631	The Iron Shop	16
2	The Joinery Company	21
492	The Joinery Company	10
43	Kestrel Manufacturing	79
334	King's Chandelier Company	72
331	Lampshades of Antique	81
672	Lehman Hardware	69
	Lehman Hardware Lighting by Hammerworks	79
	Maple Grove Restorations	79
9	Marvin Windows	17
410	Maurer & Shepherd Joyners	59
16	Midwest Architectural Wood Products	.71
	Monarch	79
113	National Supaflu Products	-55
	Newbridge Communications	.11
5	Nixalite of America	73
527	North Fields Restorations	.17
480	Northern Refrigerator Company	22
693	Old Kentucky Homes	.71
	The Old Wagon Factory	.81
	Old World Hardware	
303	Ole Fashion Things	IC
53	Oregon Wooden Screen Door	68
692	Osage Press	.73
	Perenial Pleasure	
38	Protech Systems	.71
659	Reggio Register Company	67
10	Rejuvenation Lamp & Fixture	
538	Renovator's Supply	.1
677	River City Woodworks	.7

	Robert Leanna55
II	Roy Electric Company68
I	Schwerd Manufacturing7
691	Shade of the Cottonwood67
	Shaker Workshops81
	Shutter Depot81
	Shuttercraft80
690	The Sink Factory59
30	Smith-Cornell 21
3-	Snelling's Thermo-Vac81
695	Somers Stained Glass Corp73
209	Southampton Antiques72
675	Specification Chemicals68
0/3	Stentoe & Wife 81
539	Steptoe & Wife
122	Stewart Iron Works Company68
122	Superior Architectural Cornices81
389	Sulvan Brandt 72
309	Touchstone Woodworks81
585	Tuff-Kote Company57
400	Urban Archeology54
125	Vande Hey Roofing19
576	Victorian Collectibles55
4	Victorian Lighting Works69
392	Vintage Pine Company68
13	Vintage Wood Works23
401	Vixen Hill75,81
128	W.F. Norman Corporation65,67
438	Ward Clapboard Mill57
284	Whitco/Vincent Whitney72
200	
439	Williams & Hussey
100	Woodstock Soapstone Company23
409	vy oodstock Soapstone Company23

Advertising Sales Offices/MAIN OFFICE 2 Main Street, Gloucester, MA 01930 (800) 356-9313 Becky Bernie, National Sales Manager



Your copies of the Old-House Journal are your best restoration resource. So shelve them — protect them! — the

way the OHJ To: Old-House Journal, c/o Jesse Jones Industries, editors do: in a handsome slip-

Dept. OHJ, 499 East Erie Ave., Philadelphia, PA 19134.

case or binder. Send me ____ Binders at \$9.95 each (or 3 for \$27.95) Back copies are □ Send me ___ Slipcases at \$7.95 each (or 3 for \$21.95) □

then easily re- | Enclosed is \$ ____ Add \$1 postage and handling per case/ binder. Outside USA, add \$2.50 per case/binder (US funds ever you want | only). PA residents add 6% sales tax.

to consult them about a specific | ADDRESS restoration job.

Each slipcase CITY 85/8" x 111/2")

trievable when-

and binder (9 1/4" x 12 1/4") holds a year's worth of issues, and comes in library-quality deep-maroon leather-

ette with the OHJ logo embossed in gold. Use the coupon at left to order. fastest

service, call toll-free and charge to Visa, MasterCard or AMEX (\$15 minimum): 1-800-825-6690

EXTERIOR SHUTTERS



Affordable Shipped Anywhere Cedar and Pine Moveable Louvers, fixed louvers or raised panel. Custom-made arches. Unfinished or painted in the brand & color of your choice. Hinges and Holdbacks

Brochure, call or write:

SHUTTERCRAFT, 282 Stepstone Hill Guilford, CT 06437 (203) 453-1973

Antique and Hard-to-Find Flowers & Herbs

• We grow over 900 varieties

spanning 3 centuries
• Rare and unusual plants for creating or restoring a period garden.

· Hardy from northern

Vermont. · We mail order live


plants or seeds. Write for our 1994 catalog, \$2.00 (refundable)

Perennial Pleasures Nursery 2D Brickhouse Road

East Hardwick, Vermont 05836 Gardens open May to October




















Superior Architectural Cornices, Inc.
CROWN MOLDING, ROSETTES, CORNICES
P.O. Box 184 Sewickley, PA 15143
(412) 766-0676
Call or write for a free brochure.






(617) 646-8985

noppe_ non-polluting enterprises

MD 21212
For VISA/MC orders
call 1-800-323-2811
Call/write for FREE CATALOG
of recycled paper products



gazebos, pre-engineered for easy assembly by the non-carpenter. Send \$3 for our 20-page color catalog. Vixen Hill, Dept. OHJ-1, Elverson, PA 19520. 215-286-0909.



Custom Shutters Interior and Exterior Wholesale to the Public

2 1/2" Moveable louver, raised panel and fixed louver shutters. Gustom finished or unfinished. Complete selection of hardware.

Call or write for brochure Shutter Depot RT.2 Box 157 GREENVILLE, GA 30222 706 • 672 • 1214



Remuddling

Razzle-Dazzle Piazzas



A crazy quilt of railing patterns (top) — from the floating Chippendalelike squares to the hob-nail star motif — creates a contrasting patchwork porch. And this converted, ranch-style verandah (above) definitely wasn't tailored to suit the Italianate main house.

have an intoxicating effect, but balmy conditions of a different kind seem to be affecting the porch on this otherwise prosaic Queen Anne (left). Stephen Lowe, who sent in the photo from Stockton, California, calls it an example of "apartmentilization." Indeed, not only is the two-storey concrete-block addition aesthetically apart from the rest of the building, the loggias have gone loco with each balustrade and trellis headed in a different design direction.

Back East, the case is one of stylistic schizophrenia (below). John Auwaerter of Bayport, New York, notes "It appears that in the 1950s or early '60s someone stuck the facade of a typical tract

house on this c. 1870s Italianate." Likely so. The twin house next door faces the street with a full-width porch — probably what the visorlike ranch-house roof and red bungalow siding replaced. Or maybe the idea is you can walk out of one house style, and be standing in front of another — a sort of verandasimilitude?

WIN FAME AND \$50. If you spot a classic example of remuddling, send us clear color slides. We'll award you \$50 if your photos are selected. The message is more dramatic if you send along a picture of a similar unremuddled building. (Original photography only, please; no clippings.) Remuddling Editor, Old-House Journal, 2 Main Street, Gloucester, MA 01930.

WE HAVE THE PRESCRIPTION FOR Your Renovation Ills

General Store Items Tin Ceilings Cabinet Hardware Lighting Push Button Switches Window Hardware Sinks & Faucets Clawfoot Tubs Old Kitchen Stoves Bath Accesories **Builders Brass** Bar Rail Weathervanes Toilets Mirrors Showerheads High Tank Toilets Cotton Shower Curtains Door Knockers Door Hardware Rim Locks Mail Boxes Pocket Door Pulls Dead Bolts Cast Iron Hinges Shutter Hardware Hoosier Hardware Door Stops Wrought Iron Pot Racks Glass Shades Switch Plates Floor Registers Cherry Pitters Apple Peelers


Much, Much More ...



The Largest Selection of Old Style Hardware in the World! Thousands of New Items!

Call for FREE Store Catalog 1-800-422-9982
Or order our new Custom Items Catalogs for \$7.00 (refundable with first order). Money Back Guarantee!

The Antique Hardware Store 9730 Easton Road, Route 611. Kintnersville, PA 18930



Prairie Sod Houses of Nebraska

Plains turned to the most plentiful construction material in their world: the grass sod of the prairie lands. During the great westward expansion of the 19th century, and well into the 20th century, thousands of sod houses were built in North and South Dakota, Nebraska, Kansas, and parts of the surrounding states and Canada.

To build a sod house, these settlers first mowed the tall prairie grass, then turned the sod out of the ground with a special cutting plow to form strips about 4" thick and 18" wide. Next, these strips were cut into 2' to 3' lengths — jokingly called "Kansas brick" and "Nebraska marble." Last, the sods were stacked in layers much like brickwork, forming walls from 1-1/2' to 3' thick



Individual sods and remnants of original clay-soil plaster show under the roof overhang. Like many sod houses that stayed in use, cement stucco was added in 1935.

that were sometimes tapered from bottom to top. These thick walls provided a thermal mass that tempered the harsh prairie climate of windy, sub-zero winters and blazing summer heat.

Early houses were topped with

sapling poles, brush, and a layer of sod to make gable roofs or a single-slope shed roof. Leaks were common, and sometimes the roof collapsed after long rain storms. Later, lumber and wood shingles were available for building more effective hipped roofs.

"Soddys" were usually small, typically 12' to 16' wide by 14' to 20' long and a single storey with just one or two rooms. In larger houses, L- and T-shaped floor plans provided greater wall stability. Interiors and exteriors were often plastered with a mixture of sand, clay, straw, and sometimes manure. Though the average life of these buildings was only six or seven years, a few hundred are known to still stand in central Nebraska alone.

— JOHN LEEKE Lincoln, Nebraska and Sanford, Maine

OLD-HOUSE JOURNAL