Vol. LII No. 2

P

ublished by Charles

-CONSTRVCTIVE-

-DECORATIVE-

Alfred C. Bossom, Architect

LAPHAM FIELD HOUSE

Day & Klauder, Architects

Coolidge & Hodgdon, Architects THE ROMANCE OF BVILDING

ALTERATION AND RESTORA-TION OF HOVSE IN THE FRENCH QVARTER, NEW ORLEANS SMALL HOVSES

AN ARCHITECT'S SIMPLE ENGINEERING PROBLEMS

E. P. Mellon, Architect

By Richard P. Wallis

By DeWitt C. Pond

Reg. U. S. Pat. Office.

ANDSCAPE-

THE RESTORATION OF FORT TICONDEROGA

THE MEDICAL BVILDING, VNIVERSITY OF CHICAGO

VNIVERSITY

STERLING HALL OF MEDICINE | YALE

THE ROLLING ROCK COVNTRY CLVB

of this Edition 8900 are printed AUGUST 1925 ONE DOLLAR A COPY

S


S

ons

Scribner'

8%B

CHARLES SCRIBNER'S SONS Published on the 28th of the month. Entered as Second-Class Matter, March 30, 1900, at the Post-Office at New York, New York, under the Act of March 3, 1879 FIFTH AVENUE AT 48th STREET, NEW YORK 7 BEAKSTREET, LONDON, W. 1





9 HE VENUS DE MILO, surviving antiquity, is an inspiration to allwho toil today to create permanent beauty.

A modern inspiration, Medusa White Portland Cement, makes it possible for the Architect to create the beauty he visions.


Medusa White Cement, because of its adaptability to many treatments and its proper use in nearly every detail of construction is finding increasing favor with the Architect who is looking for a basic material, combining both beauty and permanence, around which he can create.

Just two fundamental facts about Medusa White Cement explain its value to you. First, it is a true Portland Cement; second, it is white. On those facts you can build with perfect confidence that your work will reflect yourself accurately when it is completed.

In "Sweet's", pages 116-117 and 420-422, you will find detailed specifications, Medusa Literature will gladly be sent upon your request.

THE SANDUSKY CEMENT CO., CLEVELAND

New York: 350 Madison Ave. Dison, Ill. 34 Dixon Nat'l Bank Bidg. Toledo, Ohio: 1004 Second National Bank Bidg. Manufacturers of Medicia White Poriford Cement (Plain and Water-proofed) Medica Waterproofing (Poeder end Pasier, Medica Gas Cement (Plain and Waterproofing) and Medica Cement Paint.



Books of Practical Usefulness in the Architect's Office Work

FRENCH PROVINCIAL ARCHITECTURE By P. L. GOODWIN and H. O. MILLIKEN

As shown in various examples of town and country houses, shops, and public places, adaptable to American con-ditions. Profusely illustrated with photographs and measured Special \$15.00 drawings. Large quarto

SMALL BUILDINGS IN FRANCE By Lewis A. Coffin, Jr., Henry M. Pol-Hemus and Addison F. Worthington

Illustrated with many original photographs, pen-and-ink drawings, and drawings of measured details. Quarto \$10.00

MODERN BUILDING SUPERINTEN-DENCE AND THE WRITING OF SPECIFICATIONS

By DAVID B. EMERSON 12mo

\$1.75

CONCRETE CONSTRUCTION FOR ARCHITECTS

By DEWITT CLINTON POND

The only book on the subject written for architects by an architect. An invaluable reference for every office. 12mo Special \$4.00

DRAFTING-ROOM MATHEMATICS

PROBLEMS OF THE DRAFTING-ROOM SIMPLY AND CLEARLY EXPLAINED FOR THE DRAFTS-MAN AND THE ARCHITECT By DEWITT C. POND

Author of "Concrete Construction for Architects." Octavo Special Net \$2.50

ARCHITECTURE: Series of Measured Details

18 double-sheet drawings by WALTER MCQUADE, show-ing details of the work of noted American architects of to-Net \$5.00 day.

THE CONSTRUCTION OF THE SMALL HOUSE

DITERY THE

By H. VANDERVOORT WALSH

Instructor in Architecture, Columbia University

A simple and useful source of information on the methods of building small American homes for any one planning to build. Illustrated. Octavo Special Net \$5.00

ARCHITECTURAL RENDERING IN WASH

By H. VAN BUREN MAGONIGLE, F. A. I. A.

Architect, Gold Medallist of the Architectural League of New York

With a preface by THOMAS K. KIMBALL, F. A. I. A., Past-President of the American Institute of Architects. Il-Special \$5.00 lustrated. Quarto

AN ARCHITECTURAL PILGRIMAGE IN OLD MEXICO

BV ALFRED C. BOSSOM

The illustrations in this beautiful book give the most complete impression of Mexico's picturesque and historic architecture. Large quarto Special \$20.00

EARLY AMERICAN DOMESTIC ARCHITECTURE

By FISKE KIMBALL

Professor of Architecture, University of Virginia With more than 200 photographs and plans of the best examples of Colonial houses. Quarto Special \$12.00

OLD NEW ENGLAND DOORWAYS

By Albert G. Robinson

With many illustrations from the author's unique col-lection of photographs of old-time New England houses and doorways. Octavo \$5.00

OLD NEW ENGLAND HOUSES By Albert G. Robinson

With many illustrations from the author's unique collection of old-time New England houses. Octavo \$5.00

A MANUAL OF OFFICE PRACTICE By FREDERICK J. ADAMS

"A little book that ought to be in every architect's office." 12mo Special Net \$1.25

SMALL HOUSES


By ERNEST FLAGG Architect

Their economic design and construction. Essays on the fundamental principles of design and descriptive arti-cles on construction. With plates drawn by the author illus-trating methods and results. Over the second State of Stat trating methods and results. Quarto Special \$15.00

CHARLES SCRIBNER'S SONS, Publishers, NEW YORK FIFTH AVENUE AT 48th STREET

Send for Catalogue of Architectural and Art Books





AUGUST, 1925



4



General Electric supplies complete electrical equipment for all types of structures. In many notable buildings there are G-E Wiring Systems for the distribution of electric power and light, and apparatus for their control and protection—G-E Motors and Control for operating elevators, fans, pumps, compressors, etc. For your every electrical requirement G-E building equipment specialists will gladly recommend suitable apparatus. Ask your nearest G-E office for this service. Mary Imogene Bassett Memorial Hospital, Cooperstown, N. Y. F. P. Whiling, New York City, Architect and Consulting Engineer.

Panelboards to meet every Requirement

SCH CALIFORNIA -- WE

Recognizing the diversity of both the architectural and the electrical requirements of modern building structures, the aim of the General Electric Company has been to design panelboards flexibly adapted to meet any reasonable requirement which is presented.

In the G-E panelboards are combined the result of extensive research, wide experience, careful selection of materials, modern manufacturing methods and accurate assembly.

Compact in form, neat in appearance, conservative in rating, G-E panelboards combine the ultimate in effective control of electric circuits with maximum safety for the operator. They are designed and built to fulfill the requirements of the Electric Safety and National Electric Codes.

Reference Bulletin GEA-11



THE AMBLUCO NON-SLIP BLUE STONE STAIR TREADS and LANDINGS



Alumnae Hall at Vassar College, Poughkeepsie, N. Y.

Hunt and Hunt, Architects

ATTRACTIVE

 I^{N} this fine building of a notable college group, the irregular design of the Ambluco Floor enhances the beauty of the room to the utmost.

Ambluco Floors and Base have been justly praised for the soft tone and artistic quality they lend to interiors. Their color harmonizes particularly well with furnishings. The flat durable surface renders Ambluco Blue Stone Floors immune from dust collection in pores, and the going and coming of many feet produces very little noise.

The Ambluco Non-Slip Blue Stone Floors contain combined in one product all the most essential tread qualities.

THEY ARE NON-SLIP, DURABLE, FIRE-RESISTING, SANITARY, QUIET, ATTRACTIVE, ECONOMICAL



Please mention Architecture in writing to manufacturers



AUGUST, 1925.

Please mention ARCHITECTURE in writing to manufacturers

6

Composite!

CONCRETE PILE COMPANY ENGINEERS CONTRACTORS NEW YORK CHICAGO

The wood section is joined to the concrete in such a way that nearly the full strength of the wood section is developed and perfect alignment is assured. The concrete section is poured into the famous spirally reinforced steel shell. Send for booklet.

RAYMOND CONCRETE PILE CO. New York: 140 Cedar St. Chicago: 111 W. Monroe St. RAYMOND CONCRETE PILE CO., LTD. Montreal, Canada Branch Offices in all[Principal Cities

RAYMOND COMPOSITE PILES

"A Form for Every Pile -

A Pile for Every Purpose"



Carey Roofed WM. COCHRAN HIGH SCHOOL AUDITORIUM, Johnstown, Pa.


Carey Built-Up Roofs are used on schools in almost every State in the Union.

More than fifty schools in the city of Detroit alone are Carey roofed. THE permanence of this fine building is made more certain by the use of a Carey asphalt built-up roof.

Fifty years of roof making experience have contributed to the quality of the roofing materials. Carey roofs in all parts of the country are still giving good service after several decades of exposure.

Write for Architects' Specification Book.

THE PHILIP CAREY COMPANY 513-533 Wayne Ave., Lockland, Cincinnati, O.





Please mention ARCHITECTURE in writing to manufacturers

8-25

Outwardly the lasting Beauty assured only by sound inner worth

HE beauty in dining or bed room suites depends as much on inward perfection as on outward finish. In all VERITAS dining and bed room suites neither is overlooked. We build beauty on solid worth—on the integrity of the underlying materials and workmanship.

RNITURI

VERITAS suites are built with all the knowledge and pride of forty years of guild craftsmanship. A written warranty is behind each piece. The chosen dealer, who alone can offer VERITAS furniture, knows what this means. He knows that corners are mitered and grooved for the blind spline that holds forever—that backs are built as solidly as fronts — that the highest class of cabinet work enters into each VERITAS suite. The VERITAS tag assures this backs his word with our warranty.



"VERITAS" means "Truth;" Truth in Manufacture; Truth in Adverting; Integrity in the dealer. On every "VERITAS" piece the exact woods are specified; the construction and finith are set forth on the tag; and every element is warranted.

and in addition the beautiful, exclusive designs for which VERITAS suites are noted—now can be yours. Every VERITAS piece is finished in VERILAC. The finish is but typical of the sound, inherent worth that master craftsmen build into every VERITAS suite.

> Each VERITAS feature of construction is thoroughly explained in our written quality warranty. Dealers chosen to sell this beautiful, durable furniture are selected from thousands for their business integrity. You may purchase any furniture from them with full confidence.

> Send for your VERITAS dealer's name and our free booklet, "Furniture Secrets You Are Entitled to Know." It gives information valuable to those furnishing or refurnishing. Find out the construction features everyone should know about furniture. It's free.

Construction features such as these

KARGES-WEMYSS FACTORIES, Evansville, Indiana



Look for this trademark on the back of the goods

Style illustrated is reproduction of No. 4262 (3/2 actual size)

Styles for every room in the house

Plain and Pastel Flat Finish tints that can be hung as they come, or stenciled, frescoed, or Tiffany blended.

Decorative Flat Finish conventional and foliage patterns, neu-

tral toned designs of vague formations, stripes, mottled effects, and reproductions of tapestry, grass-cloth, leather and various fabrics.

Brocade and Metallic Finishes in embossed effects for paneled treatments and trimmings.

Enamel Finish

plain colors, tile effects and decorative patterns, for kitchens, bathrooms, etc.



With a "backbone" in place of a "wishbone"

ALL COVERING

WHEN you've done with all the fuss and turmoil of redecorating, and the rooms look so fresh and clean and new—then begins the wishing. How long will their beauty stay whole? How long before cracks appear and places peel off? How long till you'll be afraid to move the pictures lest you show the few square spots that haven't faded? Yes—how long? That's when the wishing hurts. And that's why Sanitas Modern Wall Covering is made on cloth—given a backbone that takes away all need of doubts and wonderings.

You are so sure, with Sanitas, that no new cracks in the plaster will show through; that there will be no peeling, or blistering, or cracking of the lovely oil-color surface; that no amount of sunlight will fade the colors, and that dust and fingermarks and accidental stains can be wiped off easily with a damp cloth.

You can find in Sanitas styles for every room in the house, and hang it on any flat surface. In fact, on new walls, you can even hang it as soon as the plaster is dry. On old walls you just have the cracks filled first, and then the cloth back of the Sanitas gives the plaster a firm support, to keep other cracks from starting. Use it over plasterboards too.

Ask your decorator to show you the new Sanitas styles. Write to us for samples and descriptive booklet.

THE STANDARD TEXTILE PRODUCTS CO. 320 Broadway, Dept. 30, New York

When you visit Atlantic City, see our Sanitas Exhibit at 1410 Boardwalk, Central Pier


ARMAN SALARMAN SALARMAN SALARMAN SALARMAN



AUGUST, 1925.

Your Measure for Sheet Metal

The real measure of value for sheet metal is the endurance test—*does it last?* For long service use KEYSTONE COPPER STEEL BLACK AND GALVANIZED SHEETS, AND ROOFING TIN PLATES



The Hamilton County Court House, Cincinnati, Ohio. Keystone Copper Steel used in the heating and ventilating systems, by the Standard Engineering Company, Washington, D. C., Heating and Ventilating Contractors. Stewart A. Jellett Company, Philadelphia, Consulting Engineers.

The destructive enemy of sheet metal is rust. It is a well established fact that an alloy of copper gives to Steel Sheets and Tin Plates the maximum of rust-resistance. Keystone Copper Steel is unequaled for roofing, siding, spouting, gutters, culverts, metal lath, and similar uses. It assures

roofs and sheet metal work that will withstand the ravages of fire, wear and weather. Shall we send proofs from actual service tests? We manufacture Steel Sheets



and Tin Plates for all purposes and specially adapted to the requirements of architects and builders: Black Sheets, Special Sheets, Apollo and Apollo-Keystone Galvanized Sheets, Corrugated Sheets, Formed Roofing and Siding Products, RoofingTinPlates, Bright Tin Plate, Black Plate, Etc. Sold by

leading metal merchants. Our products represent the highest standards of quality and utility. Write for quotations, also our booklet, Copper Steel Roofing Tin.



Please mention Architecture in writing to manufacturers



Ten-story Pioneer office building on South 20th St. in Birmingham; Warren, Knight & Davis, architects; Chas. M. Allen & Sons, contractors; both of Birmingham. The slag concrete was poured in record time. Forty working days!




Birmingham's first Southside skyscraper is securely fire safe!

THERE is only one precaution necessary to secure reinforced concrete that will prove securely *fire safe* and of utmost tensile *strength*. The builders of this ten story structure took that precaution in using



as coarse aggregate in every cubic yard of concrete. For our pure Basic Slag is itself fireproof and its remarkable bonding qualities with cement mortar consistently produce concrete well beyond the standard building requirements for—strength.





14

Z

R

AUGUST, 1925.


A roof is exposed to the same conditions as eaves-troughs, gutters and conductor pipes. It, too, must carry off the beating rain, resist the scorching sun and bear up under heavy snow.

It is logical to conclude that Horse Head Zinc—the unexcelled material for eavestroughs, gutters and conductor pipes—is also unexcelled for standing seam roofing. Standing Seam Horse Head Zinc Roofing will not leak, it cannot rust. It will last a lifetime—and it grows more beautiful with age.

The standing seam type roof will repay your study. Essentially it is a practical roof; yet it lends itself advantageously to virtually all types of modern architecture.

The New Jersey Zinc Company

Established 1848 Products Distributed by The New Jersey Zinc Sales Company 160 Front Street, New York City CHICAGO - FITTEBURGH - CLEVELAND - SAN FRANCISCO



New Jerse

Traveler's Insurance Company Hartford, Connecticut

Donn Barber, Architect



METAL DOORS AND TRIM

COMPLETE ELEVATOR INCLOSURES AND CABS

UNI-TRE FRAMES

ADJUSTABLE PARTITIONS

CONDUO-BASE



THE Traveler's Insurance Company building is equipped with the most modern type of Dahlstrom Metal Elevator Inclosures.

Twenty years of satisfactory service to architect and owner have justified our policy of competing for proposed installations on a basis of quality rather than, primarily, a basis of price.

> We shall be pleased to put your name on our list to receive our architectural literature.



DAHLSTROM METALLIC DOOR COMPANY

JAMESTOWN, NEW YORK

NEW YORK · 25 Breadway · CHICAGO · 19 So.

CHICAGO - 19 So. LaSalle Street · DETROIT · 1331 Dime Bank Bldg.



MARSHALL SCHOOL, JOLIET, ILLINOIS, UNIVENT EQUIPPED. ASHBY, ASHBY AND SCHULZE, CHICAGO, ILLINOIS Architects

The Architect—Moulder of Destinies



Open view of UNIVENT illustrating A.-Copper radiator without a single joint, ab-solutely leak-proof.

-Air filter easily removable for cleaning. C.-Cone type fan specially insulated for quiet operation.



Through "sermons in stones" the architect lifts the ideals and influences the life of a nation. His the thrill of creation—his the responsibility such creation entails.

Even heavier the responsibility and greater the inspiration of the school architect. For the building he creates is designed and destined, not only to mould by direct example the cultural perceptions of the children, but to directly affect their physical and mental well-being.

Thus it is that the American Architect is ever on the look-out for better sanitation and ventilation. His acute powers of discrimination make him quick to realize not only the positive benefits of Univent Ventilation, but its adaptability to his plans. Univent Ventilation brings outdoors into each room individually, cleans it, warms it, and diffuses it with an agreeable air motion—but without draft.

To know why better schools everywhere, both old and new, are installing Univent Ventilation, write for our Architect's edition of "Univent Ventilation."

THE HERMAN NELSON CORPORATION Moline, Ill.

BELFAST, ME. BOSTON NEW HAVEN NEW YORK CITY SYRACUSE

16

PHILADELPHIA SCRANTON PITTSBURG GRAND RAPIDS DETROIT


Branch Sales and Service Stations CLEVELAND DES MOINES COLUMBUS MILWAUKEE MINNEAPOLIS INDIANAPOLIS ST. LOUIS CHICAGO

EMPORIA OMAHA KANSAS CITY DENVER SALT LAKE CITY

SPOKANE PORTLAND SEATTLE VANCOUVER TORONTO

Please mention ARCHITECTURE in writing to manufacturers

TOLEDO



The Fountain of Time-constructed entirely of concrete. Designed by Lorado Taft, Chicago. Built by John J. Earley, Washington, D. C.

The Spirit of Genius

How crudely in their natural state most raw materials of Nature serve mankind. Yet the spirit of genius, with its infinite capacity for taking pains, can transform these same raw materials into things of joy, of beauty, of enduring service.

Modeling in clay, Rodin created his masterpiece, "The Thinker." With wood, varnish and glue, Stradivarius made his priceless violins.

And may not passing tribute also be paid to the genius of Joseph Aspdin? For he it was who turned clay and limestone into portland cement, and thus made possible concrete-the stone that you can mould.

With this plastic stone, the sculptor and the architect have a new and extended range of opportunity to express, in form, texture and color, the spirit of their own genius.

PORTLAND CEMENT ASSOCIATION

A National Organization to Improve and Extend the Uses of Concrete

ATLANTA BIRMINGHAM BOSTON CHARLOTTE, N. C. DES MOINES CHICAGO

COLUMBUS DALLAS DENVER DETROIT

INDIANAPOLIS JACKSONVILLE KANSAS CITY LOS ANGELES MEMPHIS

MILWAUKEE MINNEAPOLIS NEW ORLEANS NEW YORK OKLAHOMA CITY SALT LAKE CITY

PARKERSBURG THILADELPHIA PITTSBURGH PORTLAND, OREG.

SAN FRANCISCO SEATTLE ST. LOUIS VANCOUVER, B. C. WASHINGTON, D. C.

Ever near or La Teredo

IN the days of wooden ships the teredo or "ship-worm" would often burrow into the timbers unobserved until only a shell of wood remained.

Then one black day another vessel slipped into the long port of missing ships, and in due course of time was reported "never heard from."

Corrosion is the "teredo" of drain pipe. Wherever in building drains acid is wasted, corrosion does its work of devastation, unseen but sure.

Duriron pipe, acid-, alkaliand rust- proof, amply strong, and installed the same as cast-iron soil pipe, gives an absolutely permanent service.



The NEW DUCO-PERIOD IN FURNITURE in which the design and materials no longer outlast the Finish



FEG U.E. PAT OF Du Pont Duco marks the period of Life-long Furniture Finish

D

Truly modern furniture . . . Duco-Period . . .

always wears its company manners

It is astonishing that, until now, one has had to expect furniture to grow shabby. The idea is mid-Victorian; unworthy of these modern days.

But now, with the new Duco-Period in Furniture, emancipation has come. Constant daily use no longer forbids life-long newness. Just a flick of a duster, and your furniture is ready to greet your guests, as beautiful as the day you bought it.

Protected by Duco, the furniture you buy to-day, becomes the cherished heirlooms of to-morrow.

DUCO is unlike anything else it is a finish of satiny smoothness and life-long durability, created and made only by du Pont,

It is waterproof; is unaffected by steam or boiling liquids; does not chip, crack or chack; cannot print or get tacky.

Just a damp cloth kaspa its lua-trous beauty bright.

The following manufacturers of furniture now use genuine DUCO. Ask your Jealer.

Active Furniture Co. Allogan Furniture Shops Art Metal Construction Co Baker & Compuny S Bent & Bros. There is only ONE Duco - DUPONT Duco


Bockatege Furniture Co. Bombayreed Willow Furn. Co. Bradley-Weaver Co. Brit Revers Co. Coloring Specialty Co. Calas & Lembester Mfg. Co. Colorial Mfg. Co., Zeeland, Mich. Crocker Chair Co. Crocker Chair Co. Bavis-Birthey Table Co. Deersheether Mfg. Co. Detwis-Birthey Table Co. Deersheether Mfg. Co. Easton Furniture Mfg. Co. Easton Furniture Mfg. Co. Easton Furniture Mfg. Co. Empire Chair Co. Frask A Hall & Soes Hansan Furn. Co. F. S. Barmon & Co.

k Manufacturing Co. k Manufacturing Co. rd, Eldridge & Miller Co. Huntley Furniture Co. the Lane Co. Level Fumilture Co. Lincoln Chair Co. John J. Madden Co. Indoin Table Co. Radder Table Co. Earth Furniture Co. Iserie & Folimann Furniture Co. Iselier Furniture Co. Iserier & Folimant Furniture Co. Isgurs Furniture Co. all & Sons


ers Brothers A. Simonds Co. & Hildebrandt, Inc. N Burkhardt Co. abinet Co. Gerling Furn. Co. Wagner Furn. Co. -Burkha m Fur Ca

Complete information regarding DUCO will be arnt upon request. E. J. du Pont de Nemours & Co. Inc., Oxemical Products Division, Patlin, N. J., Ohicago, Ill., or San Francisco, Cal.; Fint Paint & Varnish Limited, Toronto, Canada.

Co. Nichola & Stone Northern Parniture Co. Orinoco Farniture Co. Swortz & Fultz Shirmer Furniture Co. F. O. Scheedinger



ARCHITECTURE





THEY add one more artistic finish to the many available in H&H Plates. And they fit in well with the harmonies of fine architecture.

They seem to lend a subdued refinement which blends with mahogany and silver, damask and silk things. Compared with the Switch or Receptacle back of the Bakelite, plates are only Appearances. The mechanism is the thing.

It's still the thing you have in mind when specifying H&H Devices with Bakelite Plates. The plate data is yours on request.

THE HART & HEGEMAN MFG. CO. HARTFORD, CONN.

Assure the Heating Future of the Home

THATCHE

EAN OUT

ATCHER

SLICING DOOR

DOOR

E VERY time you specify a Thatcher Round Boiler, you have the satisfaction of knowing that the warmth and comfort of the home owner and his family is assured for years to come.

The same ease of operation, the same perfect control, the same low coal consumption is maintained winter after winter. Fuel costs may increase, but the Thatcher Round Boiler returns full heating value for every pound of coal consumed.

There are many reasons for this. The ratings remain on the same conservative basis as first established in competitive tests under actual working conditions. The additional heating surface in the combustion chamber and dome means quick heat with less fuel. An unusually deep fire pot increases the heating capacity and lengthens the time between firing periods. The special "Staggered Fire Travel" between and over every part of each section produces more thermal units by utilizing the valuable smoke and hot gases.

The Thatcher Dealer in your locality knows his business. He is ready to give you expert co-operation.

THE THATCHER COMPANY

21 West 44th St. New York Since 1850 39-41 St. Francis St. NEWARK, N. J.

Formerly Thatcher Furnace Co.

341 N. Clark St. Chicago

Please mention Architecture in writing to manufacturers

BOILERS · FURNACES · RANGES

23

Make sure you get the genuine

Let this booklet aid you in choosing the right values for cerry specification. Where shall we send your copy?

AUGUST, 1925

"All valves shall be genuine JENKINS, bearing the name 'JENKINS' within a diamond mark."


24

A specification like this leaves no room for doubt. It leaves no loophole to invite substitution. It assures your clients of genuine Jenkins valve service —long, reliable, free from frequent repairs and costly replacements.

Jenkins nation-wide distribution makes it easy for the contractor to fill an all-Jenkins specification. There are genuine Jenkins Valves for practically every plumbing, heating, power plant and fire protection requirement.

JENKINS BROS.

Bridgeport, Conn. Elizabeth, N. J. Montreal, Canada



Î

Fig. 715 Jenkins Bronze Fire Line Angle Valve



Fig. 352 Screwed Jenkins Standard Bionze Swing Check Value



Screwed Standard Bronze Gate Value

Please mention Architecture in writing to manufacturers

ARCHITECTS AND

Henschien & McLaren

United Cork Co. Chicago

C. S. Lambie Co.


Pueblo and Denver

ENGINEERS

Chicago

INSULATION

CONSTRUCTION



"Beg to advise that your Cold Storage Doors stood the test of our recent flood. We had 7 feet of water on our first floor and not a drop went through any of the doors.

"To give you an idea of how penetrating the mud and water were, our two steel vault doors were particularly tight. Inside the vault, we had a safe with two steel doors and inside the safe was a strong box. This box was full of water and mud. So—in comparison, your doors were more effective than all those steel doors."

Many of the country's largest users of cold storage equipment install Jamison Doors exclusively. The list of Jamison customers —over 15,000—includes ALL the big packers. More Jamison Doors are in use in cold storage plants than all other makes combined. Letters like this one from Mr. Nuckolls tell why.



The Jamison Catalog describes and illustrates Jamison Products in detail and contains technical data for the architect interested in the subject of refrigeration. It will give us pleasure to send you a copy.



<---->

IMPERIAL Garden Walk Edging

A NEW and unique development by the makers of the famous IMPERIAL Roofing Tiles. Intended for use along garden walks, it prevents the edges from breaking down or being washed away by storms. Projects 3½ inches into the earth, assuring stability. Available in Red, Fireflashed and Black.

IOPERIAL Roofing Tiles


LUDOWICI-CELADON COMPANY

104 South Michigan Avenue · Chicago 565 Fifth Avenue · New York

CM-



You are looking into the Keliey firebox (from the bottom) with the famous zig-zag tubes—all sides exposed to heat—a big saving in coal.



The Kelsey Warms That



Here's How It Does It Two or more of the famous zig-zag heat tubes are capped and connected with warm-air pipe going to room. See illustration. All heat from these tubes goes into that room. It's always warm and comfortable in any weather, and there's ample capacity in the Kelsey for heating the rest of the house.

"Hard-to-Heat" Room


No matter what its location or how hard the wind may be blowing.

The Kelsey Warm Air Generator is scientifically designed so that any room, in any kind of weather, can be made warm and comfortable and the rest of the house kept at its usual temperature.

Every architect will be glad to have "Kelsey Achievements" for his files. Write for complimentary copy of this "heating-facts" booklet.

Our Engineering Department makes plans and specifications for either gravity or mechanical heating and ventilating systems for churches, schools and large residences.





The Advantageous Link-up of Greenhouse, Garage and Gardener's Cottage

FIRST there's the building so much under the one roof.

Second, there's the economy of operation, as the gardener is handy-by to give his attention to the needs of varying ventilation and heat. Third, the one heating plant with its Burnham Boiler can with a considerable saving in coal, heat the entire layout. AUGUST, 1925.

This subject was erected for C. S. Stevens, Larchmont, N. Y. Walker & Gillette, Architects.


This is Number Five of a series of studies, each done in lithograph by Vahan Hagopian. Every six months, reprints of the preceding studies will be mailed to all who send us their name.

LORD & BURNHAM CO. NEW YORK CHICAGO

NEW YORK CHICAG Offices in other Principal Cities

Please mention ARCHITECTURE in writing to manufacturers

Hagopian



Reproduction from a painting made on the estate of Mr. Potter Palmer, Sarasota, Florida, by Frank Swift Chase

() The D. T. E. Co., Inc., 1915

Cement fillings in trees are like dentistry

In the treatment of a cavity in a tooth, the dentist must do at least three things. First, he must clean out all the decay and prevent further decay. Second, he must prepare the cavity so that the filling will stay permanently in place. Third, he must exclude all foreign substance, especially moisture.

The Tree Surgeon must do all of these things and more. He must contend with the swaying and twisting of the trees in the terrific winds. Therefore, Davey Tree Surgeons build their cement fillings in sections, like the backbone in the human body, to allow for this sway and to prevent cracking and breaking. This sectional filling method is a patented process, used exclusively by Davey Tree Surgeons, and is the one thing that

made successful Tree Surgery possible.

Why use cement fillings in trees? There is no filling material for tree cavities that the Davey Company could not use. Every alleged substitute for cement has been offered to the Davey Company by its enthusiastic promoters and has been thoroughly tried by the Davey Research Department. Nothing begins to equal cement as a successful filler for tree cavities.

Cement, when properly used, has great lasting qualities. It has tremendous crushing strength. When properly braced, it provides the necessary mechanical strength for decay-weakened trees. When used in sections, it does not break in the wind sway, and it remains a permanent integral part of the tree. It protects the inside wood

from further infection and decay. It provides a solid surface over which the new bark can heal. It is reasonably cheap, everywhere available, and easily worked.

The idea of cleaning out tree cavities and leaving them open is scientifically wrong-would any reputable dentist leave a tooth cavity unfilled? The inside wood in an open cavity invariably cracks and induces decay much deeper than before. This was the crude practice of fifty years ago, before John Davey gave to the world the science of real Tree Surgery. Davey


Tree Surgery is practiced by thoroughly trained, professional men, and is a proved success.



THE DAVEY TREE EXPERT CO., Inc., 225 City Bank Bldg., Kent, Ohio

Branch offices with telephone connections: New York, 501 Fifth Ave., Telephone: Murray Hill 1629; Albany, Volckert Bldg.; Boston, Massachusetts Trust Bldg.; Philadelphia, Land Title Bldg.; Baltimore, American Bldg.; Washington, Investment Bldg.; Pittsburgh, 331 Fourth Ave.; Buffalo, 110 Franklin Street; Cleveland, Hippodrome Bldg.; Detroit, General Motors Bldg.; Cincinnati, Mercantile Library Bldg.; Louisville, Todd Bldg.; Indianapolis, Lombard Bldg.; Chicngo, Westminster Bldg.; St. Louis, Arcade Bldg.; Kansas City, Scarritt Bldg.; Minneapolis, 636 Andrus Bldg.; Montreal, 912 Insurance Exchange Bldg.

JOHN DAVEY Father of Tree Surgery Reg. U. S. Pat. Off.



Every real Davey Tree Surgeon is in the employ of The Davey Tree Expert Co., Inc., and the public is cautioned against those falsely representing themselves. An agree-ment made with the Davey Company and not with an individual is certain evidence of genuineness. Protect yourself from impostors. If anyone solicits the care of your trees who is not directly in our employ, and claims to be a Davey man, write headquarters for his record. Save yourself from loss and your trees from harm

BATCHELDER TILES



(A Batchelder Mantel of special design, in a) Coronado Home. Elmer Grey, Architect

PERHAPS the greatest virtue, and certainly an unique one, of Batchelder Tiles, is that they harmonize with any surroundings. There are no glaring highlights, no vividly obtrusive colors to clash with the decorative motif or furnishings.

The joy of installing a distinctive mantel; a lovely fountain; a beautiful bathroom; pavement or door-


way of Batchelder Tile, is only exceeded by the splendid results achieved.

See Sweet's Catalogue or write for complete information.

BATCHELDER-WILSON COMPANY 2633 Artesian Street, Los Angeles 101 Park Avenue, New York City

ARCHITECTURE





Washington Junior High School Jamestown, New York

Guilbert & Betelle, Architects Johnson & Ford, Associate Architects

A USTRAL WINDOWS, in groups of four, provide maximum light for these schoolrooms. The windows may be set at any angle desired, thus permitting thorough ventilation without drafts. A very simple mechanism operates the windows either singly or in groups.

Pamphlet "INTERNATIONAL AUSTRAL STEEL WINDOWS for SCHOOLS" sent free upon request.

Also manufacturers of the International Casement Window

INTERNATIONAL CASEMENT Cº INC JAMESTOWN. NEW YORK

101 PARK AVENUE NEW TORK CITY SALES OFFICES 201 DEVONSHIRE STREET BOSTON, MASS. 844 RUSH STREET CHICAGO, ILL. AGENTS IN PRINCIPAL CITIES

CHEMICAL BUILDING ST. LOUIS. MO.

An opportunity for the architect to render his clients a special service

AS MORE and more Americans travel in Continental Europe, where the bidet is an accepted and standard fixture, the hygienic value, the convenience, and the personal daintiness offered by this accessory are becoming better known in this country.

It is plainly only a question of time when the bidet will be regarded as essential to every bathroom in high-class residences and hotels.

The architect who anticipates the general acceptance of this fixture will gain the appreciation of his clients, and also save them money by making the bidet a part of the original plumbing installations. Maddock Bidets represent over twenty years' development of this fixture. They are made of solid white vitreous china and are sanitary, efficient and convenient. Details of the Madval design are given below. AUGUST, 1925.

Write us for as many copies as you can use of our new booklet, "Maddock Bathrooms," and our special booklet on bidets. They will help you to "sell" clien.s on quality fixtures, and make them more appreciative of such fixtures, when recommended. There will be no charge for the booklets.

Maddock Bidet Madval K-2831 All White Vitreous China, including handles and escutcheons Flushing Rim Center Douche Pop-up Waste Hot and Cold Water Valves and Transfer Valve for supplying either flushing-rim or douche DOOCA THOMAS MADDOCK'S SONS COMPANY, Trenton, N.J. **O**(CK Bathroom Equipment

Please mention ARCHITECTURE in writing to manufacturers

32

ARCHITECTURE

A Type For Every Place Where a Safe, Durable Walking Surface is Desirable



Alundum Floor and Stair Tile



Alundum Ceramic Mosaic Tile



Alundum Mosaic Treads (Mat Type)

 \mathbf{I}^{N} the school, the hotel, office build-ing and department store, the railroad station, the industrial plant and practically every other structure there are places where slip-proof and wear-resisting floors and stair treads are desirable. Individual conditions vary, however. The foyer of a luxurious hotel requires a different type of floor from the trucking aisle of an industrial plant. Norton Floors are made in a variety of types to meet the requirements of practically any job. All types are made slip-proof (wet or dry) and unusually wear resisting by the use of Alundum abrasive-the electric furnace abrasive used in the well-known Norton Grinding Wheels.

Write for information regarding any or all types of Norton Floors.

NORTON COMPANY, WORCESTER, MASS. New York Chicago Detroit Philadelphia Hamilton, Ont.

T-144



Alundum Aggregate Tile and Treads



Ahundum Aggregates for Terrazzo Floors





Alundum Aggregates for Cement Floors

NORTON FLOORS Alundum Tiles, Treads and Aggregates

Please mention ARCHITECTURE in writing to manufacturers

33

The Floor Of Universal Utility

Some of the reasons why Moulding's T-M-B Flooring gets the re-orders:

SCHOOLS are re-ordering Moulding's T-M-B Flooring because it assures the necessary quiet under foot—because its resilient rubber-like surface is comfortable and never slippery.

HOSPITALS are re-ordering Moulding's T-M-B Flooring because it is dustless, seamless, sanitary, and easily cleaned. There are no crevices to harbor germs or vermin.

LABORATORIES are re-ordering Moulding's T-M-B Flooring because it is waterproof and is unaffected by acids and alkalies.

OFFICE BUILDINGS are re-ordering Moulding's T-M-B Flooring because of its durability and because it always looks well.

OUTDOOR AREAS. Moulding's T-M-B Flooring is getting the re-orders for exposed areas and rooms below grade because its imperishable nature withstands the effects of moisture, snow, heat, and cold.

POWER HOUSES are re-ordering Moulding's T-M-B Flooring because it is a guaranteed non-conductor of electricity and assures thorough insulation against high voltage.

MOULDING'S



The great increase in the demand for Moulding's T-M-B Flooring—in the form of re-orders from those who have tested it by strenuous use over long periods of years—is a fact which should be taken into consideration if you are looking for a flooring that is at once durable, hygienic, and economical.

Moulding's T-M-B Flooring is made of imperishable materials—it will never rot, dry out, or deteriorate. It never shrinks, expands, or becomes loose. If the flooring becomes damaged it is never necessary to patch or tear it up. Repairs are invisibly made by merely adding new T-M-B material to the affected part. Time and use improve T-M-B Flooring, make it more compact and polished.


Moulding's T-M-B Flooring is installed by our experienced workmen in any part of the country. We invite you to consult our engineers who will gladly advise you about any flooring problem. Send for complete information.


In installation cost and upkeep Moulding's T-M-B Flooring is the most economical.

THOS. MOULDING BRICK COMPANY

OVER 60 YEARS OF RESPONSIBILITY AND FINANCIAL STABILITY

133 W. Washington St. Chicago, Illinois Grand Central Terminal Bldg. New York





Like taking a book from a bookcase

BECAUSE the H. B. Smith sectional boilers are of the drum or header type, a section may be replaced in an H. B. Smith Boiler quickly and easily by simply loosening three connections and sliding the damaged section out and the new section in. Another advantage of the header or drum type construction is that when a repair section is not readily available, by plugging the connections of the damaged section, without removing it, the boiler may be put in operation within a couple of hours and may be used this way until the new section arrives. The value of this feature is very well illustrated in the story of the actual experience of two Boston home owners told below.



"... The H. B. Smith Boiler was operating two hours after the heating contractor called. The other boiler took ten days to repair" The experience of two Boston home owners

"The Truth about **Boiler Ratings**"

This is a 32-page booklet con-taining a complete but perti-nent discussion of what is probably the most vexing phase of the heating problem today— boiler ratings. We want to place a copy of this booklet, "The Truth about Boiler Rat-ings" or "Guaranteed Heating Satisfaction at Minimum Cost" to the heade of sure, Architert action at Minimum Cost in the hands of every Architect and Heating Contractor. If you will fill in the coupon be-low we will send you your copy by return mail with our compliments.



The H. B. Smith Company,

Dept. F-9, Westfield, Mass.

City

Name.

Address

with cracked boiler sections

THIS case is concerned with two houses in Boston, in one of which there was an H. B. Smith Mills water tube boiler of the drum type, and in the other a push nipple boiler of another well-known make.

On a very cold night the expansion tanks in both systems froze with the result that sections in each of the boilers cracked. The owners happened to go to the same heating contractor who told the story to our representative.

The H. B. Smith Boiler, because of the drum or header type construction, was in operation two hours after the heating contractor was called.

A section for the other boiler could not be secured from the maker's Boston Branch. They wired to New York and

Philadelphia and there were none there. Then they tried the factory and a section was shipped by express. It took ten days to arrive. Meanwhile, because the boiler was of the push nipple type of construction, it could not be operated at all. The heating contractor had to heat the house with oil stoves for fear the plumbing would The family had to move to a freeze. The family had to move to a hotel. And in addition to all this inconvenience and expense, the express bill which the owner had to pay on the section was more than the section itself was worth.

To prevent even the possibility of an experience such as this second one, is one of the reasons why all H. B. Smith Boilers have drum or header type connections.

THE H. B. SMITH COMPANY Home Office and Works : Dept. F-9, Westfield, Mass.

Fill out and mail today

Sales Offices and Warehouses at:


Westfield Cleveland Boston New York Philadelphia

Gentlemen: I would like to read your discussion of "The Truth about Boiler Ratings" as contained in your booklet "Guaranteed Heating Satisfaction at Minimum Cost." Send a copy to :

State







VITROLITE IN GOVERNMENT SERVICE

These showers are of the ashlar style of white Virtolite. Dampness and steam cannot affect these surfaces. Theywill always look spotless and new.



THE NEW FEDERAL RESERVE BANK OF MINNEAPO-LIS, MINNESOTA, IS AN UNUSUAL AND BEAUTIFUL EXAMPLE OF A MODERN GOVERNMENT BUILDING. IT WAS DESIGNED BY MR. CASS GILBERT OF NEW YORK CITY. THE CONTRACTORS WERE C. F. HAZLIN SONS CO., AND PIKE & COOK CO., BOTH OF MINNE-APOLIS. AMONG THE FEATURES OF THIS BUILDING ARE THE VITROLITE TOILETS, WASHROOMS AND SHOWERS—32 OF THEM. IT IS AN EXAMPLE OF THE GREAT UTILITY AND BEAUTY OF VITROLITE AS A SURFACE MATERIAL FOR FINER BUILDINGS.

THE VITROLITE COMPANY

Offices: 133 West Washington Street, Chicago Factory: Parkersburg, West Virginia

Atlanta, Baltimore, Brooklyn, Boston, Buffalo, Cincinnati, Cleveland, Columbus, Dallas, Denver, Detroit, Kansas City, Los Angeles, New Orleans, New York, Omaha, Philadelphia, Pittsburgh, Portland, Roanoke, San Francisco, Seattle, Springfield, Mass., St. Louis, St. Paul, Tulsa, Tampa, Montreal, Toronto, Havana, London, Manila, Osaka, Mexico City, Shanghai The walls and toilet partitions are of pure white Vitrolite. They can never become dulled or stained. A damp cloth will clean them thoroughly.



Anone and a second and a second a second

ARCHITECTURE





Hospitals Require Out-of-the-ordinary Plumbing

Hospital plumbing is exceptional, in that every hospital apparently has different requirements to be met and different problems to be overcome.

Clow has pioneered the design, construction and stocking of the out-of-the-ordinary fixtures and fittings that meet such requirements and solve such problems. For example, a goodly percentage of the therapeutic equipment in use today is Clow designed and Clow built. When Clow is specified for all plumbing there is an assurance of completeness and thoroughness for Clow is in a position to furnish everything that the installation requires—in plumbing fixtures and therapeutic equipment.

Such modern hospitals as those pictured herewith have learned the value of Clow of all plumbing.

JAMES B. CLOW & SONS, 534-546 S. FRANKLIN ST., CHICAGO Sales Offices in Principal Cities



Please mention ARCHITECTURE in writing to manufacturers

MADINANA

WY C

BR. Ballar

TCZTNE

T C

BTTHA

AAA

KUTULI MUTU HERREGREGNEN I I TUTELEN KUTULI TUTELEN KUTU

ARCHITECTVR Published by Charles Scribner's Sons ·THE · PROFESSIONAL · ARCHITECTVRAL · MONTHLY · S J No. 2 - C O N T E N Т VOL. LII.

R

States States States In State

1.100

di da da da eta eta

AUGUST 1925

TEXT PAGES

Description of Free Treesenant (Illustrated)	By Alfred C. Bossom Pages 275-279				
HE RESTORATION OF FORT TICONDEROGA. (Illustrated) -	By Alfra C. Dorson Page 280				
OLOR IN ARCHITECTURE	Page 280				
ONING LAWS HAVE PROVED THEIR GREAT VALUE					
HE ROLLING ROCK COUNTRY CLUB (Illustrated)	E. P. Mellon, Architect Pages 281-284				
ORTH CAROLINA'S WHITE PINE EXCELS NEW ENGLAND'S -	Page 282				
DITORIAL AND OTHER COMMENT: "A Matter of Sentiment,"					
"Choosing an Architect," "From the Paris Exhibition,"					
"Bringing the Cellar Up-Stairs," "An Important An-					
nouncement to Our Readers," "It Can Be Done"	Pages 285, 286				
HE MEDICAL BUILDING AND HOSPITAL FOR THE UNIVERSITY	Coolidge & Hodgdon, Architects - Pages 287-289				
OF CHICAGO. (Illustrated)	Gooldge & Hodgaon, Arthueto - 1 ages 201 209				
OUNTRY VILLAGES NEED TONING UP, SAY GOVERNMENT	Dear and				
EXPERTS	Page 290				
OOK REVIEWS	Page 290				
HE ARCHITECTS' CLUB OF CHICAGO. (Illustrated)	Pages 291, 292				
HE ROMANCE OF BUILDING. (Illustrated) (Second Article) -	By Richard P. Wallis Pages 295-297				
OLLOW TILE WALLS GIVEN FIRE TEST	Page 298				
N ARCHITECT'S SIMPLE ENGINEERING PROBLEMS. (Tenth					
	By DeWitt Clinton Pond, M.A Pages 305, 306				
Article)					
NOTHER SMALL HOUSE COMPETITION	Page 306 Page 307 Page 307				
MERICAN CONSTRUCTION COUNCIL ON BETTER BUILDING -	Tage 30/				
NNOUNCEMENTS	Page 307				
PLATES AND ILLUST	PATIONS				
FLATES AND TELEST	The second s				
HE TOWER IN ANDUJAR, SPAIN From a lithograph by Samuel Chamberlain					
	Frontispiece				
HE RESTORATION OF FORT TICONDEROGA	Alfred C. Bossom, Architect Pages 275-279				
HE ROLLING ROCK COUNTRY CLUB	E. P. Mellon, Architect Pages 281-284				
APHAM FIELD HOUSE, YALE UNIVERSITY, NEW HAVEN, CONN.	Day & Klauder, Architects Plates CXIII-CXVI				
	Day & Klauder, Architects				
HE STERLING HALL OF MEDICINE, YALE UNIVERSITY, NEW	Plates CXVII-CXXII				
HAVEN, CONN.					
LEASURED DETAILS. MAINE COLONIAL SERIES:	Measured and Draton by A. J. Harriman				
DOORWAY OF THE GENERAL VEAZLE HOUSE, TOPSHAM, ME.	Plate CXXIII				
ESTORATION AND ALTERATION OF HOUSE IN FRENCH QUARTER,	Moise Goldstein, Architect				
New Orleans, La	Plates CXXIV-CXXVII				
RETCHES OF WROUGHT IRON CROSSES. FROM THE OLD JESUIT					
CEMETERY, GRAND COTEAU, LA	Drawn by Wm. P. Spratling - Plate CXXVIII				

T TT T M R Si THE MEDICAL BUILDING AND HOSPITAL FOR THE UNIVERSITY Coolidge & Hodgdon, Architects - Pages 287-289 --- Pages 291, 292 H. H. Richardson, Architect H. H. Ruchardson, Architect S. S. Beman, Architect Okel & Cooper, Architects -Royal Barry Wills, Architect -John H. Phillips, Architect Wallace & Warner, Architects Wallace & Warner, Architects Wallace & Warner, Architects C. T. Myers, Architect -FOURTH NATIONAL BANK, MONTGOMERY, ALA. Pages 293, 294 SKETCH FOR A RESIDENCE - Page 298 - Pages 299, 300 - Page 301 - Page 302 HOUSE, ALEXANDER GRINAGER, TUCKAHOE, N. Y. HOUSE AT ST. DAVIDS, PA. HOUSE, H. E. BETELLE, ROSEMONT, PA. HOUSE, ALBERT SHORT, DREXEL PARK, PA. RESIDENCE FOR O. B. ILES, INDIANAPOLIS, IND. - Page 303 ---- Page 304

ARCHITECTURE, edited in the interest of the profession, is published the twenty-fifth to the twenty-eighth of month preceding date of issue by CHARLES SCRIENTE'S Sons (Charles Scribner, President), Fifth Avenue at 48th Street, New York. PRICE, mailed flat to any address in the United States, Mexico, or Cuba, \$10.00 per annum in advance, \$1.00 a number; to Canada, \$11.00 per annum; to any foreign address, \$12.00 per annum. Avventistico RATES upon request. The writing and displaying of Advertisements is an art in itself, and the publishers will be pleased to give the Advertiser the benefit of an Expert's experience in this line at no additional expense. Copyright, 1925, by Charles Scrience's Constant's Sons. All rights reserved. Entered as Second-Class Matter, March 30, 1900, at the Post-Office at New York, N. Y., under the Act of March 2, 1879.

• Reg. U. S. Pat. Office.

40

AUGUST, 1925.

An Anaconda Installation

11 11 11 11 11

TT TT IT IT IT IT

66

York & Sawyer, Architects, specified and used Anaconda Brass Pipe for the new First National Bank Building, Boston.


Anaconda Brass Pipe cannot rust or clog with rust deposits. It is guaranteed sound and physically perfect by the world's largest manufacturers of Copper, Brass and Bronze. It may be used in relatively smaller sizes than iron or steel pipe-because rust cannot reduce the internal diameter of Anaconda Brass Pipe.


THE AMERICAN BRASS COMPANY GENERAL OFFICES: WATERBURY, CONNECTICUT Canadian Mill: ANACONDA AMERICAN BRASS LIMITED New Toronto, Ont.

Offices and Agencies: New York, Chicago, Boston, Philadelphia, Providence Pittsburgh, Cleveland, Detroit, Cincinnati, St. Louis, New Orleans, San Francisco

Mills and Factories: Ansonia, Conn., Torrington, Conn., Waterbury, Corm., Buffalo, N.Y., Hastings-on-Hudson, N.Y. Kenosha, Wis.

ANACONDA BRASS PIPE Installed by leading Plumbing Contractors





THE TOWER IN ANDUJAR, SPAIN.

From the lithograph by Samuel Chamberlain.



The Restoration of Fort Ticonderoga

Alfred C. Bossom, Architect

THE original fort at Ticonderoga was built on Fort Carillon, where the Iroquois Indians were when Champlain found them in 1609. He built a stockaded fort to control the passage of people from Canada down to New York, for this was the one

point where the waters

flowed both northward and

southward. The sound of the waters gave the name

of Carillon, as they could be distinctly heard in those days as they flowed from

Lake George down into

George itself flows south-

ward into the Hudson River,

while Lake Champlain flows north into the St. Lawrence

fort has been completely re-

stored and is now used as a

museum for objects relating

only to this particular spot,

and it is not intended that

About one-third of the

Lake

Lake Champlain.

River.



A small tea-house overlooking Lake Champlain.

the entire fort shall ever be completely restored. The remainder, however, is to be preserved from further depredation or the effects of the elements. Below the fort walls is the old King's Garden, or "Le Jardin de Roi," in which the French officers undoubtedly used to promenade during the long intervals when they had no Indians or Americans or British to fight. This has also been restored in structural form to about what it was, and a lot of English hawthorn that was brought over by the British during their occupation has been collected about the property and replanted within its limits, making, with other plantings under the direction of Marion C. Coffin, an exceedingly attractive arrangement of landscape work. The endeavor is to maintain the old lines, which the plans that we have discovered showed originally existed.

The pavilion originally was a small house built at the end of the garden in the early part of the last century, and when it was decided in 1909 to start the restoration of the fort this was a ruin, the cows using the various rooms for stalls. It was about as far gone as anything could be, but was literally entirely remade and enlarged, preserving in every detail all of the character and interest that had accumulated there during the life of the building.

The Y-D House originally was built in the same form as the settlers built their log-cabins, under the protection of the fort. The trappers and huntsmen, who in the early days of the fort's existence gathered around it for trading purposes and protection, were not allowed within the walls, but had to build their homes between it and the waters of Lake Champlain in order to obtain protection from the fort's strong arm.

The Germain Redoubt is a relic of the French occupation, while the fort itself is much more a relic of the English, though the English developed it along the original Vauban lines.

This was origi-

nally constructed to protect the fort against surprise attack from the north. The embankments and ditch are exactly as they were built, and the redoubt itself was connected to the main fort by an embankment and ditch near the fort by a stone redoubt constructed under the orders of Monsieur Pont LeRoy. Beside this was a stone quarry. It may have been used as a protection for the quarry, for it was from here that the stone for the fort was obtained.



Iron gate leading to "Le Jardin de Roi."



The bridge and moat to the Germain redoubt. This was one of the outlying forts in connection with Ticonderoga during the French occupation, and formed the end of a great line of earthworks that extended practically across the promontory which was crowned by Fort Ticonderoga. This is now the possession of Major Howland Pell, who uses it as a summer residence.



The driveway into the fort around the corner of the southwest bastion. The battery of guns here shown were presented to the fort by the authorities in England, and are of the period when Ticonderoga was in its glory.



A view across the Place d'Armes at Fort Ticonderoga, showing the west barracks and the partially restored south barracks. It was in the room on the upper left-hand side of the west barracks where Ethan Allen demanded the surrender of Fort Ticonderoga in May, 1776 ("In the Name of the Great Jehovah and the Continental Congress"), from Captain de La Place.



The entrance-way to the Place d'Armes with the flags flying of the famous regiments that were there. The southwest bastion seen on the left-hand side of the picture.



Within the earthworks that formed the outer protection of the Germain redoubt, with the entrance to the drawbridge and moat on the left. The trees in the distance have all grown, of course, since the French evacuation, which gives some slight idea as to how long ago this was.



Corner of the "Le Jardin de Roi," showing a small summer-house. The walls around this garden were all built with rejected bricks from near-by brick-yards.



The log-cabin or "Y-D" House, built in the manner of the original homes of the settlers in this district, who used to build under the protection of the walls of Fort Ticonderoga.



View showing the method adopted to preserve the walls of the existing south barracks, so that the elements can do no further damage to this historic spot. At the same time it is not desired to entirely rebuild the fort and make it a modern reproduction of a great historic monument.

277



Portico of the pavilion which overlooks Lake Champlain. It is opposite this spot where General Champlain in 1609 landed and fought the Iroquois Indians, and thereby gave the name of Champlain to this great body of water. The illustration indicates the plan of the house, which has a high central section with two extending wings. The front of each wing takes the form of a long corridor against which all the rooms open, when the entire corridor faces the land.



Porch behind the sitting-room, which is like the prow of a boat driven into a mass of foliage.



Rear view of the pavilion from "Le Jardin de Roi," the general treatment of this garden being the banking of flowers toward the house and a suppression and introduction of lawn and pool in the middle. Marian C. Coffin was the landscape architect.



Driveway to the rear of the pavilion, showing the low formation of the wings in contrast to the high central section.



Dining-room of the pavilion. All the decorations in this room are made of old handblocked chintz fixed to the wall. The walls themselves are a very soft biscut yellow.



One of the bedrooms in the pavilion.



The entrance-hall of the pavilion. The endeavor has been made throughout this entire house to furnish it in character with the great events and people that have been connected with Ticonderoga. The walls are lavender with white trim.



A corridor facing Lake Champlain, from which the bedrooms of the pavilion are en-

Color in Architecture

"A MERICANS are continually criticised for their failure to respond to the artistic or beautiful," said a specialist and authority on color, recently.

"American temperament is supposed to be dominated by materialism and commercialism. How far the environments in which the great majority of Americans live have influenced their colorless temperaments may be judged when one pictures in the mind's eye the external atmosphere of a typical American city or town which, to even a tolerant observer, is drab, colorless and uninteresting. American 'Main Streets' are the cradles of American temperament.

"In every phase of modern life color now makes its appeal. Our books, periodicals, and advertising are all colorful. Our clothing, our vehicles, the theatre, and our shopwindows outdo one another in presenting to the mind a color picture. As life becomes more colorful in all its aspects, so the visible expression of that life—architecture—must become increasingly colorful, and architecture to-day is at the threshold of a color Renaissance.

"The possibilities of architectural color expression offered by reinforced concrete represents the simplest and more responsive avenue of approach. The colors suitable for the body of concrete structures are only limited by the artistic conception of the architect. There are no decidedly right or decidedly wrong colors. Each color is suitable to a particular architectural type, environment, texture of finish, and roof and trim color-scheme. The scope of selection is an inspiration in itself. Then, too, concrete color stain is a permanent stain and architects need not fear the havoc, to their color selection, of sun and weather.

"Colored concrete is not limited to urban cottages, but has even a greater service to offer to residences and buildings in congested cities. In the country, trees, sky, flowers, and shrubs offer colorful backgrounds, but in the city, where the great majority of our population is located, the majority of waking hours are spent amid the grayed and dingy backgrounds of the city streets.

"Residential blocks of variegated colored concrete, far from being an eyesore, can be made a source of exquisite delight. In a run-down, dilapidated neighborhood, only a few blocks away from the busiest business corner in New York City, a group of artists a few years ago purchased two rows of houses on two adjacent streets, with backyards adjoining. They remodelled the exteriors of the old structures with concrete and tinted the back walls of the houses in a charming array of soft blues, stone pinks, gray greens, and warm buffs. The back fences were removed and a community garden took the place of the individual backyards.

"The selection of the color for the concrete depends on the architectural type of the house, its surroundings and the roof and trim color-scheme which is to be used with it. Warm cream and fawn are always a dependable selection. With the cream, several excellent color-schemes readily present themselves.

"A brown roof can be used with green trim; a green roof with brown trim; or a red roof with white trim.

"Lichen green, terra-cotta red, stone pink, sage-green, Venetian orange, all offer interesting and practical possibilities for stucco houses. Each color, of course, demands artistic discernment in the selection of the other colors to be used with it.

"The coloring of the walls becomes the problem of the architect and builder as well as the decorator."

Zoning Laws Have Proved Their Great Value

A STEADY growth in the realization by property-owners that the Zoning Ordinance of New York City is a measure designed to protect their interests is evidenced by the gradual increase in the number of strengthening amendments to the zoning maps made by the Board of Estimate. In 1916, when the Zoning Ordinance became a law, the Board of Estimate was given the power to make needed changes in the restrictions imposed by the ordinance, after having held a public hearing on each question of raising or strengthening restrictions.

In the year 1923 alone there were 81 such changes to the zoning maps of the city. Of the 81 changes, 62—or 77 per cent of the changes—were the result of petitions by property-owners that restrictions in their districts be strengthened. The increase in the number of strengthening changes made by the board is clearly shown by the following figures for the years 1917 to 1923:

Year 1917-Strengthening changes 16% of total changes.

Year 1918-	44	**	23% "	**	
Year 1919-	**	**	35% "	. 66	er
Year 1920-		**	56% "		**
Year 1921-		**	61% "	**	- 44
Year 1922-	**	**	77% "		
Year 1923-	**	**	77% "	**	40

These figures are made public in a report entitled "Zoning Practice in the New York Region," by Edward M. Bassett, prepared for and published by the Regional Plan of New York and Its Environs.

The report points out that there has been a steady change of attitude on the part of property-owners toward restrictions imposed on buildings by the zoning law. They have come to realize that instead of confiscating values of their property, the zoning law protects and maintains those values.

In commenting on the growth of the number of strengthening amendments to the law, Mr. Bassett says in the report:

"These proportions show that the zoning plan had a vitality which was little suspected at the beginning. They show that, as property-owners become more familiar with the protection afforded by zoning, their tendency is to petition the Board of Estimate for an increase of that protection. In the main these changes are brought about by property-owners themselves, for the Board of Estimate seldom refuses to make a change where the property-owners set forth a good case. The Board of Estimate, however, through its chief engineer and the local boards of the various boroughs, makes careful investigation in order to be sure that the proposed change will not injure the city as a whole.

"The experience of eight years has proved that the protective features of the zoning law largely outweigh its drawbacks. It does not prevent proper changes of use, height and bulk, of buildings, but allows these changes to come along when the locality is ripe for a change instead of having the change brought prematurely by two or three exploiters who, for the sake of their own profits, bring disaster upon a multitude of honest investors."

Copies of Mr. Bassett's report, which gives in addition a model State-enabling act for zoning, may be obtained from the Regional Plan of New York and Its Environs, 130 East 22d Street.

The Rolling Rock Country Club

E. P. Mellon, Architect

THE Rolling Rock Club is situated in Westmoreland County, about fifty miles east of Pittsburgh, on the Laurel Ridge of the Allegheny Mountains. It is surrounded by mountains and forests, and from the top of its tower a view is obtained of portions of four different counties.

On a knoll in the midst of the forest sufficient space was cleared to construct the club house and necessary surroundings for club purposes. A golf course was also constructed, the first tee of which is located adjoining the club house.

The problem submitted to the architect was an intricate one, as it demanded an absolutely fire-proof building without producing a formal appearance, and on account of the fire-proofing anything pertaining to a rustic appearance was out of the question. The building is a large rambling one, constructed of terra-cotta and stucco, with trimmings of Indiana limestone, and roofed with Tudor slate. The exterior iron work and all the details harmonize in producing an exceedingly pleasing Italian effect, and any formality or hardness of line which is generally felt in such buildings is entirely eliminated by the building being immediately surrounded by forest trees.


The interior of the building contains every possible requirement of the modern country-club building, and the rooms are finished in a most artistic and comfortable manner.

Some of the special and unusual features are the main stairway, the risers and treads of which are marble, and the treads inset with cork so as to prevent slipping. The railing is also to be noted for its Italian design.

The smoking-room is finished in the same manner as were the first houses of the Allegheny Mountains, which were log-cabins. The logs are hewn and set in place in the same manner as the old-time construction required. The fireplace is built of native surface stones and boulders. The ceiling is constructed of rafters and weathered boards from some of the old buildings, which were originally located on the property.

A very unusual feature of the large living-room fireplace is that it is self-feeding with logs by means of an endless chain, which extends to the logroom below. By touching a button at the fireplace an endless chain revolves and lifts the logs, by hydraulic pressure, to a position directly above the fireplace opening, from which they automatically drop into place on the fire-dogs.

On the exterior of the building to the left of the main entrance there is an outside, heated water swimming-pool, twenty feet by seventy-five feet. This pool is constructed



Rear of club house. Tower for housing water-tank, for forest-fire observation, and observatory.


ARCHITECTURE

in such a manner that it can be used for skating during the winter. To protect the pool from being harmed by the expansion of the ice, the sides of the pool are battered at the top. Also, to protect the skaters from submerging in case of the ice breaking there are hung floats just below the ice. The pool is surrounded by adjustable electric-lighting, so as to provide for night skating.

A unique feature of construction is the large tower which is built to the rear of the club building. This tower was built for three purposes: one being to contain the watertank; another for the pleasure obtained by the extensive views; and the third for forest-fire observation. The tower is seventy-five feet high. The walls are thirty-seven inches in thickness and constructed in their entire thickness of native field boulders. Within is a circular stairway of concrete leading to the top. The water which enters this tank is fed by natural gravity from catch-basins located on the mountain-side, two miles distant and three hundred feet above the top elevation of the tower. These catch-basins are supplied by natural springs. This supply is never exhausted, and when the main tank is full the overflow fills a secondary tank, from which the overflow supplies the building, the swimming-pool, and the surplus distributes itself for irrigating the golf grounds.

Under the tower are constructed the boiler and fuel rooms for the heating of the club building. From the boilerroom below there is an ash-hoist which operates within the thickness of the tower wall, hydraulically operated. This runs to a point sufficiently high above the drive grade to permit of loading wagons, and with elimination of manual labor. The mechanism is all concealed, but when the top height is reached the buckets are automatically swung from the interior of the wall to the wagon.

For the construction of the Rolling Rock Club House and its dependent buildings and landscape gardening, native labor exclusively was used and proved to be wonderfully satisfactory, as where skill was required the work was done in the old-fashioned handicraft manner, and no limitations placed upon the amount or quality of a man's daily production. Also, so far as possible, native materials were used which proved themselves to be much superior in quality to the average commercial production.



PLANS, THE ROLLING ROCK COUNTRY CLUB.

North Carolina's White Pine Excels New England's

WHITE pine planted on the Biltmore estate in North Carolina twenty-four years ago is already comparing favorably in growth with natural stands of the same age in New England, according to tentative estimates made recently by the Appalachian Forest Experiment Station, Forest Service, United States Department of Agriculture. On sample plots in the Pisgah National Forest, yields of 5,000 cubic feet to the acre are being obtained compared with an average of 3,000 cubic feet for New England white pine of the same age on similar sites. The computations made in North Carolina are only approximate, but at least a considerable proportion of the apparent advance over New England timber is easily substantiated in the considerably greater height growth attained in the Southern stands, together with an equal or greater diameter. This increased growth is attributed to the equable climate of the Southern mountains which allows the trees a longer growing season.

282

E. P. Mellon, Architect.




THE ROLLING ROCK COUNTRY CLUB, WESTMORELAND COUNTY, PA.

283

E. P. Mellon, Architect.



HALL AND STAIRCASE.



FIELD ROOM.

THE ROLLING ROCK COUNTRY CLUB, WESTMORELAND COUNTY, PA.



A Matter of Sentiment

IN these days there isn't any possibility of letting things alone. Change is the order of the times, and change we must, willy-nilly. When it comes to changing the White House interiors from French to American it is a matter of grave moment to the whole American people. That shrine of the nation's beginnings is not a private residence to be treated as one would treat a little home in the suburbs or in the social belt of the Newport millionaires. It has much of the sacrosanct atmosphere that environs and provokes the reverence of the thousands who make the pilgrimage to Mount Vernon. There the ladies have restored the mansion with the idea of making it express the place as it was in Washington's own days. Happily, they have been able to gather much of the original furniture, and made it look more like a home than an antique shop.

When Colonel Roosevelt lived in the White House it was redecorated under the supervision of the late Charles F. McKim, and in accordance, we understand, with Colonel Roosevelt's preferences. We feel that the White House is but a temporary abiding-place for Presidents, and that the traditions of the place are more to be considered than the personal tastes of passing occupants.

If there is a house in the country that should express in its every detail the spirit of American taste at its best, it is the White House. The beauty and charm of the Colonial, its reserve, lack of ostentation, its democratic simplicity, its dignity and refinement, seem to us quite superior to any product of France, when associated with such a lovely example of our early architecture as the White House.

The changes proposed, we understand, have been suggested by Robert W. deForest, of the Metropolitan Museum of Art, and will be carried out under the able and very competent direction of Mr. R. T. H. Halsey, who is responsible for the arrangement and decoration of the American wing at that wonderful institution.

The President always has his troubles, and in the proposed changes in the White House he and Mrs. Coolidge will be the centre of a nation-wide discussion of "how to furnish the home."

Somehow we can't help feeling that "Colonial fixings" will make a much more appropriate background for present occupants, as well as future, and in saying this we mean to say that it has been a long time since the House was occupied by a family more expressive of the *homely* Colonial virtues we can all admire and appreciate.

We gather from Mr. Halsey's report that a "hodgepodge" of various incongruous furnishings has been gathered in the years, and we feel entirely sure without the knowledge or approval of any one who might be called an authority.

We sincerely hope, in any event, that Mrs. Coolidge will not be deluged about Christmas time with gifts of Colonial heirlooms from all the dust-laden attics in Vermont.

Choosing an Architect

WE have been reading a recent article in *The Churchman* by Mr. William O. Ludlow, of the firm of Ludlow & Peabody, on "Getting the Best Building—How to Start Right." It contains some excellent advice to congregations thinking of building a new church.

Many times there exists the idea that it is quite impossible to engage the services of architects of reputation in a mistaken notion that the cost will be prohibitive. That this is not so has been proved time and time again, and *The Lutheran Church Review* has been continually preaching the benefits of going after the best talent available.

Our church architecture has improved, but there is room for further advance all over the country. Mr. Ludlow points out the essentials of good church designing, and goes on to tell how to make a success of the job after the architect has been selected.

We once wrote an editorial on "Calling the Doctor" that was widely quoted bearing on this topic. Mr. Ludlow says:

"An architect should be selected just as you select those other professional advisers—your doctor or your lawyer—find out what he has done and how well he has done it. This is best accomplished by personal interview, by seeing completed work, or photographs of completed work, by the opinion of former clients of the architect, and, perhaps best of all, by obtaining the opinion of fellow practitioners.

"Having finally selected an architect in whom you have entire confidence, give him your confidence, be entirely frank with him as to your financial resources, take his advice, and put the responsibility squarely up to him for results. In this way you will make a real friend of him, and he will give you the best that is in him. After a number of conferences with you and thorough study of your church needs, he will make sketches of plan and elevation, revising and altering them in conference with you as many times as need be to meet your requirements as to arrangement and available funds, and finally he will produce plans and a picture for publication with an estimate of the probable cost.

"You are then able to put before your people a definite and businesslike proposal, and this will form the basis of your campaign for funds. How this campaign should be conducted is another long story, varied in the telling to fit the widely different conditions of each case. There are able firms who make a business of conducting such campaigns, but as a general observation the outstanding elements of success are these: a thorough organization of the entire membership, competent and enthusiastic leaders, a short and intensive campaign period, and an unwavering faith that God is peculiarly with you in this business of building His house."

From the Paris Exhibition

WE are in receipt of some information from the Paris show of the decorative arts that leads us to the conclusion that it is in the hands of the extreme moderns to a great extent. One writer dwells on the architectural features, and thinks them beneath contempt. Of the exhibits, he says that France, Czecho-Slovakia, Austria, and Spain show the most originality, while Poland, Holland, Sweden, and Denmark have especially interesting exhibits.

The cubists have evidently been going strong, for the tendency of much of the work is toward "angularity of form, and in color there is an utter disregard of those hues which are to be seen in nature."

"Of the national pavilions the two most beautiful are those of Italy and Spain, and the ugliest those of Soviet Russia and Great Britain."

E. Fletcher-Clayton, writing in *The Decorator*, London, says it is "a great pity that the decorative art of the United States of America is not shown; for such, which is unfortunately unknown here, would rank with the very highest for originality." That is a nice thing to say, at least, and we wonder how we should have fared if we had shown our wares.

Bringing the Cellar Up-Stairs

WE have been in many cellars that made us think of the last days, of the vaulted glooms where Romeo and his lady ended their little brief life of love, of cold and damp and worms, and all sorts of unpleasant things, and in days of loved memory we recall certain cellars that were cold and yet not without cheer, where a spirit of genial hospitality prevailed, and gloom was washed away in ambrosial fluids. Why not make the cellar a jolly place for play and comfort, of light and cheer, a usable part of the house? If it can be no longer put to the uses of old, put it to other uses, modernize it. That is the proposition put before architects and draftsmen in "The Ideal Cellar Competition," announced in other pages, and we commend the idea to our readers. Of course the first essential from the merely business point of view is a matter of suitable heating; but there are other good and sufficient reasons for giving the cellar more consideration than as a mere place for storing coal and stoking.

"The second step in modernizing the cellar is to be a recognition by the architectural profession of the possibilities of designing and planning the cellar of the average American home of eight rooms or more in such a manner that the cellar space will be provided with a series of practical utility features and one or more interesting, livable rooms, which will add to the living comfort and realty value of residential properties. The purpose of the Ideal Cellar Competition is to place this problem of cellar planning and design before the architectural profession for the development of suggestions which will indicate, in a practical manner, the arrangements of cellar space that can be made to provide a direct return, and to establish a capital valuation which will be clearly recognized in residential realestate transactions of the future.

"The third step, which must naturally follow this valuable economic contribution by the architectural profession, will be the general acceptance of this idea of the improved cellar, and its recognition by owners, builders, and those who sell, rent, or finance homes. Over \$2,000,000,000 is at present invested in the cellars of existing American homes, and at the present rate of dwelling construction \$300,000,000 is being invested annually in cellar construction by the home-builders of the United States. This Ideal Cellar Competition promises to exercise a new influence on this vast expenditure, which will quadruple the efficiency of the investment and aid materially in offsetting costs."

An Important Announcement to Our Readers

I is with special pleasure that we announce a new series of articles by Mr. H. Vandervoort Walsh, Professor of Construction, School of Architecture, Columbia University. Our subscribers will recall previous articles by this instructive and interesting writer on "The Construction of the Small House" and on "Apartment-House Construction." These were eminently practical, and gave architects a great deal of information based on years of study and personal contact with modern building methods.

Mr. Walsh's new series will take up a subject of exceptional interest.

In "THE EFFECT OF GRAVITY ON BUILDING CONSTRUC-TION" he traces the work of the oldest builders, the great achievements of mediæval days, considers the tendency of modern times blindly to follow precedent and old traditions, and says that in spite of this we have learned to build in very different ways from our ancestors. "The new methods of construction are the result of the investigations carried on by a few independent thinkers. The steel frame, reinforced concrete, the truss, Portland cement, and other features of modern construction are absolutely new and are the children of knowledge developed by a few individuals who refused to accept ideas simply because they were old."

The four types of building known to architectural history are: "Skeleton Construction," "Simple Block Construction," "Balanced Block Construction," and "Cohesive Construction."

We venture to say that this series will prove one of the most valuable the magazine has published. It will review the historical periods briefly in passing, but the main theme will bear on thoroughly practical things in modern building construction.


"Galileo gave the first description of a force as a mechanical agent, but he summed up certain ideas that had been growing in other men's minds. These we must consider in their relation to the development of the knowledge of building mechanics."

The series will begin in September and run a number of months.

It Can Be Done

THAT apartment-houses can be built to yield a fair return on a rental basis of nine dollars a room has been amply demonstrated by the Metropolitan Life Insurance Company.

They tried the experiment as an after-war measure to help relieve the housing congestion, and the results offer interesting facts for the serious consideration of other investors. An item worth noting is that the loss from vacancies from July, 1924, to June 30, 1925, was only \$406.54! The net returns for the twelve months were \$681,181. Two thousand one hundred and twenty-five families were housed.






VIEW FROM SOUTHEAST, SHOWING FACADE AT LEFT FACING DERBY AVENUE.

LAPHAM FIELD HOUSE, YALE UNIVERSITY, NEW HAVEN, CONN.





VIEW FROM THE NORTHEAST, SHOWING FAÇADE FACING THE TENNIS-COURTS.




LAPHAM FIELD HOUSE, YALE UNIVERSITY, NEW HAVEN, CONN.

Day & Klauder, Architects.

PLATE CXV.



SOUTH VERANDA.



DETAIL OF SOUTH ELEVATION.

Day & Klauder, Architects.


LAPHAM FIELD HOUSE, YALE UNIVERSITY, NEW HAVEN, CONN.



The living-room as divided by the central free-standing chimney-stack with a fireplace on each side. Simple furnishing and excellent decorative details distinguish this room. It opens on both north and south verandas through full-length casements.




LAPHAM FIELD HOUSE, YALE UNIVERSITY, NEW HAVEN, CONN.




SKETCH BY MR. KLAUDER.



THE STERLING HALL OF MEDICINE, YALE UNIVERSITY, NEW HAVEN, CONN.




MAIN PAVILION AND ENTRANCE, CORNER CEDAR AND BROAD STREETS. THE STERLING HALL OF MEDICINE, YALE UNIVERSITY, NEW HAVEN, CONN.



THE STERLING HALL OF MEDICINE, YALE UNIVERSITY, NEW HAVEN, CONN. Day & Klauder, Architects.




VIEW FROM THE GROUNDS, SHOWING THE BACKS OF THE TWO WINGS. THE LOW WING IN THE FOREGROUND IS THE ANIMAL RETENTION HOUSE.



STERLING HALL OF MEDICINE, YALE UNIVERSITY, NEW HAVEN, CONN.

PLATE CXXI.



LECTURE-HALL.



ENTRANCE-HALL ENTRANCES TO LECTURE-HALL AT THE RIGHT. Day & Klauder, Architects. THE STERLING HALL OF MEDICINE, YALE UNIVERSITY, NEW HAVEN, CONN. AUGUST, 1925.



VIEW FROM ROSE STREET, NORTHEAST.

VIEW FROM THE GROUNDS, NORTHWEST.

2-1-898 POWER HOUSE STERLING HALL OF MEDICINE VALE DEIVER ITY NEW HAVEN CONNECTICUT Buy and Filenday Files I Stands water Sandard 17 は言 Cancer of April 24, 1984 P. Derts 推到 ---The state RD) 1 1.2 18 3 1 調 124 word T 1 AN IS 1

POWER-HOUSE.

.

Day & Klauder, Architects.

STERLING HALL OF MEDICINE, YALE UNIVERSITY, NEW HAVEN, CONN.

AUGUST, 1925.

ARCHITECTURE

PLATE CXXIII.






PLATE CXXIV.




ONE OF THE OLD HOUSES IN THE FRENCH QUARTER, NEW ORLEANS, LA. Restoration and alteration by Moise Goldstein, Architect.

August, 1925.



A HOUSE OF THE SAME TYPE BEFORE ALTERATION.




THE HALL AND STAIRWAY OF HOUSE.

HOUSE IN THE FRENCH QUARTER, NEW ORLEANS, LA. Restoration and alteration by Moise Goldstein, Architect.

AUGUST, 1925.


ARCHITECTURE



AN OLD HOUSE IN THE FRENCH QUARTER, NEW ORLEANS, LA.

THE COURTYARD.

ARCHITECTURE



LIVING-ROOM.






HALL.

OLD HOUSE IN FRENCH QUARTER, NEW ORLEANS, LA. Restoration and alteration by Moise Goldstein, Architect.

PLATE CXXVIII.



The Medical Building and Hospital for the University of Chicago


Coolidge & Hodgdon, Architects

THE University of Chicago has just let the contract to build a medical building and hospital, and the work for the same has commenced. This group is located west, across the street, from the teaching campus and faces south on the Midway, and will occupy two city blocks. A rough

a building for the medical clinic; a building for surgical clinic; one for pathology, and one for administration and the common services. The buildings will be grouped around courts. The northern end, which is at the top of the general perspective, will be the medical school court, from which

idea may be gained of the size of these buildings when it is realized that they contain one-third as many cubic feet as all the rest of the University buildings. The buildings were designed after a study of hospitals in this country and abroad and consultation with medical educators with the idea of meeting the requirements of education and research in medicine, and providing the best facilities for the care and treatment of patients.

It was felt that the requirements for medical education and research might best be met by providing for the different laboratory branches and the two main divisions of clinical medicine, medicine and surgery, in separate buildings, which would be more or less complete in them-selves and might be operated as units. At the same time it was felt that a physical separation was not



North entrance tower to Medical Building, University of Chicago Medical Building and Hospital.


desirable, in order to secure a correlation and co-ordination of the work of these departments, for the purposes of relationship to the public in the care and treatment of patients and for the sake of economy and efficiency in operation, to avoid duplication of services that might be used in common.

It was an essential part of the scheme that additions might be made to each of these units for expansion and for the accommodation of related subjects without any change in the arrangement of the present buildings. It is planned to erect five buildings at this time; one for physiology, pharmacology, and surgical chemistry, which at present will not be connected with the other buildings in the group; entrance will be gained to the different laboratory buildings and to the laboratory section of the medical clinic and the surgical clinic. That is, this court will be used largely by students and members of the staff who are more directly concerned in the educational features of the work.


The building for pathology is placed between the northern ends of the medical building and the surgical building, which are joined toward the south by the administration building, forming a large central court. The main entrance of the administration building is at the north end of the first central court, facing the Midway. The west side of this court is occupied by the dispensary, with its entrance for dispensary patients. The ambulance entrance will be at the southwest court and the service entrance is in middle-west the court.

The material for the exterior throughout is Indiana limestone, like the material used in all of the other buildings of the University. The buildings are wall-bearing with reinforced concrete floors and columns. The ceilings throughout the laboratories will be unfurred, and the interior walls and ceilings of the medical school and laboratories will be left unplastered and will be painted directly on the brick and terra-cotta.

The heating throughout the group will be done by hot water, heated in four heaters centrally located. The water for domestic use will be heated in the basement, and the steam brought from the power-house. Refrigerator machin-



Medical School court, looking south.




Physiology Building from Medical School court, University of Chicago Medical Building and Hospital.


Coolidge and Hodgdon, Architects.

ery will be in the basement, and the brine will be piped to the various refrigerating centres. The electric service is partly furnished by the University and partly purchased. Underneath the entire building is a sub-basement, 6 feet in the clear, which is to be used for piping, ventilating ducts, and ma-

chinery equipment. The other stories above are 10 feet 10 inches in height from floor to ceiling.

The two central towers are used for elevator machinery and tanks, and are slightly higher than the towers of Harper Library on the campus one block east.





On the first-floor centre portion of the building is the main assembly-room, which seats 280 people. Above this, on the second floor, is the Billings Memorial Library, which is estimated to hold 8,000 volumes. This library has been given to the Medical School by Dr. Frank Billings.

Dining-rooms for nurses, staff, and petty officers, servingrooms, the kitchen, storerooms, etc., are located in the basement. The buildings are equipped with six electric elevators, pneumatic tubes, refrigerating machinery for cooling the water and making ice; there is a doctor's call system, doctor's "in" and "out" system, and nurse's and orderly's call system

"in" and "out" system, and nurse's and orderly's call system. The operating-floor is on the top floor of the centre portion facing north, and is largely planned to meet the requirements of an ordinary hospital and partly for a teaching hospital of an expected future capacity of 600 beds. The present capacity of the hospital is for 200 beds.

Country Villages Need Toning Up, Say Government Experts

NEED for improving country villages in the United States to meet modern social and economic needs, is emphasized in a nation-wide survey made by the United States Department of Agriculture.

Most villages, declare department officials, have "just grown up," with resultant defects in form and arrangement to provide social, æsthetic, and economic advantages for residents and near-by farm families. The need for wellplanned villages is pointed out in the fact that some 20,000,-000 people in the United States live in villages, and that more than 30,000,000 farm people use these centres for purposes of trade, education, religion, and recreation.

Numerous instances are cited by the department where villages have been literally rebuilt to meet modern requirements. The village of Weston, Mass., for example, under the direction of the town-improvement commission has in the past few years entirely reconstructed its business district to form a notable civic centre. Old public buildings and shops have been removed, a disease-breeding swamp was filled in and grassed over to form a common, a beautiful new town hall was erected, public buildings were re-grouped, and convenient approaches and roadways constructed.

The unfortunate results of undirected development in cities are being keenly appreciated, it is stated, and millions of dollars are now being spent to correct these conditions in an effort to make cities more approachable, traversable, convenient, orderly, and beautiful.

A similar situation prevails with regard to villages the country over, and replanning along proper lines now will mean considerable money saved later. Villages should be easy of access, declare the department officials, and approaches should be direct, durable, and enjoyable. Physical layouts should be based on naturalness, healthfulness, and convenience; housing conditions should be sanitary, convenient, and economical; dwellings should be satisfactory to the eye and set in pleasant surroundings.

There should be clean and well-kept lawns, tree-bordered streets, and good architecture. Dump heaps and congested places should give way to open spaces, and public parks and playgrounds, lake shores, spots of natural beauty, and points of historic interest should be set apart for the use and enjoyment of all. Public buildings should be located and arranged so as to facilitate business efficiency and stimulate civic pride.

The department has analyzed a number of instances where villages have been improved, and incorporated them in a new bulletin for free distribution. The bulletin deals with practically all phases of village improvement, and tells how individual villages have solved this problem. Copies of Farmers' Bulletin No. 1441 entitled "Rural Planning the Village," may be obtained upon request to the Department of Agriculture, Washington, D. C.

Book Reviews

SCHOOLHOUSES AND THEIR EQUIPMENT. With Plans and Illustrations of the Newest Schoolhouse Architecture. New York State Edition. By W. W. LA CHANCE. White & La Chance, Architects, 426 Third Street, Niagara Falls, N. Y.

This book, based on many plans that have stood the test of repeated use, should be of especial value. It is a practical book dealing with matters

of vital interest to every community, and is based on wide experience in this special field. The schoolhouses shown are nearly all of comparatively small size and moderate cost.

THE HOUSE THAT LOVE BUILT. By W. FRANCKLYN PARIS, M.A., L.D.H. The Hadden Press, New York.

L.D.H. The Hadden Press, New York. "The House that Love Built" is a book of essays on the applicabil-ity of Italian Renaissance to modern public buildings, with Cass Gilbert's beautiful Detroit Public Library serving as an example. Mr. Paris is a decorator of established reputation whose work adorns the interiors of some of the most important public buildings in the United States. In associa-tion with Frederick J. Wiley he has contributed to the decoration of the Missouri State Capitol, the West Virginia State Capitol, and to the library building chosen as the theme of the present volume. Mr. Paris is already known as the author of "Decorative Elements in Architecture," a book recommended by the United States Bureau of Edu-cation for its reading course on "How to Know Architecture," In the present volume he analyses the qualities that make the Detroit Library the rare flower of architecture that it is. The entire edifice is studied, but particular stress is laid on the ornamentation. There are chapters on Painted Glass, Mosaic, and Ceilings that are especially complete and pro-fusely illustrated.

fusely illustrated.

EVERYMAN'S HOUSE. By CAROLINE BARTLETT CRANE. With a foreword by HERBERT HOOVER. Illustrated. Doubleday, Page & Co.

foreword by HERBERT HOOVER. Illustrated. Doubleday, Page & Co. "This book is written to the thousands of people who long to build a home of their own but fear they cannot afford to. Also it is written to those who cannot make up their minds as to what kind of a house they want." It was "built about a mother and her baby." So you see it is a book full of sentiment, one of those books that appeal especially to the reader of the popular home periodicals. It is the human side of home making that is paramount. Mrs. Crane was the winner of the first prize in the Kalamazoo, Michigan, Better Homes Demonstration in 1924. Gilbert Worden was the architect; Mrs. Crane the designer. It is an attractive little house, well planned. The floor plans and elevations are shown.

MASTERPIECES OF SPANISH ARCHITECTURE. ROMANESQUE AND ALLIED STYLES. One hundred plates. With Text by JOHN VREDENBURGH VAN PELT. Pencil Points Press.

This book is made up of one hundred plate pages containing hundreds of details, sections, and elevations showing examples of Spanish architecture in the Romanesque and the closely related styles which we usually class

acting, sections, and clevations anowing countries of optimistic acting acting acting acting a showing countries of optimistic acting and acting and acting and acting a showing acting a second of all the fine old examples of architecture in Spain, and issued under the title "Monumentos Arquitectónicos de España." Of the original work seven large volumes of beautifully engraved plates were issued; then the work was discontinued and these volumes are practically unobtainable. The reproduction of these fine hand engravings in the present work was a tour de force in photoengraving. While the plates showing general views of the buildings have been reduced in reproducing them, a large number of details have been shown at the full size of the original drawings, making it possible to study them satisfactorily. There is an excellent introduction by John V. Van Pelt, in which he refers to the use of the Romanesque of Richardson, and to the splendid Bowery Bank Building by York & Sawyer. The many decorative details shown should make the book of value to the designer as well as to the architect.


HOUSES AND GARDENS. Second Book of Houses Which Contains Over Five Hundred Illustrations of the Exteriors, Decoration, and Land-scaping of Four Ideal Smaller Houses, Forty-eight Pages Showing How a House is Built, and a Portfolio of Over Sixty Small and Large Houses with Plans, Summer Camps, and Garages. Edited by RICH-ARDSON WRIGHT, Editor of *House and Garden*. The Condé Nast Pub-lications. Inc. New York lications, Inc., New York.

The houses shown in this collection are admirably selected, and the pictures of various details are all worth having. It is a book for the architect and a good book for the layman looking for just the kind of house he wants. The many illustrations make it a pictorial reference library on about everything concerning the house beautiful and comfortable.

TWENTY LITHOGRAPHS OF OLD PARIS. By SAMUEL CHAMBER-LAIN. Limited to 100 signed copies. Printed in Paris on a fine French hand-made paper. Size 13 x 20. With a natural linen cover. William Helburn, 418 Madison Avenue, New York.

Mr. Chamberlain's drawings are familiar to all readers of ARCHITEC-Mr. Chamberlain's drawings are familiar to all readers of ARCHITEC-TURE, and the fact that he has turned some of his time to the fascinating mediums of lithography and etching will be no surprise to his admirers. He knows his Paris, evidently, and has chosen his subjects with excellent judgment. Few mediums offer more opportunity to the sympathetic drafts-man than the lithographic crayon, and Mr. Chamberlain shows in these beautiful prints that he loves his work and finds therein an especial appeal to his sense of the picturesque. He knows how to make the rich, velvety blocks count and, as in his etchings, he has learned the art of wise omissions blocks count and, as in his etchings, he has learned the art of wise omissions and the value of suggestion.

These prints should appeal with special emphasis to the collector.



The John J. Glessner house, home of the Architects' Club of Chicago.

H. H. Richardson, Architect,

The Architects' Club of Chicago

PLANS for the securing of a suitable home for the club were the result of a dinner chat. During the discussion it was suggested that the well-known John J. Glessner house, located at the southwest corner of 18th and Prairie Avenues, would be an ideal building to house the architectural profession in Chicago. The house has long been recognized by the profession as an outstanding example of H. H. Richardson's genius.

President Fox, of the Illinois Society of Architects, offered to President Granger, of the Chicago Chapter, a solution of the problem by suggesting that the architects ask Mr. Glessner to provide in his will that the architects should have the first opportunity to purchase his house.

Mr. Glessner was genuinely pleased that the A. I. A. should want to preserve his house and told Mr. Granger that he would discuss it with his family, etc., with the outcome that he shortly afterwards advised President Granger that he was prepared to give his home to the Chicago Chapter, A. I. A.; the property to go to the chapter at his death or prior to his death should he give up using it as a residence.

Mr. Glessner, however, made one of the conditions of his gift that until his death or during the time when he should continue to occupy his own home the architects must secure and occupy as their headquarters the Kimball house, located directly across Prairie Avenue from his home. The securing and occupancy of the Kimball house, which was made mandatory by the Glessner legacy, appeared to be too great an undertaking for the Chicago Chapter, A. I. A., to undertake alone, and the Illinois Society of Architects was invited by the chapter to co-operate in the undertaking.

Committees were appointed to represent the two organizations and were given power to act; the Chicago Chapter, A. I. A., being represented by President Alfred Granger, George C. Nimmons, and Richard E. Schmidt; the Illinois Society of Architects by President Charles E. Fox, F. E. Davidson, and J. C. Llewellyn.

The joint committee examined in detail both properties under consideration, and after several meetings and the most mature consideration, developed a plan whereby it was possible to secure by purchase the Kimball property, and thus make it possible for the architects of Chicago to secure by gift the wonderful treasure, the Glessner home.

The only feasible plan suggested was the formation of a club to own and occupy the Kimball residence. The general plan of organization of the club as suggested by President Fox and approved by the joint committee was referred to the two architectural organizations and was approved, and the committee instructed to proceed with the organization of the club.



The Kimball house.

At this time it was suggested that the club which has for years been known as the Chicago Architectural Club be taken into the organization, and upon the invitation of both the chapter and the society the Chicago Architectural Club joined in the movement.

It was also agreed, by the terms of a contract approved by the three organizations and signed by their executive officers, that the Illinois Society of Architects and the Chicago Architectural Club shall share with the Chicago Chapter, A. I. A., in all of the privileges and benefits to be derived from the Glessner gift; the other societies sharing with the chapter in the maintenance and operation of the building. The title of the Glessner home, however, will be vested in the Chicago Chapter, A. I. A., which was one of the conditions of the Glessner gift.

The plan of organization as adopted provided for four classes of membership:


First: Proprietary members. Second: Regular members. Third: Non-resident members. Fourth: Honorary members.

The proprietary members to be limited to 100 in number and each proprietary member to subscribe \$1,000 and to receive 7 per cent interest on the funds so subscribed; the proceeds of the sale of proprietary memberships to be used for the purchase of the property and the making of necessary repairs to the building to adapt it to club purposes. S. S. Beman, Architect.

The proprietary members are to pay no initiation fee, but are to pay the regular yearly dues that regular members pay. Regular members are to pay an initiation fee of \$100 each and yearly dues of \$50.

It might be noted at this point that the plan of organization as adopted by the three organizations provided that every member in good standing in either of the three organizations was by that fact eligible for membership in the new club, and that the professional members of the club shall be members of either one of the three professional organizations and that ceasing to be a member of one of the three organizations shall operate as a resignation from the club. In this way it is hoped to strengthen the three parent organizations and to make membership in the club more desirable.

It was suggested that the club could be greatly strengthened by admitting to membership the leading representatives of the various contracting organizations, the representatives of the material interests, leading bankers, representatives of the metropolitan press and others who are connected either directly or indirectly with the building industry, and the drive committee invited some twenty of the leading representatives of the various contracting and building material organizations to a luncheon, at which time the plan was discussed and was approved by every representative of the contracting and material interests attending the luncheon.



FOURTH NATIONAL BANK, MONTGOMERY, ALA.

Okel & Cooper, Architects.



BANKING ROOM.

FOURTH NATIONAL BANK, MONTGOMERY, ALA.

Okel & Cooper, Architects.

The Romance of Building

By Richard P. Wallis

SECOND ARTICLE

THE problem of obtaining a suitable cementatiousagent to bond together these blocks of masonry, or, as the Irishman sagely remarked, "to keep thim apart,' was not so readily solved, and the cautious experiments of our early masons in compounding a suitable medium for this purpose afford an interesting commentary on man's slow but successful endeavor to wrest from nature that knowledge that alone makes possible all human advancement. Man has long been aware of the pecul'ar adhesive property of cal-careous materials. This knowledge extends back probably to a period beginning some five centuries before the dawn of the Christian era. The pyramid-builders of the Egyptians utilized a gypsum binder made by lightly burning the crude gypsum rock of which the pyramids are composed. This cement proved entirely adequate in a mild and equable climate such as that of ancient Egypt, but in localities of more rigorous temperatures would be of but little value.

The Romans in the execution of their building projects utilized a powdered lime to which was added a silicious material of volcanic origin taken from Pozzuoli, at the foot of Vesuvius. To this binder, as a consequence, was given the name of Puzzolanic cement. To-day blast-furnace slag is substituted for the volcanic ash of the Romans in the preparation of the modern replica of this particular variety of cement. The hydraulic properties of this early cement made possible the great aqueducts—the scattered ruins of which to-day delineate the limits of the ancient Roman Empire. The works of Pliny and Vitruvius abound with references to the use of this material in the execution of the private and public works of the time.

Upon the decline of the Roman Empire this cement fell into disuse, and in time the secrets of its manufacture became lost. During the dark days of the Middle Ages little advance was made in the manufacture and use of cementing material. It was not until 1756 that the efforts of John Smeaton, in seeking a suitable binder for use in connection with the rebuilding of the Eddystone Lighthouse, reawakened an interest in the problem of securing a better cementatious medium. From then on an intelligent attempt was made to master the problem, and the names of Parker, Dobbs, Pasley, Vicat, Frost, Smeaton, and Aspdin stand out as mile-posts in the development of this art.

These earlier cements were what is technically known as natural cement and were produced by burning, at a low temperature, certain impure limestone—the impurities consisting of clays in varying proportions. The resulting product, when mixed with water, produced a cementing material better than anything hitherto produced. Its obvious defects were lack of uniformity, due to the crude methods employed in its manufacture and the natural variation in proportion of clay and lime existing in different deposits of cement rock.

The Portland cement of to-day is but the logical development of these early experiments. A scientifically proportioned mixture of clay and lime burned to the point of incipient fusion produces a hard clinker which when ground to a nearly impalpable powder represents the Portland cement in such common use at the present time.


It was at Leeds, England, in May, 1824—a hundred years ago—that the bricklayer Aspdin, after various experiments in burning lime dust taken from the highways, found that the clinker, hitherto discarded, resulting from subjecting the raw ingredients to a higher temperature than was up to that time considered good practice contained when ground and mixed with water certain properties that produced a cement harder and more durable than any of the natural cements then in use.

This new material was christened "Portland Cement," owing to a fancied resemblance in color it bore to the building stone, then much in favor, quarried on the Isle of Portland, off the southern coast of England.

It was not, however, until well into the second quarter



A typical brick plant.



Typical scene in terra-cotta shop.

of the nineteenth century that the practice of burning this mixture to the point of incipient fusion, one of the distinguishing features of a true Portland cement as differentiated from a natural cement, became definitely established.

In America the first cement produced was in 1818, for use in the Erie Canal. This was a natural cement obtained from a rock found near Chittenango, New York. As the advantages of cement became better appreciated, suitable rock deposits of more or less varying compositions became available in widely scattered portions of the country. The peak of production of natural cement was reached in 1899, when 9,868,119 barrels were manufactured.

Portland cement was not manufactured in this country

until the early seventies. As its advantages over natural cement became better understood its manufacture and use rapidly increased at the expense of the former. The year 1923 witnessed a production of 137,000,000 barrels of Portland cement, or the equivalent of a daily production of 375,000 barrels—an output greater than the production for the entire year of 1890.

The early methods of production were comparatively simple in their nature. The natural cement-rock was broken into small bits and placed in upright kilns of limited capacity, alternating with the layers of wood and coal used as fuel. After firing, the clinkers were withdrawn from the bottom of the kiln and ground between burr-stones operated sometimes by water-power and sometimes by windmills. The more or less finely pulverized product of these burr-stones was in turn successively screened until the desired degree of fineness was obtained.

These early natural cements were, as one might expect, extremely unreliable, owing to the variations in the composition of the natural cement-rock and to the crude and unscientific methods employed in their manufacture. The manufacturing processes of the present day are in principle essentially those of our forefathers. In order, however, to meet the demands of the building public for a standard article it has become necessary to introduce a definite scientific proportioning of the raw ingredients and a substitution of modern equipment for the obsolete machinery of a generation or so ago.


Fortunately the necessary raw ingredients —calcareous matter, such as limestone, marl, chalk, and alkali waste, and argillaceous matter, such as clay, slate, shale, and blast-furnace slag—are accessible in practically unlimited quantities throughout the length and breadth of the country.

The process of converting this earthy matter into utilitarian form commences with the quarrying of the raw materials as found in natural deposits. Great ledges of limestone are blasted into bits and the fragments reduced by the nut-cracker action of the huge gyratory crushers to a size averaging six inches or less in diameter. This coarsely pulverized product is still further reduced in fineness by subjecting it to the impact of rapidly revolving beaters contained in the so-called


hammer mill. The granulated rock is then stored in large bins. During this time steam-shovels have been busily engaged in building up stocks of argillaceous matter from the neighboring clay banks.

In case the so-called "dry process" is to be followed in the manufacture of the cement the materials are passed through huge rotary dryers to remove as much as possible of the contained moisture. In case the "wet process" is adopted, water is added to the crushed rock during the process of grinding to form a slurry; otherwise the two methods are practically identical.

From the dryers the rock is conveyed to the blendingbins, the contents of which are sampled and recorded hourly



Cement clinker being formed inside this modern rotary kiln at a temperature of from 2,500 to 3,000 degrees Fahrenheit.



A modern Portland cement plant. The manufacture of cement in a plant like this is a continuous process.

so that a proper mixture of limestone and clay may be effected.

The fine grinding of the raw material is accomplished generally in two stages: first, in a ball mill, consisting of a short cylinder filled with steel balls, and then in a tube mill, a longer cylinder carrying fifty tons or more of steel balls, flint pebbles, or other grinding medium.

From the raw mix storage the proper proportions of lime and clay are fed to the kilns. These rotary kilns are generally 10 feet or more in diameter and range in length from 100 feet to 200 feet or even more. These rotating cylinders are lined with fire brick and are slightly tilted, so that the charge of raw materials works its way through under the impetus of gravity. An intense heat, maintained at a temperature of from 2500° to 3000° F., at the discharge end is produced in the kiln by burning finely pulverized coal injected under air pressure. This great heat promotes a chemical combination of the lime and clay particles, resulting in the formation of greenish-black Portland cement clinker.

After cooling, a small amount of gypsum is added to the clinker to insure a setting time limit compatible with field requirements.

The grinding of the clinker, like that of the raw materials, is accomplished in two stages—first in a centrifugal mill and later in a tube mill, similar to that above described.

This final grinding reduces the clinker to a fineness such that at least 78 per cent of the product will pass through a sieve having 40,000 meshes to the square inch.

This process of manufacture has been aptly described as that of passing a mountain through a silk handkerchief. With this accomplishment already achieved, can one longer doubt the ability of man to set at naught the ancient Biblical injunction of passing a camel through the eye of a needle!

The finely ground Portland cement is then automatically weighed and packed in cloth and paper sacks ready for shipment to the distributors.

It is estimated that during the year 1923 the cement plants of the United States used over 15,000,000 pounds of dynamite in blasting out the 33,000,000 tons of rock utilized in the process of cement manufacture. Over 10,500,000 tons of coal, 4,700,000 pounds of fuel oil, and 4,000,000,000 cubic feet of gas were consumed during this period in the various cement plants. Replacements amounting to 320 miles of belting and 4,500,000 fire brick are necessary to compensate for the normal wear and tear on plant equipment over a period of a year. Sufficient grease to lubricate 93,000 taxicabs and enough lubricating oil to keep 46,000 additional cabs in running order for a period of a year are required annually to keep in suitable working order the machinery incidental to the manufacture of cement.

There are to-day over 225,000,000 cloth sacks in use, of which 60,000,000 are lost or destroyed annually. To make good this loss necessitates a strip of cloth 34,000 miles long and 30 inches in width, requiring some 25,000,-000 pounds of cotton for that purpose. Over 46,000 miles of wire alone are required yearly to tie the sacks that contain this magic cementatious agent.

These figures dazzle the imagination with their very vastness, but when one considers that in the year 1923 the consumption of Portland cement in the United States alone amounted to approximately 450,000 barrels per working day, or 45,000 barrels per working hour, 750 barrels per working minute, or

12 barrels per working second, it becomes evident that these figures but reflect the tremendous growth of this lusty infant industry.


The quantity production of a reliable cement has revolutionized the building industry. Portland cement when combined with fine aggregate, such as sand, produces an incomparable mortar for brick, stone, and terra cotta masonry. Combined with sand and coarser aggregate, such as crushed rock or crushed slag, a synthetic building stone is produced, limited in size only by the whims and fancies of the engineer or architect. The addition of steel reinforcement permits of subjecting this artificial stone to tensile stresses and makes possible the great structural members of concrete so universally employed by the structural engineer of to-day in the solution of his problems.

We live in a new stone age, where plastic stone, composed of cement and aggregates, is moulded into forms to suit our convenience. We have concrete buildings, bridges, retaining-walls, tanks, freight-cars, fence posts, walks, drives, silos, harbor works, canals, dams, statuary, and so on. Its possibilities are limitless, and as our engineers press onward in their quest for knowledge we may confidently look forward to a time when fire-proof concrete will replace combustible wood in the construction of those edifices essential to us in our daily walks of life.

Medusa Portland Cement, manufactured near Sandusky, of material found in the great limestone deposits of that district, was used exclusively in connection with the mortar and concrete entering into the construction of the Cleveland Library.

A special cement known as "Saylor's Reground," having a fineness such that from 95 to 97 per cent will pass the standard 200-mesh sieve, was used for setting the sidewalk light over the first floor workrooms. This fine-ground cement (standard cement passes only 78 per cent through the 200-mesh sieve) makes possible a water-proof homeogeneous concrete mass, highly essential in good sidewalk light construction, but uneconomical for general use in building construction.

This special cement is manufactured at Coplay, Pa., the birthplace of the Portland cement industry in America, in the great Lehigh cement district, and takes its name from David O. Saylor, the father of the Portland cement industry in this country.



Hollow Tile Walls Given Fire Test

Double Shell Tile Makes Good; Plaster Also Proves Aid to Fire Protection in Bureau of Standards Tests

HOLLOW building tile having double shells on the two exposed sides give very good results from the point of view of fire protection, the Bureau of Standards finds. The exposed shell serves as a protection for the rest of the tile, and in order to distribute the stresses properly, the webs connecting this outer shell with the inner wall of the tile should be thinner, or less in number, than the webs back of the inner wall.


Gypsum and Portland cement plaster coatings over hollow tile will stay in place during ordinary fire exposure, and will give about the same protection from fire as the addition of one wall and cell to the thickness of the tile.

The addition of a combustible filler, such as sawdust, to the clay in amounts from 5 to 15 per cent by volume, decreases the cracking of the burnt tile when exposed to fire, but has the disadvantage of producing a decrease in strength for the larger amounts of filler, thus lessening the ability of the tile to carry load under fire exposure.

More than one hundred tests of small tile panels have been made, the panels forming one side of a special furnace. Eight tests have been made on walls eleven by sixteen feet, and these are the first of a series of fifty fire tests to be conducted on hollow tile walls in the near future. Some of these walls will be tested restrained by the heavy panel frame, as they would be if supported by cross walls during an actual fire. Others will be unrestrained, being supported only at the bottom. In some of the tests the walls will carry their normal working load.


Other points found to add to the quality of tile are sufficiently fine grinding of the raw material, the even burning of the clay to normal hardness for that particular clay, the provision of sufficiently heavy shells and webs, and the use of ample fillets where the webs join the shell.






HOUSE, ALEXANDER GRINAGER, TUCKAHOE, N.Y.

John H. Phillips, Architect.





LICHGUINDINAL ///CTICN

John H. Phillips, Architect.

TILLT FLICE TLAN

and the second second

And the second

人口酒酒


8

11

100 10

ARCHITECTURE







HOUSE AT ST. DAVIDS, PA.

Wallace & Warner, Architects.


Note.-Plans are here reversed.









HOUSE, H. E. BETELLE, ROSEMONT, PA.




Wallace & Warner, Architects.






E, ALBERT SHORT, DREXEL PARK, PA.




Wallace & Warner, Architects.






RESIDENCE FOR O. B. ILES, INDIANAPOLIS, IND.




JECOND SLOOP

C. T. Myers, Architect.





RESIDENCE FOR O. B. ILES, INDIANAPOLIS, IND.



JECOND FLOOR

C. T. Myers, Architect.

An Architect's Simple Engineering Problems

By DeWitt Clinton Pond, M.A.

TENTH ARTICLE

In the previous articles different types of floor construction have been gone into very thoroughly, and the reader should be able to design almost any kind of floor for ordinary structures by means of information given in them. Nothing, however, has been said of supports for floors such as walls, columns, and piers.

Under ordinary circumstances the supports for floors are the walls of the building and piers or columns in the interior. Skeleton construction, in which the exterior walls do not carry the floor construction but are actually carried themselves upon spandrel beams, is a method of building that has reached its greatest development during the last few years, but which is confined to the larger buildings. When skeleton frames are used the engineering problems encountered in the design are numerous and complicated, and an engineer's experience is necessary for design. However, great numbers of buildings are of a more modest type, and often the question of deciding upon the thickness of walls or piers of the sizes of columns is no difficult matter, and the architect need not call upon an engineer for aid.

Ever since the beginning of civilization men have used walls to carry the roofs under which they sheltered themselves. It is probable that all early methods of deciding upon the thickness of the walls were arrived at through experience, and no one will ever know of the failures of walls and lives lost due to early attempts to construct the equivalent of modern speculative construction. Even to-day the thickness of masonry walls is based upon good practice arrived at through experience—rather than upon scientific experiments or calculations.

Very little need be said with regard to frame construction, for except in very rare cases floor loads in this type of building are so small that there is very little danger of failure due to lack of strength in the walls.

With regard to masonry walls, the thickness of these are usually specified in the building codes of the cities which have adopted building regulations. The architect or engineer who is familiar with the requirements of the codes of such cities as New York, Chicago, Cleveland, San Francisco, or cities of this type, are often astonished to find that there are many smaller communities with no codes at all. In such cases it is customary to fall back on the code of the nearest large city. As a rule there is very little difference between the requirements of the various ordinances, and the practices with regard to the thickness of masonry walls are largely standardized.

The New York Code is one that covers conditions in a manner that is characteristic of most of the others. In this code most of the conditions that are imposed upon masonry walls are provided for. The fact that the thicknesses are determined largely as a result of satisfactory experiences accounts for the walls of residence buildings being classified as different from those of public or business buildings. For long spans or unusual heights additional thicknesses are provided. The reasons for such classifications are obvious. Residences have lighter floor loads than business or public buildings, and where a long span exists between walls the loads at each end of the floor beams are naturally increased, requiring more substantial supports.

According to the New York Code the walls of small residential buildings may be 8 inches thick, provided such buildings are not more than 40 feet in height and the 8-inch walls do not exceed 50 feet in length between cross walls or adequate buttresses. As most houses do not exceed these dimensions, it is possible to use 8-inch walls in almost any type of country residences under such a ruling.

In residential buildings of a larger type, such as apartment-houses, when over 75 feet in height the walls must be 12 inches thick for the uppermost 25 feet, 16 inches for the next lower 35 feet, 20 inches for the next lower 40 feet, with a 4-inch increase for each additional lower section of 40 feet.

If buildings of this type are not over 75 feet in height the thickness of the masonry walls must be 12 inches for the uppermost 55 feet and 16 inches below that. The wall thicknesses given are carried to the nearest tier of beams to the heights specified. This makes it possible for a builder of an apartment-house 60 feet high to use 12-inch wall for all stories above the foundation walls. Foundation walls are required to be 4 inches thicker than the wall above them, so such walls would be 16 inches thick in any case.

In public or business buildings the thickness of brick walls is increased. For buildings 75 feet in height the uppermost 25 feet must be 16 inches thick, the next lower 35 feet must be 24 inches, and the thickness is increased 4 inches for every additional 40 feet.

When public or business buildings are over 60 feet but not over 75 feet in height, the uppermost 50 feet of wall must be 16 inches thick and 20 inches below that, and when over 40 feet but under 60 feet in height, the uppermost 20 feet of wall may be 12 inches thick and 16 inches thick below.

When buildings of this type are not over 40 feet high the walls may be 12 inches thick throughout.

These rules apply to brick walls of the ordinary type, and may be considered as minimum requirements. If stone walls are used, or ashlar facing, or if there are a large number of openings in the walls, or other conditions are encountered, as stated below, then the wall thickness must be increased.

It might be well to note that in accordance with the New York Code, walls of hollow building-blocks cannot be used as bearing walls in buildings over 40 feet high, but that the inside 4 inches of walls may be built of hand-burnt hollow brick of the same size or dimensions of ordinary brick. Furring blocks on the inside of masonry walls cannot be included in the measurement of the thickness of such walls.

In the ordinary brick-masonry walls the thicknesses given above must be increased if the clear span between bearing walls is over 26 feet, and 4 inches must be added to the wall thickness for every $12\frac{1}{2}$ feet or part thereof that the span exceeds this dimension.

To-day almost all walls are laid up in cement mortar, and under such conditions it is not necessary to make a masonry wall thicker on account of openings in it due to windows or flues, unless such openings reduce the horizontal area of the wall by 45 per cent. If the reduction exceeds 45 per cent, then 4 inches must be added for every 15 per cent or fraction thereof lost in the wall area due to such openings. If walls are laid in lime mortar, then the reduction in area cannot exceed 30 per cent, unless the thickness is increased, as stated above.

If walls are more than 105 feet long between cross walls or buttresses, they must be made 4 inches thicker for every 105 feet or part thereof it exceeds this length. From what has been stated above it can be seen that if a wall is unusually long, or if there are many windows in it, or if the distance between it and the adjacent bearing wall is long, then it must be increased in thickness, but there is a provision in the Code stating that in case any wall is increased in thickness in accordance with one of the requirements given above, it will not be necessary to further increase the thickness unless, in the opinion of the superintendent of buildings, the safety of the wall demands it.

Ashlar can be included in the thickness of a masonry bearing wall provided it is laid up with alternate courses 8 inches thick, but a mere facing of face brick or 4-inch ashlar tied to the wall by clips cannot be considered in such thickness.

Masonry walls of brick as supporting walls must be of the thicknesses given. It can be seen that there is nothing scientific about the determination of the thicknesses. Ordinary engineering practice, as will be shown in later articles, requires that such determination is made upon the basis of first finding the loads, which rest upon the supports, and then developing the design of the columns or piers on the basis of the strength of the materials out of which they are made. However, it is probable that there can be no other method of developing wall thicknesses that would be of practical use.

Rubble walls must conform to still further limitations, as such walls, except for foundations, cannot be used in buildings over 60 feet in height. Walls built of rubble stone must have a thickness of 4 inches more than given above for the minimum requirements of masonry walls, and in no case can they be less than 18 inches in thickness.

Masonry piers are designed so that the proportion between the least dimension and height must be 1 to 10. In other words, a pier 10 feet high must have a least dimension of 1 foot.

Such thicknesses as are given above are subject to revision if there is any doubt about the stresses developed in the walls or piers due to the loads that must be supported. In a previous article the safe carrying capacity of brickwork laid in cement mortar was given as 250 pounds per square inch, and so, if there were any question as to whether a wall were strong enough to carry a given load, the area over which the load is carried could be found and this multiplied by the allowable stress. If the result is smaller than required to support the girder or floor load, the area of the supporting wall must be increased either by adding to its thickness or spreading the load by means of steel beams or plates laid along the wall.

This was taken up partially in a previous article in which plates were placed under beams that were framed into masonry walls. In some cases, often in school construction, plates are not sufficient, and steel grillages are used to support the ends of girders spanning across auditoriums or gymnasiums.

This design or a grillage of this type will be taken up in the next article. There is nothing particularly difficult about such work, as the problem consists of dividing the load by the allowable stress and by this method determining the area over which the load must be spread. If the wall is of a predetermined thickness, then the length which must be covered by grillage-beams is easily found by dividing the area by the thickness. The beams that cover this area act as cantilevers, with uniform loads pressing upward rather than downward. There is nothing new in such calculations. However, there are some cases where the loads at the ends of girders are great enough to cause failure through crushing. In this case the web thickness must be of such dimensions that the area of steel coming directly under the girder end will be great enough to support the load. In some cases it is necessary to use channels placed back to back in much the same manner as found in grillages under columns.

Walls as supports are usually not carried above six stories in height. When buildings are higher, then columns are used in the exterior walls to carry floor loads in the same manner as they are used in the interior of almost all buildings. In such cases the exterior walls become "curtain walls," carrying only their own weight. They may be 12 inches thick for the uppermost 60 feet of their height, increasing 4 inches in thickness for each next lower section of 60 feet.

In some cases, where it is desirable to be as economical in the use of steel as possible, walls are regarded as curtain walls for 60 feet of their height, and are carried on the steel frame-work above this height. In any case, the walls need not be more than 12 inches thick, and throughout the lower portion their weight is not carried by the steel.

Another Small-House Competition

M cCALL'S MAGAZINE announces a programme for a small house, which challenges the ingenuity and resourcefulness of the designer.

The keynote is precedent, that is, proper precedent for a small house. It is not to be a mosaic of antique features, but a thoroughly modern house, in which has been inculcated the spirit of the old work in so simple a manner as to be readily recognizable, yet altogether reasonable in the light of modern improvements and use of materials.

The house must be a really *small* one, the cubage being restricted to 18,000 cubic feet.

The solution must be practical and the house buildable. The requirements and limitations in the programme have been carefully drafted with the object of securing this result.

AWARDS.—The author of the design placed first will receive a cash prize of \$1,000. The second prize will be \$500. The jury of award will also select a few designs which may be considered worthy of honorable mention.

DRAWINGS REQUIRED.—1. Perspective and floor plans. A brief article justifying the selection of the particular precedent used and its application and calling attention to any special features. 2. Working drawings and specifications for use in construction.

JURY OF AWARD.—The following architects have been engaged to assist in the conduct of this competition and they will comprise the jury of award: Alexander B. Trowbridge, New York; Edwin H. Brown, Minneapolis; John Russell Pope, New York.

THE PROBLEM.—A six-room house for a 50 by 100 foot improved inside lot of specified frontage; particular attention to be given to orientation.

REQUIREMENTS.—The competition is educational in character—educational, not for the architect who is supposed to know, but for the laymen, on whom are continually foisted plans and houses of inferior character.

The competition closes October 31, 1925.

Drawings shall be delivered to Miss Marcia Mead, Consulting Architect to McCall's Magazine, 236 West 37th Street, New York, N. Y.

All architects and draftsmen of the United States are invited to participate in this competition.

Programmes may be secured from Miss Mead.

American Construction Council on Better Building

"ONE very serious situation confronting the country requires special attention. A large percentage of present-day building construction throughout the country is distinctly inferior in quality and unsound in financing. Thousands of such structures now under way or recently erected, especially in housing, are subject to such rapid deterioration that within ten years' time, sometimes less, they will be practically valueless. This rapid depreciation, coupled with unsound methods of promotion, must entail enormous loss on the principal investment, besides entailing serious expense and heavy additional burdens for repairs and maintenance after a few years. A still further burden is added by the higher rates of insurance due to the use of inferior materials and poor construction. All these make for higher rents.

This situation results from the activities of irresponsible groups found in every element of the industry. Faulty engineering, unreliable architects, inexperienced and incompetent contractors, inferior grades of materials, poor mechanics, inadequate and poor inspection, and other bad factors too frequently enter into building work. These have serious effects but no more serious than unsound financing. Mortgage bonds are issued and on speculative buildings. Many such issues are based on improper security and fictitious statements of earnings at abnormal interest rates. They find buyers because of the general ignorance existing in many quarters as to the requirements for good real estate securities. Such purchasers are usually those who can least afford to be victimized. Every element of the industry must bear its proportionate share of the blame for the vicious practices not infrequently found in building projects to-day, and for permitting practices within its ranks that do not measure up to proper standards. "To further the interests of the business of building and

"To further the interests of the business of building and a general adoption of the principles of better building the Council has appointed a special and fully representative committee of men vitally interested in the desirable ends to be gained. This committee will make a survey of conditions and recommend correctives where deemed necessary.

"The Council's programme for the training of apprentices and the development of improved craftsmanship in the building trades is calculated to benefit greatly this situation. Apprenticeship is a national question and cannot be solved merely by treatment in isolated spots without regard to the other sections of the country and national needs as such. The American Construction Council, as the national body representative of all elements in the construction industry and the public and co-operating with the various localities and branches of the industry, thus has in its apprenticeship work a most effective means for furthering the principle of better building in addition to other desirable ends to be gained through apprentice training.

"The foregoing measures, combined with the Council's help in reducing the seasonal variations in building operations with their bad effects on quality of construction, particularly during the rush periods of the year, and its assistance in the promotion of organizations in the different localities of the country by bringing together the various elements of the industry in these sections as a part of its national movement to promote responsibility and intelligent co-operation in all of their aspects, furnish the basis for securing very practical results to industry generally and the public."

Starved Glue Joints

MANY failures in glued-up wood are caused by "starved" joints, or joints in which the film of glue between the wood surfaces is not continuous. Such joints, according to the Forest Products Laboratory, Madison, Wis., are not necessarily the result of a lack of glue spread on the wood; heavy spreads are as likely to produce them under ordinary commercial conditions as light spreads. They are caused rather by the application of pressure to the joint while the glue is too fluid.

Starved joints are more likely to occur with glues of low viscosity, such as warm animal glue and most blood albumin glues, than with casein, vegetable, and other thick glues.

Some woods are more susceptible to the production of starved joints than others. Birch, maple, red oak, and ash, which have open pores, absorb glue from the spread in such considerable amounts that they often leave the joints starved.

About the American Institute of Architects

WE have received an attractively printed folder, "Manual of the American Institute of Architects," that contains information concerning the purposes, requirements for membership, and plans for the development of this admirable organization. The institute is a power for good in advancing the best interests of the profession. The executive offices are in the famous Octagon in Washington, designed by William Thornton, 1761–1828.

Announcements

Charles Sheres, architect, announces that he is now located at 70 East 45th Street, Room 2613, New York.

The firm of Whinston and Hurwitz has been dissolved as of September 1, 1924. Mr. B. H. Whinston will open new offices at 6 East 46th Street, New York City. Manufacturers' samples and catalogues are requested.

G. A. Pehrson, Architect, Spokane, Wash., announces the removal of his office to 308 Spokane and Eastern Trust Building.

Andrew J. Sauer & Co., Architects and Engineers, announce the removal of their offices to the Schaff Building, northwest corner 15th and Race Streets, Philadelphia. They are organized to provide professional skill necessary for the development of any complex problems in the construction of buildings and complete equipment.

These are the days of great gifts to colleges for building, and certainly our collegiate architecture as represented by recent work at Yale, Princeton, the University of Michigan, Northwestern University, and other famous seats of learning may be looked upon as worthy contributions to the culture they are helping to spread abroad. James Gamble Rogers, the master builder of the Harkness Memorial at Yale, is the architect of the new buildings for Northwestern. With him will be associated hereafter the well-known Chicago firm of Childs & Smith, whose admirable work we have had the privilege of publishing a number of times. Kansas City Life Insurance Co., Kansas City, Mo. Wight & Wight, Architects. Permanent floors of *Gold Scal* Battleship Linoleum installed by Bonded Floors Co.

> A definite guarantee of permanent linoleum floors

A few architects who use Bonded Floors service

Alfred C. Bossom Cass Gilbert Albert Kahn McKim, Mead & White Meade & Hamilton Kenneth Murchison John Russell Pope Starrett & Van Vleck Stevens & Lee Walker & Gillette York & Sawyer It is not enough, nowadays, to provide quiet, foot-comfort and harmony in selecting floors for banks, business establishments, public buildings, etc. Your clients rightly consider the resilient floors as much a part of their permanent investment as the roofs and ceilings; and, as such expect durability—permanence.

A Bonded Floor of *Gold-Seal* Battleship Linoleum meets this most important requirement as satisfactorily as it does all others. Definite pledge of durability—built in by skilled workmanship and the use of only highest quality materials—is the Surety Bond. This Bond against repair expense is assurance of long and satisfactory service, and is obtainable with any Bonded Floor installed according to our specifications.


The architect's responsibility ends when he writes into the specifications that a Bonded Floor of Gold Seal Battleship Linoleum is to be installed—the owner to receive the Surety Bond, issued by the U. S. Fidelity and Guaranty Company.

BONDED FLOORS CO., INC.

Division of Congoleum-Nairn Inc.

New York + Boston + Philadelphia + Cleveland + Detroit + Chicago + Kansas City San Francisco + Los Angeles + + + + + + Distributors in other principal cities





When doors are open the lock plate of the Mechanical Interlock is thrown forward and around handle of the car controller, which positively locks it, and prevents operation of the car.



41

Elevator safety reflected in lower casualty insurance



The "Always Dependable Line"

(618)


R-W Ideal Elevator Door Hardware, so perfect in mechanical construction and faultless in functioning, is typical of any item of R-W manufacture. Hangers for fire, industrial, house, barn or garage doors embody all R-W requirements of mechanical excellence, and give the R-W standard of service-and there's none higher. The Engineering Department is YOUR department, ready to help you solve any doorway problem, and without cost or obligation. Use it freely. Let it carry your load.

R-W Ideal Elevator Door Hardware includes Electrical or Mechanical Interlocks. This absolute safeguard against the possibility of accident means a reduction of 10% in casualty insurance premiums. Equipped with it, no elevator door can remain open. R-W Ideal Elevator Hardware is silent, swift and sure. It includes closers and checks, hangers for single-speed, two-speed and three-speed doors; doors operating from both sides, and combination swing-out doors. Too much thought cannot be given to elevator safety.



AURORA, ILLINOIS, U.S.A.

New York Boston Philadelphia Cleveland Cincinnati Indianapolis St. Louis New Orleans Chicago Minneapolis Kansas City Los Angeles San Francisco Omaha Seattle Detroit Montreal · RICHARDS-WILCOX CANADIAN CO., LTD., LONDON, ONT. · Winnipeg



Architects and every one interested will find here the latest and most up-to-date information on building equipment. These publications may be had by addressing SERVICE DEPART-MENT, ARCHITECTURE, 597 Fifth Avenue, New York, or by addressing the companies listed below in which below, in which case please mention ARCHITECTURE

NEW SPECIFICATIONS FOR WATERPROOFING AND DAMPPROOFING

The Truscon Laboratories of Detroit, Mich., have just published new and revised specifications on all their Waterproofings in a 36-page book, size 8½ by 11 inches. This book contains complete specifications on

waterproofing mass concrete, waterproofing cement stucco, brick, masonry, also various dampproofing paints, oilproofings, and quick-set for concrete. Each specification is complete with full information how to use, quantity required, and illustrations.

This book is free to architects, engineers, and contractors desiring information.

DETAILS OF TIMBER-MILL CONSTRUCTION

Architectural designers and draftsmen will Architectural designers and draitsmen will greatly appreciate a recent important contribution to technical information issued by the National Lumber Manufacturers Association, 402 Trans-portation Building, Washington, D. C., under the title, "Details of Heavy Timber Mill Construc-tion." This bulletin, which is just off the press, il-lustrates good practice in heavy timber-mill con-struction detailing, and furnishes a distinct service not elsewhere available in compact and simple form. form.

A NEW TREATISE ON SCHOOL VENTILATION

A very instructive piece of literature has been issued by the Austral Window Co., 101 Park Ave-nue, New York, replete with specifications, draw-ings, and photographs, that has to do with better ventilation, control of light, and greater light area in schools.

in schools. The booklet says in introduction: "Window ventilation for school buildings has steadily gained in popularity, with the result that the large majority of schools now being erected are provided with window ventilation. "How extensively Austral Windows are being used in schoolhouse construction by prominent architects throughout the country, will be noted from the reproductions herein.

from the reproductions herein.

"The Austral Window provides a permanent source of health and comfort for those occupying the classroom, and that without any additional cost.

tion for good ventilation-for pure air without drafts." "It satisfies the demand of the present genera-

Architects, draftsmen, specification writers, en-gineers, and students will find here data they want to know about and file.

RECOMMENDED BUILDING CODE

This code was first issued in June, 1923, by the Portland Cement Ass'n, 111 West Washington St., Chicago. While no important changes have been made, some sections have been modified in accordance with recent developments. For in-stance multication of the new report of the "Long accordance with recent developments. For in-stance, publication of the new report of the "Joint Committee on Standard Specifications for Con-crete and Reinforced Concrete" necessitated some changes in Section 45 in order that the code might conform to that report.

THREE BOOKS FOR THE ARCHITECTS' FILES have been published by David Lupton's Sons Com-

pany, of Philadelphia: "Lupton Casements of Copper Steel." "Lupton Pivoted Sash."

"Lupton Steel Equipment for Factories, Stores, and Offices." Each book is handsomely printed and contains valuable reference material.

HOW SHOULD YOU BUY A HEATING SYSTEM?

In introduction to this interesting folder which shows pictorially the elements which go to make up their business, Warren Webster & Co. say: "Whatever type building you are interested in —the heating system is of first importance. "The heatth and comfort of composite the pro-

"The health and comfort of occupants, the oper-

ating cost, and the rental and resale value depend in large measure on an adequate heating system. "When you want to buy a motor car you choose a *complete car* to meet your needs, and you depend

on the maker to stand back of it-to service it. No one ever tries to "shop around" for better prices on carburetors, tires, lamps, and other component parts.'

BONDED FLOORS, 1421 CHESTNUT STREET, PHILA-DELPHIA

has issued the following literature of interest to the profession:

The "Distinctive Floors" Series. Four pam-phlets, illustrated in full color, each describing and picturing a resilient floor material, as follows:

(1) Battleship Linoleum. Explains the advan-tages and proper use of this durable, econom-ical material.

(2) Treadlite Tile. Shows a variety of color and patterns.

(3) Rubber Tile. A description and color photo-graphs of this colorful, marble-like, resilient tile.

(4) Natural Cork Tile. Description and color-

plates. Linoleum Specification. Folder, 8¼ by 11, 8 pp. Standard specification for installation of battleship linoleum, with detailed description and explana-tion. Also includes copy of Federal Government

Specification No. 209. Practical Working Specifications-for installing battleship linoleum, treadlite tile, rubber tile, and cork tile.

DELCO-LIGHT COMPANY, DAYTON, OHIO

have recently issued their new booklet on "Frigid-aire" for the apartment-house. There has he for the apartment-house. There has been a rapid growth in interest in electric refrigeration for the apartment-house as well as the single residence.

CONSTRUCTION PROJECTS ABROAD

Large Australian Department Store to Build Additions.

Plans have been completed for extensive altera-Plans have been completed for extensive altera-tions and additions to a large department store in Melbourne, Vice-Consul H. E. Coates, Melbourne, informs the Department of Commerce. The new company, which is to control this enterprise, is reg-istered with a capital of £3,000,000. The com-pleted structure will be eleven stories in height.

Large Orphan Asylum Project in Spain. A provincial deputation recently voted to build an orphan asylum, capable of caring for 1,500 poor boys, on lands ceded by a town government, Con-sul A. W. Ferrin, Madrid, informs the Department of Commerce of Commerce.

Office Building and Department Store in Brazil Planned.

An important department store has purchased a An important department store has particulated a plot of ground in a Brazilian city and is drawing up plans for the construction of a modern office build-ing and department store, the American Consul-ate, Rio de Janeiro, advises the Department of Commerce.

CONTRACTS IN VIRGINIA

The American Institute of Steel Construction says that one of its Virginia members was com-pelled to reprint all its contract forms for use in that State.

In 1920 the Legislature of Virginia adopted a statute which provides that any contract executed within the State of Virginia is not enforceable in the courts thereof, if it contains printed clauses or conditions which are printed in type of a size less than ten-point. In several instances where this law was tested in the courts, the statute has been upheld as constitutional.

ACROBATS OF THE SKYLINE

is an interesting article issued by the American In-stitute of Steel Construction, 350 Madison Avenue, New York. Its interest follows through the arti-cle, which begins with: "Hundreds of feet above the street a pigmy figure glides across a cobweb. Near by, one of his fellows leans far over nothing press to catch a glowing right target across have ness to catch a glowing rivet, tossed casually aloft from the furnace. Another ant-man is driving home one of these rivets with a mighty clatter of air-gun, while still another pilots a girder into place as surely as though his feet were on solid earth in-stead of a hand's breadth of steel !"

This institute has also issued in pamphlet form discussions by J. H. Edwards, American Bridge Co., and John Brunner, Illinois Steel Co., of the recent address of Lee H. Miller, delivered before the American Issue and Stati Lutitute. the American Iron and Steel Institute.


W. R. Sweatt, president of the Minneapolis Heat W. R. Sweatt, president of the Minneapolis free Regulator Company, announces the opening of a new factory branch office at Boston, Mass. The rev office, located at 462 Boylston Street, will be formally opened about July 15th. George Kings-land, who was manager of the St. Louis Branch of the Minneapolis Company, will be in charge of the the Minneapolis Company, will be in charge of the new office.

Late in May the Structural Slate Company, Pen Argyl, Pa., held a three-day sales conference, at-tended by the managers of its branch offices from all over the country. Questions dealing with con-tact with architects, workmanship, and the marketing of the new product, known as Struco Slate, were discussed at length. Another important point brought out at the conference was the necessity for making a revision and addition to the standard types of toilet enclosures and shower stalls, to meet changing conditions.

AUGUST, 1925.

ARCHITECTURE

TERRA COTTA



Jefferson Standard Life Insurance Company Building, Greensboro, N. C. Charles G. Hartman, Architect. Excepting base course and plain granite ashlar surrounding arched windows of lower story all exterior masonry material is unglazed granite colored Terra Cotta, including the arched entrances with their elaborate ornamental detail.

Economy, durability and beauty of effective mass coloring all make Terra Cottapre-eminently the logical material for the main exterior finish of the modern office building. Literature on color and appropriate precedent with Standard Specifications covering the proper manufacture, furnishing and setting of Terra Cotta will be furnished on request. Address:

NATIONAL TERRA COTTA SOCIETY 19 West 44th Street New York, N. Y.

AUGUST, 1925.



The flushing rim washes the ledge continually while the fountain is in use, preventing the danger of contact with a dry surface. Construction of the supply chamber keeps stream at a uniform height. Note in the cross section how waste and supply pipes are concealed in pedestal. A wide range of designs and prices enables you to select the right fountain for every purpose.


> TRENTON POTTERIES COMPANY TRENTON, N. J., U. S. A. BOSTON SAN FRANCISCO NEW YORK



"Cadwalder" Fountain. Fitted with china bubbler, self-closing, oscillating handle valve. Two-fire vitreous china.







A home in the Country Club District, developed by J. C. Nichols Investment Co., Kansas City, Mo. Van Brant and Hertz, Kansas City, Architects; U. S. Water & Steam Supply Co., Kansas City, Plumbing Jobberty, Kansas City Plumbing & Heating Co., Plumbers



In Kohler Village To the beauty of the homes of Kohler Village is due in no small measwre the quality of Kohler products – enameled plumbing ware and private electric plants

WHENEVER the roll is called of America's finest residential developments, the famous Country Club District of Kansas City is certain to be named among the first.

In a large proportion of the homes in this district, the J. C. Nichols Investment Co., its developers, have used Kohler Ware. In the typical house illustrated above are two "Viceroy" built-in baths, two pedestal lavatories, and a twin-drainboard sink of Kohler make.

The beauty of Kohler Ware and the quality and uniform whiteness of its enamel—always signed with the name "Kohler"— make it a fitting choice for the finest homes; just as its reasonable cost suggests its use for less expensive installations.

Kohler Co., Founded 1873, Kohler, Wis. Shipping Point, Sheboygan, Wis. BRANCHES IN PRINCIPAL CITIES

KOHLER OF KOHLER Enameled Plumbing Ware

AUGUST, 1925.

AMERAC METAL eliminates upkeep




The new Kawneer

all-metal, rustless casement and weight-hung windows are fabricated from Ambrac Metal. They are permanently weather-tight. AMBRAC Metal does not require paint, for it is rust-proof. This quality, together with its fine grain structure and natural smoothness of finish, makes the lubrication of movable parts unnecessary. Whether exposed to the weather or not, Ambrac Metal eliminates upkeep.

Ambrac Metal is composed chiefly of Copper and Nickel. It is a beautiful metal, white clear through with the surface assuming a light green tint on exposure. It is so ductile that it can be worked into any desired shape, yet it has the strength of mild steel, and will last indefinitely.

Ambrac Metal was developed by The American Brass Company to fill a long-felt need for a strong white metal highly resistant to corrosion. Architects find it especially appropriate for windows, door frames, grille work and general metal trim.





More than 20 years ago The Kawneer Company designed and marketed the first Rustless Metal Store Front. Now The Kawneer Company is offering the first Rustless Nickel-Silver Window. Fabricated to size in the modern plant shown on the reverse side of this page, Kawneer Nickel-Silver Windows, in addition to many other features offer:

PERMANENCY-being made of Nickel-Silver they


will not rust nor corrode, in fact, will outlive the best constructed buildings.

ADEQUATE WEATHERING—this is provided by the heavy gauge, specially designed, interlocking members.

CONTINUOUS SATISFACTORY OPERATION—this is assured by using Solid Nickel-Silver with all joints thoroughly welded.

Complete details and specifications will be sent upon request or full size models shown.





Home Offices and Factory The Kawneer Company Niles, Mich.


More than 260,000 Store Fronts Produced in Twenty Years

This large industrial plant is the result of Kawneer foresight and pioneering in Copper Store Front construction.

Designed by an architect who had specialized in the construction of business buildings, Kawneer Solid Copper Store Fronts met with immediate favor. Now you can name no line of business that Kawneer Fronts have not benefited. They have not only added beauty and visibility, but have actually stimulated sales for Drug, Shoe, Hardware, Motor Sales, Electrical, Furniture, Jewelry, Women's, Men's, and scores of other retail stores. Kawneer Booklets assist in laying out your Store Front plans. Write for copies today.

are designed and manufactured





Aerial View of the University of Notre Dame, Notre Dame, Ind. Founded 1843. Fresent enrollment more than 2100 students. This large group of buildings is heated thruout by a Webster Vacuum System of Steam Heating from a central heating plant.

"—dated June 27th, 1899"



Technical Description Sent on Request

Are you interested in large Vacuum System installations? A technical description of the Webster Vacuum System installed in the She ton Hotel will be sent to architects or engineers on request. THERE is a wide difference between sales and service—a wide difference between promise and performance Witness: the Webster Vacuum System installation at the University of Notre Dame. The first proposal for a Webster Vacuum System was dated June 27th, 1899. The first Webster installation was completed in 19C0 and contained 16,913 square feet of radiation And then—twenty five years of Webster Service As additions and changes were made the Webster Vacuum System kept pace with the growth of the institution. New developments in the art of heating were promptly incorporated as the system was extended to all the new buildings. Today this 25-year-old Webster Vacuum System of Steam Heating is thoroughly up to date and contains 99,080 square feet of radiation.

150

We would like to give you the inside facts on Webster Service..... We would like to tell you how Webster Service is working *with* architects, engineers and their clients—getting on the job at an early stage in the planning and never quitting during the life of the installation.

Warren Webster & Company Pioneers of the Vacuum System of Steam Heating Camden, N. J. 50 Eranch Offices



More than 34,000 installations in America's finer buildings

Please mention Architecture in writing to manufacturers

AUGUST, 1925.

50

One-Piece Multiflex Bellows

are manufactured in all sizes for our

own products. Manufacturers using or contemplating the use of bellows

will find a reliable source for their

requirements at our factories. Full

information upon request.

Seamless One-Piece Multiflex Metal Bellows

are a fundamental part of Bishop & Babcock Heating Specialties and Temperature Regulation. In the manufacture of these vital parts for the construction of thermostatic traps, valves, and other devices, The Bishop & Babcock Mfg. Co. exercise the same care and rigid adherence to high standards that characterize all of their products.

The Company is entirely independent of all outside sources of supply for delivery of the finished product and the responsibility for perfection of the article. Bishop & Babcock Multiflex Bellows have always been made in our own plants. You can depend on products which carry with them the trade name MULTIFLEX.

THE BISHOP & BABCOCK MFG. CO. General Offices and Factories Offices in Principal Cities

BISHOP & BABCOCK HEATING BECIALTIES

For window comfort and smart appearance

THE comfort of a great newspaper staff, working under high pressure 24 hours a day, as well as the imposing appearance so important to the home of a prominent journal, undoubtedly governed the choice of Lupton Double Hung Windows for this modern skyscraper.

The dignified beauty, weather-tightness and easy operation of these galvanized steel-plate windows have led to their widespread adoption for many other high-grade office buildings, large and small, where efficiency and comfort must be attained.

Write for catalog 12-E DAVID LUPTON'S SONS CO. Founded 1871 Allegheny and Trenton Aves., Philadelphia Newark New York Dallas Buffalo Arlanta Detroit Chicago Cleveland Baltimore Pittsburgh Los Angeles Boston The Elwerson Building, Phila-delphia. Rankin, Kellogg & Crane, Architects. Roydhouse-Arcy Co., Contractors. Home Arey Co., Contractors. Home of The Philadelphia Inquirer. RSON BUILDING FUTURE HOME OF While various Lupton Steel Sash products are used throughout this enormous plant, we particularly wish to emphasize the specification of nearly 400 Lupton Double Hung Windows in the office elevations

ica Apartments etroit, Mich.

Archuects : Beckett & Akitt

Bradentown, Florida

Levy, Clarke & Bergen

Beckwith Apartments Oakland, California Architeer Julja Morgan

Fenestra for

Built to Satisfy

the Apartment Owner
the Apartment Dweller
the Architect

The apartment *owner*, is the first person to be satisfied with the windows. He recognizes that bright, well ventilated, cozy rooms help rent the apartment. He sees an investment value in windows of steel that are fire-resistant as well. But he watches the cost. And when he finds that Fenestra Casements give him these investment and quick rental advantages without adding to the cost of the building, HE'S SATISFIED.

The apartment *dweller* is another factor in the choice of window construction—more so than ever today. Window beauty and coziness, window conveniences, such as easy wash-

> Rye, New York Architects: Van Wart & Wein

Casement Windows Apartments

ing and easy operation, an abundance of light without eating up too much wall space and thorough ventilation are some of the Fenestra advantages which influence the renting of apartments.

The architect wants the owner and the dweller to be satisfied. But he must be satisfied himself—the windows he chooses must add to the architectural beauty of the structure, they must harmonize with the decorative motif of the building, and they must be fully suited to the type of construction selected and completely conform to other details of the building. That Fenestra Casements do meet with these rigid requirements of the architect is evidenced by their use in beautiful apartments in every section of the country.

When any building material has these three-fold points of satisfaction, isn't it worthy of your consideration? Why not let us send full information?

DETROIT STEEL PRODUCTS COMPANY East Grand Boulevard, Detroit, Mich. Factories in Detroit, Mich., Oakland, California, and Toronto, Canada. For Canada: Canadian Metal Window & Steel Products, Ltd., 160 River St., Toronto, Ont.

> Larchmont Gables Apartments Larchmont, N. Y. Architect: L. S. Beardsley

homes and apartments schools and institutions commercial buildings all industrial structures


tenestra

Please mention Architecture in writing to manufacturers

Trinity Apartments Waterbury, Conn. schutect; Wm. B. Hunt

AUGUST, 1925.

Roof Beauty That Never Dims



Seig & McDaniel, Architects, Memphis, Tenn.

The staunch endurance and arresting beauty of old world tile roofs command the reverent regard of architects and the lively admiration of travelers.

A great number of beautiful roofs in America are replicas of the most charming roofs of ancient lands, produced with all the care and competence of the Hood process.

> Architects are cordially invited to request full particulars

Address Roofing Tile Dept. "A" DAISY, TENNESSEE

Hood Distinguished Roofing Tiles

"RIVIERA" True Spanish Mission Style "HABANA" (Straight barrel) Old Cuban Style

"HABANA" (Tapered) Old Cuban Hand-Made Style

"SUSSEX"

English Broad Shingle Style "NORMANDY"

French Narrow Shingle Style


BMifflin Hood Brick Company Burned Clay Products Atlanta Ga-

Mantle, Lee Mansion

Baluster, Lee Mansion

Newel-Post,


Lee Mansion




WAY back in the days when the United States was still a British Colony, the firm of Devoe had its inception. 171 years have passed since then. Each year has added naturally to Devoe's experience; each year has more firmly established the Devoe Tradition of Quality.


And so it is that architects who specify Devoe Paint and Varnish Products can be sure of their unquestionable quality.

> Devoe & Raynolds Co., Inc. Executive Offices: New York City





BUILD WITH ARCHITECTURAL TERRA COTTA



Sales Office

410 Denckla Building

This illustration shows the 10th, 11th and 12th stories of the Frank & Seder new building at Market and 11th Sts., Philadelphia, Pa. The Ballinger Co., Architects and Engineers, Philadelphia, Pa.

This building is faced and trimmed with our Architectural Terra Cotta done in an Old Ivory Matt Glazed finish from top of first story to top of parapet.

Consult us with your Terra Cotta problems without obligations. Our technical departments are always at your service.


CONKLING-ARMSTRONG TERRA COTTA COMPANY


Philadelphia, Pa.

General Office and Works Wissahickon Ave. and Juniata St.



Nobel and Newson, San Franarchitects, chose this marble inlaid floor of Arm-strong's Linoleum for the Henshaw apartment in the fine Francesca Apartment Building





Room beauty begins with floor beauty

Some interiors are mere accidents. but not the one which is based on a floor of color and design

THE architect or decorator who realizes what style and charm a patterned floor of Armstrong's Linoleum contributes to a room, happily turns a difficult problem into a source of inspiration.

What makes these new floors really beautiful? First, it is their colors-rich, lustrous colors, yet softly subdued colors-colors harmoniously combined to suit any decorative need.



Moulded Inlaid No. 5431

Second, it is their design, their smartly modern patterns conceived by expert designers and approved by decorators and architects as the last word in floor beauty.

There are scores of attractive designs to choose from. Let your imagination have full sway. You will find an Armstrong's Linoleum floor to add just the right touch of color to any decorative scheme you have in mind.

Armstrong's Linoleum floors have always been ideally suited for business use. Their long life is one reason. The fact that they cut cleaning costs is another reason.

Once permanently cemented in place over a lining of heavy deadening felt, all an Armstrong's Linoleum floor






Inset Marble Tile Inlaid No. 61

needs, in office, shop, or home, is a daily cleaning with a dry mop and an occasional waxing and polishing.

Let us send you a section of this new Armstrong's Linoleum flooring for your own examination. You will see that the deep rich colors go all the way through to the heavy burlap back. "All the way through" means a tough yet resilient thickness composed of materials noted for their wear-resisting qualities-cork, oxidized linseed oil, and burlap.

You will also see a smooth, polished surface that offers not a single lodging place for dirt. This surface is stainproof. It is moisture-proof. Heels can't bruise it. Walking feet won't scratch and track it.

We will also gladly send you colorplates Look for the CIRCLE A of the new floor patterns, together with infor-trademark on the burlap back mation as to the laying and care of linoleum.



Armstrong Cork Company Linoleum Division Lancaster, Penna.

Armstrong's Linoleum for every floor in the house

Capitol Boilers The specification of Capitol As we have said before we want

The specification of Capitol Boilers and United States Radiators has always been sound practice.

It is now very *popular* practice because a great national advertising campaign is carrying the Capitol story to millions of homes. As we have said before we want you to regard this campaign as yours—quite as well as our own.

And, above all, please remember that when you specify our products you can count upon us to assume our full share of the responsibility.

UNITED STATES RADIATOR ORPORATION

General Offices, Detroit. Michigan

Boston Springfield, Mass. Portland, Me. Providence, R. I. Troy, N. Y. New York

Brooklyn Harrison, N. J. Philadelphia Baltimore Branch and Sales Offices
*Buflalo
*Dittsburgh
Columbus
Cleveland
Cleveland
*Warebouse stocks carried at all points except those indicated by star

Milwaukee Indianapolis Louisville St. Paul St. Louis Kansas City Des Moines Omaha Denver Seattle Portland, Ore.

Detroit Graphite Company

DEGRACO PAINTS

Superior Graphite Paint—for the prevention of rust. Sta-White—Interior white paint that stays white. Degraco Wall Finishes. Building Paints in all colors. Brick & Concrete Paints.

See Sweet's Catalogue for specification data.

Offices and warehouse stocks in all principal cities

The Architect's Conception of Lighting Detail

Proper treatment of lighting detail so affects architectural style that it is not surprising to find the architect highly critical of the lighting fixtures to be installed.

If he insists on Smyser-Royer Lamp Posts, Lanterns and Brackets in his specifications it is simply thoughtful protection of the ultimate beauty of the completed building.

You will find a Lamp Post, Lantern or Bracket to fit every need for any style or period of architecture in the Smyser-Royer catalog "H." This book is gladly sent to recognized architects on request.

LAMP POSTS-LANTERNS-BRACKETS

SMYSER-ROYER COMPANY

Exterior Lighting Fixtures

Main Office and Works, York, Pa. Philadelphia Office, 1609 Sansom Street

Please mention ARCHITECTURE in writing to manufacturers

The Architect of L Proper treatment tectural style th architect highly installed.



AUGUST, 1925.

MODERN VENTILATION

MODERN buildings demand modern ventilating methods. The necessity of full, natural ventilation in every room has always been appreciated by the architect. He also knows that the old-style wooden or glass transom is unsightly, that it does not allow privacy, and that it is not thief-proof or fire-proof.

FOR USE IN— Clubs Banks Theatres Hospitals Apartments Nurses' Homes School Buildings Commercial Buildings — and others These troubles are entirely eliminated by the VENTI-LOUVRE—a scientifically constructed device permitting of full, natural ventilation. It is thief-proof, fire-proof, and muffles sound. Beauty is retained in a room or corridor, as its installation permits of an even door height throughout—and it costs less to install than the objectionable old-style transom.

Request folder A2 for your files. It gives complete specifications—and proof of Ventilouvre's worthiness in any type building.

Our representative will call at your convenience.

THE VENTILOUVRE COMPANY Representatives in Principal Cities

BRIDGEPORT

CONNECTICUT



Please mention ARCHITECTURE in writing to manufacturers

60



THE CUTLER MAIL CHUTE

manufactured in our own factory and installed by our own Experienced Factory Erectors, insuring uniform excellence of workmanship and prompt and satisfactory service.

Specify MODEL F Standard Equipment for Cutler quality at minimum cost. Send for form giving information required for estimating.

CUTLER MAIL CHUTE CO. ROCHESTER, N.Y.



I has been our privilege to cooperate with leading Architects of this country in the matter of laying out Bakery Departments in Hotels, Hospitals, Institutions and Bakeries, and we will gladly furnish, to any Architect, our standard layout and specification sheets.

Write for our free catalog

READ MACHINERY CO

YORK, PENNSYLVANIA

AUGUST, 1925.

There is a Better Drain for Every Purpose

FEDERAL RESERVE BANK BLDG. CHICAGO. Archilects-Graham, Anderson, Probst & White. General Contrac-tors-John Griffiths & Son. Plumbing Contractors-R. J. Powers.

Powers.



There are no substitutes for Josam Drains.


It is a Josam Drain. We know this to be so because incorporated in every Josam Drain is the result of years of specialization in Drain design and application. The result of this experience assures your client of the fact that when Josams go in, trouble goes out-for good.

There is a complete set of 20 drafting room standard detail sheets, illustrating most practical Drain applications, that may be had by simply requesting them—a line on either a post card or your letterhead will bring them to you. In order to make sure that you get them, advise us how to address them so they will reach you personally.


"A Nationally known Drain with a Nation-wide Service."

The Josam Manufacturing Co.

4908 Euclid Ave., Cleveland, Ohio. Fcty. L.E. & W.R.R. & Canal Rd. Michigan City, Ind.







For the modern home


The quiet, easy sliding house door not only adds to the appearance of your home, but has proven a convenience in separating yet uniting the rooms.

McCABE ball bearing door hangers have been used the world over on sliding house doors for more than a quarter of a century.

Our hangers possess features—found in no other makes—which positively insure a superior ease of operation and a long life without repair. They are made for convenience of installation and adjustment.

You are invited to consult with us about your door hanger problems. Co-operation and full information will be gladly furnished.

THE McCABE HANGER MANUFACTURING COMPANY 423 West 25th St., New York City



McKEOWN BROS. COMPANY, Inc. · Contractors and Engineers 112 W. Adams St. Chicago Builders and Erectors of Wooden Lattice and Bowstring Trusses New York



The Royal Glass Top contains a greater glass area, reflects more light, and gives more ventilation

ROYAL VENTILATORS

The design of the ROYAL has been the result of long scientific study and experiment combined with many years of practical experience in its manufacture.

The ROYAL is manufactured with exact regard to proportion. It has few parts, is light in weight, and "fits in " architecturally with the design of the roof.

The ROYAL is adaptable for any building you are planning.

Let us send you our data prepared particularly for the architects and the men in their offices.

ROYAL VENTILATOR CO. PHILADELPHIA PENNSYLVANIA





Arthur Brounet has decoratedamong a great number of the finest homes over the country-two of New York's most prominent residences. The view opposite shows the library of the J. P. Warburg residence, Wm. L. Bottomley, Architect, and the other view shows the beautiful painting above the stairhall in the Charles M. Schwab residence, of which Maurice Hebert was the architect.

No. 12 of a series of fine interiors.

Both are representative of the artistry of skilled decoration.

Established 1887

MECCA TEMPLE, NEW YORK Architect; Clinton & Russell, Supervising Architects H. P. Knowles, Architect ; Clint

Briar Hill Variegated

and Golden Buff Sandstone lends beautiful and appropriate color tones to this impressively proportioned façade.

The large field of ashlar has character, warmth and life not always associated with an expanse of stone wall such as this.


Write us for samples or further information.

We will be glad to assist in procuring cut stone estimates from reliable contractors.

THE BRIAR HILL STONE COMPANY GLENMONT, OHIO

See Our Catalogue in Sweet's

AUGUST, 1925.



Tested and approved by the United States Bureau of Standards and by the Engineering Committee of the Casualty Underwriters. Listed in the Underwriter's Manual as approved equipment.

"Absolutely Safe"

The exacting tests of the U. S. Bureau of Standards have proved Wagner Door Hangers and Electric Safety Interlocks absolutely safe. The approval of the U. S. Bureau of Standards stamped Wagner Equipment as absolutely dependable.

Wagner Elevator Door Equipment has also been approved by the Engineering Committee of the Casualty Underwriters, and is listed in the Underwriter's Manual as approved equipment.

For performance in every-day service, as well as in all official tests, Wagner Equipment has a splendid record. Through its work in hundreds of the finest, most modern buildings throughout the country architects, engineers, building owners, and building managers have learned to depend on Wagner Equipment to provide safe, fast and trouble-proof operation of elevator doors.

Wagner Manufacturing Company Cedar Falls, Iowa






Weatherbest Stained-Shingles


enable the architect to range from the extremely conservative to the last word in novel and original effects.

WEATHERBEST offer the economy and durability found only in strictly edge-grain British Columbia Red Cedar Shingles preserved and beautified by the WEATHERBEST creosote stain. Write for literature and color samples.

W E A T H E R B E S T Stained Shingle Co., Inc. 140 Main St., N. Tonawanda, N. Y. Western Plant: Minnesota Transfer, Minn.



AUGUST, 1925.



Installed in 25 of the leading golf and country clubs — (This is in addition to scores of club installations, of which we have obtained no records from our dealers)


MANY of these showers were especially designed to meet or overcome certain conditions. The data which we have collected in connection with these installations is at the service of architects at all times.

The showers shown here are in the shower room of the Manufacturers' Country Club, near Philadelphia—Seehurger and Rabenold were the architects. The shower head is 12 inches across and has 666 holes. Valves are one inch size.

SPEAKMAN COMPANY Wilmington Delawar

SPEAKMAN SHOWERS

AUGUST, 1925.



DIXON'S SILICA GRAPHITE PAINT

is immune from attacks by acids, alkalies, gases and fumes. Impervious to water and not affected by heat or cold. It dries into a smooth elastic surface and lasts for surprisingly long periods of time, records running from 5 to 15 years on various metal and wood surfaces.

68

Dixon's is a paint in which the flake graphite and silica are naturally and not artificially combined, and this feature is essential to long life, efficient surface protection, elasticity and resistance to dampness.

Write for Booklet No. 1-B and see how to lower your paint costs.



KARDEX


Instant Specification Service

POR specification information Kardex gives instant facts and formulæ. For example, a certain type of dull oak finish is desired—a glance shows all oak finishes, and the subclassification yields the desired color.

No matter what the requirement Kardex gives all the facts in the case instantly. Call in the Kardex Man in your city. His services are at your command without obligation.

KARDEX RAND COMPANY TONAWANDA, N. Y.

Branches in all principal cities of the world



Durastone Brand Cement

has long been chosen by owners, architects, and builders as a medium of expressing individuality for permanent and attractive wall surfaces. It has been used in fine buildings over the country, and in every instance has met every requirement satisfactorily.

THE	DURASTONE	COMPANY,	Inc.		
1105 Metropolitan Avenue		Brooklyn, N. Y.			



Greenhouse value, for the owner of a country home or estate, is built upon beauty and sound construction. Both these features recommend



GREENHOUSES to the owner. In addition to these the architect values the capable and whole-hearted co-operation of our engineering department.

When you think of good greenhouses, think of "KING"

KING CONSTRUCTION COMPANY

General Offices: North Tonawanda, N. Y. NEW YORK CITY PHILADELPHIA BOSTON, MASS. 1674 Broadway 14 N. Sixtieth St. 25 Huntington Ave. Telephone Circle 4586 Telephone Granite 4314 Telephone Back Bay 2255 SCRANTON, PA CLEVELAND, OHIO 307 N. Irving Ave. Hippodrome Bldg. Telephone Scranton 2-6086 Telephone Cherry 2682



AUGUST, 1925.



AUGUST, 1925.

ARCHITECTURE



Here's Where You Can Save \$2,000 to \$10,000 a Year


R IGHT in the kitchen of the new hotel, club, hospital or institution you are planning. With the Autosan Dish and Silver Cleaning Machine, labor costs are reduced 50%; china breakage 60%; and time, power and water are saved.


The Autosan operates with a patented cushioned conveyor. That's why it cleans tableware safely and in record time. May we send you Our Architects Packet, illustrating methods of planning efficient dishwashing installations ?


COLT'S PATENT FIRE ARMS MFG. CO. Hartford, Conn., U. S. A.











AUGUST, 1925.

SINCE 1867 101 PARK AVENUE AT FORTIETH STREET NEW YORK CITY



 T^{HE} water wheel, one of the oldest power devices known to man, is today serving the double purpose of utility and beauty. No matter what size the stream, there is a FITZ STEEL WATER WHEEL in suitable size, width and capacity to harness the power and to furnish electricity and pump water for all parts of the estate.

The Fitz Water Wheel Company Hanover, Pa.

I-X-L Steel Overshoot Water Wheels, Mill Gearing, Pulleys, Steel Flumes, Forebays, Burnham Turbines



AUGUST, 1925.



at minimum cost. When not in use they are neat and unobtrusive. (P) Fan Hangers are flush with the wall and are provided with a strong bolt to hold the fan and a standard plug receptacle. Standard finish is Brush Brass or Black. Special finishes at slight additional cost.

Every job needs () Hangers as they are excellent for heaters, floodlights and other electric appliances as well as the fan service for which they were designed. They always are "the Sign of a Better Job."





Pure Sparkling Water for Swimming Pools



Swimming Pools must have a hygienically safe water. The modern economical method for providing this is Refiltering and Recirculating. It is low in first cost—operating charges are minimum—heating and water consumption low.

Bulletin 500 and Specification Form with data for design and construction of both indoor and outdoor swimming pools sent on request



610 TODD AVE., EAST CHICAGO, IND.

SATISFACTORY RESULTS

Satisfactory results from the installation of Hand Power Elevators and Dumb Waiters depend upon three essentials:

- I. Quality of Outfit in design, material and workmanship.
- 2. Proper installation.
- 3. The selection of the outfit best adapted to individual conditions and requirements.

You can secure satisfactory results by:

- 1. Ordering Sedgwick Outfits.
- 2. (a) Having Sedgwick Machine Works make installations, or (b) Following blue prints and directions furnished by us.
- 3. Giving us full details and letting us give you the benefit of our advice, based on thirty years' experience as specialists in the design, manufacture, and installation of satisfactory Hand Power Elevators and Dumb Waiters for all purposes.

Because the profit in any sale is of less importance than the opportunity afforded by the transaction to make of the purchaser a permanent customer and friend-

We are less interested in merely selling Elevators and Dumb Waiters than we are in furnishing in each instance that particular outfit best adapted to the conditions and requirements.

Therefore in ordering or requesting estimates please fill in Form No. 136, which we will furnish on request.

> 0 SEDGWICK MACHINE WORKS 140 West 15th Street New York



SEVEN years ago, under the direction of Archi-tects Blackall, Clapp and Whittemore and Isaac Coffin Company, Heating Engineers, five S-551 **ROYAL Down Draft Smokeless Water Tube Boilers** were installed in the Little Building, Boston, Mass.

Inquiry proves that never more than three boilers have been called upon at any one time to serve the 38,000 sq. ft. of direct radiation.

During this period of seven years ROYAL Boilers have enabled the owners to take advantage of the fuel market, and-utilizing oil or coal-the highest degree of efficiency with economy has been obtained.

Soaring Skyscraper

HART & CROUSE COMPANY UTICA, N.Y.

BRANCH Detroit Grand Rapids Milwaukee *New York ·Warehouse in connection

OFFICES *Philadelphia Pittsburgh #St. Louis Utica

Please mention ARCHITECTURE in writing to manufacturers

Boston

*Chicago

Cincinnati

Cleveland

AUGUST, 1925.

AUGUST, 1925.

Kernerator-equipped residence of Stanley Goldman, Cecil Place and University Lane, St. Louis, Mo. Architects Study & Farrar; Builder John Craig. -

Architects Study & Farrar Create for Contentment

BEAUTY of line and form must grow hand-in-hand with *liveability* in the homes planned by Study & Farrar of St. Louis.

Hence the time-tried Kernerator, which banishes the garbage nuisance for all time, and achieves a new neatness of house and yard, is almost a standard specification in work from the boards of this well known firm.

No Upkeep Cost-No Fuel Used

As shown, the Kernerator consists of a brick combustion chamber at the base of the regular chimney, with a separate flue, having hopper doors conveniently located in or near the kitchens above. All waste garbage, sweepings, tin cans, bottles, papers, magazines—

garbage, sweepings, tin cans, bottles, papers, magazines trash of every sort—is dropped through the hopper door, then forgotten. An occasional lighting burns everything but non-combustibles, which are flamesterilized for removal with the ashes.

For additional data, consult Sweet's (1924) Pages 2536-37, or write KERNER INCINERATOR COMPANY 1011 Chestnut Street Milwaukee, Wis.





Even the Simplest Home Should Have Frigidaire

> A NY home, however simple and inexpensive, can easily afford the great convenience of Frigidaire Electric Refrigeration, for Frigidaire can be purchased for as little as \$190 f. o. b. Dayton.

> There are complete cabinet models of Frigidaire, or the owner's present ice-box may be converted into a Frigidaire electric refrigerator at a very reasonable cost.

> In any case, the specification of Frigidaire permits the architect to design the kitchen or pantry for greatest possible working convenience, and without regard to outside ice supply. Often this saves more than enough in building cost to pay for Frigidaire.


The Frigidaire Architectural Competition

We are now conducting a competition for the design of model kitchens equipped with Frigidaire. Prizes range from \$500 to \$25. All architects, designers, draftsmen and students are invited to enter. Application should be made to the Professional Advisor, Mr. H. J. Williams, care of Schenck and Williams, Architects, Mutual Home Bldg. Dayton, Ohio.

Requests for general information about Frigidaire should be sent to

DELCO-LIGHT COMPANY Subsidiary of General Motors Corporation Dept. Y-15, DAYTON, OHIO


ufacturers Oof Electric Refrigerator



The Geo. Rackle & Sons Co. Clebeland :: Dhio Established 1870

THE POWER PLANT

RACKLE Artstone is often specified for the sills, arches, cornice, coping, etc., of power houses, on account of its solid and enduring character. Then the question of cost always enters into the construction of such buildings, and here the economy of Rackle Artstone shows to advantage. Made for over fifty years. Catalogue sent on request.



Because he knows:

- How strong and beautiful his Lutton V-BAR greenhouse is
- How it lets in more sunshine
- How cost of repairs is practically nil
- How extraordinarily productive it is
- How V-BAR construction prevents dripping from condensation

- How glass, imbedded in cypress cushion, will not break from expansion or contraction
 - How his greenhouse is perfectly ventilated, scientifically heated, and easily and economically maintained



V-BAR Greenhouses built for Moses Taylor, Esq. "Glen Farm," Newport, R. I. These prominent men are Lutton owners: Richard Delafield, Tuxedo, N. Y.; Carll Tucker, Mount Kisco, N. Y.; R. K. LeBlond, Cincinnati, Ohio.

These well-known architects specify the Lutton V-BAR Quality Greenhouse: Walker & Gillette; McKim, Mead & White; Bowen Bancroft Smith; Mills, Rhines, Bellman & Nordhoff; Peabody, Wilson & Brown.

Our cooperation-plans, suggestions, and specifications-yours for the asking.




ASK A LUTTON OWNER Wm. H. LUTTON COMPANY, Inc.

Jersey City, N. J.

Please mention ARCHITECTURE in writing to manufacturers

77



Progress Picture — Lawyers' Club and Dormitory Building University of Michigan — Ann Arbor, Michigan York and Sawyer, Architects

Fabricated Structural Steel furnished by AMERICAN BRIDGE COMPANY Manufacturers of Steel Structures of all classes 7 1 BROADWAY NEW YORK CITY

Contracting Offices in Principal Cities



WARDS OF THE STATE

are receiving greater consideration than ever before and matters of sanitation and the insuring of health are deemed of the greatest importance, not alone for the welfare of the individual but in preventing contagion for the benefit of all.

The above illustration shows a small part of the South Colony State Hospital buildings at Central Islip, N. Y., which extend continuously 1¹/₄ miles, every building being "GLOBE" ventilated as shown above.

"GLOBE" VENTILATORS



can be relied upon to furnish complete, continuous ventilation with absolute elimination of trouble or upkeep expense. Strongly constructed of heavy rust-resisting material, they will give many years of satisfactory service.

GLOBE VENTILATOR CO., Dept. F. TROY, N. Y.

Consult with Art Metal on Doors and Trim.

> ARCHITECTS are urged to avail themselves of our vast fund of experience and engineering skill in the designing and production of architectural hollow metal.



Write for further information, detail drawings or estimates Art Metal steel doors, trim and partitions are found in many of America's finest office and bank buildings. All have been produced by the intelligent co-operation of Art Metal with architects.

Appendix Matal JAMESTOWN, NEW YORK Steel and Bronze Equipment for Banks

Steel and Bronze Equipment for Banks Steel Office Equipment, Safes and Files

Please mention ARCHITECTURE in writing to manufacturers

78



Coney Island's New Hotel

The Hockenbury Hotel Financing Service For Architects


HERE is another example of the financial cooperation which this organization affords the architect.

Coney Island, N. Y., needed a modern hotel costing \$2,400,000 for its world-famed Boardwalk. Geo. B. Post & Sons, the well-known architects, were consulted and plans were prepared but it rested with the Hockenbury organization to dispose of the junior securities, without which no hotel would have been built.

Similar cooperative efforts have been successfully employed in nearly 100 other cities wherein modern hotels were needed.

THE HOTEL FINANCIALIST, a monthly journal devoted to the subject of community hotel finance, has been of assistance to other architects in bringing similar prospects down to earth. May we send it to you, gratis? Ask us to place your name on our complimentary architectural list "T-7."

JheHockENBURY; SYSTEM: Inc. • Penn-Harris Trust Bldg • • HARRISBURG-PENNA •



JANES & KIRTLAND, Inc. Established 1840

135 West 44th Street

New York City

AUGUST, 1925.




AUGUST, 1925.

ARCHITECTURE

č

AGLITE

Porcelain **Enamel Units**



with dust catching screws and crevices. Finish easily tarnished.

BEFORE YOU SPECIFY

fixtures for kitchens, bathrooms, nurseries, or hospitals consider the unusual merits of Aglite Porcelain Enamel Units.

First off, there is Aglite construction. Shade and bracket are tightly joined by a patented concealed screw collar, instantly adjusted. Installed, Aglite presents a smooth, glistening, white surface of permanent porcelain enamel, guaranteed never to tarnish, check or peel. Aglites may be thoroughly cleaned in three seconds with a damp cloth. No screws or metal parts are visible. And each unit is perfectly insulated.

Installation may be made direct to house wires in five minutes, and Aglite's clean, white beauty and the abundance of soft glareless light it sheds, will win instantly the approval of your clients.

If you will compare the Aglite porcelain enamel unit above with the old style fixture shown opposite, there'll be no doubt in your mind as to which unit to specify. There's an Aglite type for every need.

Shall we send you a copy of our new catalog? No obligation whatever.

JR and





Sanymetal Toilet Partitions General Electric Co., Buffalo, N. Y.

Make your school toilet compartments sanitary.

In fairness to the health and morals of the children, nothing less is justifiable.

Make them strong.

Otherwise the children will make them rattle-traps.

Make them good-looking.

No toilet has to be ugly.

Make them economical.

But be sure you make them economical in the long run.

Make them Sanymetal!




Sanymetal Products are: Partitions for toilets, showers, dressing rooms, urinals. Partitions for offices and factories. Metal doors, screens and wainscot. Sanymetal Gravity Roller Hinges for toilet doors. Write for latest Bulletins.



82

AUGUST, 1925.



Competition for Designs of Ornamental Iron Work

Open to all architects, draftsmen, designers, architectural students and workers in iron

Class

A: Ornamental Iron Work for Small Dwelling	Prizes		Class		
costing \$25,000 or less.		А	В	С	
B: Ornamental Iron Work for Apartment Build-	Ist	. \$100	\$100	\$100	
mg.		. 50	50	50	
C: Ornamental Iron Work for Office Building.	3rd	. 25	25	25	
office building.	4th-Three .	. 10	IO	10	

Purpose:

To encourage the use of ornamental iron work in various types of buildings; to bring before the architects designs adaptable to standard specifications; to further cause ornamental iron workers to resort to methods of standardization tending towards more economical production.

Judges:

Jury of award will consist of two leading architects, two ornamental iron workers and one representative of this firm. The names of the judges are: Dwight James Baum, New York, Frank H. Quinby, New York, Samuel Yellin, Philadelphia, W. M. Buchroeder, Richmond, Va., and C. Weiler, of J. G. Braun, New York.

Basis of Judgment:

Judgment will be rendered by the jury upon: Originality of design.

Practicability of design.

Beauty of design.

Execution of drawing.

Subject :

No restrictions are placed on the type of design other than it be an integral part of the building, such as stairs, railings, grills, balconies, window boxes, elevator doors and fronts, etc. Interior decorative items such as lamps, fixtures, andirons, tables, etc., are not eligible.

Material :

Any material, such as rolled, or hammered iron or steel, cast iron, non-ferreous metals, steel mouldings, tubing, pickets, drop forged ornaments, the latter items taken from J. G. Braun catalogs 17, 18 and 22, may be used.

Any design to be eligible must show the use of one or more steel mouldings selected from J. G. Braun catalogs 17 or 22. Excellence of the effects produced will be considered rather than the quantity of mouldings used. Catalogs will be made available upon request to those not having access to them.

7			1.8			
,,	ra	011	14	41	10	1
~	e u	w		11	Ľ.	3

The drawings must be executed on white paper in black ink. There is no restriction as to scale used or number or size of sheets submitted for any one entry.

Contestants may compete in all three classes but may not submit more than one design for any one class. State clearly on each drawing in which class it is entered.

The drawings are to show a sketch of the ornamental iron work in its surrounding conditions, a detail view and plan and sectional view. Scale must be easily readable and be stated on drawing. The catalog number or numbers must appear on the sheet.

An identification mark or nom de plume must be placed on each drawing which must be accompanied by a sealed plain envelope containing a true copy of identification mark or nom de plume together with the competitor's name, address and name and address of employer, if any.

The right is reserved to possession of all drawings receiving prizes. All other drawings remain the property of the contestant.

The right is reserved by J. G. Braun to publish or exhibit all drawings as they deem fit. Name and address of the contestant will be given in such publications.

Time :

The contest will close October 1st, 1925, noon, and awards will be made shortly after the close of the competition.

J. G. Braun will use care in handling and returning the sketches but the contestants submitting them assume all risks of loss or damage to their sketches.

It is understood that the contestants agree to the above conditions and that all decisions of the appointed jury shall be final.

Address all communications to ORNAMENTAL IRON CONTEST, ^c/_o J. G. Braun, 160 Greene St., New York, N. Y.

J. G. BRAUN CHICAGO-NEW YORK-SAN FRANCISCO



"As Lasting as Beautiful—" STRUCO SLATE

(Natural Slate in Any Color)

A RCHITECTS the country over are specifying Struco Slate for Shower Stalls, Toilet Enclosures, Urinal Stalls, Table Tops, Sinks, Wainscots, etc.

Struco Slate is Natural Slate with a fine moulded finish-in any color desired.

Struco Slate will not chip, crack or discolor and will outlast the building.

Let us send you actual samples of Struco Slate —every architect should have them. They're yours for the asking.

STRUCTURAL SLATE SLATE Hen STRUCTURAL SLATE COMPANY HAD ROBINSON AVENUE HEN ARGYL, PENNSYLVANIA

AUGUST, 1925.

ARCHITECTURE

(DXO)

Armstrong's Cork Tile Floors from Coast to Coast



In the Fairmont Hotel, St. Louis, Mo., the lobby is handsomely floored with Armstrong's Cork Tile. The field of this floor is a 9" x 9" light Cork Tile bordered and panelled with 2" strips of dark shade.

Where East Meets West

SOME OTHER MID-WESTERN INSTALLATIONS

Federal Reserve Bank, Chicago, Ill. Federal Reserve Bank, Dallas, Tex. First National Bank, Laurel, Miss. Chicago Methodist Temple, Chicago, Ill.

Kansas City Club, Kansas City, Mo. Gatesworth Apartment Hotel, St. Louis, Mo.

Ford Motor Co., Des Moines, Iowa John Crerar Library, Chicago, Ill. Franklin County Court House, Union, Mo.

Archdiocesan Seminary, Area, Ill. Dillon Read Company, Chicago, Ill. Luick Ice Cream Co., Milwaukee, Wis.

Belleville Bank & Trust Co., Belleville, Ill. A^S in the East and West, so in the prosperous cities of the Mississippi Valley, Armstrong's Cork Tile is yearly increasing in favor for buildings whose floors must combine distinctive appearance with comfort, quietness and durability. Floors of Armstrong's Cork Tile are found in the best examples of Mid-Western banks, libraries, churches, public halls and offices.

Armstrong's Cork Tile combines the structural advantages of a durable, wear-resisting floor with the beauty, resilience and comfort of expensive overings. It is tile, with all the individuality of tile design and the harmony and warmth of color. Yet it is yielding to the tread, as comfortable and silent as a carpet. It is easy to clean, not readily stained or marred, and needs no polishing or waxing. It is sound-absorbing and sound-deadening.

The list at the left is indicative of the wide variety of uses for which Armstrong's Cork Tile floors have gained the unqualified approval of architects, owners and public.

Sample tiles and the book, "Armstrong's Cork Tile Floors," will be sent on request.


ARMSTRONG CORK & INSULATION COMPANY Division of Armstrong Cork Company

160 TWENTY-FOURTH STREET PITTSBURGH, PA.

Also Manufacturers of Linotile Floors



AUGUST, 1925.




A RCHITECTS in all parts of the country are designing beautiful face brick buildings. More than a hundred illustrations of their work have been assembled in "Architectural Details in Brickwork." These halftone plates suggest the wide range of effects that can be economically produced by standard size face brick. The portfolio, published

in three series, each inclosed in a folder ready for filing, will be sent to any architect making request on his office stationery.

"English Precedent for Modern Brickwork," a 100-page book, beautifully illustrated with halftones and measured drawings of Tudor and Georgian types and American adaptations, sent postpaid for two dollars.

AMERICAN FACE BRICK ASSOCIATION 1753 Peoples Life Building · Chicago, Illinois




BRIXMENT FOR PERFECT MORTAR



The reason why more and more well-known architects are specifying BRIX-MENT exclusively is because they know, by experience, that BRIXMENT mortar possesses certain important qualities that cannot be obtained in any other mortar. They know, for instance, that BRIXMENT mortar is a true cement that does not fade mortar colors, resists moisture and combines

with these and other desirable qualities the essential of maximum strength. Because of extraordinary plasticity, BRIXMENT mortar spreads faster, more accurately and more economically. Handbook containing details gladly sent you on request. LOUISVILLE CEMENT COMPANY, Incorporated, LOUISVILLE, KENTUCKY





Pyrono is real wood on the surface-but a positive fire barrier inside

An ideal attained—fireproofing without altering your woodwork

IN the past, the more you've had to plan fireproofing the less chance you've had to perfect design. No one ever added a fireescape to a structure primarily as a decoration.


Pyrono enables you to fireproof your structure, and at the same time retain the beauty which only real wood can give to doors and trim.

Pyrono Doors and Trim are built of the finest cabinet wood veneers applied over a nonresinous, laminated core. Between veneer and core, however, is placed asbestos sheathing which is mechanically bonded to the core.

The result is a fireproof construction, presenting at the same time all the attractiveness of the most beautiful woodwork. Pyrono Doors can be fitted with smoke-proof and practically sound-proof tightness because under extremes of temperature they do not expand, contract, warp, buckle nor bind in their frames. No danger of being trapped by a jammed door.

Let us send you our booklet of important installations together with a folder of detail drawings.





THE brass goods in a plumbing installation are the hidden arteries that transform mere plumbing fixtures into living utilities of convenience and comfort. For so vital a service, good judgment dictates that nothing but the best be used—

REPUBLIC

for definite insurance of permanent satisfaction.

THE REPUBLIC BRASS COMPANY CLEVELAND, OHIO

REPUBLIC BRASS GOODS Please mention Architecture in writing to manufacturers

ARCHITECTURE

AUGUST, 1925.

PITTSBURGH REFLECTORS **STAY BRIGHT**

When you write "Pittsburgh" Show Window Lighting Equipment into store front specifications, you can be sure of the following in support of your selection:

- I. A service based upon many years of specialization in interior lighting, both window and cove;
- 2. A line of such range as to meet every specification requirement;
- 3. A product of such high quality as to insure service over a long period of time, in addition to an installation correct to the last detail.

Not a single "Pittsburgh" Silvered Reflector made in nine years has ever been reported to us as having the reflecting surface tarnish or discolor, or the backing crack, check or peel. "Pittsburgh" Reflectors do stay bright. They carry a 5-year guarantee.

We would like to send you, gratis, a copy of our booklet on "Show Window Lighting."

PITTSBURGH REFLECTOR COMPANY 410 Bowman Building

Third and Ross Streets PITTSBURGH, PA.

Representatives in Principal Cities SHOW WINDOW LIGHTING

Please mention ARCHITECTURE in writing to manufacturers

Prediti

CARSON AND STREET

In the darkest corner a man with a flashlight can instantly identify "Reading."





Even on the shortest length "Reading" identification is instant and positive. After you've decided on Reading Genuine Wrought Iron Pipe, and have specified Reading Pipe, you ought to be sure that you get it. And we want you to be sure.

That explains the new Spiral Knurled Mark, visible at all times, regardless of the angle at which the pipe is placed irrespective of how short the lengths may be cut.

Specify Reading Genuine Wrought Iron Pipe for your next installation—and look for the Spiral Knurled Mark, put there for your protection.

READING IRON COMPANY READING, PA.

World's LargestiMakers of Genuine Wrought Iron Pipe Boston Pittsburgh Baltimer

Chicago

Houston

New York


Boston Philadelphia<u>!</u> Seattle¶ Tulsa

Baltimore Cincinnati Los Angeles St. Louis

.....



August, 1925.



Period Adaptations for Modern Floors

WITH the growth of good taste in the decoration and furnishing of interiors there has come the increased use of period styles — forms of architecture and decoration which have been in the course of development for centuries.

In a building of an architectural type intended to serve any purpose the treatment of its floors is a matter of prime importance. During all the ages of architecture the development of fine floors has gone hand in hand with the architectural and decorative handling of the building and its interior.


Peculiarly enough, despite the growing interest in period styles and their use, there has been but little information available concerning period precedent for floors. We therefore felt that this book, "Period Adaptations for Modern Floors", would be a distinct contribution to the reference literature of the field.

It includes studies of the architecture of important rooms of different periods and particularly of their floors as factors in securing the success of their decorative schemes. It deals with flooring problems to be considered in buildings of many types, discussing floors which are chiefly decorative or chiefly utilitarian.

It points out the unusual merits of rubber tile, as manufactured by the United States Rubber Company, and the excellent architectural precedents upon which the designs and colorings of these tile are based.

You will find this book of unusual assistance in developing modern interiors which follow the period styles of centuries past.

United States Rubber Company 1790 Broadway New York City




FLOORING

ARCHITECTURE


August, 1925.

-





Instantaneous Type Made in Six Sizes



"It Takes a Heap o' Living to Make a House a Home"

SO sings Edgar A. Guest, the poet of the hearth, whose eulogies of home and homefolk are the expressions of unuttered thoughts of home owners.



A Ruud sees that the new Detroit home of Edgar A. Guest lacks nothing to afford hot water comfort and convenience.

It Takes a Heap of Experience to Specify Good Home Equipment


ARCHITECTS generally are thoroughly familiar with better home requirements. The more you know about RUUD, the more certain you are of its fitness for your hot water specifications. The RUUD Specification Folder contains complete information. There is a copy for you, free upon request.



Storage Type Made in Three Sizes

Ruud Manufacturing Company

Factories in Pittsburgh, Pa., and Toronto, Ont. BRANCH OFFICES IN ALL LARGE CITIES Permanent Exhibit-739 Boardwalk, Atlantic City, N. J.



Drawing and Welding Skelp into "Central" Pipe

The 2^{Ad} Operation in the Making of *Central Pipe* from which is Made *Central Black*["] and *Central White Conduit*


NUMBER 2 of a series depicting the manufacture of "Central" Pipe from which is made "Central Black" and "Central White" Conduit.

> A close-up view of the bell-shaped die, illustrating the transition from skelp to welded pipe.

A FTER skelp has been heated to the fusing point the formed end of the skelp is gripped with tongs, over which is passed a bell-shaped die. The tongs are then secured to a continuous traveling chain, the die is caught in a holder, and the tongs and skelp are successively drawn through the die, which forms the skelp into a cylinder and the heated edges, being pressed together, are welded. The insert illustrates the transition from strip to welded pipe.

The Draw-Bench, here illustrated, travels transversely of the furnace, so as to draw the heated strips successively from the furnace as they reach the required temperature.

Particular care in heating the skelp to the exact temperature required, and the subsequent slow cooling, are responsible for the easy-working qualities of "Central" Pipe and "Central Black" and "Central White" Conduit.





Buildings Nos. 9, 10, 11 Hupp Motor Car Corp., Detroit EVERETT WINTERS COMPANY General Contractors Waterproofed with "R.I.W." Protective Products



"R.I.W." Toxement is made in three forms, each performing a separate and valuable service:

"R.I.W." TOXEMENT* (A Gray Powder) for the integral waterproofing of mass concrete, for moulded concrete and for tile setting in cement grout.

No. 421 "R.I.W." ACID-PROOF TOXE-MENT* (A Gray Powder) for the integral waterproofing and acid-proofing of concrete walls and floors in chemical plants, and concrete storage tanks.

"R.I.W." TOXEMENT MORTAR PASTE* for the integral waterproofing of cement mortar and stucco; for cement mortar troweled on the outside of brick or rubble foundations.

> Consult SWEET'S Catalog for specifications

· Patented.

Bring Concrete Construction in out of the wet!

ARCHITECTS realize that water is the great enemy of finished concrete construction. They guard against it by the use of "R.I.W." TOXE-MENT-the scientific integral waterproofing compound.

Remember, too, that "R.I.W." TOXE-MENT does more than waterproof. It saves time, labor, and money on the job by lubricating the concrete and increasing its workability, plasticity and flowability. It also renders concrete non-porous and eliminates the necessity for extreme tamping and vertical chuting.

Ask Department O for full information.

INCORPORATED

Technical and Scientific Paint and Varnish Makers Since 1848 110 EAST 42nd STREET, NEW YORK, N. Y. Opposite Grand Central Terminal Works: Long Island City, N. Y.

STATES BURNEY USE BURNESS OF THE WHAT TO SPECIFY and WHERE TO BUY /^^^^^^ IF YOU ARE INTERESTED in any building material or equipment not found below, tell us so and we will put you in touch with and give you complete data concerning the proper manufacturers. Address Service Department, Architecture, 597 Fifth Avenue, New York The names and page numbers of those manufacturers in this issue of Architecture are THE NUMBERS REFER TO ADVERTISING PAGES ONLY Page Page Page Adam, Frank, Electric Company . 74 American Blue Stone Company . 5 American Brass Company . 40 and 46 American Bridge Company . 78 American Eace Brick Ass'n . 86 American Lead Pencil Company . 74 American Seating Company . 56 American Sheet & Tin Plate Com-pany . 12 Fitz Water Wheel Company National Floor Tile Company 62 73 National Radiator Company. 11 National Terra Cotta Society. 43 70 National Tube Company Nelson, Herman, Corp..... General Electric Company 6 16 Globe Ventilator Company New Jersey Zinc Company Norton Company Gorton & Lidgerwood Company 73 Graver Corp. 74 Guth, Edwin, F., Company 81 14 33 pany. 12 American Tobacco Company Pennsylvania, University of Pittsburgh Reflector Co..... Portland Cement Ass'n 72 Hachmeister-Lind Chemical Co. ... 70 00 Hachmeister-Lind Chemical Co. 70 Hart & Crouse Company. 75 Hart & Hegeman Company, The. 22 Hart & Sanders Co. 21 Hess Warming & Ventilating Co., Inc. 60 Hockenbury System, Inc., The. 79 Hood, B. Mifflin, Brick Company. 54 Hope, Henry, & Sons. 66 Horn, A. C., & Company. 82 17 Prometheus Electric Company 64 Rackle, George, & Sons Co. 77 Raymond Concrete Pile Company. 7 Read Machinery Company. 61 Reading Iron Company. 91 Republic Brass Company. 89 Richards-Wilcox Mfg. Co. 41 Robinson, Dwight P., & Co. 2d Cover 64 Royal Ventilator Company. 64 Ruud Mfg. Company. 94 Armstrong Cork & Insulation Com-Austral Window Company...... 98 International Casement Window Batchelder-Wilson Company Batchelder-Wilson Company. 30 Birmingham Slag Company. 13 Bishop & Babcock Company. 50 Bonded Floors Company. 40a Boyle, John, & Co., Inc. 68 Braun Company., The J. G. 83 Briar Hill Stone Company. 65 Brounet, Arthur (Decorator). 65 Bruce, E. L., Company. 70 Burnham Boiler Corp. 4th Cover Jackson, William H., Company Jamison Cold Storage Door Com-. 82 Samson Cordage Company..... 70 Janes & Kirtland Company. 25 Janes & Kirtland Company. 79 Jenkins Brothers. 24 Josam Manufacturing Co. 62 Samoson Cordage Company 70 Sandusky Cement Company 1 Sandusky Cement Company 81 Sedgwick Machine Works 75 Smith, H. B., Co. 36 Smyser-Royer Company 59 Speakman Company, The 67 Standard Textile Products Co. 10 Structural Slate Company 84 Kardex-Rand Company 68 Karges-Wemyss Factories 9 Kawneer Company 47 and 48 Kelsey Heating Company 27 Kent-Costikyan Company 72 Kerner Incinerator Co. 76 Kewanee Boiler Company 3 Kewanee Boiler Company 71 King Construction Company 69 Kinnear Mfg. Company 80 Kohler Company 45 2 Taylor, Halsey W., Co. 71 Thatcher Company, The 23 Toch Brothers 96 Trenton Potteries Company 44 U. G. I. Contracting Company 3d Cover United States Radiator Company ... 58 United States Rubber Company 92 and 93 Lord & Burnham Company Dahlstrom Metallic Door Co..... 15 28 Dahlstrom Metallic Door Co. 15 Davey Tree Expert Company 20 Delco-Light Company 76 Detroit Graphite Company 59 Detroit Steel Products Co. 52 and 53 Devoe & Raynolds Company 55 Dixon, Joseph, Crucible Co. (Paint) 68 Durastone Company 19 Duriron Company, Inc. 18 Louisville Cement Company 81 Ludowici-Celadon Company 26 Lupton's, David, Sons, Co. 51 Lutton, William H., Company 77 Wagner Mfg. Company. 66 Wallace & Tiernan Company, Inc. 70 Weatherbest Stained Shingle Co. 66 Maddock's, Thomas, Sons Company 32 Major Equipment Company 67 Manhattan Machine & Repair Works 72 Machae Hanne Company 72 Western Price Marren, & Company Wess, Henry, Mfg. Company Western Brick Company Western Price Mfg. Ass'n Wilson Corp., The J. G Works McCabe Hanger Company. 49 60 McKeown Brothers Company, Inc. 64 Mississippi Wire Glass Company 63 Moulding Brick Co., The Thos 34 71 35 61





YEARS of it—has taught us above all else that the Engineer and Constructor who visualizes himself as the owner and operator of his own projects cannot help but satisfy the most exacting client.

If you contemplate building or enlarging, send for a copy of "Power and Industrial Development"—a brochure that tells who we are and what we can do for you.

THE U·G·I·CONTRACTING COMPANY

Philadelphia, U. S. A.


Peoples Gas Building CHICAGO

BUILDERS OF

Union Trust Building PITTSBURGH Gas Plants Public Works

Industrial Plants Steam Power Plants Hydro Developments

THE SCRIBNER PRESS



It stands 80¼ inches high. Is 70¼ inches wide. Made in 7 sizes. Rated for steam from 7,850 to 16,550 square feet.

This Big Twin Burnham Passes Through A Twelve Inch Opening

THINK what that means for replacement jobs where capacities up to 16,550 square feet are required.

No tearing out of foundations, or wall. Any door or opening 12 inches wide and 4 feet high will pass the Burnham Big Twin sections.

The base is in sections, assembled on the job.

It has a well earned reputation for economy when replacing steel boilers.

Let us send you a list of both replacements and new work installations.

It is the sort of evidence that carries convincement.

urnham Boiler Corporation

Representatives In all Principal Cities Irvington, N. Y. 30 East 42nd Street, New York City

City Canadian Offices Harbor Commission Bldg., Toronto 124 Stanley Street, Montreal