3/16" HARDBOARD
3"x5⅝" ALUM CASE'T
OR FIXED GL.
½"x 2" TRIM
1"x4" VERT. SIDING
1"x 6" DIAG. SHEATH.
½"x 4⅝" TRIM
2"x 6" SILL
⅝" CEM. ASB.
BLDG. FELT
3" BLANKET INS.
3/16" HARDBD.
¾"x 3" OAK BASE
¾" OAK FLOOR
1"x 6" DIAG. SHEATH
BLDG. FELT
3" BLANKET INS.

2"x6" @ 16" O.C.

SILL 2"x6"
½" ϕ 12" LONG @ 4'-0" O.C.
FINISH GRADE

ASPHALT MEMBRANE WATERPROOFING
GRAVEL FILL
8"x8"x16" CONC. BLKS.
½" ASP. IMP. CELOTEX
4" ϕ DRAIN TILE

2@½" ϕ

1¼" F.S. DETAILS OF SILL & BASE

DET. A
AT BEAM END

4"x12" BEAM @ 8'-0" o.c.

4"x12" BEAM @ 3'-0" o.c.

3/16" HARDBOARD
FIXED GLASS
½"x 3" TRIM
½"x 5⅛" TRIM
2"x6" SILL

½"x 2¼" TRIM
IDG - 1⅝"x3"x7'0"
2"x4" FRAME
@ 4'-0" o.c.

IDG
IDG FROM 2"x6" & 2"x10" F.A.
OAK THRESHOLD
¾" EXT. PLYWD.

2"x6" SILL
½" ϕ 12" LONG
@ 4'-0" O.C.
8"x8"x16" BLK.
FINISH GRADE
TOP SOIL FILL
CRUSHED GRAVEL

ASPHALT MEMBRANE WATERPROOFING
4" REINF. CONC.
6"x6"-10GA MESH
½" EXP. JOINT
6" GRAVEL FILL
4" ϕ HOLLOW DRAIN TILE

2@½" ϕ

7"[7.6

101

GEORGE MATSUMOTO
NO. 449
REGISTERED ARCHITECT

⚠ REVISION 1 - 7 AUG. 1953 , BEAM ENDS

RESIDENCE FOR KIMI & GEORGE MATSUMOTO

FRAMING DETAIL - WALL SECTIONS

DATE: 11-15-52 JOB. NO. 5204

GEORGE MATSUMOTO, A.I.A. / RALEIGH, N.C., ARCHITECT

SHEET 5 OF 11 SHEETS