

Wisconsin Architect



Restoration/Preservations

December 1984

Memorex Flexible Discs are 100% Error Free.


Memorex mini flexible discs come to you perfect, individually tested and certified 100% error free. You get accuracy in data input and retrieval everytime you use them. Protected by a tough glue-sealed jacket, Memorex mini discs withstand the rigors of daily business use.

Memorex mini flexible discs work on your IBM, Apple, TRS/80, Atari, Commodore, Hewlett-Packard, and most other computers. You can count on them. Give us a call and we'll ship your Memorex mini discs to you today.

CAPITAL DATA

2121 South Stoughton Road
Madison, WI 53716
1-800-362-7434

Featuring Memorex and other fine products. Call or write for our new full-line catalog.



WISCONSIN ARCHITECT

Wisconsin Architect Inc.: Board of Directors: Fred Zimmermann, AIA; Harry Schroeder, AIA; Jim Miller, AIA; Glenn Johnson, AIA.

Wisconsin Architects Foundation Board of Trustees: 321 S. Hamilton St., Madison, WI 53703 — Phone 608/257-8477. Paul Bronson, *President*; Tom Nisbet, AIA, *Vice President*; Robert Beckley, AIA, *Secretary/Treasurer*; Richard Griffith, AIA; Paul Graven, FAIA; Emma Macari, AIA; Richard Blake, FAIA; John Jacoby, FAIA, Robert Kluth; Eric Englund, *Executive Director*.

Wisconsin Society of Architects; A.I.A.: 321 S. Hamilton St., Madison, WI 53703 — Phone 608/257-8477.

Board of Directors: Fred Zimmermann, *President*; Harry Schroeder, *Vice President*; Jim Miller, *Secretary/Treasurer*; Glenn Johnson, *Past President*; Danny Murrish, Madison; Elizabeth Ranney, Madison; Emma Macari, Madison; Robert Cooper, Milwaukee; Dennis Horbinski, Milwaukee; James Otto, Milwaukee; Wayne Spangler, Rice Lake; William Doyle, Green Bay; Frank Carter, Green Bay; David Peterson, Eau Claire; Dennis D'Jock, Eau Claire; Mac Slater, Milwaukee; Frank Dropsho, Madison; Paul Kayser, MSOE Rep.; Russ La Frombois, UW-M SARUP Rep.; Eric Englund, *Executive Director*.

North Central Region: David Lawson, AIA, *Director*.

Southwest Chapter Officers: Elizabeth Ranney, *President*; Danny Murrish, *Vice President/President Elect*; Dale Volkening, *Secretary/Treasurer*.

Southeast Chapter Officers: Dennis Horbinski, *President*; James Otto, *Vice President/President Elect*; Michael Ciofani, *2nd Vice President*; Martin Choren, *Secretary/Treasurer*.

Northeast Chapter Officers: William Doyle, *President*; Frank Carter, *Vice President/President Elect*; Curtis Biggar, *Secretary/Treasurer*.


Northwest Chapter Officers: David Peterson, *President*; Dennis D'Jock, *Vice President/President Elect*; Val Schute, *Secretary/Treasurer*.

Wisconsin Architect Editorial Board: Peter Schuyler, *Chairman*; Uel C. Ramey, Douglas Ryhn, Harry J. Wirth, AIA, Eric Englund. Times Publishing Co., Random Lake, WI - Printer; Bob Arndt - Graphics. Nancy A. Baxter - Advertising Manager.

The Wisconsin Architect is the official publication of the Wisconsin Society of Architects/A.I.A., published by Wisconsin Architect, inc. Address all editorial and advertising inquiries to: Editor, Wisconsin Architect, 321 S. Hamilton St., Madison, WI 53703; phone: 608/257-8477. The Wisconsin Architect and WSA disclaims liability for statements by the editors, contributors, and advertisers.


TABLE OF CONTENTS

Letters To The Editor	5
Law Office	7
Courts Building	8
School Conversion	9
Restaurant	11
Reimer Building Renovation	12
Restoration Rehabilitation & Remodeling	16
Marketplace	25
On The Boards	26
SOCIETY NEWS	28





COVER CREDIT:
Front entrance to the Stoner House . . . the WSA office . Stop by for a visit.
Photo by Jeff Dean ©

A strong statement with Brickplate™ Tile, plus prefab's economy



A) PRUDENTIAL INSURANCE CO., Philadelphia, PA. Prefabricated 20' x 7'4" panels installed by Duggan & Marcon. Arch.: Ballinger Co., Phila. Gen. Contr.: Daniel J. Keating Co., Villanova, PA. B) MT. SINAI HOSPITAL Cleveland. Architect: Dalton, Dalton, Newport. Gen. Contr.: Turner Constr. Co. 5' x 10" Glazed Brickplate on prefab panels fabricated by Duggan & Marcon. C) SACRED HEART HOSPITAL, Eugene, OR. Curved, quarter round prefab panels fit circular columns. Arch.: Balzhiser, Longwood, Smith, Paul & Assoc., Eugene and Kaplan/McLaughlin/Diaz, San Francisco. D) FRUCON BUILDING, St. Louis, MO. Arch.: Helmut Obata Kassabaum (HOK Associates), St. Louis. Gen. Contr.: Fruco Corp. 8' x 8" Glazed Brickplate. E) SPECTRUM BUILDING, Denver, CO. Architect: McOG Associates, Denver. Gen'l. Contr.: Turner Const. F) CENTRAL PENN BANK, Philadelphia, PA. Panels prefabricated by Duggan & Marcon in Allentown, PA. Arch.: Ballinger Co., Philadelphia. Gen. Contr.: Nason & Cullen, Rosemont, PA. G) LAWRENCE STREET CENTER, Denver, CO. Office building and 43-unit condominium buildings designed by McOG Associates, Denver. Gen. Contr.: Al Cohen Construction Co.



Gail Brickplate tiles are mechanically bonded in portland cement mortar and locked in place on panels with "keyback ridge" design, not possible with thin-veneer brick.

An array of rich, colorful building exteriors is multiplying in cities across the U.S., inspired by an ingenious blend of prefab economy with the permanence and strong image of Gail Brickplate. Either Glazed or Unglazed Brickplate is applied to panels framed in lightweight steel studs. There are many important advantages:

- Tons of expensive design dead-

load and structural mass are eliminated since panels weigh 80% less than precast concrete • Less expensive than glass or aluminum curtainwalls • Eliminates costly scaffolding • Provides chase for pipes and wiring in exterior walls for faster, more economical installation • Virtually maintenance-free; frostproof, acid-rain resistant and vitreous... not a thin-brick

veneer. • Work proceeds regardless of bad weather since panels can be assembled in an enclosed structure • Excellent insulation values; U-0.048. When a bold statement is desired but the budget is limited, consider the advantages of Gail Brickplate and prefab panels. Write or call for our technical brochure, "Prefab Brickplate Panels." Or contact

us to arrange for a viewing of our 12-minute audio-visual presentation.

Gail
ARCHITECTURAL CERAMICS
 14791 Myford Road—Justin, CA 92681
 (714) 731-8361

Contact your local Gail distributor: Gagnon Clay Products, 562 South Broadway, Green Bay (414) 435-5318 or Wisconsin Face Brick, 7830 W. Good Hope Road, Milwaukee (414) 353-6060

From time to time the WISCONSIN ARCHITECT receives constructive comments through letters to the editor which are happily received, reviewed and published. Much to the horror and dismay of the Editorial Board a number of such letters were misfiled and were recently discovered during the move of the WSA office to the Stoner House. With profound apologies to the authors of those letters, they are reproduced in their entirety below. Your letters are encouraged.

The Editorial Board

Letters To The Editor

Dear WISCONSIN ARCHITECT Editor:
I've been reading the WISCONSIN ARCHITECT for several years now and I've seen a lot of funny looking architecture featured in the magazine. I can design a lot better than that . . . so why don't you show some of my work?

A mystified;
Howard Roarke

Dear H.R.:

We have been looking for you for a long time. Unfortunately we didn't know how to reach you. The WISCONSIN ARCHITECT has a policy of featuring certain building types in certain monthly issues. For example, May is commercial/industrial, June is residential, April is interiors, December is restoration, etc. We encourage the readership of the WISCONSIN ARCHITECT to submit projects for the special issues or any project that you may have "On The Boards". If your project or area of expertise does not fall within the topic for the issue, we'll take it anyway.

Please submit.

Cordially,

WISCONSIN ARCHITECT
Editorial Board

Dear WISCONSIN ARCHITECT
Editorial Board

What in the world are you doing to our magazine with that ridiculous picture of a "grass shack" on the cover of the August Energy Issue? It looked more like a hunting or fishing magazine.

wisconsin architect/december 1984

Please respond by return mail.

A Non-Sportsman,
Architecture for Architecture's Sake

Dear A.A.S.:

Perhaps we didn't explain the cover photograph adequately. The "grass shack" is from an Historic Mound Site in Illinois and is an incredible example of pre-historic understanding of energy conscious design. Inside the shelter is a pit about 6-8 feet in diameter and 5-6 feet deep. Over this is built a timber frame covered with thatch. On a recent June day when the photographer visited the site, the outside temperature was in the 90's while the temperature inside couldn't have been more than 70 degrees. Clearly the constant 55 degree earth temperature had in effect lowered the summer temperature just as it would have a warming effect in winter when the temperature is near zero.

Thanks for taking the time to write. You ought to take up fishing.

Cordially,
WISCONSIN ARCHITECT
Editorial Board

You bunch of jerks!

What makes you think an academic can tell us anything about law and practice? We've gotten ourselves in and out of trouble before and we'll do it again . . . without your help. Sue me . . .

Not very cordially,

A Non Intellectual, And Proud Of It

Dear N.I.A.P.O.I.

Thanks for your kind words.

The profession of architecture changes dramatically, almost from day to day. Issues as diverse as Product Liability, and Solar Access, not to mention the old fashioned issues of Errors and Omissions and Supervision, are a part of our world. Unless we keep current, understand the new interpretations and know how to seek counsel our fees will be eroded by unnecessary legal expense. The "academics" who specialize in this area are trying to help you.

Sue us . . . we don't have any assets.

The WISCONSIN ARCHITECT
Editorial Board

Dear Editor:

Some time recently you had some guy write a story about architectural photography. I'll tell you . . . it was the most confusing thing I've ever read. As a matter of fact I don't understand why I can't have my nephew Snerdly take photographs of my buildings like he's always done? He doesn't have any fancy cameras to worry about and Walgreen's does a perfectly good job of making the pictures.

Signed,
Matthew Brady Jr., III

Dear M.B.J. III



We try from time to time to introduce issues of importance and interest along with the regular monthly themes in the WISCONSIN ARCHITECT. Photography is an important tool both for studying building context, looking at alternative design solutions and presenting final solutions. It's also important for documenting the building for presentations or publicity and, of course, awards. The article you referred to attempted to advise architects of the importance of techniques and equipment to get the maximum benefit of this medium. We hope you and others will seriously consider the value of photography and either invest in personnel and equipment or engage professional photographers.

Tell your nephew that his box brownie camera should have been placed in a time capsule when the State Capitol was built.

Discover the **GYP-CRETE** Floor Plan

Ideal for:

New Construction or Renovation



**The Standard
for Residential,
Office and Light
Commercial
Spaces.**

Quality You Can Stand On! Economy You Can Bank On!

• Fire Control • Sound Control • High Strength • No Shrinkage Cracks




**ACOUSTICAL FLOORS
OF WISCONSIN, INC.**

P.O. BOX 477 • PEWAUKEE, WISCONSIN 53072
TELEPHONE (414) 691-9105

- Lightweight Economy
- Sets in 90 Minutes
- Eliminates Double-Plating

Sun Spot. See the Pella Sunroom Bay.



Only from Pella

PELLA WINDOW CO., INC.
3416 Pennsylvania Avenue
Dubuque, IA 52001
319/557-1192

PELLA WINDOW CO., INC.
4010 Mormon Coulee Rd.
La Crosse, WI 54601
608/788-7313

Law Office

ARCHITECT

ZWACK ASSOCIATES, LTD.
222 East College Avenue
Appleton, Wisconsin

OWNER

The Law Office
Menn, Nelson, Sharratt, Teetaert &
Beisenstein, Ltd.
222 North Oneida Street
Appleton, Wisconsin

PROJECT

Addition and Alterations to the
Law Office Building
222 North Oneida Street
Appleton, Wisconsin 54911

PHOTOGRAPHER'S CREDIT

James B. Zwack


The problem was to expand, renovate, and convert an existing law office building into a functional, energy efficient and thoroughly modern structure meeting the needs of an expanding law firm. The original building was constructed in the late 1930's as a doctors office and residence.

Careful analysis of the existing structure revealed sufficient space to satisfy the owners requirements could be obtained by enclosing a portion of roof area surrounding the existing second floor space. This eliminated the necessity of a large addition projecting into the already inadequate parking area except for a required new stair tower.


The exterior walls were extended to a height 4"-6" above the existing second floor roof and new roof construction was installed over the entire second floor area. All exterior walls of the building were then surfaced with 3" styrofoam insulation covered with bronze aluminum panels (Alucobond), and bronze reflective glass panels with 8"x8" bronze solar reflective glass block at the window areas. The second floor area was organized in an open plan concept with offices placed around the perimeter with the center containing the reception, waiting, secretarial and clerical areas. A clear skylight was provided to bring natural light to the waiting and office areas where exterior windows wisconsin architect/december 1984

were not allowed by code. A stair tower was added to complete the exit requirements. First floor renovations included new entrance, reception area, front office and exterior glass block wall.


tions included new entrance, reception area, front office and exterior glass block wall.



First Floor Plan.



Second Floor Plan.



Courts Building

ARCHITECT

Pfaller Herbet Associates, Inc.
Milwaukee, Wisconsin

OWNER

City of Milwaukee
Milwaukee, Wisconsin

PROJECT

Relocation of Municipal Courts
to Police Administration Building
Milwaukee, Wisconsin

PHOTOGRAPHER'S CREDIT

Eric Oxendorf, Mark F. Pfaller II,
Steven R. Groth



A compatible curtain wall in-fill was developed that was similar in pattern and texture to the existing building yet did not compete with the already overworked fenestration.

An extensive remodeling and retrofit transformed an open plaza into a functional, efficient and secure court facility.

Milwaukee's 13-year-old, seven-story Policy Administration Building, was the site chosen for the new Municipal Court . . . specifically, the building's 18,000-square-foot first floor vestibule off McArthur's Square.

The architects were asked to satisfy requirements of three distinctly individual clients: Municipal Court Judges, the Court Administrator

and the Milwaukee Police Department.


Site restrictions involved more than just the plaza space. The building's facade could not be altered; new construction could not extend beyond the building's outline, except the new entrance which was restricted to the east side of the building; and fixed elements — elevators, stairs, toilet rooms and columns.

In order to keep the entering public traffic moving, passages were designed with varying light conditions and spatial sequencing.

Once in the lobby, the public waits to be called before proceeding to the courtroom areas.

Prisoners are brought to the courtroom directly from the city jail on the upper floors via the existing jail elevator, controlled by the court bailiff. They are escorted through a totally separate secure corridor, south and west of the three courtrooms.

A third pattern of circulation was created for the administrative staff. It reduces the frequency of need for employees to enter the system's public or secure areas.



School Conversion

ARCHITECT

HSR Associates, Inc.
Madison, Wisconsin

OWNER

Urban Land Interests
301 North Broom Street
Madison, Wisconsin

PROJECT

Doty School Condominiums
351 West Wilson Street
Madison, Wisconsin

PHOTOGRAPHER'S CREDIT

Jack Paulson and HSR Associates,
Inc.




The project consisted of remodeling an existing 3 story, elementary school building into 17 moderately priced condominium units ranging from 600 to 1900 SF. 14 garages and additional surface parking for tenants and visitors were provided. Per city requirements, two existing specimen Burr Oak trees were preserved. The exterior of building was restored to an appearance more in keeping with vintage of building. Since building is on Historic Registry, the project needed to relate State Historical Society requirements.

The existing building was completely to original bearing walls and floor structure. The existing unused attic space was structurally modified in order to capture this space for distinctive living units; balconies were "cut in" existing roof in order to give light and air to these units. Existing high ceilings, high windows, and exposed brick walls, were retained.

In order to preserve lake views, the grade at rear of the site was dropped four feet, and garages were built of a design suggestive of the original building form, materials and detailing.

The original building exterior materials including clay tile roof were restored, and new insulating glass windows of design similar in appearance to those in the original building were installed.

wisconsin architect/december 1984



FIRST FLOOR PLAN



The Granary Restaurant



Congratulations Yarbro-Kempinger Architects, Inc. Thank you for creating this unique preservation project.

The keys to a successful project:

Fox Cities Construction Co.

General Contractor
406 W. South Park Ave.
Oshkosh, WI 53901
414-235-8008

John E. Meyer Co.

Plumbing Contractor
P.O. Box 2783
Oshkosh, WI 54903
414-235-2300

E.D. Chase Company, Inc.

530 Bay Shore Dr.
Oshkosh, WI 54901
414-235-5220
Providing roofing and architectural sheet metal

Oshkosh Building Center

Do-it-center.
234 Campbell Rd.
Oshkosh, WI 54903
414-235-0990
Providing dimensional lumber and millwork

Central Heating Service, Inc.

Heating, Ventilating, & Air Conditioning Contractor
1565 Harrison St.
Oshkosh, WI 54901
414-235-6670

Solar Electric, Inc.

Electrical Contractor
745 Leeward Ct., West
Oshkosh, WI 54901
414-231-3990

David R. Ostwald

Carpenter/Designer
920 Jackson Dr.
Oshkosh, WI 54901
414-231-7594
Providing carpentry and woodworking



Hwy. 45
Greenville, WI 54942
414-233-2525
Supplier of wood products

We are pleased to have helped open the doors!

Restaurant

PROJECT

The Granary Restaurant
Oshkosh, Wisconsin

ARCHITECT

Yarbro-Kempringer Architects, Inc.
Oshkosh, Wisconsin

OWNERS

William R. Sweeney, John O. Rieder,
Steven J. Amato, Terry J. Sweeney,
Oshkosh, Wisconsin

PROJECT

Convert H.P. Schmidt Feed Mill into
THE GRANARY RESTAURANT
Oshkosh, Wisconsin

It was the Owners' desire to convert this 100 year old feed mill into a restaurant. The concept was to maintain unique characteristics of the building. The layout gives one a feeling of privacy while dining in an open area. It also allows easy visual and physical access, thereby enabling waiters and waitresses to provide more personal attention.

The Architect suggested maintaining many of the chutes, bins and machinery in their original location and condition. These items were cleaned to bring out the warmth of their natural materials and they add much to the decor. Flooring in a portion of the second floor was removed to expose a heavy timber structure and provide second floor

diners visual access to the first floor entrance. Cedar boards were used at the entrance to enhance the building's original stone structure.

Converting a feed mill into an assembly hall raised unique code challenges. A petition for variance was required so that exposed wood throughout the interior of the building could be maintained. Existing exterior wood walls were covered with masonry to achieve Type 5 construction.

The Owners performed much of the construction work themselves. Additionally, a cooperative "team" of contractors share credit for meeting the projects deadline.



BEFORE



AFTER



wisconsin architect/december 1984



Reimer Building Renovation

PROJECT

Reimer Building Office Conversion
Green Bay, Wisconsin

ARCHITECT

FOTH & VAN DYKE, Engineers &
Architects
2737 S. Ridge Road
Green Bay, Wisconsin

OWNER

Riverfront Properties
2200 Riverside Drive
Green Bay, Wisconsin

THE PROBLEM

To transform a rapidly deteriorating eyesore on Green Bay's southeast side into a modern office complex. Located along the Fox River, the abandoned 125-year-old building, which had been built as a brewery and later was turned into a meat packing plant, had become a haven for pigeons, rats and vandals.

The many additions that had been haphazardly added to the masonry building through the years created special problems for Foth & Van Dyke architects. For example, some additions shared a common interior wall while others had separate walls. Floor levels of the various sections invariably didn't match, and a 2 foot thick bearing wall inhibited designing suitable office suites. The exterior walls varied in thickness by as much as 3 feet, and windows were almost nonexistent.

THE SOLUTION

The architects recommended razing several of the building additions, leaving a 40,000 square foot central core encompassing four distinct sections.

Most of the floors required leveling, some with concrete overlays, others with complete structural shifts of floors by several feet. Some of the height variations were incorporated into the design concept, so what had been a troublesome 4 foot difference in floor levels has now become an attractive mezzanine.

In one building section, ceiling height on the first floor was 7½ feet, jumping to 16 feet on the second



floor. Both levels were structurally adjusted, creating space for lighting and 8 foot ceiling heights on both floors. The thick exterior walls enabled the designers to create window ledges up to 3 feet deep in some of the seventy-six windows that were added, while in other parts of the building, major portions of the 2 foot thick bearing wall were removed, leaving columns for structural support.

The building's combination heat-

ing and air-conditioning system now employs 40 zone type water-to-air heat pumps, and two 1400 gallon water tanks store heat until it's recovered by the heat pumps. In addition, a natural gas boiler provides supplementary heat when needed. A centrally located stairwell was revamped to house plumbing and heating ductwork, and operating the energy efficient mechanical system costs about 20% less than operating a more conventional system.

wisconsin architect/december 1984



CAST ASIDE THE GALLEY SLAVE ROLE.

Tie into the Epicurean™, Kohler's food preparation center, and catch the latest in kitchen freedom.

Bring convenience on board. With the wooden drain deck, the hardwood cutting board and two basins — a scrubbing basin for the big jobs and a central disposal bay.

Run silent, run deep. The Epicurean is beautifully fashioned out of enduring, enameled cast iron. This minimizes disposal noise and vibration. The scrubbing basin plunges 9½ inches.

It's shown in Sequoia with Alterna faucet and optional sprayer. Other faucet and color combinations

are available.

The Epicurean from Kohler. It's a bold, beautiful way to cast aside the galley slave role.

See us for more information on this and all Kohler products for kitchen, bath and powder room.

THE BOLD LOOK
OF **KOHLER**

“ATTENTION ARCHITECTS!”
FOR YOUR NEXT PLUMBING
OR HEATING PROJECT, CONSULT
WITH YOUR LOCAL KOHLER DISTRIBUTOR
LISTED HERE.

APPLETON

Baker Manufacturing Co.

550 Hickory Farm Lane
Appleton, WI 54913
Telephone: (414) 734-9284

W. S. Patterson Co.

2100 W. College Ave.
P.O. Box 1177
Appleton, WI 54912
Telephone: (414) 739-3136

GREEN BAY

Murphy Supply Co.

1055 Lake St.
P.O. Box 19310
Green Bay, WI 54310-9310
Telephone: (414) 497-7004

JANESVILLE

Automatic Temperature Supplies, Inc. (Branch)

Route #3 — Hwy. 51
Janesville, WI 53545
Telephone: (608) 754-8106

MADISON

Automatic Temperature Supplies, Inc.

1023 E. Main St. (53703)
P.O. Box 1151 (53701)
Madison, WI
Telephone: (608) 257-3755

MILWAUKEE

Milwaukee P & H Supply Co.

1313 W. St. Paul Ave.
Milwaukee, WI 53233
Telephone: (414) 273-3600

United P & H Supply Co.

9947 W. Carmen Ave.
P.O. Box 25342
Milwaukee, WI 53225
Telephone: (414) 464-5100

RHINELANDER

W. S. Patterson Co. (Branch)

1672 Menominee Dr.
Rhineland, WI 54501
Telephone: (715) 362-7824

WISCONSIN RAPIDS

W. S. Patterson Co. (Branch)

2111 Engel Road
Wisconsin Rapids, WI 54494
Telephone: (715) 421-1585

SHEBOYGAN


J. J. Koepsell Co.

A Kohler Registered Showroom
1010 S. 9th St.
Sheboygan, WI 53081
Telephone: (414) 457-3646

EXCELLENCE IN MASONRY

ARCHITECT: Holland-Steed
PROJECT: Alexian Village
Milwaukee, Wisconsin

Sponsored by:
MASONRY INSTITUTE OF WISCONSIN, INC.
8989 North Deerwood Drive, Milwaukee, WI 53223
(414) 355-7800



JOHN D. HOLLAND
HAROLD R. STEED

Masonry Institute of Wisconsin
8989 N. Deerwood Drive
Milwaukee, Wisconsin 53223

Re: Alexian Village of Milwaukee
9301 N. 76th Street
Milwaukee, Wisconsin

Gentlemen:

Alexian Village of Milwaukee represents a two phase retirement community building program. The original four story building constructed in 1977 contained 197 apartments, a 60 bed skilled nursing wing and support facilities for a full services retirement community. Our recently completed six story addition contains 134 additional apartments and extensive support facilities. The new building is physically connected to the original structure with an underground passageway.

Brick was utilized extensively on the interior and exterior of the buildings because of its warmth, texture and its feeling of solidity and security so necessary in a retirement community. The masonry not only provided the needed structural strength and fire safety, but it also provided a good acoustic separation and was part of extensive energy conservation efforts.

Brick walls provided the flexibility to "keep the job moving" most expeditiously and to allow the contractor to coordinate the construction process with the precast concrete flooring fabricators. The recent addition was completed in minimal construction time due in great part to the combination of materials selected.

We're pleased to have Alexian Village included among the well designed structures recognized in your "Excellence in Masonry" program. We're especially appreciative of the efforts of both our general and masonry contractors for their craftsmanship and personal efforts. One of the long lasting virtues of a brick structure is that the building continues to echo the personal concern and artistry of the individual craftsmen - a quality too often lost in our technological existence.

Sincerely,



John D. Holland
HOLLAND & STEED ARCHITECTS, INC.

JDH/rm

encl.

Make your good ideas ***better***. Plants breathe life into your planned environments; adding color, texture and balance to architectural and interior designs.

Maxine's plantscape consultants are experts in recommending the most suitable line of plants for your client's interiors. Our facility offers Florida's highest quality plants, fully acclimatized to the specific environment and enhanced with tasteful accessories. Once installed, plants are maintained by our service team, assuring proper care and replacement to preserve the beauty of your environment.

Can we help? **You better believe it.**
414-461-4500

maxine
INTERIOR PLANTSCAPE, INC.



Photography: Al Gartzke

Renovation: Iron Block Building, Milwaukee

for Capitol Bankers Life Insurance Company

Plant Design: Maxine Interior Plantscape

5231 North Hopkins, Milwaukee WI 53203

THE WISCONSIN ARCHITECTS FOUNDATION MEMORIAL FUND

For various reasons, individuals, families and corporations wish to make contributions in memory or in honor of an architect. A contribution to the Memorial Fund of the Wisconsin Architects Foundation is a fitting way to express such a feeling. Contributions will be acknowledged by the Foundation as shown below unless otherwise requested.

Make your check payable to:

Memorial Fund of the Wisconsin Architects Foundation
615 E. Washington Avenue
Madison, Wisconsin 53703

THE WISCONSIN ARCHITECTS FOUNDATION

acknowledges a generous contribution from

in Memory of

This gift will be used for the public service and public education programs carried out in the name of all Wisconsin architects.



VFW
Post 8216,
Middleton,
WI
Orchid
Award
Winner

H. KRUEGER & ASSOC., INC.
Professionals in Interior Design
Harry Krueger,
Professional Member ASID
Barbara Schwenn,
Associate Member ASID

5218 Century Avenue
Middleton, WI 53562
1.608.238.4492



ENTERPRISE ART GLASS WORKS, INC.

6600 RIVER PARKWAY

• WAUWATOSA, WI 53213 •

AREA CODE 414 - PHONE 259-0100

• ESTABLISHED 1903

*For over 73 years,
Creators of Stained Glass Windows
Traditional and Contemporary*

Cheney Lifts provide the freedom to get up and down stairways.



The Liberty Wheelchair Lift



The Handi-Lift

THE LIBERTY™ WHEELCHAIR LIFTS enable individuals to ride safely and comfortably on a wide variety of stairways. The Lifts are so versatile they can accommodate top or bottom overruns and even go across intermediate landings.

- Optional space saver rail
- 500 pound load rating
- Mounted to one wall only
- Outdoor installations

THE HANDI-LIFT® Vertical Wheelchair Lift provides safe stairway and building access for people confined to a wheelchair. Feature for feature, it's unsurpassed for safety and versatility.

- Lifting range of 4 to 12 feet is highest in industry
- Provides a full 12 square foot platform
- Adapts to numerous indoor and outdoor applications
- 500 pound load rating . . . optional 750 pound load rating available.

Where a restrictive access is required, you'll find the Handi-Enclosure® unsurpassed for safety and ease of installation.

To find out more about the freedom Cheney Lifts can provide you with, call or write the Cheney Company.

Helping people help themselves

The CHENEY Company
P.O. Box 188, Dept. WA, New Berlin, WI 53151
(414) 782-1100

Look for Cheney Lift products at Mitchell Field and at Midway Airport in Chicago.



2018 EAST THOMAS AVE.
MILWAUKEE, WIS.
414-962-2150

The Little Shop has special skills in antique restoration: furniture refinishing; furniture finishing. The Little Shop does museum quality work. . . has for more than 50 years.

You would use The Little Shop where the quality of work must be assured to satisfy a demanding client or to insure that special furniture be completed predictably and perfectly — however demanding or sophisticated the look might have to be.

perfect walls which require complete removal of existing paint, or does it include repainting wall with areas of chipped paint visible after painting? The key for the specifier is to understand the vision and relate the vision to the contractor.

Avoiding the Other Rs

Avoiding *redesign* can be relatively easy if you specify in terms which fit existing conditions. Use materials which will satisfy the owner's and designer's vision, and try to work with local material suppliers to specify materials that are available locally.

After selecting the materials, verify the construction methods and set parameters of acceptable finished construction and workmanship. Don't force the contractor to go by standards you have set that are acceptable only in another locality. Go by standards that are commonplace where you are now specifying the project. Do you really want marble wainscot if you have to import a subcontractor a few hundred miles for a \$1500 job?

To avoid *redraw* make sure you understand the materials selected. Don't try to make the material supplier responsible for creating a detail you envision but the material was not designed to create. Draw in terms that the local contractor understands. For instance, don't try detailing four-foot frost walls in Texas. Set parameters of acceptable standards and finishes that the subcontractor understands and is capable of furnishing.

To avoid *rebid*, bid with reliable material suppliers, contractors and sub-contractors who understand what you have specified and designed. Select subcontractors to fit your specifications and design who understand the overall vision of the project.

Rehabilitation of Consultants

To avoid redesign, redraw, and rebid, the consultants must understand the overall project:

- *Structurally.* Because the wood balcony columns are rotted away on the bottom connection at grade, does this mean column re-wisconsin architect/december 1984

placement or does it mean a new six-inch high baseplate eliminating the rotted area? If the brick veneer is separating from the wood back up, does it mean removal and replacement, or does it mean reinforcing the facebrick which will not allow it to separate any further?

- *Plumbing-wise.* When remodeling the bathroom, does the project call for fixture replacement or simply new toilet seats, tank replacement parts and new washers in the brass?

- *Heating and Air Conditioning.* Do you really have to eliminate the wall smoke exhaust fan in the conference room and install ductwork with fire dampers and a roof-mounted exhaust fan? And who determined that each office or area must have a thermostat?

- *Electrically.* What was the determining factor in specifying replacement of all wall outlets and switches just because they are old? Who determined that emergency lights and generator were needed,



Picture C19

Illustration shows spalled concrete area which will not meet the specifications and would require replacement. This same condition shown would require replacement due to width of crack.



Picture C18





Illustration shows a condition of concrete sidewalks which would meet the specifications and would be left in place. Note condition of spalled concrete at one crack.

Wisconsin Architect

**Dimensions and
Directions**

**Energy in
Architecture**

**Make Friends
With Buildings**



and more . . .

**Thank you Advertisers for putting WISCONSIN
ARCHITECT out in front!**

To get your company specified, specify

**WISCONSIN ARCHITECT Magazine
321 S. Hamilton St.
Madison, WI 53703
608-257-8477**

when not required by code?

The consultants are not against doing a project right the first time, but in order to do this, they must have a clear understanding of the project before writing specifications. And having a clear understanding, they might even rewrite the cut and dried master specification on concrete, valves, ductwork and wire to fit your three Rs project.

Remodeling Liability


Master specifications have been developed by all specifiers with the overall view of limiting professional liability. When trying to limit one's liability, the specification grows. If the specifier takes time to understand what the designer wants, he can clarify his liability with his client upfront. By clarifying his liability, he allows the consultant to write a specification that will fit the project.

Keep in mind what you are trying to do is rehabilitate, not recreate. Most specifications are not written with rehabilitation in mind, as noted in the above sidewalk specifications. Unfortunately for some and fortunately for others, each project is not a Taj Mahal, so

don't try to make one out of your project by over-specifying. Correct your specification to fit restoration, rehabilitation, and remodeling.

Remember, without proper contractor language, in your specification, your three Rs project will become redesign, redraw and rebid.

CLARENCE HUETTENRAUCH, CSI, AIA, CCS, is president of BHS Architects, Inc., Milwaukee, Wisconsin. A past CSI chapter president, he has written and spoken on such topics as specifications and Division One. This article is reprinted with permission by The Construction Specifications Institute.



Picture A2

Illustration shows a typical sidewalk slab which does not meet the specification as far as difference in top surface being more than 1/2" which causes a hazard to the public.

CONSTRUCTION INDUSTRY HANDBOOK

February, 1985 Issue reaches:

- Architects
- Architectural Firms
- Planners
- Designers
- Engineers
- Contractors
- Owners/Developers
- Builders

Contact Nancy Baxter, Advertising Manager to reserve your space now!

WISCONSIN ARCHITECT MAGAZINE

321 S. Hamilton St., Madison, WI 608-257-8477

*Black & White Murals *8x10 Glossy Repros
*We Reproduce Blueprints or Masters For
Making Blueprints

PHOTOCOPY

104 East Mason St. Milwaukee, Wisconsin 53202

For Service

CALL: 1-(414)-272-1255

GENZ CONSTRUCTION INC.

"Constant Concern For Customer Satisfaction"

(414)781-5230



- COMMERCIAL
- RESTAURANT
- RETAIL STORES
- NATIONALLY RECOGNIZED

4235 N. 127th Street
Brookfield, WI 53005



twin city testing
and engineering laboratory, inc.

Since 1938

- pre-restoration surveys
- physical and chemical tests
- construction observation
- failure analysis
- problem solving

Offices

Appleton.....(414)733-8711
Eau Claire.....(715)832-0282
La Crosse.....(608)781-5330
Wausau.....(715)359-9463



TEAK and KARPAWOOD

for parquet floors

The warm, natural look of a Teak or Karpawood parquet floor is treasured now more than ever before. These two imports are a delight to those who love the rich-grained beauty of wood.

TEAK is the ultimate in beauty, elegance and prestige ... yet, it is very hard and will last for *decades*.

KARPAWOOD, known in Thailand as ironwood, is harder than oak, and has an extremely low coefficient of expansion.


Both woods are available from our Chicago warehouse in many UNfinished and PREfinished patterns.

Phone (collect) for free samples, brochures of 80 floor designs, technical information, prices. Or, write:

Thailand Teakwood Importers, Inc.

645 North Michigan Avenue, Chicago, Illinois 60611
(312) 337-3938

(We are Midwest distributors for Bangkok Industries, Inc., Philadelphia)



**Klipstein Lane
& Associates**

- I. We are the exclusive representative in the state of Wisconsin for Design Professional Insurance Company.
- II. We also represent **all** the available **markets** for professional liability insurance.
- III. Services provided:
 - A. **Contract** Review
 - B. Comparison of Professional Liability Insurance policies
 - C. Monitor claims
 - D. Conduct In House Loss Prevention seminars

Contact: Paul Berta


216 North Midvale Boulevard
P.O. Box 5566 • Madison, WI 53705-0566
608-238-7181

VER HALEN

Distributors Of



- Sunrooms
- Skylights
- Patio Doors
- Energy Tight Windows
- Window Replacements



VER HALEN INC.

Madison Milwaukee Green Bay
800/362-6601 800/242-6212 800/242-1008


Marketplace



FUL-O-MITE™ insulation decorative finish (IDF), a new way to add energy efficient exterior insulation to older buildings and new structures alike, is now available from the Construction and Consumer Products Division of H.B. Fuller Company.

The FUL-O-MITE finish insulates a building's structural frame from the outside without decreasing valuable interior space. Insulating the frame reduces thermal stresses which can cause cracking and increases the building's R value which can save energy dollars. It is lightweight, long-lasting, crack resistant, practically maintenance free, and come in a variety of colors and textures.


For additional information, including laboratory test data, contact H.B. Fuller Company, Construction and Consumer Products Division, Architectural Products Group, 315 S. Hicks Rd., Palatine, IL 60067. 1-800-323-7407.



Wausau Tile has introduced a new time- and work-saving roof paver pedestal form which both tilts and telescopes to accommodate changes in roof pitch and height. They also make easy the below-deck concealment of such services as drainage, electrical and plumbing systems.

Called Terr-adjust™, the infinitely adjustable forms quickly, easily adapts to the height and level needed to keep the plane of the paver surface level over a wide range of roof irregularities. After adjustment, concrete is poured inside the form, and a Wausau Tile Terring® is positioned on top to locate and secure the paver. The resulting concrete pedestal is thus completely encased for permanence.



For complete details on new Terr-adjust, and the complete Terra System One roof deck system, write or call Wausau Tile, P.O. Box 1520, Wausau, WI 54401. 715-359-3121.



The Brilliance Collection is a remarkable cache of over 4500 rolls, 1377 patterns, of antique wallpaper dating back to 1850. These never exposed to light, have been deacidified and encapsulated in mylar to preserve their original brilliant colors.

Victorian Collectibles, Ltd. has reproduced, from the original antique wallpapers, an entire line of coordinating products echoing the Victorian era. They include: sidewalls, borders, ceiling papers, rugs, fabrics, ceramic tiles, plaster moldings, foam cornices, hand-stenciled floors and floor cloths, as well as murals, panels and ceilings hand-painted on canvas.

For more information, contact Victorian Collectibles, Ltd., 845 E. Glenbrook Rd., Milwaukee, WI 53217.



Introducing Andersen® High-Performance Insulating Glass. No matter what it's like outside, it keeps you comfortable inside.

This revolutionary new double-pane insulating glass is so energy efficient it outperforms ordinary single, double, and triple-pane windows. In fact, a building with High-Performance windows can save as much energy in Phoenix as it can in Minneapolis.

Basically it works much like a thermos does.

A thermos keeps cold things cold and hot things hot. High-Performance windows help keep hot air outside during warm weather, and help keep heat inside during cool weather.

That's because unlike other insulating glass, Andersen High-Performance glass has a microscopically thin transparent coating permanently bonded to the surface, reducing the amount of radiant heat that can pass through glass. As a result, it's 42% more efficient than regular double-pane insulating glass. That means heating and air conditioning equipment don't have to work as hard. So your clients save money no matter where they live.

See Sweets File 8.16/An for more information. And contact us for local product availability and a High-Performance brochure. Find out what the most revolutionary insulator since the thermos can do for your buildings.

Distributed by: **THE RADFORD COMPANY**

LA CROSSE,
WISCONSIN

DULUTH,
MINNESOTA

OSHKOSH, WISCONSIN

FARGO,
NORTH DAKOTA

BISMARCK,
NORTH DAKOTA

OMAHA, NEBRASKA

MADISON,
WISCONSIN



**Come home to quality.
Come home to Andersen.®**

84928 Copyright © 1984, Andersen Corp., Bayport, MN


On The Boards

ARCHITECT:
Strang Partners, Inc.
Madison, WI.

PROJECT:
Wingra Village
Retirement Center
Madison, WI

BACKGROUND:
Wingra Village is a new concept
in activity-oriented retirement

living. Utilizing a small but well located site this 256 unit urban infill development is designed for middle income elderly. Incorporating three existing 24 unit apartment buildings, the project will include three new nine story towers and connecting walkways. The first floor will be devoted to recreational, commercial, and retail uses and underground parking to complement the adjacent structures. Construction is scheduled for spring 1985 on this \$12 million project.




ARCHITECT:
Kubala Washatko Architects, Inc.
Cedarburg, WI.

PROJECT:
Addition to St. John
United Church of Christ
Germantown, WI

BACKGROUND:
The church's main concerns were the lack of areas for socializing before and after services, as well as a shortage of space for meetings, receptions, and other social functions. Our scheme adds to the church without taking away from the iconographic power of the original structure.

The addition faces the south and is arrayed behind a stone wall which acts as a plane of division between old and new. In the church proper, the altar has been moved from the south end to the north, and the nave has been enlarged by a glassy transition zone with cemetery access. A skylit aedicula mediates between sanctuary, narthex, and the stairway to the fellowship hall. The intention throughout was to foster fellowship without detracting from the purity and grace of the original church.



ARCHITECT:
Donohue, Engineers & Architects
Sheboygan, WI.

PROJECT:
Islamic College of Ajman
AJMAN, United Arab Emirates

BACKGROUND:
Located on the Arabian Gulf, the Islamic College of Ajman is a private elementary school accommodating 600 students. Sited on 8.75 acres, the 124,000-square-foot design allows for separation of students by sex in grades 4 through 9 and inte-

grated facilities for students in kindergarten through grade 3, with future expandability for 400 additional pupils. The poured-in-place concrete structure features decorative walls and is air conditioned. Because of the harsh sun, fabric canopies are provided to shade play areas used by younger students. Extensive use of natural daylighting is controlled through narrow window bands and clerestories. The site also includes 75 units of faculty housing and a recreational center.



ARCHITECT:
Py-Vavra Architects Engineers,
Inc.
Milwaukee, WI.

PROJECT:
Sheraton Milwaukee North
Brown Deer, WI

BACKGROUND:
In the heart of Brown Deer's business and commercial area, the Sheraton will be built at 8900 North Kildeer Court, adjacent to the Schroeder Aquatic Center, site of many National swim meets. The hotel will offer "state of the

art" guest-rooms and suites including twenty-four unique compartmented suites with a new design incorporating both living and sleeping area combinations for both executive and visitor market segments. There will be completely equipped conference and banquet facilities, full catering services, fine restaurant, contemporary cocktail lounge and indoor as well as outdoor pools. Arthur B. Py, Jr., President of Py-Vavra, estimates that the Sheraton Milwaukee North will employ 180 full and part-time people when completed.



The Wisconsin Architect will publish forthcoming projects that are "On The Boards" using the format shown. If you have a project for publication, please

submit the appropriate heading, copy, and graphics using the shown format to the WSA Office.

Advertisers Index

Accurate Security, Ltd.	35	Gagnon Clay Products	4	Oshkosh Building Center	10
Acoustical Floors of Wisconsin, Inc.	6	Gall Distributors	4	David R. Ostwald-Carpenter/Designer	10
Anderson Windows	25	Geis Building Products	30	PBBS Equipment Corp.	34
Archimodel	35	Genz Construction, Inc.	23	W. S. Patterson Co. Kohler Insert	
Architect/Design Group	34	Graef, Anhalt, Schloemer & Associates, Inc.	35	Pella Window Co., Inc.	6
Arnold & O'Sheridan, Inc.	35	Gryphon Studio	35	J. W. Peters & Sons, Inc.	Back Cover
Association Administrators & Consultants, Inc.	32	Thomas H. Jaeschke & Associates	35	Photocopy, Inc.	23
Automatic Temperature Supplies	Kohler Insert	Kindt Building Center	10	The Radford Co.	25
Baker Manufacturing Co.	Kohler Insert	Klipstein, Lane Associates	24	Romatic, Inc.	35
Belden Brick Co.	15	J. J. Koepsell Co.	Kohler Insert	S & S Sales Corp.	35
Capital Data Processing	2	Kohler Co.	Insert	STS Consultants, Ltd.	35
Central Heating Service, Inc.	10	H. Krueger & Associates, Inc.	20	Solar Electric, Inc.	10
Chase Co., Inc.	10	The Little Shop	20	Thailand Teakwood Importers, Inc.	24
Cheney Company	20	Manci & Haning, Inc.	35	Twin City Testing Labs	24
Desert Aire Corp.	27	Masonry Institute	12	United Plumbing & Heating Supply	Kohler Insert
Dolan & Dustin, Inc.	35	Maxine Interior Plantscape	19	Velux-America, Inc.	33
Enterprise Art Glass Works, Inc.	20	John E. Meyer Co.	10	Ver Halen, Inc.	24
Enterprise Engineering Corp.	35	Mid-State Associates, Inc.	35	Warzyn Engineering, Inc.	35
Fox Cities Construction Co.	10	Milwaukee Plumbing & Heating Supply	Kohler Insert	Wisconsin Brick & Block Corp.	27
		Murphy Supply Co.	Kohler Insert	Wisconsin Face Brick Supply	4
				Wisconsin Testing Labs.	35

CONSTRUCTION INDUSTRY HANDBOOK

February, 1985 Issue reaches:

- Architects
- Engineers
- Architectural Firms
- Contractors
- Planners
- Owners/Developers
- Designers
- Builders

Contact Nancy Baxter, Advertising Manager to reserve your space now!

WISCONSIN ARCHITECT MAGAZINE

321 S. Hamilton St., Madison, WI 608-257-8477

CHEMSTOP
WATERPROOFING



J. R. MEADOWS, INC.

With Names Like These Behind Us
You Know We're Not Just A Brickyard.

*Serving Southern Wisconsin Architectural
Needs For Over 76 Years.*

Brick — Block — Pavers — Stone
Your Masonry Needs At One Location

WISCONSIN
BRICK & BLOCK
CORPORATION

2840 UNIVERSITY AVENUE
MADISON, WI 53705
(608) 238-2636

STOP WASTING ENERGY!

Control
POOL ROOM
Humidity

Finally! A sensible way to control Pool Room Humidity while reducing operating costs.

DESERT AIRE DOES IT ALL!

- Reduces Operating Costs Up to 75%
- Controls Damaging Humidity while Heating Pool Room
- Saves Money
- Uses No Gas or Oil
- Models to Suit All Needs

Don't throw Money Out the Window!



DESERT AIRE
CORP.

Dept. DA
5633 W. Florist
Milwaukee, WI 53218
1-414-462-4143

Society News

"ASSOCIATE NEWS"

"Associate News" is a new feature of the WISCONSIN ARCHITECT. Its intent is to publicize the happenings in the associate membership, and to be a medium for information pertinent to associate members. If you have anything to print, submit it by the **first of the month prior to publication** to:

WISCONSIN ARCHITECT
c/o WSA/AIA
321 S. Hamilton St.
Madison, WI 53703

WSA held the first "Young Practitioners Day" (a professional development program for young architects and those pursuing architectural registration) on October 26, 1984 at Madison's new federal building. The featured speaker was Kenton Peters, the project architect of that building. Attendance was estimated at 30 participants. WSA would like to see more of these seminars in the future and would welcome any comments or suggestions that you might have. Contact Eric Englund at (608) 257-8477.

For the first time, beginning in 1985, the WSA Board of Directors will have an associate member on the Board. She is Lisa Kennedy-Kimla. If you have any concerns you would like to express to the Board or any questions, please feel free to call her at (414) 962-2788 Home, or (414) 782-1855 Work.

For those of you planning to take NCARB's Architect's Registration Exam in 1985, the dates are June 17-20, 1985. For further information, contact:

Wisconsin State Board of Architect
Shirley White, Administrative Secretary
1400 E. Washington Ave.
Room 178
Madison, WI 53702

Watch for more details including information on refresher courses.

MEMBERSHIP ACTIONS

QUAST, HERBERT A., was approved for AIA Membership in the Northeast Wisconsin Chapter.

LASCH, DOUGLAS E., was approved for AIA Membership in the Southwest Wisconsin Chapter.

OBERBECK, DAVID, was approved for Associate Membership in the Northwest Wisconsin Chapter.

RISLEY, KATHLEEN A., was approved for Associate Membership in the Southeast Wisconsin Chapter.

SCHERBEL, MICHAEL H., was approved for Associate Membership in the Southeast Wisconsin Chapter.

THE FOLLOWING WERE APPROVED FOR STUDENT MEMBERSHIP

ANDERSON, ROBERT G. — Northwest
BOWEN, RHONDA — Northwest
BUEHLER, ROBERT — Northwest
BUNGARTZ, DENNIS — Northwest
CHRISTOPHERSON, BRUCE D. — Northwest
DAU, WAYNE — Northwest
DERRICK, TIM — Northwest
EKSTROM, DAWN M. — Northwest
ERICKSON, SCOTT R. — Northwest

FRYE, LARRY — Northwest
GULBRANSON, MARK A. — Northwest
JOHNSON, BRENT E. — Northwest
KERNER, MARK W. — Northwest
KRIZENISKY, JAMES — Northwest
LANE, DAVID — Northwest
LARUE, PAMELA — Northwest
LEE, STEPHANIE J. — Northwest
PAHLOW, COLLEEN — Northwest
ROBEL, JEROME M. — Northwest
RUGEN, JEROME — Northwest
SOMMERS, FREDERICK A. — Northwest
TOWERS, BRENDA L. — Northwest
ULLOM, GORDON — Northwest
WARNER, JOHN M. — Northwest

ING

An architect's failure to detect and correct errors in shop drawings cost the architectural firm \$285,000.

The contract between the owner and the architect contained the normal language calling for the architect's approval for "conformance with the design concept of the Project and for compliance with the information given in the Contract Documents." One of the shop drawings for a stairway erroneously called for 14-gauge steel for both the tread pans and the landing pans. The Contract Documents required that the landing pans had to be made of 10-gauge steel. The project architect failed to notice this mistake and stamped them "Approved".

The incorrectly specified steel failed and two injured workers brought a lawsuit against the architectural firm alleging that they were negligent in failing to discover and correct the erroneous shop drawings. The workers won.

Architects should understand their legal responsibilities set forth in their contracts with owners . . . and abide by them. Don't make a \$285,000 mistake.

E
S

Heike/Design Associates, Inc., is the new name of one of Wisconsin's most established architectural, engineering, planning, and interior design firms. Formerly Brust-Heike/Design Associates, Inc., the new name reflects the recent re-organization and expansion of the corporate structure of the firm founded in 1977. The name change is effective 1 October 1984.

Mr. Thomas A. Heike, AIA, CSI, APA, President and Treasurer of Heike/Design Associates, Inc., announced that Mr. Mark C. Herr, AIA, NCARB, has been elected Executive Vice President; Mr. Paul W. Brummund, AIA, has been elected Senior Vice President and Secretary; Mr. Peter D. Johnston, AIA, has been appointed Vice President.

ECT'S


Question: Does the architect have the authority to issue change orders which involve an adjustment in the contract sum or an extension of the contract time?

Answer: No . . . see Section 1.5.14 of the Standard Form Owner-Architect Agreement (B 141).

Question: What about minor changes in the work not involving an adjustment in the contract sum or an extension of the contract time?

Answer: **Only** in situations involving minor changes of the work which do

NO GATE TOO GREAT.



STANLEY

**Stanley has automatic gate operators
for even the most extraordinary ornamental gates.**

Every gate installation under heaven is different.

That's the best reason to depend on the versatility of Stanley, the world's #1 manufacturer of automatic gate operators. You'll find Stanley's "Total Systems Approach" lets you combine a full line of gate operators with the most complete array of controls and accessories to match the individual needs of every gate installation.

For more details about the full line of operators call or write to your local Stanley Master Gate Distributor.

GEIS

BUILDING PRODUCTS

20520 Enterprise Ave., Brookfield, WI 53005

414-784-4250

not involve an adjustment in the contract sum or an extension of the contract time and which are not inconsistent with the intent of the contract documents may the architect authorize changes. This kind of authorization is a great liability trap . . . so walk cautiously and make sure that you aren't causing liability problems for yourself. If the architect does authorize such minor changes, the G710 form should be used. Make sure you read the instructions for this form and that authorization only be made for minor changes as described above.

GNITION

SMANSHIP:

A steelworker, Mike Lefevre, told Studs Terkel in *Working*: ". . . I would like to see a building, say the Empire State, I would like to see on one side of it a foot-wide strip from top to bottom with the name of every bricklayer, the name of every electrician, with all the names. So when a guy walked by, he could take his son and say, 'See, that's me over there on the 45th floor. I put the steel beam in.' Picasso can point to a painting. What can I point to? A writer can point to a book. Everybody should have something to point to."

The book, a "No. 1 Best Seller," according to its cover, has been out since 1972. So where is that strip? Why, by now, aren't there hundreds? Scores? A dozen? One?

We decry the lack of true craftsmanship in our major artifacts. But encouragement of skill in one's trade comes in part from identification, in both a public and a private sense, of the person with his or her work. Split them asunder and both run the risk of disappearing. Of course there are those who can continue to invest themselves in their work without public affirmation. But in a world in which self-worth is constantly under attack by what we euphemistically call competition but all too often amounts to mutual denial, public affirmation becomes important, perhaps indispensable, to many. Certainly the quest for quality should be associated with a return to a recognition of its sources.

Lefevre verbalized the heedlessness and needlessness of the anonymous society. It is not true that big societies have to ignore their individuals, only that they too often do so. It is, alas, not enough to *be* an individual; you must also be recognized as one and affirmed as one to feel yourself a member, not simply an element, of a community.

Lefevre's idea is beautiful because it seems to capture so much truth in so little space and can be put into practice at so little cost.

*Professor Marvin Adelson
University of California, Los Angeles*

TY ION

Sherry Boland Ahrentzen has an article on "Distraction, privacy and classroom design" in the July, 1984 issue of ENVIRONMENT AND BEHAVIOR, co-authored with Gary Evans. During this past summer, she organized a workshop on Housing for Single Parents at the EDRA Conference in San Luis Obispo. She is presenting a paper entitled: "Residential Form and Gender" at UW System's 10th Annual Women Studies Conference in Madison this autumn.

Bob Beckley and Sherill Myers are finalists in the Bellevue, Washington Central Park Design Competition.

David Evan Glasser received a research grant from the Center for Latin American Studies, UWM. He also edited the 1984 special issue of WISCONSIN ARCHITECT, focussing on energy issues.

Linda Groat presented a paper entitled "Strategies for Contextual Design: A Partial Order Scalogram Analysis" at the 8th International Conference on Environment and Human Action, Berlin, last July. Professor Groat also

DID YOU GET YOURS?

The Design Professionals Endorsed
Group Workers' Compensation Plan has just
declared its first dividend, for the
1982 policy year,—

A 46.7% ONE!

If your firm isn't in a plan that has the
potential to pay dividends, then now's a
good time to contact AA&C, the Design
Professionals Group Insurance Service
Organization. This program may also be
purchased through your local broker if
different than AA&C.

ENDORSED BY

The Arizona Society of
The American Institute of Architects

The Florida Association of
The American Institute of Architects

The Louisiana Architects Association

The Minnesota Society of
The American Institute of Architects

The Texas Society of Architects

The Wisconsin Society of Architects



**Association Administrators
& Consultants, Inc.**

19000 MacArthur Boulevard,
Suite 500, Irvine, CA 92715

Phone 1-800-854-0491 Toll Free


Roof Window MODEL GGL

extensively in
Attic
sions and
al ceilings,
MODEL GGL
indow comes
tes.



Roof Window MODEL TPS

With its fully
integrated screen
and reversible sash,
our new top-hung
MODEL TPS is
the most advanced
roof window made
today.



Skylight MODEL VS

ntilating
t **MODEL**
h integrated
is
ally
d for
each
tions.



Skylight MODEL FS

Our fixed skylight
MODEL FS is
made to the usual
VELUX quality
standards. Priced as
low as \$122, it is
America's
outstanding
skylight value.



Freedom of choice. From VELUX®.

**fferent models of roof
s and skylights made to
dard of quality. A wide
f sizes and accessories.
)% installation
bility. All from
rce!**

omplete product program gives
he alternatives you need when
o choosing roof windows and


offer a wide variety of
s, like awnings, roller blinds,
and remote controls, electric
included.

ring our quality standards,
ly convenient but downright
to have VELUX as the sole
roof windows and skylights.
th 43 years of industry
behind us, we also know
tes to make a weathertight

installation, without wasting valuable
time.

With our easy-to-follow instructions
and prefab step flashing, any handyman
can become an expert installer the first
time out. What's more, he won't have
to be concerned with caulking or
mastic.

Naturally, we supply flashings for
different roof pitches as well as high
and low profile roofing materials. Gang



Our step flashing makes it easy!

flashings for the popular new group
installations are also on hand.

Give yourself the VELUX choice.
Send for some choice information
today! See us in Sweet's 7.8/Vel or
8.16/Ve.

FREE 24-page color brochure!
VELUX-AMERICA INC., P.O. Box 3268
Greenwood, S.C. 29648

The world leader in  **roof windows and skylights.**

This coupon answered in 24 hours.

VELUX-AMERICA INC.
P.O. Box 1107
Elk Grove Village, IL 60007
1-800-323-8336

In Canada:
VELUX-CANADA INC.
16805 Hymus Blvd.
Kirkland
P.Q. Canada H9H3L4

Name _____
Firm _____
Address _____
City _____ State _____
Zip _____ (_____) _____
Area Code

WA1284

completed NEA research on contextual fit in architecture. The final report is entitled: "Contextual Compatability in Architecture" (presently being printed).

Gary T. Moore was appointed as a Consulting Editor for PROGRESSIVE ARCHITECTURE and Plenum Press, as well as Praeger Publishers (a five-year term).

Amos Rapoport's article "Debating Architectural Alternatives" was revised and reprinted in the June '84 issue of INTERNATIONAL UNION OF ARCHITECTS BULLETIN.

David Reed presented a paper to the 2nd Annual National Waterfront Conference in Washington D.C. in September. His topic: "Urban Design Issues for the Waterfront: some thoughts from overseas examples." David has returned to UWM recently from New Zealand.

David Stea was co-editor of a special issue of ANTIPODE entitled: "The Fourth World Revisited: The Geography of Indigenous Struggles". He also co-organized the EDRA symposium on the use of models in participation and will be a keynote discussant at the American Association of Geographers (AAG) conference in spring of '85. Professor Stea received a UWM Graduate School grant for research on participation in housing design by Pueblo Indians in the U.S. southwest.

Harry Van Oudenallen is now a reviewer of EDRA submissions, and has presented two recent papers, "Efficacy of Participation in Architecture" (at the EDRA Conference in San Luis Obispo, and "The Competitor's Perspective on Competitions" (at the 6th International Conference on Urban Design in Pittsburgh). Professor Van Oudenallen has also had a design submission selected as one of 22 designs to be included in the A NEW AMERICAN HOUSE competition catalogue (346 designs were submitted). His design will also be included as part of the Minneapolis College of Art and Design exhibition, opening on October 5th, and as part of the following travelling exhibition.

**A
JOKE**

A surgeon, an architect and a politician were arguing over whose profession was the oldest.

"Eve was made from Adam's rib and that surely had to be a surgical operation," the good doctor said.

"Maybe," said the architect, "but before that, order was created out of chaos and that was an architectural job."

"Hold on," interrupted the politician proudly, "somebody had to create the chaos."

**PBBS
EQUIPMENT
CORPORATION**

5401 N Park Dr.
Butler, WI 53007

MILWAUKEE . . (414)781-9620

24 HOUR. Radio Dispatch Truck Fleet for
INDUSTRY, INSTITUTIONS, SCHOOLS, etc.
AUTHORIZED PARTS & SERVICE FOR
CLEAVER — BROOKS, CLEVELAND
CONTROLS, MORR CONTROLS CO.
Throughout Wisconsin & Upper Michigan.
SALES, BOILER ROOM ACCESSORIES, O²
Trims, And-Car Automatic Bottom Blowdown
Systems. SERVICE - CLEANING ON ALL
MAKES. Complete Mobile Boiler Room Rentals.

MADISON (608)249-6604
GREEN BAY (414)494-3675
STEVENS POINT. . (715)344-7310

Architects/Designers/Engineers to share Milwaukee East Side office, secretary, computer, Xerox, etc. with established firm.

Reasonable rent, contemporary space. Respond: John Fatica, Architect/Design Group, 414-271-7373.

Wisconsin Architect



Energy

August 1984

Attention Architects

What you specify can either save or cost your clients hundreds of dollars for energy every year!


At today's higher costs for fuel, it's more important than ever to research energy efficiency. For example: did you know that a heating/cooling system with a heat pump costs about 25% more to operate in Wisconsin than a system with a high-efficiency gas furnace and electric central air conditioning?

Have you looked into the higher efficiency ratings of such new gas heating systems as: induced draft, heat transfer module, recuperative or condensing-type, or pulse combustion? Did you know that gas furnaces, boilers and water heaters now can be vented directly through a side wall, eliminating the need for a chimney?

When you check into all of the facts, you'll find that high-efficiency gas furnaces and boilers are today's best energy buy. So, before you specify any heating equipment, contact us for no-cost, personalized assistance. Call Gerry Bay at 1-(414)-291-6959.



WISCONSIN GAS
Industrial Market Services



WISCONSIN ARCHITECT

Wisconsin Architect Inc.: Board of Directors: Fred Zimmermann, AIA; Harry Schroeder, AIA; Jim Miller, AIA; Glenn Johnson, AIA.

Wisconsin Architects Foundation Board of Trustees: 615 East Washington Ave., Madison, WI 53703 — Phone 608/257-8477. Paul Bronson, *President*; Tom Nisbet, AIA, *Vice President*; Robert Beckley, AIA, *Secretary/Treasurer*; Richard Griffith, AIA; Paul Graven, FAIA; Emma Macari, AIA; Richard Blake, FAIA; John Jacoby, FAIA; Robert Kluth; Eric Englund, *Executive Director*.

Wisconsin Society of Architects/A.I.A.: 615 East Washington Ave., Madison, WI 53703 — Phone 608/257-8477.

Board of Directors: Fred Zimmermann, *President*; Harry Schroeder, *Vice President*; Jim Miller, *Secretary/Treasurer*; Glenn Johnson, *Past President*; Danny Murrish, Madison; Elizabeth Ranney, Madison; Emma Macari, Madison; Robert Cooper, Milwaukee; Dennis Horbinski, Milwaukee; James Otto, Milwaukee; Wayne Spangler, Rice Lake; William Doyle, Green Bay; Frank Carter, Green Bay; David Peterson, Eau Claire; Dennis D'Jock, Eau Claire; Mac Slater, Milwaukee; Frank Drospo, Madison; Paul Kayser, MSOE Rep.; Russ LaFrombois, UW-M SARUP Rep.; Eric Englund, *Executive Director*.

North Central Region: David Lawson, AIA, *Director*.

Southwest Chapter Officers: Elizabeth Ranney, *President*; Danny Murrish, *Vice President/President Elect*; Dale Volkening, *Secretary/Treasurer*.

Southeast Chapter Officers: Dennis Horbinski, *President*; James Otto, *Vice President/President Elect*; Michael Ciofani, *2nd Vice President*; Martin Choren, *Secretary/Treasurer*.

Northeast Chapter Officers: William Doyle, *President*; Frank Carter, *Vice President/President Elect*; Curtis Biggar, *Secretary/Treasurer*.

Northwest Chapter Officers: David Peterson, *President*; Dennis D'Jock, *Vice President/President Elect*; Val Schute, *Secretary/Treasurer*.

Wisconsin Architect Editorial Board: Peter Schuyler, *Chairman*; Uel C. Ramey, Douglas Ryhn, Harry J. Wirth, AIA, Eric Englund. Times Publishing Co., Random Lake, WI - Printer; Bob Arndt - Graphics. Nancy A. Baxter - Advertising Manager.

The Wisconsin Architect is the official publication of the Wisconsin Society of Architects/A.I.A., published by Wisconsin Architect, Inc. Address all editorial and advertising inquiries to: Editor, Wisconsin Architect, 615 East Washington Ave., Madison, WI 53703; Phone: 608/257-8477. The Wisconsin Architect and WSA disclaims liability for statements by the editors, contributors, and advertisers.

TABLE OF CONTENTS

WSA Communicator's Award	5
Introduction <i>David Evan Glasser</i>	6
The Legal Implications Of Utilizing Solar Energy Systems In Architecture <i>Robert Greenstreet</i>	9
Educational Needs In Energy & Design <i>Frederick Jules</i>	15
Some Notes On The Thermal Response Of Offices And Atria <i>Michael Utzinger</i>	20
National Guard Armory - Milwaukee <i>David Evan Glasser</i>	25
A Visit With Willis And Lillian Leenhouts, FAIA <i>Douglas Ryhn</i>	27
On The Boards	29
SOCIETY NEWS	30



COVER CREDIT:
Reconstruction of Late (CA 1000 AD) Woodland Pithouse
Cahokia Mounds Historic Site
Collinsville, Illinois

PHOTO CREDIT: Douglas Ryhn



Build in efficiency... with natural gas

Natural gas. It's clean and non-polluting. It's economical. It's more efficient than ever, thanks to today's technologically advanced heating systems. And prices are stabilizing. That means natural gas will continue to be America's best heating value, today—and in the future as well.

Your Wisconsin Power & Light representative will be happy to answer questions about natural gas pricing and supply, as well as building efficiency. Just call your local WP&L office.

 Wisconsin Power & Light Company

WSA Communicator's Award

The WSA has announced the creation of an annual Communicator's Award program. The intent of this program is to honor persons whose work in the field of communications advances public understanding and appreciation of architecture, matters pertaining to contemporary architecture, and the architectural profession in Wisconsin. The award includes prizes totaling \$2,000 for 1984 and certificates for the winners and the organizations through which the communication took place.

Nominations will be received by the WSA until December 1, 1984. Communications work may be in film, print or electronic media and may be for a single event or a series. Nominations for the award may be made by anyone and should include sufficient information to make the nomination understandable. WSA members are encouraged to nominate individuals or organizations for this award. The winners will be selected based on the substance and quality of the communication or event, the breadth of the audience, and the nature of the audience to whom the communication was directed.

The Board of Directors of the WSA will appoint the jury which will be composed of one architect, one communicator, and one member at large. The jury will meet after the December nomination deadline and announce the winner prior to the end of the year.

Nominations should be sent to the WSA office in Madison. Questions about the program may be directed to Eric Englund at the WSA office.

The WSA is sponsoring this competition based on the theory that it might be a catalyst towards inspiring professionals in journalism to direct their time, effort, and professional skills towards architectural issues. What are those "architectural issues?" One of the assets of this type of competition is that those issues will be defined by the media representatives. In one media presentation it might focus attention on issues pertaining to contemporary design. In another media presentation it might focus on architectural selection. In another media presentation it might focus on computers in architecture. The scope of issues which might be explored are endless. We believe that matters pertaining to American architecture are of interest to the public and we sincerely feel that this kind of competition will be a viable and necessary catalyst towards focusing greater media attention on those issues.

Wisconsin architects will play a key part in this competition. **You** should encourage media in **your** community to take time to examine issues pertaining to contemporary architecture. You can submit nominations. Take the time to contact people with your local media and, if they undertake a presentation pertaining to architecture, **nominate them for this award.**

Here's an excellent opportunity to participate in the growing public involvement and interest in matters pertaining to contemporary architecture.

Introduction


*by David Evan Glasser, Former Chair
Department of Architecture*

This represents the third year that I have been asked on behalf of The School of Architecture and Urban Planning to edit the August issue of the **Wisconsin Architect** which focuses on energy in buildings. The range of articles included in this issue are representative of the broad impact of energy-related issues in architecture. While building design professionals will be primarily concerned with the esthetic implications of solar collection systems and other energy-saving technological devices, it is becoming clear that the legal ramifications of solar design will play an increasing role in arriving at informed decisions. The article prepared by Profs. Greenstreet and Weinstein describes the rights and obligations of property owners with respect to solar access and underlines the breadth of knowledge architects will be expected to bring to their professional activities in the future.

Also in this issue are several student projects, notably two theses involved with thermal performance which have established a new level of excellence within the Department for original research. Using computer simulation techniques developed by Prof. Utzinger, students have analyzed several prototypical situations in large institutional scale building types and developed data which will be useful to the profession as a whole. Both the O'Connor and Bocek projects were cited for Research Awards by our Department and are being considered for national distinction by the ACSA Research Awards Committee. The accomplishments of these students reinforces in our minds the need for architects to undertake and disseminate basic research about many aspects of architecture which we have come to take for granted. Our profession has come to rely on data developed by our engineering colleagues for such information as comfort standards, lighting levels and similar factors

affecting design. These graduate students have demonstrated in a compelling way that architects can undertake this type of research and, perhaps, may be the best ones to do so given their understanding of the spatial implications of technical decisions.

Finally, mention must be made of the inclusion of an article about the work of Willis and Lillian Leenhouts who have practiced in Milwaukee for all their professional life. Although it is now fashionable to characterize ones work as energy-conscious for marketing purposes, there are architects who have been doing thermally responsible buildings for years. Foremost among these have been the Leenhouts who have contributed to our community a large body of elegant and energy-conscious buildings. Their work embodies a fine sense of craftsmanship together with an integration of conceptual design and energy conservation concerns. We hope readers will share our deep appreciation and esteem for their excellent work which does credit to both the Leenhouts and our profession.



Executive Swivel Chair by R-Way.

LETTING THE OUTSIDE IN, WITHOUT LETTING THE INSIDE OUT.

Opening up space to the natural light of the surrounding world without sacrificing energy efficiency. It's a little like turning loose without letting go.

But now, Hurd aluminum clad wood windows, equipped with Heat Mirror™ transparent insulation, provide an insulation value of R-4, along with a low shading coefficient... to allow the uninhibited use of clear glass... regardless of climate.

Hurd Heat Mirror windows are windows that stay windows, without resorting to expensive built-in shades or blinds which must be closed for energy efficiency. Instead, Heat Mirror trans-

mits visible light, without affecting color or intensity. But, by selectively reflecting radiant heat back toward its source, it greatly affects heating and air conditioning loss — cutting them in half.

YOU DESERVE R-4.

Hurd aluminum clad wood windows with Heat Mirror are the conscientious energy solution to open up and shed new light on design options... giving architects the flexibility they deserve. For information, contact:

Hurd Millwork Company
520 S. Whelen Avenue
Medford, WI 54451
(715) 748-2011



YOU DESERVE TO BE HURD.

See Sweet's 8.16/Hu.

FOR MORE INFORMATION CONTACT THE HURD DISTRIBUTOR IN YOUR AREA. . .

WISCONSIN

Senn Plywood & Door Co.
16550 W. Glendale Dr.
New Berlin, WI 53151
414-786-1200

Pahl, Inc.
1039 Ashwaubenon St.
Green Bay, WI 54304
414-336-4934

Bay Lakes Mfg., Inc.
2736 Hillsdale Court
Green Bay, WI 54303
414-434-0881

Badger Corrugating Co.
1801 West Ave. So.
La Crosse, WI 54601
608-788-0100

Builders Millwork, Inc.
P.O. Box 73
Mondovi, WI 54755
715-926-3833

Weston Wholesale
5503 Schofield Ave.
Schofield, WI 54476
715-359-6930

CHICAGO AREA

Estates Window Ltd.
531 Bank Lane
Highwood, IL 60400
312-432-7744

Oakley Millwork
120 E. Laraway Road
Frankfort, IL 60423
312-479-1800

Bockman Company
1400 Norwood
Itasca, IL 60143
312-773-8400

Joseph Lumber Co.
2001 N. Narragansett
Chicago, IL 60639
312-622-3000

Improve concrete performance and lower costs with Fly Ash


It really works! Fly ash makes concrete stronger and more workable without costing you more. Fly ash is a pozzolan. It makes concrete stronger; it increases density and resistance to leaching, acid or alkali attack.

Powder-fine fly ash has lubricating effects. It makes concrete easier to pump, flow and finish. Fills forms completely.


Gives you sharper, chip-resistant edges and fine details. Fly ash concrete takes less water, so it is more impervious.

And now, you can get the highly desirable fly ash produced from low-sulfur western coal! From our electric plant, Weston 3, in Wausau, Wisconsin. With all the high standards and careful control a facility offers... for the best fly ash available. Along with professional services offered by Contech, Inc., Minneapolis, our Fly Ash marketing agent.

Fly Ash. Just what you need for better concrete at lower cost in foundations, garages, driveways, floors, walls, pools, roads.



Fly Ash concrete and more information available on request from your ready-mixed concrete suppliers. Or write WPSC for free Fly Ash Idea Kit.



WISCONSIN PUBLIC SERVICE
your energy resource



Industrial Applications Dept.
P.O. Box 700, Green Bay, WI 54305
414-433-1626

As other businesses, WPSC includes the cost of customer information in the services we provide.



BUBLITZ INC.


Subsidiary

F. HURLBUT COMPANY
2448 CENTURY ROAD
GREEN BAY, WISCONSIN 54303



P.O. BOX 3382
414 - 494-0274

P.O. BOX 4000
414 - 494-3436



LAKE TO LAKE WHEY PROCESSING PLANT, KIEL, WISCONSIN

ARCHITECT:

DONOHUE & ASSOCIATES
Sheboygan, WI

GENERAL CONTRACTOR:

HAMANN CONSTRUCTION COMPANY
Manitowoc, WI

**ANOTHER PRESTRESSED-PRECAST CONCRETE INSULATED WALL PANEL
PROJECT BY BUBLITZ, INC., WITH F.D.A. ACCEPTANCE**

- Double Tee
floors
roofs
walls
- Hollow Core
floors
roofs
walls
- Insulated Wall Panels
- Columns & Beams
- Specialty Casting
- Bridges

Active Member



The Legal Implications Of Utilizing Solar Energy Systems In Architecture

by Robert Greenstreet, Asst. Prof., Dept. of Architecture
and Alan Weinstein, Asst. Prof. Dept. of Urban Planning

With the widening use of solar energy equipment in the construction industry, the legal right of owners to receive unimpeded solar access has become an important factor affecting the decision to install such systems. In Wisconsin, a number of measures have been taken to address this issue which bear examination to help determine how they affect the architect's role in the design process, and how best the architect can advise clients hoping to take advantage of solar equipment.

Traditionally, American law has provided little protection of access to sunlight despite the fundamental necessity for such access to the proper operation of solar energy equipment. Buildings or vegetation on neighboring lots can cast shadows on solar panels or collectors which may not merely decrease the efficiency of the solar device, but can actually damage the equipment. Property owners who use solar equipment thus have a significant financial stake in assuring that their devices are not shaded by the structures, vegetation, or activities on neighboring lots.

However, providing the solar energy user with an absolute right to solar access may well mean that neighboring owners will face significant restrictions on the use of their own land. Such potential conflicts between neighboring land uses are not foreign to American law, and are treated regularly on a case-by-case basis through nuisance lawsuits and, more comprehensively, by municipal land-use regulations, subdivision review, and comprehensive planning. Until quite recently however, courts refused to find that blocking a neighbor's access to sunlight constituted a nuisance, and few states provided legislation to create a framework for planning or zoning control of solar rights. A 1959 Florida wisconsin architect/august 1984

case illustrates the point. When the Fountainebleau Hotel proposed construction of a new wing, its Miami Beach neighbor, the Eden Roc, went to court in an effort to block the addition. The Eden Roc claimed that the new wing would constitute a nuisance, as it would cast a shadow over the Eden Roc's pool and cabana area for many hours of the day during certain seasons of the year. The court refused to find that the shading caused by the new wing would constitute a nuisance, holding that American law provided no legal right to "the free flow of light and air" from adjoining land.

This traditional view has come under increasing attack in the wake of the "energy crisis" that followed the dramatic increase in petroleum prices in 1974 and 1979. As the number of solar energy installations increased rapidly, courts and legislatures became more willing to grant significant solar access rights to property owners with solar energy systems, thus simultaneously placing restrictions — such as lowered maximum building heights — one the use of adjoining properties. Although the first grants of solar access rights occurred in the Sun Belt states of New Mexico and California, states in other parts of the country have also responded.

In the past two years, Wisconsin's courts and legislature have granted significant new solar access rights. The initial step in this direction was taken by the Wisconsin Supreme Court in the 1982 **Prah v. Maretti** case, where the issue of sunlight obstruction to a solar heated residence was considered for the first time in this state.

In 1978, Glenn Prah installed a solar heating system in his new house which included collectors fitted to the roof for the purpose of supplying energy for hot water and heat. As the house was the first to be built

in the subdivision, the lot to the south was still vacant at the time of construction. However, two years later Richard Maretti purchased the neighboring lot and planned the construction of a house which, if completed, would substantially shade Prah's solar collectors at certain times of the day during the winter months. Despite notification and discussion of this problem, Maretti began construction, and Prah instigated a lawsuit to prevent continued construction of the house.

Prah claimed the right to solar access because his solar energy equipment had been installed before Maretti began construction of his intended dwelling and because he'd notified Maretti of the problem prior to construction of the new house, explaining the implications of shading upon the operating of the solar system. Maretti refuted this claim, asserting his right to develop his property in any way he pleased, as long as it complied with the relevant statutes and codes applicable to the area. The trial court agreed with this view, and denied Prah's claim. However, on appeal, the State Supreme Court reversed the decision, thus preventing Maretti from completing his house as planned. The Court's rationale for this major decision was based upon the importance of natural daylight, which has taken on new significance in the past few years. By upholding Prah's rights to unimpeded solar access, the Court intended to give credence both to landowners who invest in energy-efficient systems, and to society as a whole, encouraging the development and usage of alternative, renewable energy sources. Former policies which implicitly favor unhindered private development are therefore no longer considered to be compatible with society's broader concerns. However, the Court made it clear that any further legal actions it considered in this area would not

automatically favor the right to solar access. The plaintiff in each case would have to prove substantially that certain elements exist to establish an action, such as the suitability of using solar heat in the neighborhood, the costs to the defendant, other remedies available to the plaintiff and the extent of the harm caused by the potential blocking.

Although the Wisconsin Supreme Court's decision in the **Prah v. Maretti** case sanctioned court enforcement of solar access rights in appropriate circumstances, the decision also noted that solar access was an area that would be better resolved by legislation than by litigation. The Supreme Court expressed the desire to see the Wisconsin Legislature pass appropriate laws to encourage, guide, and protect solar development within the state without generating conflict in the land development process.

The legislature responded to that desire, enacting a number of provisions that address the solar access issue, including:

- enabling authority for municipalities to plan and zone for solar access;
- provision for recording solar access easements;
- creating procedures for municipal permitting of solar access;
- limiting the rights of municipalities to restrict the installation of solar energy systems;
- authorization for municipal control of vegetation blocking solar energy systems; and
- providing for the imposition of damages for certain obstructions of solar energy systems.

Taken together, these provisions create significant potential rights and liabilities that need to be understood by all parties in the land development process.

The zoning and planning provisions of the legislation enable

municipalities, including counties, to provide for solar access in both subdivision regulation and zoning. Local governments will now be able to use their existing land use powers to protect access to both the sun and wind. The legislation makes express provision for counties to grant special exceptions and variances for renewable energy resource systems, and requires that the county board provide a written statement of its reasons if it denies an application for a special exception or variance (59.99(7)(d), Wis. Stats.) Furthermore, the legislation strongly encourages the use of solar energy by empowering Wisconsin municipalities to issue solar access permits which would guarantee solar access rights. (66.032, Wis. Stats.) In a municipality which has adopted a solar access permit ordinance, a property owner who has installed or intends to install a solar collector would be allowed to apply to the appropriate municipal agency for a permit.

If the agency determines that the application has been satisfactorily completed, it will notify the applicant. The applicant in turn then notifies the owner of any property which the applicant proposes will be restricted so as to insure the applicant's solar access. Any person whose property would be restricted by the applicant's receipt of a permit may request a hearing on the permit application within 30 days of receiving notice from the applicant. Further, the agency is empowered to require a hearing on its own determination. Any such hearing must occur within 90 days after the last notice has been given to owners of property that may be restricted.

A permit will be granted if it meets certain standards; for example, as long as there is no unreasonable interference with the development plans of the municipality, or that it places no unreasonable or finan-

cial burden on the neighbors. Impermissible interference with the rights granted by the permit subject the interfering party to certain penalties. These may include damages for any loss by the permit holder, court costs and reasonable attorneys fees. Furthermore, the permit holder may be entitled to an injunction to require any excessive vegetation on a neighbor's land that interferes with solar systems to be trimmed.

Municipalities are also empowered to provide an ordinance for the trimming of vegetation which blocks solar energy from reaching the surface of a solar collector. Any such ordinance may include a designation for responsibility for the costs of trimming. (66.033, Wis. Stats.) Such an ordinance might likely impose costs on property owners who allow vegetation on their property to grow in such a way as to block an existing solar energy collector.

The legislature also insured that municipalities would face a difficult task in attempting to restrict the use of solar energy systems. No county, city, town, or village is permitted to place any restriction, whether direct or indirect, on the installation or use of a solar energy system unless that restriction can satisfy certain statutorily mandated conditions. (66.031, Wis. Stats.)

To further encourage solar energy usage, the law provides for "renewable energy resource easements" which limit the height or location, or both, of adjoining properties for the purpose of providing solar or wind access. The importance of this provision lies in its ability to allow such easements to be recorded along with property deeds and provides that they may be enforced against subsequent purchasers of either the benefitted or the burdened property, unless that right is explicitly restricted in the writing that creates the easement.




VANQUISH THE DARK AGES

Let us vanquish those old dragons that said, "Faucets are supposed to turn on water...not people."

Hail IV Georges Brass.[™] It's Kohler's richly turned brass faucet designed with the ornamentation of England's IV Georges era,

the elegance of our Georgian period and the warmth of brass and wrought iron.

IV Georges has inspired accessories for the bath and powder room: Soap dishes, towel rings and bar,



tumbler/toothbrush holder, robe hooks, mirrors, whirlpool jets, and other finery.

Come Lord. Come Lady. Vanquish the Dark Ages. Draw on the mettle that is IV Georges Brass.

See IV Georges Brass faucets and accessories, as well as the entire spectrum of fine Kohler products for the kitchen, bath, and powder room, at a Kohler showroom near you. Check the Yellow Pages for the nearest location.

THE BOLD LOOK
OF **KOHLER**

“ATTENTION ARCHITECTS!”
FOR YOUR NEXT PLUMBING
OR HEATING PROJECT, CONSULT
WITH YOUR LOCAL KOHLER DISTRIBUTOR
LISTED HERE.

APPLETON

Baker Manufacturing Co.

550 Hickory Farm Lane
Appleton, WI 54913
Telephone: (414) 734-9284

W. S. Patterson Co.

2100 W. College Ave.
P.O. Box 1177
Appleton, WI 54912
Telephone: (414) 739-3136

GREEN BAY

Murphy Supply Co.

1055 Lake St.
P.O. Box 310
Green Bay, WI 54305
Telephone: (414) 497-7004

JANESVILLE

Automatic Temperature Supplies, Inc. (Branch)

Route #3 — Hwy. 51
Janesville, WI 53545
Telephone: (608) 754-8106

MADISON

Automatic Temperature Supplies, Inc.

1023 E. Main St. (53703)
P.O. Box 1151 (53701)
Madison, WI
Telephone: (608) 257-3755

MILWAUKEE

Milwaukee P & H Supply Co.

1313 W. St. Paul Ave.
Milwaukee, WI 53233
Telephone: (414) 273-3600

United P & H Supply Co.

9947 W. Carmen Ave.
P.O. Box 25342
Milwaukee, WI 53225
Telephone: (414) 464-5100

RHINELANDER

W. S. Patterson Co. (Branch)

1672 Menominee Dr.
Rhineland, WI 54501
Telephone: (715) 362-7824

WISCONSIN RAPIDS


W. S. Patterson Co. (Branch)

2111 Engel Road
Wisconsin Rapids, WI 54494
Telephone: (715) 421-1585

Spacesaver

file storage systems

To design a high-density storage system is to begin with this book.



The Spacesaver Group.

Space efficiency is our business.

Wisconsin Office Systems, Inc.
7101 North Green Bay Street, Milwaukee, WI 53209

Yes, I am interested in receiving a free copy of the 30 pp. design capabilities brochure.

name _____

title _____


organization _____

address _____

city, state, zip _____ phone _____

WIA 5/84






SCHULZ CONCRETE PRODUCTS, INC.



3019 WEST PROSPECT AVENUE • APPLETON, WIS. 54911 • TELEPHONE (414) 734-7733

VARIOUS ARCHITECTURAL FACES



8 ribs split

VARIOUS
SOUND BLOX



AVAILABLE IN VARIOUS SIZE BLOCKS PER SPECIFICATIONS THERMAL AVAILABLE IN 8", 10", 12" CMU

1925 UNIVERSITY AVENUE • GREEN BAY, WI 54302
PHONE (414) 432-8820

WHOLESALERS
MANUFACTURERS
CONSULTANTS
DESIGNERS
OF
MOVABLE WINDOW INSULATION AND SUN CONTROL



FOR RENT:

Beautiful corner office 208 sq. ft. with two windows and cedar panelled wall. Part of Milwaukee, North-Shore Interior Designer's Suite. Share reception area. Call 414-351-1225.

OUR CUSTOMERS
ARE OUR WARMEST FRIENDS!

HydRadiant™

FLOOR HEATING SYSTEMS

The Heating System that Makes More Sense!

Warm water flowing through EPDM tubes embedded within GYP-CRETE Floor Underlayment forms a system unmatched for its clean, fuel efficient, costs-saving benefits in today's living and working spaces.

DISCOVER THE COMFORT, THE SPACE-SAVING, THE WARMTH PRODUCING ECONOMIES OF THE SYSTEM!




APPROVED APPLICATORS OF
GYP-CRETE
FLOOR UNDERLAYMENT

For more information, contact
**ACOUSTICAL FLOORS
OF WISCONSIN, INC.**
P.O. BOX 477
PEWAUKEE, WISCONSIN 53072
TELEPHONE (414) 691-9105

THERMOSPAN™

Insulated Sectional Doors



Helping Industry Weather The Energy Storm

Engineered specifically for industrial and commercial buildings, the Thermospan door has a remarkable tested U-value of .11. The patented polyurethane sandwich design with thermal breaks and seals assures superior insulation performance.

GEIS

BUILDING PRODUCTS

20520 Enterprise Avenue
Brookfield, Wisconsin 53005
Phone: 414 - 784-4250

Finally, the law provides for compensation in certain circumstances where solar access is obstructed. If solar energy is obstructed by a structure outside a neighbor's building envelope as defined by zoning restrictions in effect at the time the solar collector was installed, the owner of a solar energy system is entitled to receive damages, court costs, and reasonable attorney's fees from the persons whose property causes the obstruction. (700.41, Wis. Stats.) There are certain restrictions on the continued holding of a permit, although a transfer of title will not change the rights and duties granted the previous owner. The rights contained within the permit do not affect any obstructions existing before enactment of the Act however, or even for projects which were issued a building permit prior to permit application.

Certain implications of the legisla-

tion remain far from clear however, particularly in the relationship between the provisions enacted and the precedental standards established in *Prah v. Maretti*. In areas where there is no access to solar permits, for example, do the principles established in caselaw still apply?

There is further proposed solar legislation before the State Senate at present which, among other things, is intended to help clarify such issues, but it may be some time before revised legislation comes into force. Until such time, the architect is urged to take extreme care when dealing with projects involving solar equipment, and to advise the owner to seek expert legal assistance to protect necessary solar access.

Similarly, in the event that an architect is working in an area where solar permits may have been is-

sued, and where potential development may be affected by rights granted to adjoining land, it would be prudent to advise the owner to instruct their attorneys to carefully check for such encumbrances before design work begins. If AIA contract documentation is being used (AIA B141, Article 2.4), the owner may be aware of this responsibility, although it would certainly be in the best interests of all parties concerned if such issues are raised when necessary.

Furthermore, if the architect is working on a project which involves solar systems of any kind, and where subsequent construction on a neighboring site could ultimately affect its operation, the architect should advise the owner of the importance of securing a permit as soon as possible in the design process to ensure continued enjoyment of solar access.

Builders Exchange To Present: "Build Up Wisconsin!"

The historic Grain Exchange will house "Build Up Wisconsin", the second exposition presented by the Builders Exchange of Milwaukee. Over 50 exhibitors will showcase the most up-to-date products and services available in the construction industry including interior and exterior construction products; the use of computers in management control; and current trends in mechanical and technological systems.

WSA members are invited to attend, "Build Up Wisconsin" on Wednesday, September 12, 1984 from 11:30 a.m. to 8:00 p.m. at The Grain Exchange in the Mackie Building, 225 E. Michigan St., Milwaukee, WI. Advance registration is required. Contact Donna Conant, of Builders Exchange Division — Associated General Contractors of Greater Milwaukee at 414/778-4100 for further information.

PBBS EQUIPMENT CORPORATION

5401 N Park Dr.
Butler, WI 53007

MILWAUKEE . . (414)781-9620

24 HOUR. Radio Dispatch Truck Fleet for INDUSTRY, INSTITUTIONS, SCHOOLS, etc. AUTHORIZED PARTS & SERVICE FOR CLEAVER — BROOKS, CLEVELAND CONTROLS, MORR CONTROLS CO. Throughout Wisconsin & Upper Michigan. SALES, BOILER ROOM ACCESSORIES, O² Trims, And-Car Automatic Bottom Blowdown Systems. SERVICE - CLEANING ON ALL MAKES. Complete Mobile Boiler Room Rentals.

MADISON (608)249-6604

GREEN BAY (414)494-3675

STEVENS POINT . . (715)344-7310

Moving?

Let us know 4-6 weeks in advance so that you won't miss a single issue of *Wisconsin Architect*. Please include a copy of the old label.

New Address:

Name _____

Address _____

City, State, Zip _____

Mail To:
WISCONSIN ARCHITECT
615 E. Washington
Madison, WI 53703

Introducing Andersen High-Performance Insulating Glass™

Less is more. That's the idea behind new Andersen High-Performance Insulating Glass™. It's a double-pane glazing with a microscopically thin, transparent coating that keeps most of the *radiant* heat inside the building during the winter, outside during the summer. Thus, this Andersen glazing offers architects what they need least and want most:

LESS PANE MORE ENERGY EFFICIENCY.

Andersen® windows with new High-Performance Insulating Glass are up to 14% more energy efficient than Andersen windows with triple-pane



insulating glass. 2 really is more than 3. They're also 42% more energy efficient than Andersen windows with uncoated double-pane insulating glass. That's 42% more in winter *and* summer. And this Andersen glazing works 24 hours a day, on all sides of the building.

LESS WEIGHT MORE PROTECTION.

Andersen High-Performance Insulating Glass is 33% lighter in weight than triple-pane. It also keeps 80% of ultra-violet rays from entering—reducing the chances of drapery, carpeting and upholstery fading. It's available for Perma-Shield® casement, awning and double-hung windows, gliding patio doors and Andersen roof windows. Check Sweet's File 8.16/An for details and contact us for local product availability and a High-Performance brochure.

Distributed by: **THE RADFORD COMPANY**

LA CROSSE,
WISCONSIN

DULUTH,
MINNESOTA

OSHKOSH, WISCONSIN

FARGO,
NORTH DAKOTA
OMAHA, NEBRASKA

BISMARCK,
NORTH DAKOTA

MADISON,
WISCONSIN


Serving the Building Trade Since 1871



**Come home to quality.
Come home to Andersen.®**

84912 Copyright © 1984 Andersen Corp., Bayport, MN

Heat Reclamation
Industrial Ventilation
Energy Conservation
Heat Transfer
Air Balancing
Heating, Cooling & Humidification
Architectural Sheet Metal
Pollution Control
Fire Dampers
High Pressure Systems
Low Pressure Systems
Solar Energy Space Heating Systems
Solar Energy Water Heating Systems



WORKING EFFECTIVELY TO MEET THE ENERGY CHALLENGE
"EVERYTHING WE DO TOUCHES YOUR LIFE"


SHEET METAL CONTRACTORS OF MILWAUKEE
SUITE 200, 2515 NORTH 124TH STREET
(414) 784-6889
BROOKFIELD, WI 53005

Our Technical Manuals and Specification Manuals can help you.

Educational Needs In Energy & Design

by Frederick Jules, Associate Professor and Chair-elect

I have been teaching studio work in Energy & Design for the past 7 years. Over this period, I have been reflecting on what, I am now convinced, is a major gap in the literature of building construction: the absence of comprehensive American detailing books addressed to large scale, energy-conscious building. This deficiency derives from a recent change in profes-



Concept of a frame.

sional practice from less energy-conscious detailing to more rigorous assemblies, which has changed most critical details in the last ten years.


The present condition in the field with respect to construction litera-
wisconsin architect/august 1984

ture is thus: there are a number of good reference books for light frame construction and light masonry most of which do not address energy-conscious design. Works on major construction are fragmented, dealing only with parts of buildings such as roofs, or with systems, such as precast concrete cladding. Examples in these works are predominantly European, overly complex, not very energy-conscious, and in general poor examples of practice as it pertains to the United States. The European work is beautiful, but tends to be intricate in form and generally does not represent the common American use of direct solutions, and simply detailed application of standardized American products. Books on special systems such as precast concrete tend to show only the most complex applications stressing the extreme potentials of the system while giving cursory coverage of the most typical applications. Again, the examples, are generally European. Thus, there is a clear need for a text that is comprehensive with respect to energy-conscious detailing of large scale buildings which emphasizes current practice in the temperature climate zone of the United States.

A text of this sort must address two prime issues. The first is conceptual and must address questions as: What is the meaning of a detail? Can their symbolic and functional characteristics be separated and dealt with individually? What is the architects obligation in detailing? The second issue is simply how to organize, as well as limit, the scope of such a major endeavor and how best to present it. I have been working on these issues over a period of time and what follows is a summary of my progress.

The primary question to be addressed is: What is the role of the detail in architectural theory, and what examples can be found to


clarify this role, Initial response: Details have played a major aesthetic role in architecture since the earliest buildings. Theories of architecture deal directly or indirectly with



Common detailing locations.

detailing and that is as it should be. It must be remembered that a definition of architecture must include the development of an essentially three dimensional habitable environment, stability of construction, and a method of selecting and expressing materials of construction. Theories of design address aspects of this definition and procedures that must be applied in the selection and organization of the components of construction which go to form buildings.

Details comprise an integral part of this process and can not be omitted from any theory of design without jeopardizing its meaning to architecture. It is generally assumed that principles of structural stability must be a constraint of architecture; building collapse is not tolerated. Viewing these principles as constraints is a negative stance. Positively stated, a construction is not architecture unless it exhibits stability. No one questions such an assertion nor do designers feel exceedingly constrained in formal expression by structural considerations. After all, all the architectural works of the past have exhibited structural stability and the variety of style and formal expression encompassed demonstrate enormous variety. The role of detailing has not had similar clarity in the development of architectural theory. Its inclusion is indeed the conceptual key to this inquiry. De-




Concrete frame.

tially no limit to expression within the definition of architecture.

Historical arguments for particular detailing practices presented in the theories of architecture have been assembled as part of my research, however for this report I will focus on issues that have current relevance. Of particular interest is the argument for the expression of construction in building form and detailing. Over the period which encompasses the modern movement, rapid growth in materials and methods of construction developed requiring architects to address appropriate expression for these new materials. Classic, Renaissance, and Gothic buildings represented direct expressions of masonry construction with their style conveying other social meanings. Purists of the modern movement required this type of construction expression to continue while, at least theoretically, removing any other social meaning that the material might express. If a concrete frame supported a wall it should be seen on the outside of the building, if the frame were steel it should be expressed in a similar fashion. But problems arose, clients and society required more thermal control of the interior environments and fire protection for large buildings, particularly those built in steel. Mies, who pioneered the expression of the modern sky scraper expressed steel directly in his small structures. A steel column was a support, connections were welded and then machined smooth so that the expression was direct. Faced with the problem of fire protection of highrise steel frames he did the next best thing. He cast the frame in a fire protective concrete covering and reintroduced the steel symbolically in a cover over the concrete. Is this true expression or is it decoration because it is a symbol and not the thing itself? It is decoration because it is a symbol as is the stained glass of a cathedral or the fluting of a column in classical architecture. In using these examples it is clear that construction and expression, or decoration, are integrally bound but performing different functions. The purest steel frame is a structure resisting gravity, housing human activity and expressing in a com-

posed manner the elegance of steel. In a temperate climate, this structure can fail at the detail level as many of Mies' small structures do. In fact in a less than temperate climate, another master of modern architecture, Alvar Aalto developed a subtler attitude toward construction and expression. He felt, as did Ruskin, that buildings



Detail of frame and connector plate locations.

should be well built of durable building materials. His details dealt with the harsh Finnish climate and he applied the logic of modern insulating materials while presenting beautiful, enduring, and livable environments. He had to disregard the simplistic ideal of the outside material being and expressing the interior structure. Instead he took the tack that each material has its appropriate expression in its given location. He did not shy away from formal symbolic expression or decoration which still did not detract from a clear reading of materials and good construction practices.

tailing which responds to natural principles, as structures do to gravity, is one definition of architecture. Well detailed buildings exhibit as much variety in formal expression as do buildings responding to structural stability - there is essen-

IRRIGATION SYSTEMS

SPECIFICATION WRITING
PLANNING & DESIGN FOR
COMMERCIAL SITES
CONDOMINIUMS
ATHLETIC FACILITIES
GOLF COURSES
RESIDENCES
PARKS & LARGE
TURF AREAS
WASTE WATER &
DISPOSAL SYSTEMS

Reinders

13400 Watertown Plank Road
Elm Grove, Wis 53122
(414) 786-3301 - 1 800 782-3300

- **BID SPECS**
- **PROSPECTUSES**
- **REPORTS**

Printing When **YOU** Need It
1 DAY SERVICE

★ ★ ★ ★ ★

FREE Pick-Up and Delivery
on orders over \$300.00 in
Milwaukee Metro Area

★ ★ ★ ★ ★


Binding your choice —
Side Stitch — Comb Bound
Perfect Bound — 3 Ring Binders

Service — Quality — Price

★ ★ ★ ★ ★

COMMERCIAL COMMUNICATIONS INC.
785-1999

Northwestern drives down the cost of elevator installation.



By incorporating a new method of applying hydraulic power to elevator service, Dover has come up with an ideal solution to the need for premium elevator performance in projects where cost-saving is critical.

No longer is it necessary to sacrifice reliability and performance because of elevator cost constraints.

Cimmaron pre-engineered Oildraulic® elevators from Dover cut elevator installation costs 20%-30%; give up nothing in speed, size, options or performance.

For new or existing structures

Cimmaron can be installed inside an existing structure or in a new hoistway adjacent to a building. Also ideal for use in new construction with single or 2-car installations up to four floors.

Phone for details

To learn how little it costs to insure your clients of Dover quality and reliability, write:

Northwestern Elevator Co., Inc.,
6070 North Flint Road, Milwaukee, WI 53209,
or phone (414) 228-1424.



Northwestern Elevator Co., Inc.

Sixteen offices throughout Wisconsin and upper Michigan

*Black & White Murals *8x10 Glossy Repros
 *We Reproduce Blueprints or Masters For
 Making Blueprints

PHOTOCOPY

104 East Mason St. Milwaukee, Wisconsin 53202

For Service . . .

CALL: 1-(414)-272-1255

Architectural Millwork Bank Fixtures
 Institutional Casework Restaurants & Hotels

Jerry's Cabinets & Supplies, Inc.
 2430 Morning Star Trail
 Green Bay, WI 54302
 414-465-6764

CHEMSTOP
 WATERPROOFING



W. R. MEADOWS, INC.

With Names Like These Behind Us
 You Know We're Not Just A Brickyard.

*Serving Southern Wisconsin Architectural
 Needs For Over 76 Years.*

Brick — Block — Pavers — Stone
All Your Masonry Needs At One Location

WISCONSIN
 **BRICK & BLOCK**
CORPORATION

2840 UNIVERSITY AVENUE
 MADISON, WI 53705
 (608) 238-2636

Support the Advertisers

GENZ CONSTRUCTION INC.

"Constant Concern For Customer Satisfaction"

(414)781-5230



- COMMERCIAL
- RESTAURANT
- RETAIL STORES
- NATIONALLY RECOGNIZED


4235 N. 127th Street
 Brookfield, WI 53005

VER HALEN

Distributors Of



- Sunrooms
- Skylights
- Patio Doors
- Energy Tight Windows
- Window Replacements




VER HALEN INC.

Madison Milwaukee Green Bay
 800/362-6601 800/242-6212 800/242-1008

Aalto's Imatra church completed in 1959 is a particularly creative example of the use of double windows for sculptural as well as thermal rationales. It may represent the most rational approach to detailing for expression as well as technical functionality.

More recent architectural theory is almost exclusively interested in symbolic expression without regard for permanence or quality of construction. It is a reaction to the sterility of many mediocre modern movement buildings and the desire for a greater range of expression. This is a desirable attitude, but it is only one aspect of architecture and without considering building well it really isn't a complete architecture. A complete architecture is one with a rich range of expression executed in a manner that provides durable shelter. A work on energy-conscious detailing can not hope to enumerate the range of possible expressive intentions. A more useful tact is to present basic detailing conditions almost devoid of expressive intention, allowing the reader's imagination to expand into this area.

The discussion above has dealt with the development of a conceptual basis for thinking about detailing. With the formation of this base, one is still left with the problem of limiting the scope the work to a manageable and comprehensible size. I have attempted to do this by: 1) Limiting the inquiry to issues of the skin of buildings. 2) Categorizing types of building frames and cladding possibilities and connections between the two. 3) Identifying critical building detail locations. 4) Showing the simplest configuration that reveals the conceptual solution. Limiting oneself to the skin conditions is self explanatory since the skin is where energy is gained or lost. One can infer from the conceptual work that energy-conscious detailing requires careful analysis of the relation of skin to frame. I identified four basic frame types: steel, concrete, precast concrete, and masonry, and five general cladding materials: metal or plastic panels, glass, masonry, precast concrete and possibly wood as a sixth. These two systems, structural and exterior cladding, are con-




Exterior corner of steel frame.

nected to each other with a few basic connector types and strategies if one wants to be energy conscious. And finally, the critical detailing locations are: parapet walls, balconies, roofs, roof decks, cantilevers, grade connections, foundations, concave corners, convex corners, and openings both door and window.

The combination and permeations of these elements and relationships is overwhelmingly large. By combining them and solving them generically it may be possible to complete this work. The illustrations are preliminary and are presented to suggest how the work might unfold. Illustration 1. shows the concept of a frame, insulation, connectors and a skin. Illustration 2. shows the common detailing locations. 3. shows a concrete frame and 4. shows a detail of the frame and connector plate locations. 5. is a preliminary detail of an exterior corner of a steel frame. 6. shows how an insulated panel or glass curtain wall could conceptually attach to either a steel or concrete frame.

As one can see from these illustrations, the work is attempting to present detailing as concretely as possible. Axonometric drawing is more immediately understandable than the more typical plans and sections, but is much more difficult to develop. It is hoped that by using this method a greater amount of information can be comprehended, thus making the reader's task easier. The initial conceptualization that meaning of a detail to a viewer and its technical objective are intimately related, yet separate issues, can not be seen in these illustrations. In this attempt to simplify comprehension, the expression of beauty of details seems to have been lost. A remaining issue of this work is how to regain it.



Curtain wall connection to frame.

This work has been developing for a long time. Its future is unclear because of the immensity of the task. I hope in presenting it that it reawakens the readers to their own search for appropriate detailing.

Some Notes On The Thermal Response Of Offices And Atria

By Michael Utzinger, Assistant Prof.
UWM Dept. of Architecture

Over the last decade, the energy efficiency of the residence has been thoroughly studied. Today, an architect in Wisconsin can design a residence requiring less than an annual expenditure of 200 dollars for heating energy with confidence. But what of the office or the atrium? While a body of research and experiment describing the thermal response of offices is growing, little is known about the thermal response of atriums. Both offices and atria have been under study at the School of Architecture and Urban Planning. Jordan O'Connor studied the effect of skin strategies on the thermal response of offices and presented the results in his M. Arch Thesis. Pete Bocek developed a simple model of the thermal response of an unconditioned atrium, and then studied the effect of various architectural design parameters on the thermal response of the atrium. This work is presented in his recently completed M. Arch Thesis. These represent the first research theses in the area of energy-conscious architecture completed since I joined the SARUP faculty four years ago. Much of the work from both theses has direct application within the architectural profession.

Which is more important to the thermal response of an office structure; window area or insulation levels in the wall and roof? Is mass in the office more important than mass in the skin? Will variation of the skin color to control solar radiation affect the thermal response of the office? When mass and insulation are included in the skin (wall and roof), is the placement of the insulation to the outside versus inside important? These are some of the questions which Jordan O'Connor addressed in his thesis. He used the computer simulation program TRNSYS Version 11.1 to model thermal response of offices. A simulation program estimates the thermal response (eg. building air temperature or auxiliary heating requirements) of a building or build-

ing zone as a function of transient hourly weather data. The heating or cooling energy required by an office zone for an entire year can be simulated using TRNSYS. By changing a parameter in the model description, such as window area, and repeating the simulation with the same weather data, the effect of the parameter change on auxiliary energy requirements can be estimated. Weather data from cities representing four climates were used in the study. The cities used were Madison, Wisconsin; Seattle, Washington; Phoenix, Arizona and Apalachicola, Florida.

Rather than study an entire office building, a single office was examined. The office dimensions were 15 feet of exposed wall by 20 feet deep by 10 feet high which were viewed as prototypical. The exposed office wall faced south. Two experiments were run. The first was repeated for the four locations mentioned above. The building design parameters which were studied in the first experiment are presented in Table I along with the range over which each parameter is studied. The second experiment was run for the Madison, Wisconsin location only. The design parameters studied in this experiment are presented with their ranges of study in Table II. In each experiment all parameters were varied simultaneously to provide a measure of the effect of each parameter against the others and to study any interactions between parameters. The discussion in this article will be limited to results for the Madison, Wisconsin runs only.

When both mass and insulation are included in the building skin, does placement of the insulation to the outside of the mass improve the thermal performance of the skin? Common sense suggests that this arrangement will improve performance. The improvement is assumed to be due to the addition of the skin mass to the interior mass, leading to lower temperature fluctua-

Table 1
Parameter Levels for First Study

Parameter	High Level	Low Level
1. Skin Heat Capacity (Btu/SF/F)	24	3
2. Skin Insulation (Btu/Hr/SF/F)	0.05	0.40
3. Skin Insulation Location	exterior	interior
4. Skin Color (Absorptance)	0.9	0.2
5. Room Heat Capacity (Btu/SF/F)	23.4	5.8
6. Construction Weight	3	1
7. Window Area (% of Floor)	50%	5%
8. Window Efficiency (Btu/Hr/SF/F)	0.2	0.6

Table 2
Parameter Levels for Second Study

Parameter	High Level	Low Level
1. Skin Insulation (Btu/Hr/SF/F)	0.05	0.09
2. Window Shading (Fixed Overhang)	yes	no
3. Window Area (% of Floor)	25%	5%
4. Occupancy Schedule	10 to 6	7 to 3
5. Night Ventilation	yes	no

tations within the conditioned space. The results of this study indicate that the improvement in performance due to placement of the insulation on the outer side of the skin is negligible. Placement of the insulation toward either side of the skin will not affect the thermal performance of the skin. This is the most significant finding of the office study. In addition, insulation was found to be the most important parameter affecting heating loads. The greater the insulation level, the greater the separation between tempered and outdoor environment, and the lower the heating load. However, cooling loads increase in Wisconsin with the addition of insulation. This is due to the fact that internal heat gains and solar gains can be more readily dumped to the outside when

the insulation levels are low. High insulation levels in the skin negates the effect of mass in the skin or of the color of the outer skin. In this study, High insulation levels means the equivalent of 4 inches of rigid insulation. When insulation levels in the skin are low ($\frac{1}{2}$ " rigid insulation in this study), mass in the skin reduces both heating and cooling loads. In Wisconsin, the effect of skin mass on cooling loads is small, but the effect on heating loads can be substantial. A light skin color can reduce cooling loads substantially during summer, if insulation levels are not high.

Increasing the heat capacity of the office has the potential of creating a thermal flywheel. Excess gains during the day might be stored in the building mass to offset excess losses at night. Thermal capacity is only important when net heat gains occur during occupancy and net heat losses occur at night. If skin heat losses during the day exceed internal and solar heat gains, then energy is not available for storage to offset night losses. During summer, if night outdoor air temperatures exceed the building temperature, then heat stored in the structure cannot be dumped. In this study, increasing the building's thermal storage capacity did result in a reduction of both heating and cooling loads. The effect of storage is small when compared to the effect of insulation. Reduction of heating and cooling loads due to increasing the storage capacity from light weight construction to heavy exposed concrete construction is roughly 25% of annual loads.

Increasing window area in offices will only lower heating loads if the windows face south and they have high thermal efficiency. Thermal efficiency refers to the ability of the window to resist heat transfer between the building and environment. (Stock insulating windows have R-values from 1.8 to 2.5, depending on design.) For windows wisconsin architect/august 1984

of poor thermal efficiency, increasing the area will increase the heating load. Cooling loads will increase with window area irrespective of window thermal efficiency. This study examined only windows facing south, southeast and southwest. East and west facing windows of the same area would introduce more solar energy into the office during summer. In the second experiment the effect of shading the south facing window with a fixed overhang was examined. The overhang was sized to project out a distance equal to half the window height and to provide a gap between the top of the window and overhang projection equal to one fourth the window height. This overhang design does reduce cooling loads in the office examined by the average of 15%. Simulations revealed that an overhang is more important in relation to large window areas. In the second study, the window area varied from 5% to 25% of the office floor area. At a window area of 5% of the floor, the overhang had little effect on the total cooling load. At a window area of 25% of the floor, the effect of the overhang in reducing the cooling load was substantial. In addition to reducing the cooling load, the overhang blocks solar energy during spring resulting in an increase in seasonal heating requirements. In this study the increase in heating was equal to 40% of the reduction in cooling.

The effects of occupancy schedule and night ventilation on heating and cooling requirements in the office were also examined. While these strategies don't directly affect the architectural form, their manipulation can alleviate some of the negative thermal effects of design decisions. An early versus late occupancy was studied. A late occupancy during winter was hoped to reduce heating loads by allowing a solar warmup. The reduction in heating due to late occupancy was small. An early occupancy during summer should re-

duce cooling requirements by shifting occupancy to the cooler portion of the day. In this study, early occupancy would substantially reduce annual cooling loads. The importance of early occupancy increases with increasing window area. Night ventilation means allowing fresh air to move through the building at night if outdoor air temperatures are lower than the building temperature and the building faces a cooling load throughout the day. Ventilation allows for cooling of the building structure permitting a greater potential for the storage of occupancy generated heat gains and solar gains. Night ventilation does result in a substantial reduction of cooling loads. Night ventilation in combination with early occupancy can more than balance the negative effect of large window area on cooling requirements. When an office is occupied early and provisions for night ventilation made, cooling demands are lowest, and the effect of increasing window area is very small. That is to say, these two strategies, when employed, negate the effects of window area on cooling loads. Whether or not a building will be occupied during the early day depends on the occupant, not the architect. The application of night ventilation has occurred in offices located in the central valley in California with success. The diurnal temperature profile is very large, permitting maximum night cooling. In addition, the relative humidity is low making condensation at night a low risk. While this study suggests that thermal benefits would result from application of night ventilation in Wisconsin, the issue of humidity levels should be studied carefully to assess the risk of condensation before night ventilation is widely employed in office building projects.

The average energy consumption for heating and cooling is 65,000 Btu/SF/year for all runs in this study. However, the best design gave an-

nual energy requirements of roughly 10,000 Btu per SF per year. This represents a very low level of energy consumption compared to typical construction. This design includes high levels of insulation, massive construction, night ventilation, early occupancy and a modest window area. While modifications to reduce energy consumption do add costs to construction, they can often provide large savings in energy use.

The atrium is being included in more architectural programs every year. Atria are often not necessitated by the architectural program, however their additions are seen as adding greatly to the amenities in the project. The atrium can, if designed properly, reduce the energy consumption of the building. The thermal behavior of the atrium and its effect on energy requirements of adjacent building zones is not well understood. Pete Bocheck conducted a preliminary study of the thermal response of atriums as his M Arch thesis. He examined atriums conditioned only by ventilation, without the addition of auxiliary heating or cooling energy. His primary questions were whether an unconditioned atrium could be designed in this climate which could be comfortable without heating or cooling energy, and how the unconditioned atrium affected adjacent building zones.

Modeling the thermal behavior of an atrium is more difficult than modeling the behavior of an office. Where air temperature in an office can be assumed to have one value throughout the space with little loss in accuracy, assuming one air temperature in an atrium will accurately model air temperatures throughout the space will only be true if the air is well mixed by a circulating fan. In addition, an atrium with large glazing surfaces on ceiling or wall will result in large solar loads incident on some but not all of the atrium surfaces. This

asymmetry could lead to significant differences in surface temperatures and hence in mean radiant temperatures of the atrium. As mean radiant temperatures affect thermal comfort, the ability to model surface temperatures is important. Because of the potential for large temperature variation throughout the atrium, control of relative humidity to prevent condensation may be important.

To model the atrium, the latest version of TRNSYS (Version 12.0) was used. This version allows the estimation of radiation heat transfer within a geometrically defined space and, hence, the mean radiant temperature of the space. However, this zone model in TRNSYS permits only one air temperature for the zone. Pete Bocheck attempted to create a number of conceptually sound models which would provide a measure of the stratification within the zone, but all of the models were unstable when computer simulations were attempted. Finally, a simplified model of the atrium was used to test the research questions. This model was a forty foot cube in which the following assumptions were made. First, the air was assumed to be well mixed by a fan allowing one air temperature to represent the atrium. Second, the glazing in the ceiling was assumed to be translucent rather than transparent. This eliminated the complex calculations that would be required to accurately distribute beam radiation to the appropriate interior atrium surfaces. The atrium was assumed to be surrounded by office spaces, and only the ceiling was in contact with the outdoor environment. Five variables were assumed to affect the unconditioned atrium temperature and the heat transfer between the atrium and offices. These are glazing area, solar reflectance of the atrium surfaces, the amount of insulation in the wall between the atrium and offices, the amount of thermal mass between the atrium

and offices, and whether the atrium was cooled at night by ventilation during summer months. The range over which each parameter was varied and the values of the constant roof insulation are illustrated in figures 1 through 4. The atrium model was simulated using Madison, Wisconsin hourly weather data.







Figure 3



Glazed Roof Area

Figure 4



Reflectivity of Atrium Surfaces

How does the atrium compare to a light well without the enclosure? This is the first question to be answered. A comparison between atrium and light well is illustrated in figure 5. With only a light well, the office spaces lose heat to the outdoors eight months out of the year while gaining heat from the environment for two months. Transitions between heating and cooling occur during the remaining two months. When the light well is enclosed to form the atrium, the offices lose heat to the atrium for three months of the year and gain heat from it for seven months. Transition between heating and cooling occurring during two

months. Thus the effect of enclosing the light well is to reverse the heat flow across the office wall for five months of the year. In this model the atrium was not ventilated. This result means that through proper ventilation control, heat transfer between atrium and environment might be eliminated during nearly half of the year. In addition, the surface area of the structure interacting with the exterior environment is much smaller with the atrium than the exposed light well. Construction costs with the atrium might be less.

How do the parameters studied affect the average temperature in the atrium? Figure 6 illustrates the monthly average air temperature profile of the atrium when it is not ventilated at night. The three groups of curves are a function of insulation levels between the adjoining offices and atrium and the area of the horizontal glazing in the ceiling. When insulation is added to the wall between office and atrium, heat transfer between the zones is inhibited and solar gains to the atrium are retained in the atrium. As a result, the temperature of the atrium increases. The average atrium temperature is significantly higher at the large glazing areas. The average July temperature is 92° F at the large glazing area, and 82° F at the smaller glazing area. When the wall separating office and atrium is not insulated, excess solar gains are transferred into the offices, increasing their cooling load and lowering the average atrium temperature to 76° F. The size of the glazing does not significantly affect the air temperatures in this situation. While air temperatures are nearer the comfort zone if the atrium walls are uninsulated, the penalty is increased cooling loads in the office. A better strategy for reducing atrium temperatures without increasing office cooling loads is to ventilate the atrium at night and dump the excess daytime gains. Figures 7 & 8 illustrate the effect of night ven-

Figure 5




Figure 6




Figure 7





Figure 8



tilation on air temperature in the atrium. In both studies, the glazing area is at the maximum studied and the atrium vented at night. Figure 7 shows the temperature profile when atrium walls are insulated and figure 8, temperature profiles when the walls are not insulated. In the later case, temperatures are consistently between 63 and 70 degrees. Insulation reduces the thermal connection between office and atrium and drives the atrium temperature up. However, night ventilation has reduced the average July temperature by 20 degrees.

The effect of mass in the atrium walls and of the solar reflectance of the atrium is also illustrated in figures 7 & 8. The effect of these parameters is secondary to insulation, glazing and night ventilation, but important nonetheless. The effect of adding mass is to reduce the average air temperature of the atrium. The temperature reduction occurs during summer, mass having little effect on temperatures during winter. Without insulation, the reduction is roughly 5 degrees in the average summer air temperature in the atrium, with insulation, the atrium air temperature reduction is roughly 8 degrees. Increasing the solar reflectance of the atrium is only important when the atrium walls are insulated. For this situation, the summer atrium temperature can be reduced roughly 4 degrees by providing solar reflecting rather than solar absorbing surfaces in the atrium. The lighter surfaces will enhance the daylighting characteristics of the space as well.

While this preliminary study does not include the complexities desired, especially the effects of latent loads, and thermal stratification. The trends represented in the study help provide an understanding of the thermal behavior of atriums. In addition, the potential for an unconditioned atrium (with ventilation) to be designed in Wiscon-


sin and remain in the comfort zone appears feasible. This result is for an atrium with glazing in the ceiling, the worst orientation for this climate. SARUP is presently seeking funding to expand this research effort to include more complex models, models of different atria geometries and the analysis of atria with glazing in a side wall.

This article highlights the work of two excellent research theses. Additional material and a greater depth of discussion are contained in the original work. Jordan O'Connor's and Pete Bocek's theses are available for study in the SARUP Reference Center. I have enjoyed chairing their thesis committees and look forward to future students who will provide work as pertinent to the profession as is represented in these two theses.

National Guard Armory-Milwaukee

by David Evan Glasser, Associate Professor

As part of the UWM Department of Architecture's continuing commitment to energy-conscious design it offers a regularly scheduled graduate studio dealing with a range of design issues among which, use of solar energy, passive design, thermal storage and other energy conserving factors are given high priority. This past Spring semester we were particularly fortunate in having been able to secure the services of Hanno Weber as a Visiting Associate Professor to manage the energy studio, together with Assistant Professor Michael Utzinger who is well known to WSA readers for his articles on energy in buildings throughout Wisconsin. Prof. Weber is an active Chicago practitioner and was for several years one of the principal designers at SOM. He was also an Associate Professor at Washington University in St. Louis for many years before setting up practice in Chicago. He was, as a consequence, uniquely qualified, to offer




cerns determined by the critics were:


- A. Development of a sound program for an armory which could accommodate a range of functions including emergencies, social events, etc.
- B. A building which by its scale and character would establish a coherent urban contextual relationship with surrounding structures.
- C. The appropriate incorporation of as many energy conserving design features as were practi-



leadership in a studio seeking to integrate general design issues with those of energy consciousness and thermal efficiency.

One of the studio projects selected by Profs. Weber and Utzinger for development was a proposed National Guard Armory to be built on a vacant site at the corner of W. State and 4th Street adjacent to Turner's Hall in Milwaukee - see site plan. The principal design con-






cable within the constraints of the project.

I had the opportunity to attend several reviews of projects during the term and was greatly impressed by the high calibre of the studio and its serious effort to treat energy concerns as integral to the design process and not, as often happens, as decorative technological afterthoughts.

The Axonometric and North-South section illustrate how the multi-storied, glass-roofed armory space fits within the overall building massing without overwhelming the project. The interior perspective of the assembly hall portrays a carefully determined interior which derives much of its character from a skillful use of a number of energy conservation measures.



One of the projects, of particular merit in this latter respect, was the Armory designed by Joseph Theodore Heinowski, plans of which are presented here. Most noteworthy, from a design standpoint, are the simple and straightforward plan and the serene, architectural character of the building's primary spaces.

In order to provide for certain energy-saving requirements, Mr. Heinowski made the following design decisions:


Solar energy collection has been incorporated in the roof and top of the southern facade. In addition, the building has been given as compact a form as possible,

minimizing the exterior exposed surface area. The energy proposal for the roof over the assembly hall is based on the following considerations:


1. The use of a compact geometry which reduces the amount of skin area exposed to the exterior, thus reducing heat loss.
2. The roof of the assembly hall will be employed as a heat absorber for solar energy. Using the green-house effect in conjunction with active systems of redistribution will reduce annual heating loads.
3. Maximizing southern glass exposure and minimizing those on the East, West and North will reduce heat loss and facilitate heat gain.
4. To prevent over-heating in the summer, mechanical duct-work near the roof and openings in the upper facades will draw off additional heat gain and provide for natural air circulation.
5. Mechanical room locations near the southern facade and unit storage to the North were determined in response to solar requirements.

Although specifically selected for coverage in this article it should be said that this project was typical of the quality and completeness of those accomplished by the energy studio. In my mind, the uniform high standards achieved by the studio point to an increasing maturity on the part of our students and program in dealing with the integration of design and energy.



UNLIMITED DESIGN POSSIBILITIES




WALL AND ROOF PANELS ARE LOADBEARING



USING PANELS FOR FLOOR OVER CRAWL SPACE



CEILING PANELS TO UNDER SIDE OF ROOF TRUSSES FOR FLAT INTERIOR CEILING



Chase Thermo-Panels, a new product recently introduced on the market in Wisconsin by Robert J. Chase. A walk in cooler manufacturer for over 29 years.

Chase Thermo-Panels are built with materials used over 15 years in the walk-in coolers and freezers where insulation is paramount.

The new wall units have been adapted for use in the building of individual homes. They have also been designed with the do-it-yourselfer in mind.

Our panels have been examined by energy experts, engineers and architects. Without exception they have been enthusiastic about the product. The builders that are now using them say, "This is the only way to build."

If you are interested and would like more information please call our office in New Berlin, WI. (414)784-9634

We believe that this product is one of the most useful you will find when it comes to energy efficiency and it sells at a price that is affordable.

Thank you for your consideration.

CHASE Thermo-Panel Systems
16608 W. Rogers
New Berlin, WI 53151
414-784-9634

CHASE


414-784-9634

THERMO-PANEL SYSTEMS


PANEL CONSTRUCTION

3½ CORE = R 30
4½ CORE = R 38

A high density (2.5 lb. per cu. ft.) urethane foam insulation is molded under extremely high pressure between plywood or other facings, resulting in a 100% insulated wall. **No 2 x 4's or other supports are required** in this load bearing panel, making this the most energy efficient wall and ceiling system available at a cost competitive with other current building systems.




Mechanical panel connection system makes field installation of Chase Thermo Panels fast and easy.




Large panels make erection fast and easy. Panel fabrication produced at the factory to insure highest quality standards.

STANDARD STUD WALL



Heat loss at all studs and voids in the insulation

CHASE THERMO-PANEL



NO HEAT LOSS,
not even at panel joint 100% energy efficient

Typical properties of urethane used in Chase panels:

Density 2.5 p.c.f.
Compressive 45 p.s.i.
% closed cells 93
R factor per inch 7.8

Fire hazard classification:
(core tested in 4" thickness)

Flame spread 25*
Fuel contributed 0*
Smoke developed 300*

*These numerical flame spread ranges are not intended to reflect hazards presented by these or any other materials under actual fire conditions.

LOAD CAPACITY FOR CHASE THERMO-PANELS

ROOF PANEL

panel span (feet)	8	10	12	13	14	15
allowable load lbs. per sq. ft.	100	64	44	37	31	27

WALL PANEL

lbs. per lin. ft.	4276	4049	3802	3547	3292
-------------------	------	------	------	------	------

COMPLETE ENGINEERING DATA
AVAILABLE ON REQUEST

A Visit With Willis And Lillian Leenhouts, FAIA

by Douglas Ryhn, Associate Professor

The following conversation occurred recently at Willis and Lillian's house in the Riverwest section of Milwaukee. The Leenhouts' architectural practice has long been noted for consistent attention to energy conscious design. Our purpose was to learn something of how this came about.

Doug:


I have recently seen a listing of your many passive solar projects which goes back to World War II. Is that when it all began?

Willis:

Our work began right after the war but Lillian's desire to learn more about solar design began somewhat earlier.

Lillian:

I got out of Layton School of Art after 3 years in 1932, just as the great Chicago Fair "Century of Progress" was about to begin. A friend and I packed up one of those cardboard suitcases full of clothes and food and took the night bus to Chicago. We waited in the bus station until it was just getting light so we could spend the whole day at the Fair. Probably the most important thing that happened was seeing George Fred Keck's round glass house, the one with the airplane port on the ground floor. He thought everyone was going to have an airplane. The "House of Tomorrow" as it was called had evolved from a study of the 1854 Octagon House in Watertown, Wisconsin. The Keck house featured a central core containing stairs and mechanical equipment,



House of Tomorrow
Photo Courtesy Elvehjem Museum of Art
wisconsin architect/august 1984

cantilevered octagonal floors and an enclosure of large sheets of glass. It was reported that during supervision of construction, on a bitter cold January day, Keck noticed that the carpenters were working inside with their sleeves rolled up. This phenomena impressed him a great deal and he wrote to Washington D.C. to see if he could obtain information on solar gain. He was referred to his local weather bureau and the information he received started him on his pursuit of passive solar.

Doug:

Were there any other innovations that came out of the "House of Tomorrow"?

Willis:

I don't really think so. It seems as though technology was coming into its own and there were a lot of innovative building products that just happened to be related to energy.

Lillian:

Sometime during the period when I was working for Harry Bogner, double pane glass appeared on the scene. I believe the guy who invented it came from Milwaukee, I think his name was Haven. Anyway, he and one of the glass companies experimented for a long time before they were able to join the 2 pieces of glass with a small I beam type seal. Later others were



Leenhouts Residence

Lillian:

To take advantage of the large sheets of fixed glass and still provide ventilation the Keck's developed a system of floor to ceiling panels that had louvers at the top and bottom. It was thought that a contractor could build a conventional structural frame and then merely install these panels to enclose the space. There is presumably a house in Fox Point that was constructed in this fashion.

Doug:

Do you feel that there was a growing energy consciousness at this time?

able to literally weld the glass together to form the hermetic seal. Harry used insulating glass a lot.

Willis:

One of his jobs was a Georgian style house and when some of the seals started to go the carpenter had to go out and replace hundreds of those little panes.

Doug:

Looking around your own house one is immediately aware of large areas of south facing glass and overhangs.

Willis:

Aristotle said, 400 years before Christ, that if you're going to build a house, build it high in the south and low in the north.

Lillian:

Somewhat along that same line, I became fascinated by a book by Carleton S. Coon. It was called *Seven Caves*. The author got interested in caves and found that whenever there was an area of limestone ledges facing south, such as in Turkey, there were probably ancient caves. He has excavated several of the caves and of course discovered how the former occupants lived by studying the junk they left behind. He also observed how the south opening with its natural overhang and an extended floor ledge for a fire could provide comfortable and secure shelter.

Doug:

Another aspect of orientation that I'm always reminded of when I'm here in your home is the wonderful play of light that seems to be produced in part by the smallest of clerestory windows.

Lillian:

I think that over time we've become quite clever at bringing light into buildings. Examples vary from simple interior light wells in old apartment buildings to the grand skylit spaces such as in the old Northwestern Mutual Life building at Broadway and Michigan here in Milwaukee. And of course modern atriums can do much to reduce the amount of electricity needed for lighting. There still has to be a good bit of attention paid to the subject of glare however and that means cutting down the contrast between the light source and the surrounding area. We've all suffered from the effect of a small bright window at the end of a dark room. Since light and heat are related though, it probably means control through overhangs. Glass does become reflective at very shallow angles, but that's probably only useful closer to the equator.

28

Doug:

What have you done here in the house with respect to heat absorption and storage?

Lillian:

Well, our latest attempt at solar collection is this door on the east side of the house. Before it was painted, it would get so hot in the morning you couldn't put your hand on it. Then we painted it white and it didn't get nearly so hot. Then we added a glass storm door and it gets hot again.

Willis:

Lillian has a homemade trombe wall, that I'm not in love with, made out of a sheet of plastic over the brick below the windows on the south side. It's not vented so the heat just works its way through the brick and she said it was 120 degrees in there the other day.

Lillian:

The north side of the house is slightly buried partly because of the natural southward slope of the property. Our daughter Robin and I dug down along the wall and put in about 2 feet of foam insulation, so now we feel a little more tucked in.

Doug:

My recollection is that you have utilized radiant heating in much of your work. Do you still find it a good solution?

Willis:

There's nothing like it. We've used radiant in most of our houses, in churches and a 13 story apartment building.

Lillian:

The engineering is quite good. They are usually closed systems so they don't require any special water treatment and the piping is compatible with the concrete. Our systems are buried in the concrete rather than in the crushed rock with concrete over the top. Also since the pipes are regularly spaced, sections can be prefabricated to help in the overall economics. But of course the real

advantage besides efficiency is comfort.

Doug:

One would think that radiant systems would be a natural link-up with solar collectors but enough of that, back to your house.

It has a few other characteristics besides the many we've discussed that are energy related. For example there are the variety of adjustable drapes that allow the user additional environmental control, both for heat gain and heat loss, the green house provides fresh vegetables and much desired moisture and of course the beautiful cluster of deciduous trees to the south, invisible in the winter and shade provider in the summer. Do you have any way of ranking the importance of any of these items?



Willis and Lillian Leenhouts

Lillian:

If there's anything we've learned living with the Wisconsin climate, it's that you can't just look at any one passive characteristic, they all go together. You must use the earth for what it offers and the same for the sun and wind and all the other natural resources. So we try and add all the bits together, because each one by itself is not enough.

On The Boards

ARCHITECT:
Architecture 360
Madison, WI

PROJECT:
Joseph E. Uihlein
Sr. Residence
Milwaukee, WI

BACKGROUND:
Located on 4-1/2 acres of Lake Michigan shoreline, the Joseph E. Uihlein, Sr. Residence has recently been purchased by family members from the University of Wisconsin — Milwaukee, and will soon be converted into 6

luxury condominium units. The Jacobean style exteriors of the main house, attached "playroom", and coach house will remain intact, as will the replicated English Period paneled rooms throughout. New partitions and fixtures are unobtrusive, and will match plaster and paneling where incidental. An attached underground garage for the main house units has been incorporated with the existing site plan, preserving the formality of the landscaped grounds and approach drive. The estimated cost for the project is \$800,000.00.



ARCHITECT:
Shepherd Legan Aldrian Ltd.
Milwaukee, WI

PROJECT:
Franklin Medical Complex
Franklin, WI

BACKGROUND:
Shepherd Legan Aldrian has been selected by the Franklin Medical Center (in affiliation with St. Luke's Hospital) to create the Master Plan for the development



of a multi-faceted health care facility on a 33.5 acre site in Franklin. Phase I facilities include an immediate care clinic, com-

munity education center, professional offices and in-patient/out-patient hospital facilities. A prime objective of the Franklin Medical Center is to incorporate a large conservancy district with proposed building and parking needs to create a sequence of orderly building development which respects the natural beauty of the site. Phase I planning (30,000 s.f. two-story building) is underway with construction scheduled to begin Spring 1984.



Settlers Square

ARCHITECT:
Kubala Washatko Architects
Cedarburg, WI

PROJECT:
Settlers Square
Professional Office Park
Mequon, WI

BACKGROUND:
Phase I development of Settlers Square involves the "Reconstruction" of three historic structures, a log cabin, a half-timbered house, and a threshing barn, moved to the site from other locations in South Eastern Wisconsin. While adapting them for use as professional offices great care is being taken to preserve the historic character of each building.



ARCHITECT:
Martinsons/Zeck/Meyer, Inc.
Madison, WI

PROJECT:
Hardee's — State Street
Madison, WI

BACKGROUND:
This project is the latest in a series of recent, successful efforts by conscientious business leaders to maintain and upgrade the vitality of Madison's famous State Street. There is nothing

temporary or less than quality considered in the planning and design of the building. It will accommodate a downtown Hardee's franchise on the ground floor and provide a mix of efficiency, one and two bedroom apartments on floors two through four above. The structure is classified fire resistive construction. The principal elevation on State Street picks up the established vernacular and elaborates to reflect more recent trends.

The Wisconsin Architect will publish forthcoming projects that are "On The Boards" using the format shown. If you have a project for publication, please

submit the appropriate heading, copy, and graphics using the shown format to the WSA Office.

Society News

WSA SPONSORS ECONOMIC DEVELOPMENT FORUMS

Whether you are an accountant, architect, attorney, or banker . . . your economic future and that of your clients will rest with today's business development activities. As a professional, you have an important role in the economic development of Wisconsin.


The Wisconsin Society of Architects, in conjunction with the Wisconsin Department of Development, the Wisconsin Institute of CPA's, the Wisconsin Bankers Association and the Wisconsin Bar Association will be sponsoring an upcoming series on economic development. These forums will be held throughout the state and are designed for professionals who advise business clients on the financial and regulatory aspects of expanding or starting a business in Wisconsin. Authoritative speakers and panels, video and slide presentations will highlight the seminar. A local architect will participate at each of the seven scheduled panels.

Registration materials have been sent to all WSA members. If you want more information, contact Karen or Sandra at the WSA office.

The dates and locations of the forums are as follows:

- 1) September 20, Madison, Sheraton Inn.
- 2) October 16, Wausau, Westwood Center (Wausau Insurance Co.)
- 3) October 17, Eau Claire, Holiday Inn.
- 4) October 18, La Crosse, Ramada Inn.
- 5) October 23, Appleton, Paper Valley Inn.
- 6) October 24, Brookfield, Midway Motor Lodge.
- 7) October 31, Racine, Racine Motor Inn.

PEOPLE AND PLACES



Dan Christiansen, AIA

Dan P. Christiansen, AIA, has joined PSI Design of Big Bend, Wisconsin, as Vice-President of Architecture.

Peterson-Twohig & Due, Inc., Architects, Planners, announces the election of Gordon L. Peterson, AIA, as Chairman of it's Board of Directors. Philip J. Twohig, AIA, was elected President of this Fond du Lac based Architectural firm, while Gary G. Due and Larry C. Beyer were named Secretary/Treasurer and Vice-President respectively.

LANGFOSS APPOINTED TO SPRINKLER COMMITTEE

Dale Langfoss, AIA, of Marshfield, Wisconsin has been appointed to serve as the WSA's representative on the recently appointed DILHR sprinkler committee. Legislation passed earlier this year requires DILHR to promulgate a new sprinkler code. This law was endorsed and strongly supported by the WSA. WSA members who have thoughts, comments, or suggestions for the new sprinkler code should contact Dale.

OPPORTUNITY KNOCKS

There have been many surprises coming from the State Capitol in recent months as many, many, many state legislators announce their intentions **not** to run for re-election this November. These announcements guarantee that the next Wisconsin legislature will have a high turnover. How high, you ask?

Of the 99 representatives who served in the Assembly during the 1981-82 session . . . **no more than 43 will be there next session.** Of the 33 Senators who serve during that same time . . . **no more than 17 will be there next year.**

Here's your opportunity to get in on the ground floor. Get to know the candidates for your Assembly and Senate district. They need your input, time and money to get elected. Once they are in office, you'll have a receptive ear on the multiple issues that they will be considering that have a dramatic impact on the way in which Wisconsin government is run.

Do it now.

It's as easy as picking up the phone and calling a candidate. Just tell them you want to volunteer some time or money or both. If you aren't sure who the candidates are for your Assembly or Senate district . . . call Eric at the WSA office.

MEMBERSHIP ACTIONS

SCHMITT, PATRICK L., was approved for Assoc. Membership in the Southwest Wisconsin Chapter.

JULES, FREDERICK A., was approved for AIA Membership in the Southeast Wisconsin Chapter.

ACORD, ROBERT J., was approved for AIA Membership in the Northeast Wisconsin Chapter.

MYERS, SHERRILL M., was approved for AIA Membership in the Southeast Wisconsin Chapter.

ARE YOU TAKING ADVANTAGE OF YOUR AIA MEMBERSHIP???

The AIA library staff will respond to questions either in person, by telephone, or by letter, on aspects of architecture and construction, architectural history, building types, etc., using the library's catalogued volumes, reference books, indexes, and more than 400 different periodicals.

PERMIT INFORMATION CENTER

One of the major points of contact between the Wisconsin business community and state government comes in the area of mandatory permits and state consents. For years it has been suggested by some that costs and time involved in obtaining such permits or consents are excessive.

The Wisconsin Department of Development has established the PERMIT INFORMATION CENTER to:

1. Resolve delays, confusions, miscommunications, and other problems that might arise with permits.
2. Facilitate the identification of permits that are needed and establish deadlines for the permitting process that businesses can count on.
3. Expedite the issuance of permits, including monitoring progress made in each step.
4. Provide information on permits and improvements in the permit process.

Each state agency has been directed by a new state law to cooperate with the PERMIT INFORMATION CENTER. The PERMIT INFORMATION CENTER claims that it is not just another layer of the bureaucracy. **You are STRONGLY encouraged to deal directly with the permitting agency FIRST and to approach the PERMIT INFORMATION CENTER ONLY where you run into problems.** HOWEVER, THE PERMIT INFORMATION CENTER IS NOT TO ACT AS AN ARBITRATOR IN DISPUTED CASES WITH THE PERMITTING AGENCY NOR AS A MEANS OF APPEAL OF A PERMITTING AGENCY DECISION. The motto of the PERMIT INFORMATION CENTER is found in the toll free number:

WSA
CASSETTE
LIBRARY

HOW TO ESTABLISH A SUCCESSFUL PRACTICE . . . HOW TO DEVELOP YOUR OWN PROJECTS . . . CADD . . . MARKETING FOR SUCCESS. These four 90 minute cassettes have been purchased by the WSA library for use by WSA members.

To check out any or all of these cassettes, contact Sandra or Karen at the WSA office.

The WSA is trying to help you. Let us know what we can do to better serve the Wisconsin architectural community.

SHANNON
AWARDED
CITATION

The WSA Board of Directors has unanimously approved the award of a Citation For Distinguished Service To The Profession Of Architecture to Art Shannon. Art has served for six years as the public member of the Architects Section of the Registration Board. In serving in this capacity, Art has committed substantial time and energies towards improving the architectural profession in Wisconsin. The WSA Board of Directors is pleased to recognize Art for his service to our profession.

WSA members are encouraged to submit to the Board of Directors their nominations for similar Citations.

STROLLING
THROUGH
BELOIT

A recent addition to the WSA Library is "A NEIGHBORHOOD STROLL" a self-guided tour of Beloit's near east side historic district. Donated to the WSA library by Noble Rose, AIA, this brochure represents an excellent example of the influence of historical architecture on a City, and the way in city capitalizes on public interest in this area.

To borrow this brochure or any materials contained in the WSA Library, simply stop by the WSA office or call Karen or Sandra at the WSA.

Thanks Noble for sharing this very fine product with your peers.

STRUCTURAL
COMPONENT
SHOP
DRAWINGS

Current DILHR procedures require that structural component shop drawings be submitted to DILHR for review **through** the office of the project architect. The following language is being utilized by one Wisconsin architectural firm in their specification to clarify office policy on this matter. If you have thoughts, comments, or alternative policy, contact Eric at the WSA office.

STRUCTURAL COMPONENT SHOP DRAWINGS

Eight copies to Architect, minimum which will be distributed as follows:

Architect (1) for temporary file.

Contractor (3), if more than eight copies are submitted originally, extra copies will be returned to the Contractor.

Approval copies (4) i.e.: Architect, Field Office and Job set, DILHR retained copy and Sub-contractor's copy.

Each set to include the seal and signature of a Wisconsin registered Engineer (or Designer where acceptable by law), and applicable approval information require for DILHR approval.

The Architect will furnish to the component supplier a "Plan Approval Application" form completely filled out. The Engineer (or Designer) will sign the form and return with it (to the Architect) a Structural Plan Review fee (See Fee Schedule on back of current "Plan Approval Application" form). The Architect will submit this information and data with the appropriate certified shop drawings directly to DILHR.

Marketplace



ARCHITECTURAL ROOF TILE

"After years of performance and appearance problems associated with roofing, I find it refreshing to see the return of tile roofing in Wisconsin. A great deal of credit should be given to Vande Hey-Raleigh Roofing Company of Little Chute, Wisconsin for developing their cement tile product and training craftsmen to install it with proper flashings and accessories.

"I am proud to specify their product and recommend their firm to my most discriminating clientele."

Curtis L. Biggar, A.I.A.

For more information contact Vande Hey Raleigh Architectural Roof Tile, 1665 Bohm Dr., P.O. Box 263, Little Chute, WI 54140, 414-766-1181.



NEW STRESS SKIN INSULATION PANELS

Chase Thermo-Panels, from Chase Panel Systems, Inc. are not the first foam insulation sandwich panels to come on the market but they do have certain features and qualities which might make them outsell their predecessors. The panels consist of **high density urethane foam**, 3.5 inches or 4.5 inches which is molded under high pressure between two facings.

Various facings are available, including plywood exterior siding, fir plywood, flakeboard, aluminum, galvanized steel or fiberglass.

For more information contact Robert J. Chase, Panel System, Inc., 16608 W. Rogers, New Berlin, WI 53151 414-784-9634.



SUNROOM CONVERSIONS

There are many who resist buying the pre-fabricated models or simply can't. Reasons are varied and range from 'sticker shock' to architectural incompatibility.

If there is a spare room with southern or western exposure and it has a sloped roof, you can create a sunroom or solarium. Pointing to the ease and economy of installation made possible by their factory-made gang flashing, Velux-America reports that thousands of solarium-type installations have been made, with banks of as many as a dozen VELUX roof windows or skylights set side-by-side and over-and-under.

For further information, contact VELUX-AMERICA, Inc., P.O. Box 3268 Greenwood, SC 29648. 803-223-3149.



We Painted The Town!



**Hess
Sweitzer**
Painters Plus

Since 1918
Wisconsin's Most Experienced
Painting Contractor

117 W. Pittsburgh
Milwaukee, Wisconsin 53204
(414) 272-0191

**We protect what you
treasure most.**



westec . . . the
most trusted name in res-
idential security across
the nation since 1968.

Distributed by Jacobus Security
Systems, Inc., formerly Wes-
tinghouse Security Systems.

westec
SECURITY SYSTEMS

MILWAUKEE (414) 258-5500 • FOND DU LAC (414) 921-7055
JANESVILLE (608) 752-1233 • RACINE-KENOSHA (414) 552-9493

Advertiser Directory

Accurate Security, Ltd.	35
Acoustical Floors of Wisconsin, Inc.	12
Andersen Corp.	14
Archimodel	35
Arnold & O'Sheridan, Inc.	35
Automatic Temperature Supplies	Kohler
Baker Manufacturing Co.	Kohler
Chase Panel Systems, Inc.	Insert
Commercial Communications, Inc.	17
Delta G., Ltd.	12
Desert Aire Corp.	34
Dolan & Dustin, Inc.	35
Enterprise Engineering Corp.	35
Geis Building Products	12
Genz Construction	18
Graef, Anhalt, Schloemer	35
Gryphon Studio	35
Hess Sweitzer Painters Plus	33
Hurd Millwork	Insert
F. Hurlbut Co.	8
Jacobus Security Systems, Inc.	33
Thomas H. Jaeschke & Associates	35
Jerry's Cabinets and Supplies	18
Kohler Co.	Insert
Manci & Haning, Inc.	35

Mid-State Associates, Inc.	35
Milwaukee Plumbing and Heating Supply	Kohler
Murphy Supply Co.	Kohler
Northwestern Elevator Co., Inc.	17
PBBS Equipment Corp.	13
W.S. Patterson Co.	Kohler
J.W. Peters Co.	Back Cover
Photocopy, Inc.	18
Reinders Bros., Inc.	17
Romatic, Inc.	35
S&S Sales Corp.	35
STS Consultants, Ltd.	35
Schulz Concrete Products	12
Sheet Metal Contractors of Milwaukee	14
United Plumbing and Heating Supply	Kohler
Ver Halen, Inc.	18
Warzyn Engineering, Inc.	35
Harriet Weiss Interiors, Ltd.	12
Wisconsin Brick and Block	18
Wisconsin Gas Co.	2
Wisconsin Office Systems	11
Wisconsin Power and Light Co.	4
Wisconsin Public Service Commission	7
Wisconsin Testing Labs	35

— Advertise In —

Wisconsin Architect

magazine

The Place To Reach:

- Architects
- Consulting Engineers
- General Contractors
- Interior Designers
- Landscape Architects
- Urban Planners
- Developers

Wisconsin Architect
magazine

615 E. Washington Ave.
Madison, WI 53703
(608) 257-8477

STOP WASTING ENERGY!

Control POOL ROOM Humidity

Finally! A sensible way to control Pool Room Humidity while reducing operating costs.

DESERT AIRE DOES IT ALL!

- Reduces Operating Costs Up to 75%
- Controls Damaging Humidity while Heating Pool Room
- Saves Money
- Uses No Gas or Oil
- Models to Suit All Needs

Don't throw Money Out the Window!



DESERT AIRE
CORP.

Dept. DA
5633 W. Florist
Milwaukee, WI 53218
1-414-462-4143