

NA
I 56
V. 43
no. 2

23 APR 04 2 52 PM '04

THE BALTIMORE FIRE

TOWER GROUP, UNIVERSITY OF CHICAGO. Shepley, Rutan & Coolidge, Architects
WAREHOUSE FOR HIBBARD, SPENCER, BARTLETT & CO. Frost & Granger, Architects
FORT COLLINS, COLO.



IRVING K. POND, DES.

LORADO TAFT, SCULPT.

UNIVERSITY OF MICHIGAN
GENERAL LIBRARY



Entered at the Postoffice at Chicago as second-class matter

CONTENTS.

EDITORIAL:

The Great Conflagration at Baltimore 9

LESSONS OF THE BALTIMORE FIRE (Illustrated with Map and Photographs.)
By F. W. Fitzpatrick..... 10

A PROPER BUILDING CODE.

By Frederick Baumann..... 14

THE TOWER GROUP—UNIVERSITY OF CHICAGO..... 15

HOT WATER AND TANK HEATERS..... 15

A COMMERCIAL BUILDING..... 16

MOSAICS..... 16

OUR ILLUSTRATIONS..... 16

INDEX TO ADVERTISEMENTS..... ix

NORTH-WESTERN TERRA COTTA CO.

WORKS AND OFFICE:

Clybourn and Wrightwood Avenues.

BRANCH OFFICE: 1118 Rookery Building,
CHICAGO.

A NEW ROOFING TILE

WITH DOUBLE INTERLOCK AT TOP AND SIDES

ABSOLUTELY RAIN AND SNOW PROOF

NOW ON THE MARKET

Being made of stiff clay with metal dies under a pressure of fifty tons, it is both exceedingly light and dense, and will not break up nor flake off under the action of the elements. Better than other tile. As cheap as good slate.

THE NATIONAL TILE ROOFING CO.

LIMA, OHIO, U. S. A.

J. W. TAYLOR,

REMOVAL NOTICE:

After May 1, 1902, Monon Bldg., 324 Dearborn St. Telephone No. 1509 Harrison.

ARCHITECTURAL PHOTOGRAPHS,

BUILDINGS, INTERIORS, DETAILS, ETC.

Promise to purchase two dozen from the lot at \$4.00 per dozen, unmounted, and I will send 200 from which to make the selection.



THE WINSLOW BROS. COMPANY

CHICAGO

ORNAMENTAL IRON AND BRONZE AND
MONUMENTAL BRONZE STATUARY

THE WINSLOW ELEVATOR & MACHINE CO.

HIGH-GRADE ELECTRIC AND HYDRAULIC ELEVATORS

Peterson Nursery



TREES
AND
SHRUBS

Order Now

168 La Salle St., Chicago

Send for our Handy Reference Book containing descriptions and information regarding planting. FREE ON APPLICATION.

THE SOCIETY OF BEAUX-ARTS ARCHITECTS

has established

A FREE COURSE OF STUDY

open to draughtsmen and students of any city, modelled on the general plan pursued at the Ecole des Beaux-Arts in Paris, and comprising frequent problems in Orders, Design, Archeology, etc. For information apply to the Secretary of the Committee on Education, 8 E. 33d St. N. Y. City.

DRAUGHTSMAN WANTED

Wanted, Draughtsman who is first class at Perspective Rendering

R. H. Hunt, Architect, Chattanooga, Tenn.

Advance News

INDICATING

Chances to Sell

PLANS, MATERIALS, FIXTURES, FURNITURE, MACHINERY,

May be secured with promptness, accuracy and thoroughness, and at reasonable rates, from

THE PRESS CLIPPING BUREAU,

ROBERT AND LINN LUCK,

75 Park Place, NEW YORK.
Pike Bldg., CINCINNATI.

68 Devonshire St., BOSTON
Cooper Bldg., DENVER.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

The STURTEVANT SYSTEM for Heating and Ventilation of Schoolhouses—Theatres—Stores

FORCED CIRCULATION OF AIR BY MEANS OF A FAN

SCHOOLHOUSE HEATING AND VENTILATION is no longer a matter of secondary importance in the eyes of the educator. When he demands an ample supply of properly warmed fresh air he realizes that it will not only maintain the health of the pupils, but also materially increase their mental activity. With the Fan System, positive ventilation is assured at all times, the air is properly tempered and the temperature is automatically controlled.

THEATRE HEATING AND VENTILATION to be successful must be positive. The air must be distributed with the utmost refinement, the temperature must be automatically controlled and the vitiated air must be immediately removed. The Fan System insures these results. It is the system which we have perfected during an experience of 30 years, and which we are completely equipped to design and install.

STORE HEATING AND VENTILATION is only beginning to receive the attention it deserves. The really progressive merchant already sees the advertising value of a comfortable store and recognizes the mission of pure air as a means of increasing the efficiency of his employees. We employ the Fan System, forcing the air under pressure to the desired points and insuring positive ventilation. The heating surface is localized, extended piping systems are avoided and the temperature automatically controlled.

B. F. STURTEVANT CO., Boston, Massachusetts
NEW YORK PHILADELPHIA CHICAGO LONDON

337



Some "Taylor Old Style" tin roofs would be standing to-day if the houses had not perished beneath them. What a pity that there are not other kinds of building materials as good in their way as the tin which is marked with the arrow and bull's eye.

N. & G. TAYLOR COMPANY
ESTABLISHED 1810
Philadelphia

Oh! Yes I stop off at -
WASHINGTON

The B. & O. grant me that -
privilege on through -
tickets. It's just a top off -
to the beautiful Country -
and Mountains along the -
B. & O. - before taking the -
five hour ride to the Metro-
polis.


Traveling over the B. & O. is -
- becoming more popular -
every day - Three trains -
daily - Solid Vestibule Pullmans.

For information regarding -
sleeping car reservations, tickets, etc.,
call on W. W. Picking D.P.A.
244 Clark St. Chicago.

D. B. Martin Mgr. of Pass. Traffic
BALTIMORE.
B. N. Austin Genl. Pass. Agt.
CHICAGO.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

Westinghouse Gas Engines



Westinghouse Gas Engine Generating Unit

Ashes, Dust, Heat and Smoke
are all eliminated by their use

For particulars address nearest sales office of

The Westinghouse Machine Co.,
Works, East Pittsburg, Pa.

Sales Offices

New York, 10 Bridge St.
Boston, 131 State St.

Pittsburg, Westinghouse Bldg.

Chicago, 171 La Salle St.

Detroit, Union Trust Bldg.


Philadelphia, Stephen Girard Bldg.

Designers and Builders of

Steam Engines, Gas Engines, Steam Turbines, Roney Mechanical Stokers.

Westinghouse Motors

For Alternating or Direct Current Service



Westinghouse Type M Direct Current Motor Driving Pump

Reliable and economical in service.
Pumps or Blowers may be controlled from any convenient point

Alternating Current, Circulars 1050, 1062, 1066

Direct Current, Circulars 1042, 1068

Westinghouse Electric & Mfg. Co.

Sales Offices in all Large Cities

Pittsburg, Pa.

THE WINKLE TERRA GOTTA CO.

MANUFACTURERS OF

Architectural Terra Cotta

IN ALL COLORS.

OFFICE:

**Rooms 502 and 503, Century Building,
ST. LOUIS, MO.**

Works: CHELTENHAM, ST. LOUIS.

THE CHICAGO

The Typewriter That Stands for Fair Play



No one thinks that any typewriter is worth \$100, yet that is the "standard price." Every one knows that highest grade machines can be sold at a fair profit for much less.

**\$35 Is the Price of The Chicago,
the Best Machine at any Price,**

yet a number of people by a kind of "trustful momentum" keep on paying \$100—they are "not quite sure." We have some surety facts that will make your pocketbook laugh—better send for them to-day.

Chicago Writing Machine Co.

121 Wendell Street - - - - CHICAGO

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.




"Standard"



PORCELAIN ENAMELED BATHS

surpass all others in quality, design and durability, and the large numbers of exclusive patterns in which they are made permit the selection of a bath that will harmonize with the decorative treatment of the bathroom, no matter how modest or elaborate it may be.



THE "OCCIDENT"

PLATE 101-G

is the choice of many who desire a sanitary, modern equipment without expending more than is necessary to provide these most essential features. The "Occident" is made in five sizes, with trimmings as shown; also with Imperial Waste and Overflow or Bell Supply Fittings.

The exterior finish of the bath is a matter worthy of the consideration of every architect. The "Standard" Bath Decorations, as applied by skilled decorators, with special facilities for the purpose, makes the exterior as inviting as

the interior. The reasonable cost at which we furnish exterior finishes should cause every bath to be specified with one of our factory finishes, thus insuring satisfaction to the client, instead of the expense and annoyance resulting from the application of ordinary paint by unskilled hands.

Every piece of "Standard" Ware bears our "GREEN and GOLD" guarantee label and has our name "Standard" or initials "S. S. M. Co." cast in relief on the exterior. No others are genuine.

Standard Sanitary Mfg. Co.

PITTSBURG, U. S. A.

PORCELITE

Is the Only Enamel Paint

That has stood the test of ten years' wear and retained its durability, permanent high gloss, and has not checked or cracked. :: :: :: ::

Interior Woodwork
Plastered Walls
Brickwork, Metals

Paint with

PORCELITE

**The Thomson
Wood Finishing Co.**

Varnish, Enamel and Wood Filler
Manufacturers
Inventors and Sole Makers

Office, 115 N. Fourth Street
PHILADELPHIA, PA.

WANTED A single man who is especially artistic in designing medium price dwellings, making perspectives for book half-tones. State experience, references and terms. Address,

D. S. HOPKINS, Architect,
Grand Rapids, Mich.

"That Settles It"

**WEBSTER'S
INTERNATIONAL
DICTIONARY**



RECENTLY ENLARGED

25,000 New Words, etc.
New Gazetteer of the World.
New Biographical Dictionary.
Edited by W. T. HARRIS, Ph.D., LL.D.
New Plates Throughout. Rich Bindings.
2380 Quarto Pages. 5000 Illustrations.

Will readily settle questions about words,
noted persons, places, scientific subjects, etc.
Should be in
Every Home, School, and Office.

Also Webster's Collegiate Dictionary.
1100 Octavo Pages. 1400 Illustrations.

FREE "A Test in Pronunciation"
also illustrated pamphlets.

G. & C. MERRIAM CO., Springfield, Mass.

ORNAMENTAL —IRON—

STAIRS

STORE FRONTS

ELEVATOR ENCLOSURES

FENCES AND RAILINGS

SIDEWALK LIGHTS

SKYLIGHTS

Brown Bros. Mfg. Co.

Established in 1860

22d St. and Campbell Avenue

CHICAGO

Telephone Canal 115

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

THE CHEAPEST GOODS

Do not always cost the least.

Established 1844.

Peerless Mortar Colors

Are the Brightest, Strongest and Most Durable.

THEIR ULTIMATE COST IS THEREFORE THE LOWEST.

SAMUEL H. FRENCH & CO.
PHILADELPHIA.

Send for Samples.

TEL. HARRISON 3852


THOMAS HAWKES
LANDSCAPE ARCHITECT

DESIGNS PREPARED FOR PARKS,
CEMETERIES, PRIVATE ESTATES, SUB-
DIVISIONS, ETC.

CORRESPONDENCE SOLICITED

1532 MONADNOCK BLOCK

CHICAGO



Berger's Metal Ceilings

Are symmetrical and pleasing to the eye and command the admiration of all. They can be used in all classes of buildings, are easy to apply, and highly ornamental. They don't shrink, crack, get water-soaked, or fall off. They are safe and sanitary. Their durability makes them the most economical ceilings in existence. Our "Classified Designs" embrace a variety of styles, and there is no building that we can not match in its style of architecture. Send for our booklet "A New Idea in Metal Ceilings"—it's free.

The Berger Mfg. Co., Canton, Ohio
Eastern Branch, 210 E. 23d St., N. Y.
Western Branch, 19-21 S. Main St., St. Louis, Mo.

AUDITORIUM LIGHTING is a SPECIALTY

in itself. We make a specialty of it. The Frink Reflector is made up on special angles to meet the conditions found in each case, no two auditoriums being just alike; hence its uniform success. No church lighting should be undertaken without considering it. To consider is to adopt. Designs for every style of architecture.

I. P. FRINK, 551 Pearl Street, NEW YORK

EXPANDED METAL

For Fireproofing and Concrete Construction

ASSOCIATED EXPANDED METAL COMPANIES Room 1216, 256 Broadway NEW YORK



AMERICAN SIDEWALK LIGHT CO.

MANUFACTURERS OF ALL KINDS OF


Concrete and Hyatt Sidewalk, Floor and Skylight Work,
AND ALL KINDS OF IRONWORK.

Coal-Hole Covers of every description always on hand.

Tel. Monroe 643.

156-158 West Ohio St., CHICAGO.

Put into the White House by the U. S. Government.



SEALS WITH OR
WITHOUT WATER


CUDELL
ANTI-SYPHON

F. E. CUDELL'S

Patent Sewer-Gas and Backwater Trap

For Wash-Bowls, Sinks, Bath and Wash Tubs,

CLEVELAND, OHIO.



Hardwood Floors

Wood Carpets, Parquet Floors, Rug Borders.

Send for book of designs.

E. B. MOORE & CO.

37 Randolph Street,
CHICAGO, ILL.

Hydraulic Press Brick Co.

Missouri Trust Building, ST. LOUIS, MO.

TOTAL
ANNUAL
CAPACITY,
300,000,000
BRICKS.

American Hydraulic Press Brick Co., St. Louis, Mo.
Chicago Hydraulic Press Brick Co., Chicago, Ill.
Cleveland Hydraulic Press Brick Co., Cleveland, Ohio.
Eastern Hydraulic Press Brick Co., Philadelphia, Pa.
Findlay Hydraulic Press Brick Co., Findlay and Toledo, Ohio.
Illinois Hydraulic Press Brick Co., St. Louis, Mo.
Kansas City Hydraulic Press Brick Co., Kansas City, Mo.
Kelley Brick & Tile Co., West Superior, Wis.
Menomone Hydraulic Press Brick Co., Minneapolis, Minn.
New York Hydraulic Press Brick Co., Rochester, N. Y.
Ohio Press Brick Co., Zanesville, Ohio.
Omaha Hydraulic Press Brick Co., Omaha, Neb.
Union Press Brick Works, St. Louis, Mo.
Washington Hydraulic Press Brick Co., Washington, D. C.

CONVENIENT TRAINS

Leave St. Paul and Minneapolis daily

... VIA ...

Wisconsin Central R'y

... FOR ...


MANITOWOC,
MILWAUKEE,
CHICAGO,

where direct connections are made
for the East and South.

Nearest ticket agent can give you
complete information.

JAS. C. POND, Gen. Pass. Agent,
MILWAUKEE, WIS.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.



Always Specify U.S. Eagle NM or MF Brands of ROOFING TIN

The best terne on the market to-day for all purposes. Made entirely by the palm oil process, hand dipped, perfect in coating of richest tin and new lead, they furnish the greatest protection, and require least repairs.

For more than sixty years the M F brand has been recognized as the standard terne, because of its reliability under all conditions of weather, location and atmosphere. The U. S. Eagle N M (new method) terne are the result of a still higher development of the M F process, giving a roofing material much nearer to copper in its resistance to corrosion. If you have not seen it, we would like to send you a sample.

Our products are for sale by all first-class wholesale metal houses.

"A Fifty Year Roof," a comprehensive work on roofing, with scores of helps to writers of specifications and estimates, free on request.

W. C. CRONMEYER, Advertising Agent, AMERICAN SHEET AND TIN PLATE CO.

FRICK BUILDING, PITTSBURG, PA.



Interlocking Rubber Tiling

As laid by us in The National Bank of North America, New York City.

Waterproof, sanitary, non-slippery, soft, warm and comfortable to the feet, noiseless, capable of elegant designs and extraordinarily durable. Laid without disturbing old floor. A perfect floor for kitchens, laundries, pantries, halls, vestibules, offices, banking-rooms, court-rooms, schoolrooms, libraries, hospital-wards, cafes, billiard-rooms, piazzas, etc.

Call or write.

Beware of Infringers. Patented. Manufactured solely by

NEW YORK BELTING & PACKING CO., Ltd.

CHICAGO 150 Lake Street
NEW YORK 25 Park Place
PHILADELPHIA 724 Chestnut Street
BALTIMORE { Baltimore Rubber Co.
 41 South Liberty St.
BOSTON 232 Summer Street
INDIANAPOLIS, IND. 229 S. Meridian St.
ST. LOUIS 411 North 3d Street
SAN FRANCISCO 605-607 Mission St.
LONDON, ENG.
Arthur L. Gibson & Co.
19 to 21 Tower Street, Upper
St. Martin's Lane, W. C.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.



Avoid Extremes of Heat and Cold

— BY USING —

THE POWERS SYSTEM — OF — Temperature Regulation.

Applicable to all kinds of heating apparatus in Schools, Churches, Residences, Office Buildings, etc.

Successfully applied to the control of heat in RAILWAY CARS.

SEND FOR CATALOGUES.

The Powers Regulator Co., 40 Dearborn Street, Chicago.

111 Fifth Avenue, New York.

224 Franklin Street, Boston.

JENKINS IMPROVED AUTOMATIC AIR VALVES



Suitable for high or low pressure. Take no more room than an ordinary air cock. Endorsed by the leading steam experts as the best made and the quickest working. All genuine stamped with our Trade-Mark.

JENKINS BROTHERS,

NEW YORK.
BOSTON.
CHICAGO.
PHILADELPHIA.

POROUS FIREPROOFING

Illinois Terra Cotta Lumber Co.

Manufacturers and Contractors for the Fireproofing of Buildings


OFFICE

439 "The Rookery," CHICAGO

Telephone, HARRISON 1705

WORKS AT PULLMAN

"GIANT" METAL SASH CHAIN



Has not been equaled in quality in 20 years. Durability guaranteed. The bronze costs 40 per cent more than any other Sash Chain metal.

Full line of Sash and Cable Chains, Sash Pulleys and Fixtures.

MANUFACTURED BY

THE SMITH & EGGE
MFG. CO.
BRIDGEPORT, CONN.

WRITE FOR OUR LATEST
CATALOGUE.

FLORIDA?

Yes, I'm going.
Well, there's *something new* for you to consider.

THE SOUTHERN RAILWAY

— in connection with the —
Queen & Crescent Route

will take you *down one way* and *bring you back another*, for a slight advance in the regular winter tourist rate.

Low round-trip rates now in effect to all tourist points in Florida and the South.

Good connections, through sleepers, fine equipment, best of everything.

On January 11, 1904, the "Chicago & Florida Special" and the "Florida Limited," with through Pullman sleepers, dining, club and observation cars, will again go into service, Chicago to St. Augustine, via Cincinnati, Chattanooga, Atlanta and Jacksonville.

For through sleeping-car reservations, literature and full particulars, write

J. S. McCULLOUGH,
N. W. P. A.,

225 Dearborn St.,

Phone Harrison, 1813.

CHICAGO, ILL.

G. B. ALLEN, G. P. A., St. Louis, Mo.

Sheet-Steel Indian Canoes

Non-sinkable and indestructible. 14 feet long, 39 inch beam.

Twenty-Two Dollars, Net. EXTRA FOR FINE SIZE AND SECTIONAL BOAT.
W. H. MULLINS, 310 Depot St., SALEM, OHIO.



THE ALTON'S ENGINEER.

IF YOU WILL SEND THE ADDRESS OF A PERSON WHO, WITHIN A YEAR, WILL HAVE USE FOR THE CHICAGO & ALTON RAILWAY



(TERRITORY COVERED OUTLINED IN ABOVE MAP), WE WILL MAIL TO YOU A PICTURE, 4 1/4 X 3 INCHES, OF THE ALTON'S ENGINEER. IF, IN ADDITION, YOU WILL TELL US IN WHAT PUBLICATION YOU READ THIS ADVERTISEMENT, WE WILL SEND TO YOU A PAMPHLET ABOUT THE BIGGEST CAMERA IN THE WORLD.

GEO. J. CHARLTON,
GENERAL PASSENGER AGENT, CHICAGO &
ALTON RAILWAY,
CHICAGO, ILLINOIS.

INDEX TO ADVERTISEMENTS.

	Page		Page		Page		Page
Architectural Drawing.		Electric Plants.		Monuments.		Shingle Stain.	
Deane, E. Eldon	XV	Westinghouse, Church, Kerr & Co.	IV	Mortar Colors.		Berry Bros.	VIII
Architectural Iron Works.		The Westinghouse Machine Co.	IV	French, S. H., & Co.	VI	Cabot, Samuel	XII
The Winslow Bros. Co.	II	Elevators.		Moldings, Mirrors, Frames.		Dexter Bros.	XV
Brown Bros. Mfg. Co.	V	Link Belt Machinery Co.	XII	W. W. Abbott	IX	Sidewalk and Vault Lights.	
American Sidewalk Light Co.	IX	The J. W. Reedy Elevator Co.	XIII	Paints, Oils and Varnishes.		Brown Bros. Mfg. Co.	V
Architectural Photographers.		Elevator Supplies.		Berry Bros.	VIII	American Sidewalk Light Co.	IX
Taylor, J. W.	II	Engineers.		Joseph Dixon Crucible Co.	X	Skylights (Metal).	
Architectural Views.		Westinghouse, Church, Kerr & Co.	IV	New Jersey Zinc Co.	X	Snow Guards.	
Taylor, J. W.	II	The Westinghouse Machine Co.	IV	Pitkin, Geo. W., Co.	II	Folsom Snow Guard Co.	IX
Boats.		Fireproof Doors.		Smith, Edward, & Co.	XVI	Spring Hinges.	
W. H. Mullins.	VIII	Kinnear Mfg. Co.	X	Thomson Wood Finishing Co.	V	Smith & Egge Mfg. Co.	VIII
Boiler Covering.		Fireproof Shutters.		Pencils.		Stained and Decorative Glass.	
The Keasbey & Mattison Co.	XII	Kinnear Mfg. Co.	X	Joseph Dixon Crucible Co.	VI	Louis J. Millet	XIV
Bricks (Pressed).		Fire Extinguisher.		Plumbers' Fittings.		Steam Engines.	
Chicago Hydraulic Press		Fireproofing.		Standard Sanitary Mfg. Co.	V	Westinghouse, Church, Kerr & Co.	IV
Brick Co.	IX	Associated Expanded Metal Co's. VI		Printers.		The Westinghouse Machine Co.	IV
Findlay Hydraulic Press		Illinois Terra Cotta Lumber Co.	VIII	The H. O. Shepard Co.	VII	Steam Fittings.	
Brick Co.	IX	National Fireproofing Co.	XIV	Railroads.		Steam Loops.	
Illinois Hydraulic Press		Pioneer Fireproofing Co.	XIV	Baltimore & Ohio R. R.	XIII	Westinghouse, Church, Kerr & Co.	IV
Brick Co.	IX	The Roebling Construction Co.	XII	Big Four Route	XIII	The Westinghouse Machine Co.	IV
Kansas City Hydraulic Press		Floor Polish.		Chicago & Alton	VIII, X	Steel Rolling Doors.	
Brick Co.	IX	Butcher Polish Co.	X	Chicago & North-Western R'y	X	Kinnear Mfg. Co.	X
Menominee Hydraulic Press		Gas Engines.		Chicago, Milwaukee & St. Paul	XIV	Steel Rolling Shutters.	
Brick Co.	IX	Westinghouse, Church, Kerr & Co.	IV	Delaware, Lackawanna & Western	XIV	Kinnear Mfg. Co.	X
Omaha Hydraulic Press		The Westinghouse Machine Co.	IV	Denver & Rio Grande R. R.	IX	Steel Shutters.	
Brick Co.	IX	Grilles.		Illinois Central	XV	American Sidewalk Light Co.	IX
St. Louis Hydraulic Press		Hardware.		The Lake Shore Route	XVI	Kinnear Mfg. Co.	X
Brick Co.	IX	The Yale & Towne Mfg. Co.	XVI	Monon and C. H. & D. Route	VIII	Stokers.	
Brick (Enameled).		Heating.		Michigan Central R. R.	X	Westinghouse, Church, Kerr & Co.	IV
Hydraulic Press Brick Co.	IX	B. F. Sturtevant Co.	III	Missouri Pacific R'y	VIII	The Westinghouse Machine Co.	IV
Brick (Ornamental).		Heating and Ventilating Apparatus.		New York Central R. R.	XI	Temperature Regulator.	
Chicago Hydraulic Press		Pierce, Butler & Pierce.	XVI	Northern Pacific R. R.	X	The Powers Regulator Co.	VIII
Brick Co.	IX	B. F. Sturtevant Co.	III	Queen & Crescent Route.	XI	Terra Cotta.	
Findlay Hydraulic Press		Kellogg-Mackay-Cameron Co.	XI	Rio Grande & Western	VI	Northwestern Terra-Cotta Works	II
Brick Co.	IX	Hollow Block.		Southern R'y	XI	Winkle Terra Cotta Co.	IV
Hydraulic Press Brick Co.	IX	National Fireproofing Co.	36	Santa Fe Route	X	Tile (Rubber).	
Illinois Hydraulic Press		Ice and Refrigerating Machinery.		Wisconsin Central	VI	New York Belting & Packing Co., Ltd.	VII
Brick Co.	IX	Westinghouse, Church, Kerr & Co.	IV	Reflectors.		Trees.	
Kansas City Hydraulic Press		The Westinghouse Machine Co.	IV	Frink, I. P.	VI	Peterson Nursery	II
Brick Co.	IX	Interior Finish.		Roofing Tile.		Valves (Steam).	
Menominee Hydraulic Press		Locks.		National Tile Roofing Co.	II	Jenkins Bros.	VIII
Brick Co.	IX	The Yale & Towne Mfg. Co.	XVI	Roofing Tin.		Varnish.	
Omaha Hydraulic Press		Mail Chutes.		American Tin Plate Co.	VII	Ventilation.	
Brick Co.	IX	Cutler Manufacturing Co.	XIII	N. & G. Taylor Co.	III	Wall Papers.	
Builders' Hardware.		Mechanical Stokers.		Rolling Doors and Shutters (steel).		Window Lines.	
Orr & Lockett.	XVI	Westinghouse, Church, Kerr & Co.	IV	Kinnear Mfg Co.	X	Samson Cordage Works.	XVI
The Yale & Towne Mfg. Co.	XVI	The Westinghouse Machine Co.	IV	Rubber Tiling.		Wood Floors.	
Builders' Sundries.		Metal Ceilings.		New York Belting and Packing Co.	VII	Moore, R. B. & Co.	VI
The Yale & Towne Mfg. Co.	XVI	Berger Mfg. Co.	VI	Sanitary Appliances.		National Wood Floor Co.	XIII
Building Papers.		Metallic Fixtures and Furniture.		Cudell, F. E.	IX		
Cabot, Samuel	XII			Standard Sanitary Mfg. Co.	V		
Cements.				Sash Cords and Chains.			
French, S. H., & Co.	VI			Smith & Egge Mfg. Co.	VIII		
Clothes Dryers.				Samson Cordage Works.	XVI		
Conduit.				Sash Locks.			
National Fireproofing Co.	36			Sheathing and Deadening Quilt.			
Cordage.				Cabot, Samuel	XII		
Samson Cordage Works	XVI						
Creosote Stains.							
Cabot, Samuel	XII						
Drawing Material and Implements.							
Abbott, A. H., & Co.	XII						



SOLID THROUGH TRAINS

BETWEEN

CHICAGO, BUFFALO, NEW YORK AND PHILADELPHIA

"VIA NIAGARA FALLS."

Also to BOSTON via the important business centers of CANADA and NEW ENGLAND.

For Information, Time Tables, etc., apply to any Agent of the Company, or to

GEO. W. VAUX,
ASST. GEN. PASS. & TKT. AGT.,
133 ADAMS ST.,
CHICAGO.



Folsom New Model Snow Guard



Specified by leading architects to hold the snow on all pitch roofs, entirely obviating all chance of injury to life or to the property it protects. The only perfect device for this purpose. It is made in various forms for old and new roofs of slate, shingle, tile or metal. Full information on application.

THREE HISTORIC BUILDINGS.


Faneuil Hall,
Old South Church,
King's Chapel,
Boston,

Are Fitted with this Snow Guard.

FOLSOM SNOW GUARD CO.

ROSLINDALE (BOSTON), MASS.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

KINNEAR
STEEL ROLLING
DOORS SHUTTERS
SEND FOR CATALOGUE 'K'

THE KINNEAR MFG. CO. COLUMBUS OHIO, U.S.A.

BOSTON - 85 WATER ST.
NEW YORK - 45 VESEY ST.
CHICAGO - 112 CLARK ST.
PHILADELPHIA -
1011 CHESTNUT ST.



BUTCHER'S BOSTON POLISH

is the best finish made for FLOORS, INTERIOR WOODWORK AND FURNITURE. A A A

Not brittle; will neither scratch nor deface like shellac or varnish. Is not soft and sticky like beeswax. Perfectly transparent, preserving the natural color and beauty of the wood. Without doubt the most economical and satisfactory POLISH known for HARDWOOD FLOORS. Specially valuable for the use of HOTELS.

For sale by dealers in Paints and Hardware.

Send for our FREE BOOKLET telling of the many advantages of BUTCHER'S BOSTON POLISH.
THE BUTCHER POLISH CO., 356 Atlantic Avenue, BOSTON, MASS.

DIXON'S
Silica-Graphite
PAINT PREVENTS RUST
MANUFACTURED ONLY BY THE
Joseph Dixon Crucible Co., Jersey City, N.J.

Pyramid nor Colosseum

Nor any work of man can approach in majesty

Niagara Falls

It is the grandest sight on earth

The Michigan Central

"The Niagara Falls Route" is the only line passing directly by and in full view of the entire panorama of the Falls. Remember this when you go east.



Send three red stamps for Niagara book and ask about the new Niagara art picture.

O. W. RUGGLES, G. P. & T. A., Chicago

ZINC WHITE is more exothermic, and hence very stable and more resistant to atmospheric influences, so that painting done with it is more lasting than painting done with white lead.

J. GIRAUD, in
Oil and Colourman's Journal.

All high-grade ready mixed and combination paints are based on

Zinc White

PAMPHLETS VALUABLE TO PAINT CONSUMERS MAILED FREE ON REQUEST : : : :

"The Paint Question"
"Paints in Architecture"
"Specifications for Architects"
"French Government Decrees"

The
New Jersey Zinc Co.
71 Broadway, New York

We do not grind zinc in oil. A list of zinc paint manufacturers is furnished on request.

BOOKS ON THE ARCHITECTURE OF ALL COUNTRIES : : :

Bruno Hessling Co., Ltd.
PUBLISHERS and IMPORTERS

WRITE FOR CATALOGUE

64 East 12th St. New York, N. Y.

"A delight from beginning to end."

A WINTER ON THE PACIFIC COAST.


For an eastern person there is nothing quite so enjoyable as a winter on the Pacific Coast, that country being delightful during the winter months from Southern California to Seattle. It is reached best from the east by the

NEW YORK CENTRAL LINES,

which form a part of all the great transcontinental routes. Any New York Central Ticket Agent will tell you about it.

A copy of No. 5 of the "Four-Track Series," "America's Winter Resorts," will be sent free, to any address, on receipt of a two-cent stamp, by George H. Daniels, General Passenger Agent, New York Central & Hudson River Railroad, Grand Central Station, New York.

Successful Boilers AND RADIATORS



ONE OF 36 STYLES

Our Catalogue, "The Boiler Magazine," sent on request, is the best ever

Kellogg-Mackay-Cameron Co.

CHICAGO

MINNEAPOLIS

KANSAS CITY

SEATTLE, WASH.

FLORIDA

SHORT LINE

QUEEN & CRESCENT ROUTE

AND
SOUTHERN RAILWAY

Chicago and Florida Special

On and after January 11, 1904
Solid Pullman Train from Cincinnati
Through Pullman Service from Chicago,
Cleveland, Detroit, Louisville to Jackson-
ville and Saint Augustine.

Florida Limited

Solid Train, Cincinnati to Jacksonville
and St. Augustine, with through Pullman
service from Chicago.

Also Pullman Service between
Cincinnati, Asheville, Savannah,
Charleston, Atlanta, Birmingham,
New Orleans and Texas Points.

Dining and Observation Cars
on all Through Trains.

Write for rates and information
W. A. Garrett, G. M.
W. C. Rinearson, G. P. A.
Cincinnati

SHORT LINE

NEW ORLEANS

CALIFORNIA

IS

A LAND OF REFUGE

FROM

Winter Blizzards

HER

MOUNTAIN PLATEAUS

GLACIAL LAKES

GIANT FORESTS

SEASIDE CITIES

OFFER

AN IDEAL CLIMATE

WITH THE

BEST HOTEL ACCOMMODATIONS

WRITE

W. G. NEIMYER, General Agent

SOUTHERN PACIFIC

193 Clark Street

CHICAGO

FOR CALIFORNIA FOLDERS

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.



HOPPIN & KOEN, ARCHITECTS, NEW YORK

Cabot's Shingle Stains ..

MADE OF THE BEST
PIGMENTS, PURE
LINSEED OIL AND
CREOSOTE, THE
BEST WOOD PRE-
SERVATIVE KNOWN

The Standard Stains for over twenty years
Samples sent on request

Samuel Cabot

Sole Manufacturer


28 Dearborn Avenue
CHICAGO

70 Kilby Street
BOSTON

MODERN

LINK-BELT

METHODS



MISCELLANEOUS FREIGHT CARRIER RECENTLY INSTALLED FOR BUTLER BROS., CHICAGO

WE DESIGN AND INSTALL
APPROVED

LABOR SAVING APPLIANCES

FOR HANDLING ANY MATERIAL
IN BULK OR PACKAGE

LINK-BELT ENGINEERING CO., PHILADELPHIA

LINK-BELT MACHINERY CO., CHICAGO

Officially Approved and Adopted throughout the Civilized
World as the Standard.

KEASBEY & MATTISON'S

85 Per Cent

Sectional **Magnesia** Coverings

85 per cent Magnesia Coverings are the highest.
priced coverings sold, but the cheapest to buy if you have
to pay the coal bill yourself.

BUY THE GENUINE

There are frauds and imitations being offered

85 Per Cent Sectional Magnesia Coverings

MANUFACTURED BY THE

Keasbey & Mattison Company

AMBLER, PENN.

Branches in all the principal Cities
All infringers will be held liable in heavy damages



A. H. ABBOTT & CO.

Drawing Supplies,

Instruments, Tracing Cloth, Papers, Colors
Scales, Levels, Transits, Etc.

BLUE-PRINTS.

50 Madison Street, CHICAGO.

The Roebling System of Fire-Proof Construction.

HIGHEST EFFICIENCY IN THE FIRE AND WATER
TESTS OF THE NEW YORK BUILDING DEPART-
MENT, AND NOW THE RECOGNIZED STANDARD
OF FIRE-PROOF CONSTRUCTION.


THE ROEBLING CONSTRUCTION CO.,

121 Liberty Street,
NEW YORK CITY.

171 Lake Street,
CHICAGO, ILL.

SEND FOR CATALOGUE.


Please mention THE INLAND ARCHITECT when corresponding with Advertisers.



THE CAFÉ, CHICAGO UNIVERSITY, CHICAGO.
SHEPLEY, RUTAN & COOLIDGE, ARCHITECTS.




HUTCHINSON HALL, CHICAGO UNIVERSITY, CHICAGO.
SHEPLEY, RUTAN & COOLIDGE, ARCHITECTS.




MAIN STAIRWAY, REYNOLDS CLUBHOUSE, CHICAGO UNIVERSITY, CHICAGO.
SHEPLEY, RUTAN & COOLIDGE, ARCHITECTS.



READING-ROOM, REYNOLDS CLUBHOUSE, CHICAGO UNIVERSITY, CHICAGO.
SHEPLEY, RUTAN & COOLIDGE, ARCHITECTS.




LIBRARY, LELAND STANFORD UNIVERSITY, PALO ALTO, CAL.




INTERIOR VIEW, ENTRANCE, WAREHOUSE FOR HIBBARD, SPENCER, BARTLETT & CO., CHICAGO.
FROST & GRANGER, ARCHITECTS.




VIEW IN DINING-ROOM, RESIDENCE OF J. J. TOOTLE, ST. JOSEPH, MO.
ECKEL & MANN, ARCHITECTS.




VIEW IN RECEPTION HALL, RESIDENCE OF J. J. TOOTLE, ST. JOSEPH, MO.
ECKEL & MANN, ARCHITECTS.




THE THOMAS HENDRICK LIBRARY, HANOVER COLLEGE, HANOVER, IND.
PATTON & MULLER, ARCHITECTS, CHICAGO.



KENDALL YOUNG LIBRARY, WEBSTER CITY, IOWA.
PATTON & MILLER, ARCHITECTS, CHICAGO.



CARNEGIE LIBRARY, TAYLORVILLE, ILL.
PATTON & MILLER, ARCHITECTS, CHICAGO.



CARNEGIE LIBRARY, SPENCER, IOWA.
PATTON & MILLER, ARCHITECTS, CHICAGO.



HOPPIN & KORN, ARCHITECTS, NEW YORK

Cabot's Shingle Stains ..

MADE OF THE BEST
PIGMENTS, PURE
LINSEED OIL AND
CREOSOTE, THE
BEST WOOD PRE-
SERVATIVE KNOWN

The Standard Stains for over twenty years
Samples sent on request

Samuel Cabot

Sole Manufacturer


28 Dearborn Avenue
CHICAGO

70 Kilby Street
BOSTON

MODERN

LINK-BELT

METHODS



MISCELLANEOUS FREIGHT CARRIER RECENTLY INSTALLED FOR BUTLER BROS., CHICAGO

WE DESIGN AND INSTALL
APPROVED

LABOR SAVING APPLIANCES

FOR HANDLING ANY MATERIAL
IN BULK OR PACKAGE

LINK-BELT ENGINEERING CO., PHILADELPHIA

LINK-BELT MACHINERY CO., CHICAGO

Officially Approved and Adopted throughout the Civilized
World as the Standard.

KEASBEY & MATTISON'S

85 Per Cent

Sectional Magnesia Coverings

85 per cent Magnesia Coverings are the highest
priced coverings sold, but the cheapest to buy if you have
to pay the coal bill yourself.

BUY THE GENUINE

There are frauds and imitations being offered

85 Per Cent Sectional Magnesia Coverings

MANUFACTURED BY THE

Keasbey & Mattison Company

AMBLER, PENN.

Branches in all the principal Cities
All infringers will be held liable in heavy damages



A. H. ABBOTT & CO.

Drawing Supplies,

Instruments, Tracing Cloth, Papers, Colors
Scales, Levels, Transits, Etc.

BLUE-PRINTS.

50 Madison Street, CHICAGO.

The Roebling System of Fire-Proof Construction.

HIGHEST EFFICIENCY IN THE FIRE AND WATER
TESTS OF THE NEW YORK BUILDING DEPART-
MENT, AND NOW THE RECOGNIZED STANDARD
OF FIRE-PROOF CONSTRUCTION.

THE ROEBLING CONSTRUCTION CO.,

121 Liberty Street,
NEW YORK CITY.

171 Lake Street,
CHICAGO, ILL.

SEND FOR CATALOGUE.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

THE INLAND ARCHITECT AND NEWS RECORD

Vol. XLIII.

MARCH, 1904.

No. 2



A Monthly Journal Devoted to

**ARCHITECTURE,
CONSTRUCTION, DECORATION AND FURNISHING
IN THE WEST.**

PUBLISHED BY THE INLAND PUBLISHING CO.,
602-603 STAR BUILDING, CHICAGO, ILL.

L. MULLER, Jr., Manager. ROBERT CRAIK McLEAN, Editor.

SPECIAL CONTRIBUTORS:

C. HOWARD WALKER.	D. H. BURNHAM.	W. L. B. JENNEY.
HENRY VAN BRUNT.	P. B. WIGHT.	IRVING K. POND.
LOUIS H. SULLIVAN.	ALLEN B. POND.	J. R. WILLETT.
WILLIAM S. MACHARG.	C. E. ILLSLEY.	F. W. FITZPATRICK.

TERMS: Regular number, \$5 a year; Photogravure edition, \$10 a year. Single copies, Regular number, 50c.; Photogravure edition (including 7 photogravures), \$1. Advance payment required.

The columns and illustration pages of THE INLAND ARCHITECT are open to all alike, merit and availability only determining what shall be published. Contributions appropriate to its pages are always desired.

AMERICAN INSTITUTE OF ARCHITECTS.

OFFICERS FOR 1904:

PRESIDENT	*W. S. EAMES, St. Louis, Mo.
FIRST VICE-PRESIDENT	F. M. DAY, Philadelphia, Pa.
SECOND VICE-PRESIDENT	WM. A. BORING, New York.
SECRETARY AND TREASURER	*GLENN BROWN, Washington, D. C.
AUDITOR FOR TWO YEARS	JOS. C. HORNBLLOWER, Washington, D. C.
AUDITOR FOR ONE YEAR	JAMES G. HILL, Washington, D. C.
* Executive Committee.	

BOARD OF DIRECTORS FOR 1904.

For Three Years.—Charles F. McKim, New York; Geo. B. Post, New York; R. D. Andrews, Boston, Mass.

For Two Years.—Robert S. Peabody, Boston, Mass.; W. B. Mundie, Chicago; Isaac E. Ditmars, New York.

For One Year.—Walter Cook, New York; Cass Gilbert, New York; †W. S. Eames, St. Louis, Mo.


† A successor to W. S. Eames, on Board of Directors, will be elected and standing committees appointed at the next meeting of the Board, in January, 1904.

The Great Conflagration at Baltimore.

While we have presented the report of our special correspondent upon the effect of the Baltimore fire especially upon the modern steel and tile structures, there is much of interest to be found in the comments of the press of the country, which is wont to discourse hurriedly upon every subject even to the construction of buildings. Some of these do it remarkably well and give evidence of some conception at least of the subject, while others show a lamentable ignorance of even the first principles that enter into the question and voice the first reports that ignorant and panic-stricken reporters send out as facts. We heard through this source that the steel buildings in Baltimore had completely collapsed, that the Masonic Temple in Chicago had burned—an editor up in Vermont stating that in consequence of this latter incident (in which a

stockroom was burned out with absolutely no damage outside its walls, except an accumulation of smoke) that the city would restrict the heights of buildings. This wise editor also states that because the "skyscrapers" at Baltimore "acted as great chimneys, drawing the flames upward by a powerful draft," the same restrictions would be made there. There are many reasons why the height of buildings should be restricted, but they are largely ethical. The main lesson of the Baltimore fire is that our steel buildings, properly protected with hollow tile, are fireproof, even at a heat of three thousand degrees. Whether the extra cost of wire glass and fire shutters in installation and maintenance will compensate for the danger of interiors being cleaned out by neighborhood fires, or whether all interior finish and furnishing will be fireproofed for the same reason, is a question for owners and insurance companies to decide. Architects and contractors can supply such buildings, if called for. The Baltimore fire has shown in the most practical manner possible the stability of the steel and tile system. It also shows that no weakness of administration should allow private parsimony to construct buildings by any other method. It also shows that the hollow tile used should be if anything of additional strength to that now manufactured, and that it should be installed by skilled men under expert supervision. Wire glass was amply proved to be a first-class fire-resisting medium, and terra cotta can be liberally used if made for permanency rather than for ornamental effect. Large cities and small alike should not wait for a sweeping conflagration to cause them to revise building laws. It takes more than one fireproof structure in a block of combustible buildings to arrest any considerable fire, but such can not occur when all have the stable qualities that obtain in the so-called "skyscraper." No wooden studding or joists should be permitted in any but the smallest detached building, and no wooden walls anywhere. With this as a starter the people would soon get in the habit of using non-combustible materials. After all, this liberal use of wood is a habit that has grown from the loghouse period, and the seemingly endless forests of pine that are now fast disappearing. New Orleans, San Francisco and a dozen other cities are in the same position as Baltimore a month ago, waiting only for a quiet Sunday with the fire department off duty, a good start and a high wind to repeat the experience. It is plain that the preventive measures must be taken largely by the building public, and the public press should not only be informed, but urge every form of fireproof construction that is not prohibitive in the most insignificant of structures, while the city should be urged to condemn all old buildings that in their construction are conspicuously of the "firetrap" class. Great pains have been taken in securing comprehensive photographs of the only remaining structures, and these were all fireproofed buildings. As a "horrible example," the effect of the fire on the new city hall is shown, which, with solid brick and stone walls and an interior of wooden joists and cast-iron columns, collapsed almost as completely as the more combustible structures. The lesson of this fire certainly is: Cover every structural part with a fireproof material.





Negative by R. Capes.

VIEW FROM THE CAMPUS, THE TOWER GROUP, UNIVERSITY OF CHICAGO.

INLAND ARCHITECT PRESS

Stone from the Old Hoosier Quarry
of the Bedford Quarries Co., Chicago.

SHEPPEY, RUTAN & COOLIDGE, ARCHITECTS.

LESSONS OF THE BALTIMORE FIRE.


BY F. W. FITZPATRICK.

ON February 7, about eleven o'clock in the forenoon, a fire started in the center of the business section of Baltimore, Maryland, and after raging thirty hours had devastated one section of about a quarter of a mile long and three-quarters of a mile wide, and another of about forty acres, destroying about \$1,000,000 worth of property.

Never before in the history of fires have the theories of fire-proof construction received so severe a test, and that those dozen skyscrapers that were in the burned district are still standing, and that their structural members that were properly protected are intact, is all the vindication the most enthusiastic supporters of fireproofing theories could hope for.

There was a high wind blowing, some say almost a gale, or forty miles an hour. The portion shaded darkly on the map

I can understand how the fire could have swept over it so quickly, and there being nothing about its exterior that would readily ignite, that it should escape; but some distance away stands the old United States Stores building, across the street from the new Customhouse. On every side of this building its neighbors have been completely gutted, while it stands to all appearances absolutely intact. The glass in the windows is not broken and the window frames are but blistered, while the shutters inside the closed windows are charred and scorched. Could the heat simply have been intense enough to scorch this woodwork inside, through the glass, but, unaccompanied by flames, and being influenced by counter currents of air, it left the exterior unmarred? The building suffered some in the upper story, by reason of the breaking of the skylights and fire getting in that way. Then, here and there in the streets stand a wooden telephone or telegraph pole comparatively untouched and near by it an iron one twisted into all sorts of shapes.



MAP OF THE BURNED DISTRICT, BALTIMORE FIRE.

shows the section that was fire-swept, and the black line outside of that district shows the police and militia patrol limits, within which no one is allowed without a pass from the authorities.

I was able to note the intensity of the heat as indicated by its action on the metals and brick and stone, and, while the wind evidently played some peculiar pranks and made strange twistings, the terrible drafts created by the fire itself performed some wonderfully acrobatic feats, so to speak, in twisting lines vertically as well as horizontally. In places it would seem as if the blast had passed over three and four storied buildings to attack the six and seven storied ones most fiercely, while leaving the former to burn more slowly and sometimes from the top down. Three or four buildings escaped in this manner from absolute destruction; one, the Safe Deposit Company building, a two-story, well-built affair, went scot free, the brickwork and the iron shutters showing really but very little of the effects of the terrific heat that must have been all about it. Some actions of that fire baffle scientific explanation. In the very case of this Deposit Company building,

The combustion in the buildings was complete and most searching. Usually after a fire there will be charred bits of floor joists still sticking to the walls and masses of closely packed goods or papers on the ground, their very density preventing their combustion. But not so here. In most of the buildings burnt, particularly along the lines of the most intense fire shown in the diagram, there is not a vestige of anything but brick and iron left. One would think that the draft had drawn whatever little residue there might have been up and scattered it about in cinders and dust. Charred papers were found miles off, and whole sheets of tin were carried blocks away. Indeed, the suction or draft created was so great that many skylights and iron roofs appeared to have been at first lifted before collapsing. Some of the skylight glass appears to have been broken outward, too, and before fire could have had effect upon it from within. In some buildings the glass from the windows is mainly within them, and in others it is on the outside and well away from them, again showing that the suction of air along those streets, toward the vortex of the

fire, must have been something tremendous. Then, in some buildings, there is very little glass to be found; it seems to have disappeared; while about others I found stalactite formations of fused glass, which indicated the terrific heat there must have been generated.

The fiercest of the fire seemed to be centered where most of the important commercial houses were located. The fire fed on the factories and manufacturing plants below that point, and there, gaining tremendous headway and intensity, swept this commercial



GENERAL VIEW OF BURNT DISTRICT.

district virtually out of existence. "Slow-burning," "mill-constructed," and all kinds of buildings, good and bad, went by the board. The fire seemingly tackled them from the top first, in a quick, blastlike stroke, and then what might be called a secondary fire worked horizontally along and burned from the ground up to the point apparently first attacked by the fiercer flames.


The Continental Trust building, a fifteen-story structure, one of Baltimore's latest and best buildings, was attacked a little more than half way up of its height. You can easily follow the work of the fire in these tall buildings. The most intense blast struck it about the tenth floor. I found typewriters and other metallic materials in that story absolutely fused into a molten mass, which means at least twenty-eight hundred degrees. From that point up the flames were evidently less intense. Similar blasts to the first apparently struck this building subsequently and on the other side from that first attack, but these were undoubtedly of slightly less intensity; then the fire ate away from the second story upward more slowly and then downward. Of course, window frames and glass and the doors and the finish, even the floor strips in the concrete, and all the contents of this and the other fireproof buildings were destroyed. Some of the newspapers in their excitement stated that these buildings burnt as quickly and as completely as the wooden ones, and people, the unthinking ones, generally decry against the "so-called fireproof construction," as they call it, because they have discovered by this fire that they were wrong in their ideas that a fireproof building guaranteed immunity to even highly inflammable materials used in its decoration or stored within it. To say that the structures actually burned is, of course, foolish and manifestly incorrect, even to the most ignorant, because they are still standing and many of them in an easily repairable condition. Take the Continental Trust building, for instance. All the structural steel was encased in tile and not a bit of it is warped or out of level. The exposed metal portions are twisted into all kinds of fantastic shape, but the structure itself, the frame, is intact. The structural conditions of all these skyscraping buildings that were built at all within the general scheme of our theories of fireproofing stood the awful test remarkably well. The Equitable building makes a worse showing than any of the others. The soffits of its beams were exposed, the tile arches were segmental, the haunches were not concreted, evidently to save money, and on top of the beams was a heavy two-inch plank floor covered with a finished dressed flooring. But a portion of the webs of the beams being protected the heat has twisted and curved these beams all out of shape and necessarily distorted the columns so that the building will

undoubtedly have to be entirely rebuilt. The structures of the Calvert building, the Herald, the Union Trust, the Maryland Trust, are in fair shape to be repaired as far as the structures go, for the steelwork was fully protected by the tile fireproofing.

These skyscrapers were built to contend with ordinary conditions. For instance, if the fire had originated in any of them it could not have gotten beyond control, and no one ever anticipated that they would be subject to any such test from without. Even if such a possibility had been thought of I venture to state that no one in Baltimore would have been willing to pay the increased cost that would have been entailed had these buildings been erected to withstand any such terrific heat and flame. And there are few places in the country where skyscrapers could be subjected to any such test. Those in New York are surrounded by a better class of building than generally obtained in Baltimore. So are those in Chicago. Such another conflagration is possible in a city like Boston, or San Francisco, or New Orleans, where you find great office buildings rising from among shanties and the most inflammable of structures, and vast areas of these all about.

In repairing these buildings in Baltimore, and in building new ones of their class in this burnt district, no greater precautions need be taken, as far as structure is concerned, than we find in the best of the old ones, say the Continental Trust, for instance, because a better general class of buildings than the old wooden ones will be insisted upon by the authorities, presumably, and in that case no such conflagration could again be possible in that district.

The general condition of the tile is good. Some are, of course, cracked, but in the floors there is no indication of the disintegration of the materials. In some places the bottom web of the floor arches has been knocked off. It is hard to say what caused this expansion. Water, perhaps, but one case that worried me a good deal was the absence of bottom webs on the floor arches in




CONTINENTAL TRUST BUILDING.

the vestibules of the Continental building. I was considerably relieved when told by one of the officers of the building that the marble men, in erecting their work, had knocked off all these webs for the purpose of facilitating the fastening of the marble! The superintendent who allowed anything of that kind to happen deserves at least castigation, but I was pleased, nevertheless, to find that this was no fire effect.

The granite and stone in all the buildings, skyscrapers as well as the others, is utterly destroyed. Possibly it may be recut in places, but the shaling and splintering generally puts it beyond redemption. The brickwork stood remarkably well and is simply another proof of our old theory that any material to successfully withstand fire must have gone through as severe heat in its manufacture as it will ever be exposed to afterward.

The decorative terra cotta here and there has been broken off, but on the whole it came out of the fray with flying colors.



MARYLAND TRUST BUILDING.
CONTINENTAL BUILDING.

The less glazing there is to terra cotta, however, the better. The terra cotta people should make their facework heavier and thicken up their internal angles, so as to overcome the natural weakness of the material at its angular connections with the face, and they should encourage the use of porous nonglazed surfaces.

Some people say that this fire proves that an *absolutely* fireproof building is virtually an impossibility, or one that under such stress would afford protection to its contents. It is only the unthinking who would make any such statement. The people who built the structures we have under discussion, the Baltimore skyscrapers, used fireproof methods only about their structural parts. In the finish and all else in these buildings there was absolutely no difference between them and the firetraps that stood all about them, and which have now disappeared from off the face of the earth. In so far as that fireproofing went it has been most eminently successful, and this terrible fire demonstrates its value more forcefully and potently than anything that has happened in the past twenty years.

Think of the test the steelwork was subjected to! Imagine dropping a lot of closely bound and connected metal, one very susceptible to variations in temperature, into a furnace where different parts of that metal would be subject at the same time to heats of 98°, 3,000° and 400°, and remember that that metal was encased in sometimes not over two inches of tile, and that its parts were not warped, disjointed or otherwise damaged by that terrific heat test. At some one time those tall buildings underwent about those variations of temperature. Realizing this, and having those buildings standing before us is splendid proof of their stability.

The great fire of Chicago, in 1871, had for effect that the country over frame buildings were barred within certain limits. This great fire of Baltimore is another step in the popular education and will result in people doing more thorough fireproofing in their structures, and using less damageable materials in their exterior and interior decorations. But this education is slow—awfully, pitifully slow—and enormously costly. It will take another such terrible experience to thoroughly impress the people with the fact that we so-called cranks on construction are right, and not making unreasonable demands in the line of improved methods of building. We realize and appreciate the possibility of such things happening, but people call us “croakers” until the things we foretold would happen do happen. Then they come to us and tell us how clever we are and ask our advice as to how *they* should build and then they go off and erect the

flimsiest of things the too “complacent” laws will allow; because, forsooth, our way costs more money than they care to expend.

The perfectly fireproof building—fireproof in the sense that the average man interprets the term (in that no damage can be done to the building by fire and that all he may put within that building is absolutely safe from external attack)—is possible. I could build a structure, a skyscraper, upon which even an inferno like that at Baltimore would not inflict more than a few hundred dollars' worth of actual damage. But who in these times of careful calculation of dividends and returns upon investments would pay for such a building? I would build its exterior all of brick, or hollow tile, and with molded brick trimmings, and some little terra cotta ornamentation, more carefully made and burned than the usual commercial terra cotta; not a particle of marble, stone or granite would be outside of that building. I would make the frame of steel, just as we do to-day and no heavier, and I would carefully encase all that steel in tile, a trifle heavier and thicker than is the average on the market to-day; the floors would be of hollow tile arches, covered with cement, or tile, or marble—no wood; all the window and skylight frames would be of metal covered with heavy asbestic covering; all the windows and skylights I would doubly glaze with wired glass; all the casings and finish would be of cement and the doors of metal, and each story cut off from the other absolutely, no open elevator or stair-wells. Such a building, with the ordinary precautions, suggested by the average intelligence, closed windows and some water and other fire-fighting appliances within, would have withstood that fire in Baltimore unscathed and would have protected all that might have been within it from damage in spite of the nearly three thousand degrees of heat developed at some points during that fire!


But the exigencies of the time seem not to permit so perfect a structure. Even fireproofing tile has been reduced in thickness to its minimum ability to withstand ordinary fire; the trade demands it, people will not pay for more tonnage. Everything that goes into a building has to be pared down and shaved, particularly in the structure, so that there may be profit in renting



B. & O. BUILDING. EQUITABLE BUILDING. CALVERT BUILDING.

the building. If there is anything upon which money is spent at all lavishly it must be fine carvings on the outside and rare marbles and polished woods inside, things that catch the eye and give an apparent value to property. Natural enough, but lamentable just the same, and in Baltimore's case, at least, exceedingly expensive ultimately.

Architects are too prone to take certain standards of make of any material and use it everywhere, regardless of varying conditions. Now, as I said before, in the upbuilding of this district of Baltimore, or in building in sections in other cities that are pretty well filled up with good buildings, mostly fireproof structures, nothing more is needed than was used in Baltimore's skyscrapers we now have under consideration. But in crowded districts of comparatively flimsy structures, in just such a place as



THE NEW COURTHOUSE.

(Low building — wood joists, steel beams, and cast-iron columns — "a horrible example.")

were those very buildings in Baltimore, and in other old cities where like conditions exist; or in New Orleans, or San Francisco, or Boston, or in some parts of New York, or in other extra hazardous positions, why not take *extraordinary* precautions and use a heavier and thicker tile in floors and in encasing the steel; wired glass on the exposed fronts, and at least metal frames at such exposed windows. Why should not every precaution be taken that experience teaches us is necessary or that even tends to minimize the damage that could be done by just such another conflagration?

A considerable portion of the Customhouse now under construction will have to be torn down. In one place there is a granite cornice temporarily covered over with planks; the planking is not even scorched, while the granite underneath it is shaled off, cracked and badly scaled. Most of the damage was by heat unaccompanied by flames. Some of the ironwork inside, not yet protected with fireproofing, will also have to be taken down. The handsome marble courthouse, recently completed, was somewhat damaged externally. It was just outside of the zone of fire, but received a hot enough blast to damage its stonework to the tune of \$75,000 or so.

In Baltimore, as everywhere else, there was and is some lamentable negligence in the way of superintendence, which simply goes to prove, as I have always contended, the folly of using any material whose safety in construction depends absolutely and solely upon perfect superintendence. For instance, in the Continental building the brickwork is, of course, carried from story to story. I noted great patches on the side-walls, some thirty or more feet in length by the full height of a story, where the entire facing course of brick had been detached and had fallen off, showing that in all that extent of wall there was not a particle of bond, either of metal or of brick, between that course and the backing. Such work as that and the allowing of marble workers, and steamfitters, and other craftsmen to ruthlessly break through flooring and cut everything to pieces in order to install their work with greater ease is certainly shameful and shows culpable and criminal negligence on the part of the superintendent who allows it.

In the fireproof buildings, most of the partitions were in most excellent shape, but I noticed in one that whole sections of partitions were on the floor, in connected condition, and not in the shape they would have been had they fallen there. It seemed a case of their being thrown down by some terrific force. The fire could have had no such effect unless the draft was even greater

than the maximum of my calculation — the rate of 180 miles an hour was undoubtedly reached — and it certainly was not the work of the firemen. Insistent investigation showed me that they had tried to cut off the fire near that point with dynamite and it was these series of explosions so near that had thrown down section after section of those partitions in such peculiar shape and manner.

A considerable part of the front wall of the Union Trust building will have to be taken down. The steel frame in that outer wall was not carefully enough protected, so that the heat has warped it, and as a result that front wall is distorted into all sorts of shapes. It is in a dangerous condition. The interior framing is, I believe, in perfect condition.

It is to be regretted that there were no important or tall concrete construction in that zone of fire. Had there been we certainly would have had a good basis of the comparative value of that mode of construction. There was but one concrete building that I could find. There may have been others that were destroyed, but the one I examined was about 30 by 70 feet, four stories high, built on the Hennebique system, and it seemed fairly intact except in one or two of its concrete beams. The condition of the iron front shows that there was a quick attack of flame and it is evident that there was comparatively little combustible material within the building, because even the gas pipes are in fairly good shape. That the floors stood up while the wooden floors in the adjacent buildings were destroyed proves that the system is certainly better than wood — if the building can be gotten completed without collapsing — but that this was a test of what it would do in a tall construction or in a more exposed place is stretching the point to its utmost elasticity. That the heat and flame in that one section, as in some other low points, were comparatively quickly over and not of the most intense, is shown by the condition of the metal in this building and by the fact that directly across the street, in one of the fireproof skyscrapers, the Maryland Trust building for the same height up, four or five stories, the decorative plastering on the ceilings is not even

UNION TRUST BUILDING.
(Note condition of stonework.)

charred, and some of the light fixtures are hanging intact. The fire seems to have swept by at frightful velocity, quickly devouring all woodwork and anything combustible, but leaving even the concrete and plastering in pretty good shape. The plastering and everything else in the Maryland building, above the fifth floor, show that the heat was vastly more intense above the line of that

concrete building. I should imagine that the heat at that one point was not over six hundred degrees; at the seventh and eighth floors in some of these buildings, the skyscrapers, it must have reached nearly three thousand degrees, because I found in one place a safe that was not only warped all out of shape, but one of its angles, that nearest the window, was fused, molten down, and had trickled much as candle grease does over a candlestick. Again at the twelfth and topmost stories I noted that some brass had but begun to fuse alongside of some cast iron that was badly warped, but had not nearly reached the fusing point. The heat there was very certainly not over two thousand degrees, while in other places, on the top of three and four storied buildings, I found lead that showed no signs of fusing, all of which would indicate that the heat was most intense at the point where the first blast of flame struck those tall buildings. The resulting variation of temperature in the height of these skyscrapers was enough, one would think, to distort the steel whatever it might be encased in or protected with.

Much is to be learned from that fire in the way of improving methods to fight fire, bettering water systems and all that sort of thing, but as far as the actual science of building is concerned, it neither revealed, demonstrated nor proved anything engineers and fireproof specialists did not know before and have so persistently advocated heretofore.

A PROPER BUILDING CODE.*

BY FREDERICK BAUMANN.

THE task of establishing building regulations for a large city is and will ever be one of the most difficult problems in legislation. In common with all kinds of legislation it curtails individual freedom for the benefit of a community. Since legislation, to be wise, stops, or ought to stop, at proper limits, it will or ought never to encroach upon individual rights. These are the primeval basis of all freedom, and should by all means ever be kept sacred. Wherever there appears to be a just doubt, decision should always be in favor of freedom. It is an old rule in common law that it is better to let ten suspected citizens go free, than to innocently punish one. This wise rule is, in its broadest sense, especially applicable as to building laws, and it should never be left out of sight. It should always be kept in mind that the framing of such laws ever demands foresight and caution in every sense, as a sure basis of strict justice in them.

As an example as to what a legislator should beware of, the late amendments to our building laws, made in consequence of the horrible catastrophe in the Iroquois Theater, may fairly be adduced. The question was here as to establishing proper emergency exits. A broad consideration of the subject would undoubtedly have at once led to the opinion that where such exits could be had at each side of gallery, as well as of parterre, there they would be the surest and most convenient. Such can be had, and only had, with a theater which is located between adjoining side buildings. Yet this greatest convenience to an audience remains expressly forbidden by the new as it was by the old ordinance, and it is still deemed to be a great boon for women and children to have the opportunity for climbing out on a sort of slippery iron stepladder. Then the amendments reordain platforms to stairs, irrespective of the fact that the same, properly considered, are a matter of mere show, which does not concern a legislator, and if this were desired, that the use of platforms should be forbidden, instead of ordered, because they are rather a hindrance to people desirous of the most rapid descent. Errors are further committed in what is specified in regard to stairs. Duly acknowledged it is that descending crowds ought to find firm handrails to all stairways, but the fact appears to be neglected that the width of stairs should be in due conformity with what is required for human beings. Stairways, for two persons descending side by side, should accordingly be about four feet wide; for single files, two feet wide from centers of rails. Broad stairs should thus be subdivided accordingly. These rules are not a novelty; they simply involve what may be understood as common sense. Descending crowds must ever be given a good chance for safety against overanxious followers, and for this reason it is required the stairs should be of proper narrowness and with firm handrails. These sound demands are not altogether complied with in the amended ordinances, which do not demand subdivisions in regard to broad stairs, while they do demand that no stairs shall be less than three feet wide. It is also provided that there shall be no more than fifteen rows of seats in parquet and five on any gallery without a cross aisle, and further, that no rise of any seat above another shall exceed eighteen inches. It is indeed difficult to see any use or propriety in such provisions. They are, as it would seem, dictated merely by a wanton lust for legislation which now and then may overcome the best of men.

I have adduced the above merely to show how difficult it is to produce sound legislation. The mind of a lawgiver must indeed be broad and clear, and for proficient work he must have

leisure and free disposition, neither of which qualities could have entered into the drawing of the ordinances in question.

Building laws are police regulations, in which the practicing insurance companies are deeply interested. It is at once evident that the phenomenal growth of Chicago made this interest very prominent, so that, soon after the great fire, when the fire limits, so-called, had been extended to the very limits of the old city, the Board of Underwriters undertook the preparation of a building code. It was the late Gen. A. C. Ducat who, as chairman of the board, appointed a committee for this purpose. The late Charles W. Drew was made its chairman. I served as expert member, and later on our Mr. P. B. Wight gave assistance in the work. A sort of ordinance was framed and submitted to the council for adoption. But, as might have been expected, it was repudiated and shelved. It was temporary in scope, rather than permanent, but it contained what seemed to me a rather important section to this effect: that frame buildings were to be wiped out of existence by ordering exterior parts of them to be repaired exclusively with fireproof material. It was thought that within the next coming twenty years all streets would appear as being rid of frame buildings. This would have led to the effect of decreasing insurance rates, and in some degree of keeping down the expenses as to apparatus and men required for extinguishing fires. Indeed, it would appear as though many millions might thus have been saved by the community in the course of time to this present day. But "politics" were, and have ever been, against this boon. It has been held that such beneficial provision was against the interest of "the poor man."

About a year subsequent to the rejection of the Underwriters' building code, Alderman Bailey made up from it, intermixed with notions of his own and some on the part of his friends, the first positive building code for our city, though later on Alderman John M. Van Osdel, as chairman of the Committee on Buildings, materially improved the same. This soon proved to be inadequate for our so rapidly growing city and was followed by a number of committees, appointed from time to time by the authorities, for its further improvement.

It is but fair to say that unquestionably the members were devoted to their task and brought to light quite a number of important improvements. Yet the code as it is, with all its many very proper provisions, is really far from being fit for its purpose. It shows itself in many regards as a haphazard makeshift. It fails to cover the ground. It shows itself bare of every effort toward making it intelligible, as it ought to be, to the plain citizen, so much so, as late investigation has shown, even city officers were in ignorance of its provisions. It is not clear in its language, and this not alone in a legal sense. The fact is, no lawyer can at once conceive and frame technical matters which are remote from his information, and the committee member, with all his technical knowledge, generally fails in his attempts at legal language. Thus it will happen that he fails to be clear, and the revising attorney, in despair as to an understanding, allows inadequate language to pass, as he can not afford the time to correct it. Thus the effort of preparing good building laws has ever been beset with difficulties. But it should be kept in mind that each committee member had his own private business to attend to, and that the work was dragged on in open sessions. It is indeed astonishing that so many good points were ever brought up and adopted.

Accordingly it may justly be said that the time is more than ripe for the enactment of an entirely new building law, and I flatter myself that the building profession at large shares in this opinion. A mere revision of what there now is on hand would be to no purpose. The whole theme requires to be freely reconsidered as to contents, all parts duly headed and brought into systematic order. The task is so wide and complicated that at once it will appear to be utterly impracticable for any regular committee to take it in hand. The problem, which it is, rather calls for work on the part of a committee of one, who can and will devote all his energy to the work. Having gathered every outside information, he should intimately consider all points and newly write it up in due form of a code in systematic order, and under the counsel of a competent lawyer. Where self-evidence is not plainly apparent he should state his proper reasons. The code thus completed to be submitted to all public officers and all parties generally or specially interested in building matters, with a request for opinions and suggestions to be noted on the margins. The thereupon reprinted code to go finally to the proper enacting committee appointed for the purpose.

But with all this preliminary caution it should not be taken for granted that the resulting code will be fully complete and perfect. The subject matter is so very complicated and human foresight is wanting. Besides, building construction is ever progressive. New complications must be expected to arise from time to time, calling for speedy adjustment. Matters of building should never be subjected to delays on account of deficiency or want in regard to regulations, nor should they ever be left to the out-and-out decision on the part of a building commissioner, whose office it is to carry out the law, and not to contract or expand it. To a board of commissioners such power may be granted, but the time for such boards has passed. They can not handle matters with due business rapidity. There should rather be an accompanying committee of three, with an architect as one of them, having power to regulate, revise and act, holding regular meetings once in every month. The commissioner to be subject to this committee, render accounts, and propose whenever required and present the proper amendments to the law to the

* Paper read before the Architects' Business Association of Chicago, March 7, 1904.

city council for passage. In order to permanently stop the heretofore constant interference of aldermen with the building regulations, it may be provided that both alderman and commissioner be subject to a heavy fine in any unauthorized interference. Proper provisions should be made in the law, in regard to subofficers and inspectors, which should be so regulated that the number of the latter be in constant conformity with the number of city inhabitants. The income of the department may readily be made independent and sufficient and kept in the treasury as a special fund. Due effort should be made to abolish all sorts of mere red tape. Building permits, in particular, should ever be obtainable without any mere waste of time.

TOWER GROUP, UNIVERSITY OF CHICAGO.

A NOTABLE addition to the buildings of the University of Chicago has recently been completed at the corner of Lexington avenue and Fifty-seventh street. These new buildings are known as the Tower Group, and embrace the Tower, Hutchinson Hall, Reynolds Clubhouse and Mandel Hall. The style of these buildings follows the perpendicular period of English Gothic architecture, on the order of the collegiate buildings of Oxford and Cambridge. The main entrance is at the tower. From the vestibule, which has an oak-beamed ceiling, ascend two flights of stone steps 30 feet broad leading to the vaulted hall from which the several buildings of the group are entered. South from this hall, through the cloister, is a vista 240 feet in length to the stage of the Assembly Hall.

At the west is the entrance to Hutchinson Hall, the men's Commons or dining-hall, where there is a nook with two large seats and a fireplace. This dining-hall is 40 feet wide and 115 feet in length, with walls to the height of 16 feet in wainscoted oak with a cornice of appropriate leaf ornament, and above this are the traceried windows. At least 50 feet from the floor are trusses of open timber-work spanning the space from wall to wall. Pendant from the hammer beams hang lanterns of oak decorated in red, blue and gold. The kitchen is entered from the dining-hall through two vestibules.

To the east of the vaulted hall is the Reynolds Clubhouse, the main stair hall of which suggests the Elizabethan period of architecture. To the left of the stair hall is the reading-room, 36 feet wide by 68 feet long. To the right is the billiard-room. On the second story are the reception-room, clubroom, etc. There are clubrooms also on the third story. On the third story the main feature is the assembly hall, which has trusses of open timberwork of sycamore and a small stage at the north end. The principal rooms on the first and second stories have paneled wainscoting and beamed ceilings of oak and stone mantels elaborately carved. Bowling alleys, barber-shop, etc., are in the basement. Across the cloister from the Clubhouse is a café occupying an area of 2,680 square feet. Bake-ovens, storerooms, refrigerators and laundry, etc., are in the basement of the kitchen building.

South from the vaulted hall, through the cloister, is the entrance to the Leon Mandel Assembly Hall, which will be used for convocations, mass meetings, lectures, etc. The blower system of heating and ventilating has been used. The Gothic style is noted in all lighting fixtures, hardware, etc.

One of the beauties of Bedford stone as a building material lies in its uniformity of color, and therein is the great value of the stone quarried from the noted old Hoosier quarry of the Bedford Quarries Company at Bedford, Indiana. This noted quarry has supplied the stone for this group of buildings, and the result is apparent as compared to some of the other buildings of the university, showing a mottled face where stone of other quarries has been used. Bedford stone lends itself readily to rich carving and decoration, as shown in the illustrations. The window frames and forms are of stone, taking the place of iron or wood, so generally used, giving a tone of strength and character to the façade.

Properly, the decoration of the Tower Group has followed as far as possible the architecture; the warmth and color of the building materials give the key-note to the decorative scheme. The entrance walls to the Tower and Commons, the Cloister and Mandel Hall are in a warm stone color, while the woodwork throughout the group is in weathered English oak. In the Commons the walls above the oak paneling are stained in the spirit of the Christ Church College, Oxford. The treatment of the cornice above the paneling is with grotesque heads in old ivory, with red tongues and a band of golden stars on the blue ground. The end cornices are ornamented with the arms of the English colleges, and those of the principal American colleges appear on the side cornices. These are in college colors. The initials "H. H."—Hutchinson Hall—are in a shield between each of the American arms. The treatment of the ceiling is the same as the paneling, giving the appearance of being colored by age. The pendants of the ceiling are picked out in dull red, blue and gold. In the library and billiard-room the friezes are designed appropriate to the period. In the main rooms on the second floor the walls and ceilings are treated in weathered plaster. The smaller rooms are in rather strong color. The aim has been that the color and furniture should introduce nothing but what was demanded as a complement to the architecture.

All the multitudinous details incident to such a group of buildings of a high order of construction and ornamentation

have had the skilful and intelligent attention of the contractors, The Wells Brothers Company. This group is another addition to the long list of important buildings completed by this company to the full satisfaction of architects and clients.

All of the electric wiring in this group of buildings was installed by the well-known firm of contracting electrical engineers, Kohler Brothers, Chicago. The stage switchboard in the Assembly Hall is of white Italian marble, containing the necessary apparatus for controlling the different lighting effects, which are most beautiful. From this board also is controlled the curtain for stereopticon exhibitions, and the window shades, which are automatically operated by electricity in a very ingenious manner, and which work simultaneously and in harmony with each other to produce the necessary effects. All of the mechanical and electrical devices for operating this curtain and the shades were designed by Kohler Brothers.

HOT WATER AND TANK HEATERS.*

THIS small laundry heater fills a long-felt want in many residences. It heats large quantities of water quickly, and its construction admits of its use for cooking at the same time. One of the most vexatious problems of housekeeping is solved if plenty of hot water is at hand, and when one of these small, powerful heaters is installed no more worry need result from the absence of this household necessity. It is also extensively used in hotels, shops, barber-shops, laundries, etc.

The base is square, fitted with draft door and adjustable legs, and in its top the grate is placed. This grate is of the substantial triplex type, the same as the Model boilers are equipped with, and by the operation of one shaker the whole grate is set in motion. The body of the heater is a hollow cylinder, and rests upon the grate. It is provided with supply and return tappings, and the water circulates around it with great ease and rapidity.

The top, which is flat, rests upon the top of the body and has within it a system of baffle plates which guide the gases and products of combustion under its entire surface. The size of the fire chamber, formed by the grate, sides of body and top, is carefully calculated to provide for the most perfect combustion and expansion of the resulting red-hot gases so that it seems remarkable that so much heat can be obtained and utilized from the small amount of fuel which is necessary to operate this heater satisfactorily.

The flat top is intended primarily for heating flat-irons, but it can also be used for cooking; and to provide for pots and kettles, we have provided a four-part graduated cover placed in the center of the top.

The capacities of the sizes of this heater for radiation range from 75 to 150 square feet, and its water-heating capacity ranges from 100 to 200 gallons per hour.

The particular purposes for which "Little Giant" and "Improved Giant" heaters are intended are for supplying hot water for laundries, dwellings, kitchens, hotels, flats, distilleries, baths, barber-shops, etc.

The details of their construction are more minutely described under the separate heading of "Little Giant" and "Improved Giant," and it is our purpose to thoroughly recommend them as tank heaters, knowing their great capacity for work and their staying qualities, even under the most adverse conditions. They burn all kinds of fuel with ease, and their construction enables the water to absorb an enormous percentage of the heat evolved from the fire. The capacities of the different sizes of the Improved Giant range from 215 to 520 gallons per hour, and of the Little Giant, 80 to 550 gallons per hour.

The fire-pots range from 11 to 20 inches in depth, which allows for ample fuel to last over night.

The Little Giant Heater has a flat top with a circular lid which may be found convenient for some purpose.

These heaters are made of the same high-grade material and with special care as to their requirements.

Steel storage tanks of many sizes and capacities are also manufactured by this company. The selection of a storage tank is most important, as the capacities given above are based upon the understanding that sufficient storage tank capacity shall be used.

A NEW typewriting machine has been placed on the market that seems not only by its simplicity and accuracy of mechanical action to be an improvement on other machines for general office-work, but seems especially adapted to the personal use of the architect in special work which he desires to write with his own hands. It is called the "Chicago." It avoids vibration in its action, and the great advantage of having the mechanism all enclosed and many other attractive features, such as superiority in tabular work; adaptability in changing from ordinary type to extra large roman; adjustable type wheels, by which French, German and other languages can be written, to say nothing about its price, which is an appreciable discount upon the price of other first-class machines.

THE TWENTIETH CENTURY WONDER is really so meritorious that architects are advised to look up the advertisement in this number and write for sample boards and information.


*From The Boiler Magazine, Kellogg-Mackay-Cameron Company, Chicago.

A COMMERCIAL BUILDING.

THE needs and requisites of a thoroughly successful commercial building are represented in its capacity for storage, its facilities for the handling of the intake as well as the outgoing merchandise, its fire protection devices and its isolation from other buildings, so that all sides may be utilized to advantage for shipping as well as guarding against external fire. All these characteristics seem to exist in a marked degree in and about the Hibbard, Spencer, Bartlett Company's building, erected from design and plans by Messrs. Frost & Granger, architects, on the land bounded by State street, South Water street, Wabash avenue and the Chicago river, the latter allowing of fine docking facilities. The building is ten stories high, of heavy steel construction. The façade shows strength and character; a facing of Bedford stone reaching to the third floor, with a dark red brick utilized for the succeeding floors, lends a decidedly pleasing contrast to the exterior.

The fireproofing of this building is of the hollow-clay, semi-porous type, cellular in construction and fired or burned to 2,000° F. before ready for use.

Without doubt the necessity of proved fireproofing is of the greatest interest to the people, as well as the architect, engineer



and owner. The property to resist the fierce onslaught of fire caused by the vacuum of flame and heat without disintegrating, is one of the most valuable points of cellular or hollow-clay fireproofing tile, used in this building. The hollow chambers of the clay allow the heat to expand, as well as the material itself, when attacked at one point, thereby dissipating the danger of a retention of heat at a given point, as it would be the case where solid materials are used as a fireproofing. As a saying of an old scientist goes, "Nothing is fireproof unless it has been put through the fierce flame of purification."

Clay tile is the material used in blast furnaces, and the clay tile fireproofing used in this building is of the same character, installed by the Pioneer Fireproofing Company, of Chicago, from whom the following details have been secured.

The total floor area of the building is about four hundred thousand square feet. The fireproofing, including the floor and roof arches, as well as the complete protection of columns, lintels, facias and other iron and steel work, with this semi-porous hollow fire tile, covers nearly ten acres of space.

The steel girders in connection with the floor system throughout the entire building are covered with three-inch tile before the arches are put in position, thus insuring perfect protection to these important structural members. All the columns of the building are covered with three inches of hollow clay tile, shaped to curve of the column.

Every precaution has been taken by the architects to insure

safety from fire. The detail plans furnished, which illustrate the system used, will lend aid to those interested enough to study and appreciate values of fireproofing.

To guard in a safer manner the merchandise contained in this building, it has been divided into three compartments by fire-walls being built from basement to roof. This wall is pierced on all the floors and the openings are provided with heavy iron doors, and are closed in a similar manner as used on ships for water-tight compartments.

The elevator shafts throughout the building are built of brick, and all openings protected by iron doors, as are also the entrances to the iron stairways leading from the different floors. By this system in the use of fire walls and heavy iron doors, it is absolutely possible to confine a fire, should any occur in a large stock of merchandise, to the floor or compartment in which it originates, without communication to the rooms on either side or the floor above or below. The doors used are of special pattern of the Variety Manufacturing Company, 79 West Lake street, Chicago. To protect the eleven shafts and the fourteen openings on each of the floors, guarding against the spread of fire, over one hundred and forty iron doors of the above type have been put in place. Another interesting feature relative to fire protection in this building is the use made of metal furniture in the accounting department, all desks and partitions consisting of specially designed solid metal having been utilized.

The foundations of this building represent the latest and most advanced ideas of caisson construction and protection against any dampness or encroachment of the Chicago river. A wall ten feet thick, of solid cement concrete, protects the building from the river; piles driven to a depth of fifty-five feet act as the base of this wall. The caisson piers for the steel building columns are sunk to a depth of ninety feet to hardpan. To show the extent to which cement was used in the foundations, the statement is made that twenty thousand barrels of cement were put in place and was supplied by Meacham & Wright Company, local representatives of the Lehigh Portland Cement Company.

This building represents a start in the improvement of our river front, and with the advance steps being made with new bridges of the latest and improved type, the river's clean-looking water and the gradual small changes in the appearance of the face of its docks and shore line, lends the idea that before long Chicago will be proud of her river, once so much despised.

MOSAICS.

JOHN GALEN HOWARD and D. EVERETT WAID, architects, have dissolved partnership. Mr. Howard is professor of architecture in the University of California and will make Berkeley, California, his home. Mr. Waid will continue the New York practice and retain the offices at 156 Fifth avenue.

WILLIS POLK, after an association of three years with D. H. Burnham & Co., of Chicago, has decided to remain in San Francisco and has formed a copartnership with G. A. Wright of that city.

ONE of the oldest and most widely known representatives of stained glass art in the West is John A. McCully. He is now making his headquarters in Chicago in the interest of the Church Glass and Decorating Company, of New York, who are the sole agents in this country of the stained glass windows of John Hardman & Co., of England. The stained glass art is so thoroughly understood by Mr. McCully and the Hardman quality so well understood that it is a distinct advance in stained-glass art to have this headquarters established in Chicago.

OUR ILLUSTRATIONS.

Library, Leland Stanford University, Palo Alto, California. Carnegie Library, Spencer, Iowa; Patton & Miller, architects, Chicago. Cost, \$10,000.

Carnegie Library, Taylorville, Illinois; Patton & Miller, architects, Chicago. Cost, \$15,000.

Kendall Young Library, Webster City, Iowa; Patton & Miller, architects, Chicago. Cost, \$40,000.

Interior View, Entrance, Warehouse for Hibbard, Spencer, Bartlett & Co., Chicago; Frost & Granger, architects.

The Thomas Hendrick Library, Hanover College, Hanover, Indiana; Patton & Miller, architects, Chicago. Cost, \$25,000.

Views in Residence of J. J. Tootle, St. Joseph, Missouri; Eckel & Mann, architects. Reception Hall and Dining-room are shown.

Interior Views Chicago University, Chicago; Shepley, Rutan & Coolidge, architects. Hutchinson Hall, The Café, Reynolds Clubhouse and Main Stairway of same are shown.

Photogravure Plate: View from South, Tower Group, Chicago University. Shepley, Rutan & Coolidge, architects.

PHOTOGRAVURE PLATES.

Issued only with the Photogravure Edition.

Warehouse for Hibbard, Spencer, Bartlett & Co., Chicago; Frost & Granger, architects. Street View and River View are shown.

Views of the Tower Group of Buildings for Chicago University; Shepley, Rutan & Coolidge, architects. The following plates are shown: East view, Reynolds Clubhouse and Mandel Hall; view from Northwest of Hutchinson Hall and Founders' Tower; Founders' Tower from northeast; Landing, Main Stairway, Reynolds Clubhouse; Interior View, Mandel Hall.

**SPECIAL
NOTICE TO**

ARCHITECTS

The 20th Century Wonder

ADELITE ONE COAT FINISHES

produce that soft, velvety, dull finish so much desired, in

ONE APPLICATION

Dries perfectly hard in thirty minutes.

Its extreme merit, durability, economy, and the beautiful effects produced, commend it to every Architect.



Send for sample boards and full information at once.

NEW YORK
BOSTON

Adams & Eltinge Co.
CHICAGO, U. S. A.

MINNEAPOLIS
SAN FRANCISCO

THE J. W. REEDY ELEVATOR CO.
Passenger and Freight
ELEVATORS.

83 to 91 Illinois Street,
CHICAGO.

31-33 Tenth Avenue,
NEW YORK CITY.

FOR INFORMATION ABOUT
U. S. MAIL CHUTES

WHICH ARE
A necessity in office buildings and hotels,
write to the sole makers,

THE CUTLER M'FG CO., Rochester, N. Y.
PATENTED. AUTHORIZED.

THE NATIONAL
WOOD FLOOR CO.

Manufacturers
of

Parquet Floors
National Hard Finish
National Wax Polish

Established 1869

186 FIFTH AVENUE AND
10 W. 23d STREET, NEW YORK

"Big Four" Route.

CHICAGO

TO

INDIANAPOLIS,
CINCINNATI,
LOUISVILLE.

**SOUTH and
SOUTHEAST**

“WHATEVER
IS WORTH
DOING AT ALL
IS WORTH
DOING WELL.”
Telephones
Harrison 4230-4231.

THE HENRY O. SHEPARD COMPANY

120-130
Sherman St.
CHICAGO.

**Printers, Embossers
Blank Book Makers**

We do
all kinds of
Printing and
Binding.
Rush Work a
Specialty.

.. Observe typography of THIS JOURNAL as a fair specimen of our grade of work ..

THE SCENIC LINE TO

Hot Springs, Va., and
Washington, D. C.

Via the

Chesapeake & Ohio Ry.

J. C. TUCKER, G. N. A.
238 Clark Street, CHICAGO.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

BUILDED UPON WATER



The handsome modern hotels at French Lick and West Baden were built to accommodate the increasing thousands that go to take the wonderful curative waters of these twin resorts.

For toning the system and curing bowel, kidney, stomach and liver affections, the natural waters of these springs are unequaled by any in the world.

There are ten of these medicinal springs having different degrees of strength and different properties.

In addition to the health-giving waters these resorts have climatic and scenic advantages possessed by no others in Europe or America—splendidly wooded hills, fine scenery, good roads for rides, drives or walks, and, above all, pure bracing air that is a tonic in itself.

In the Highlands of
Southern Indiana on the

MONON ROUTE

Frequent Day and Night
Trains

For Booklets and full information in regard to trains, routes, hotel rates, etc., write to the General Passenger Agent of the Monon Route.

W. H. McDOEL,
Pres. and Gen. Manager.

FRANK J. REED,
Gen. Pass. Agent, Chicago.

CHAS. H. ROCKWELL,
Traffic Manager.

National Fire Proofing Company

STANDARD METHODS OF

HOLLOW AND POROUS TILE FIREPROOFING

OFFICES

FRICK BUILDING	- - - - -	PITTSBURGH
170 BROADWAY	- - - - -	NEW YORK
NORTH AMERICAN BUILDING	- - - - -	PHILADELPHIA
TREMONT BUILDING	- - - - -	BOSTON
HARTFORD BUILDING	- - - - -	CHICAGO

We own patents for the Johnson System of Fireproofing. Residences and other buildings can be made fireproof without the use of steel.

LET US GIVE YOU ESTIMATES

PIONEER

FIRE-PROOFING COMPANY

1515 Marquette Building

CHICAGO

CONTRACTORS FOR FIRE-PROOFING
OF BUILDINGS

MANUFACTURERS OF CLAY PRODUCTS

LOUIS J. MILLET

(Successor to HEALY & MILLET)

Interior Decorator

151 MICHIGAN AVE., CHICAGO

Leaded Glass. Glass Mosaic. Frescoing

CRANE VALVES

ESTABLISHED 1855

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

Mr. Architect: REASONS WHY YOU SHOULD USE

Dexter Brothers' English Shingle Stains

BECAUSE they will outwear paint or any other stain.

BECAUSE they preserve the shingle.

BECAUSE they do not give a painted effect to the shingle.

BECAUSE they do not change as other stains do.

BECAUSE they have no disagreeable odor.

BECAUSE they are used on the best work from Maine to California.

BECAUSE they are used by people who want the best of everything.

Exclusively used on the shingled country houses of Mr. George Vanderbilt at Biltmore, Mr. J. Pierpont Morgan, Adirondacks, Hon. Wm. C. Whitney, Westbury, L. I., Mr. Thomas W. Lawson, Egypt, Mass.

Manufactured by

DEXTER BROTHERS COMPANY

103-105-107 Broad Street

H. M. HOOKER CO., Agents
57 W. Randolph Street
CHICAGO

BOSTON

W. S. HUESTON, Agent
24 East 22d Street
NEW YORK



Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

ESTABLISHED 1872

INCORPORATED 1890



71 & 73 Randolph Street.

MANUFACTURERS, WHOLESALE AND RETAIL DEALERS

Builders' Hardware

ART METAL-WORK OF ALL KINDS.

Cooling Rooms.

Mechanics' Tools.

Table and Pocket Cutlery.

Our selection comprises THE BEST from all the leading factories, as well as our own, and our heavy purchases enable us to offer you these goods at prices which can not fail to please.

We have many specialties which we manufacture and control which can not be found anywhere else.

Orr & Lockett Hardware Co.

71 & 73 RANDOLPH STREET.

Telephone, Central 551.

THE YALE & TOWNE

Mfg. Co., General Offices:

9-11-13 Murray St., New York,



Produce the HARDWARE OF ORNAMENT (comprising decorative metal work for doors, windows and cabinets) in practically all schools, and a great variety of finishes. Examples can be seen in the Exhibit Rooms maintained by the Company in its General and Branch Offices.

Special Brochures, of technical interest, furnished to Architects on request.

CHICAGO OFFICE:

No. 131 Wabash Avenue.

IF YOU



SPECIFY

SAMSON SPOT CORD



You can tell at a glance that no other Sash Cord is substituted. It is warranted to be of the best cotton stock, smooth finish and perfect braid.

SAMSON CORDAGE WORKS

BOSTON, MASS.

Enamel Finish that is made of inferior material will always look cheap and mar the beauty of the finest drawing-room. The best materials that can be obtained are used in the manufacture of our

Structural Enamels

THEY ALWAYS GIVE SATISFACTION



EDWARD SMITH & CO.

Varnish Makers and
Color Grinders

45 Broadway, New York.

59 Market Street, Chicago.

New Pittsburg Service

VIA

The Lake Shore Limited

A Through Pullman Sleeper is now in daily service between Chicago and Pittsburg on the LAKE SHORE LIMITED, affording Pittsburg travel all of the luxurious accommodations of this famous train.

Leaves Chicago
5.30 p. m.

Arrives Pittsburg
6.35 a. m.

ADDITIONAL SERVICE AS FOLLOWS:

Leave Chicago, 8.30 a. m. - - - Arrive Pittsburg, 9.45 p. m.
Leave Chicago, 10.35 p. m. - - - Arrive Pittsburg, 11.15 a. m.

City Ticket Office, 180 Clark St.
CHICAGO

A. J. SMITH
Gen'l Pass'r and Ticket Agt.
CLEVELAND

C. F. DALY
Chief Ass't Gen'l Pass'r Agt.
CHICAGO