

NA

1

I56

V.43

No. 3

STATE AGRICULTURAL COLLEGE
FORT COLLINS, COLO.



IRVING K. POND, DES.

LORENZO TAYLOR, SCULPT.

UNIVERSITY OF MICHIGAN
GENERAL LIBRARY



Entered at the Postoffice at Chicago as second-class matter.

CONTENTS.

EDITORIAL:

Washington Improvement Bill in the Senate—Architects' Drawings Ruled Works of Art.....	17
ABOUT FIREPROOFING BUILDINGS. By Frederick Baumann, Architect.....	18
COTTAGE HOMES.....	19
TRADITION IN ARCHITECTURE.....	21
MAKING CITIES BEAUTIFUL.....	21
NEW ARCHITECTURE AT CAMBRIDGE.....	23
IMPORTANT CUSTOMS RULING ON ARCHITECTS' DRAWINGS.....	23
HOT WATER AND TANK HEATERS.....	23
ASSOCIATION NOTES. Society of Beaux-Arts Architects—Brooklyn Chapter A. I. A.....	23
MOSAICS.....	24
OUR ILLUSTRATIONS.....	24
INDEX TO ADVERTISEMENTS.....	ix

NORTH-WESTERN TERRA COTTA CO.

WORKS AND OFFICE:

Clybourn and Wrightwood Avenues.

BRANCH OFFICE: 1118 Rookery Building,
CHICAGO.

A NEW ROOFING TILE

WITH DOUBLE INTERLOCK AT TOP AND SIDES

ABSOLUTELY RAIN AND SNOW PROOF

NOW ON THE MARKET

Being made of stiff clay with metal dies under a pressure of fifty tons, it is both exceedingly light and dense, and will not break up nor flake off under the action of the elements. *Better than other tile. As cheap as good slate.*

THE NATIONAL TILE ROOFING CO.

LIMA, OHIO, U. S. A.

J. W. TAYLOR,

REMOVAL NOTICE:

After May 1, 1902, Monon Bldg., 324 Dearborn St. Telephone No. 1500 Harrison.

ARCHITECTURAL PHOTOGRAPHS,

BUILDINGS, INTERIORS, DETAILS, ETC.

Promise to purchase two dozen from the lot at \$4.00 per dozen, unmounted, and I will send 200 from which to make the selection.



THE WINSLOW BROS. COMPANY

CHICAGO

ORNAMENTAL IRON AND BRONZE AND MONUMENTAL BRONZE STATUARY

THE WINSLOW ELEVATOR & MACHINE CO.

HIGH-GRADE ELECTRIC AND HYDRAULIC ELEVATORS

Peterson Nursery



TREES AND SHRUBS

Order Now

168 La Salle St., Chicago

Send for our Handy Reference Book containing descriptions and information regarding planting. FREE ON APPLICATION.



JAMES A. MILLER & BRO.

133 So. Clinton St., Chicago

Manufacturers

Fire Retarding Wire Glass Windows

Sheet Metal Frames and Sash


SKYLIGHTS, TILE, SLATE
AND METAL ROOFING...

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

The STURTEVANT SYSTEM of HEATING and VENTILATION

A Forced Circulation of air by means of a fan

A Centralized apparatus under one man's control



Heats and Ventilates in Winter

Cools and Ventilates in Summer

The Same Apparatus Does Both

ADAPTED TO ALL CLASSES OF BUILDINGS

B. F. STURTEVANT CO.

BOSTON, MASSACHUSETTS

NEW YORK

PHILADELPHIA

CHICAGO

LONDON

Designers and Builders of Heating, Ventilating and Mechanical Draft Apparatus, Steam Engines and Electrical Machinery

355



The weather is rough on the roof that has not the kind of tin that withstands. Criticism is often rough on the reputation of the architect who doesn't insist on "Taylor Old Style." Your insistence is your safeguard.

N. & G. TAYLOR COMPANY.

ESTABLISHED 1810.

Philadelphia

Colorado—

That's the title of a handsome new book of seventy-two pages, beautifully printed, bound and illustrated; fifty-six pictures of Colorado's matchless mountains, canons, streams, lakes and forests.

The book is written in a most delightful vein, and gives pleasing glimpses of a mountain world whose colossal beauty never wearies or changes or grows old. A splendid map of Colorado is appended.

It is not a guide book, but contains a few paragraphs about the best way to reach Colorado from everywhere east and southeast via Chicago or St. Louis (Louisiana Purchase Exposition) and the Burlington Route, with its splendidly equipped one-night-on-the-road fast express trains.

Mailed anywhere upon receipt of ten cents in stamps or coin.




P. S. EUSTIS,
Passenger Traffic Manager
P4 CHICAGO.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

Westinghouse

Alternating and Direct Current
Motors



Westinghouse Type C Induction Motor geared to Elevator Hoist

In universal use for all kinds
of service, because they

Do The Work

Alternating Current, Circulars 1050, 1062, 1066
Direct Current, Circulars 1042, 1068, 1077


Write for them; address

Westinghouse Electric & Mfg. Co.

Sales Offices in all Large Cities Pittsburgh, Pa.

For Canada: Canadian Westinghouse Co., Ltd., Hamilton, Ontario

The Roney Stoker



The Roney Stoker as applied to Babcock & Wilcox Boiler.

Effects smokeless combustion
of soft coal.

For particulars address nearest sales office of

The Westinghouse Machine Co.,

Works, East Pittsburgh, Pa.

Sales Offices

New York, 10 Bridge St.

Boston, 131 State St.

Pittsburg, Westinghouse Bldg.

Chicago, 171 La Salle St.

Detroit, Union Trust Bldg.

Philadelphia, Stephen Girard Bldg.

Designers and Builders of

Steam Engines, Gas Engines, Steam Turbines, Roney Mechanical Stokers.

THE WINKLE TERRA GOTTA CO.

MANUFACTURERS OF

Architectural Terra Cotta

IN ALL COLORS.

OFFICE:

**Rooms 502 and 503, Century Building,
ST. LOUIS, MO.**

Works: CHILTENHAM, ST. LOUIS.

THE CHICAGO

The Typewriter That Stands for Fair Play



No one thinks that any typewriter is worth \$100, yet that is the "standard price." Every one knows that highest grade machines can be sold at a fair profit for much less.

**\$35 Is the Price of The Chicago,
the Best Machine at any Price,**

yet a number of people by a kind of "trustful momentum" keep on paying \$100—they are "not quite sure." We have some surety facts that will make your pocketbook laugh—better send for them to-day.

Chicago Writing Machine Co.

121 Wendell Street - - - - CHICAGO

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.




"Standard"



PORCELAIN ENAMELED BATHS

surpass all others in quality, design and durability, and the large numbers of exclusive patterns in which they are made permit the selection of a bath that will harmonize with the decorative treatment of the bathroom, no matter how modest or elaborate it may be.



THE "OCCIDENT"

PLATE 101-G

is the choice of many who desire a sanitary, modern equipment without expending more than is necessary to provide these most essential features. The "Occident" is made in five sizes, with trimmings as shown; also with Imperial Waste and Overflow or Bell Supply Fittings.

The exterior finish of the bath is a matter worthy of the consideration of every architect. The "Standard" Bath Decorations, as applied by skilled decorators, with special facilities for the purpose, makes the exterior as inviting as

the interior. The reasonable cost at which we furnish exterior finishes should cause every bath to be specified with one of our factory finishes, thus insuring satisfaction to the client, instead of the expense and annoyance resulting from the application of ordinary paint by unskilled hands.

Every piece of "Standard" Ware bears our "GREEN and GOLD" guarantee label and has our name "Standard" or initials "S. S. M. Co." cast in relief on the exterior. No others are genuine.

Standard Sanitary Mfg. Co.

PITTSBURG, U. S. A.

PORCELITE

Is the Only Enamel Paint

That has stood the test of ten years' wear and retained its durability, permanent high gloss, and has not checked or cracked. :: :: :: ::

Interior Woodwork
Plastered Walls
Brickwork, Metals

Paint with

PORCELITE

The Thomson
Wood Finishing Co.

Varnish, Enamel and Wood Filler
Manufacturers
Inventors and Sole Makers

Office, 115 N. Fourth Street
PHILADELPHIA, PA.



DIRECT LINE FROM

St. Louis—World's Fair
City, to

Mexico

Through Pullman Sleeping Cars
Dining and Buffet Car Service

Shortest Line by several hours

Descriptive and illustrated literature on application.

BISSELL WILSON
Dist. Pass. Agent
111 Adams St., Chicago

ORNAMENTAL IRON

STAIRS

STORE FRONTS

ELEVATOR ENCLOSURES

FENCES AND RAILINGS

SIDEWALK LIGHTS

SKYLIGHTS

Brown Bros. Mfg. Co.

Established in 1860

22d St. and Campbell Avenue

CHICAGO

Telephone Canal 115

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.



Dexter Portland ...Cement...

Highest Standard Attainable for Pavement and Concrete Work.

SAMUEL H. FRENCH & CO., Sole Agents,
Established 1844. **PHILADELPHIA.**

TEL. HARRISON 3852


THOMAS HAWKES
LANDSCAPE ARCHITECT

DESIGNS PREPARED FOR PARKS,
CEMETERIES, PRIVATE ESTATES, SUB-
DIVISIONS, ETC.

CORRESPONDENCE SOLICITED

1832 MONADNOCK BLOCK

CHICAGO



**BERGER'S METAL
CEILINGS**

NEW DESIGNS

In the past year we have brought out more than twice as many new and artistic designs as have all other metal-ceiling manufacturers combined. We are the only ones prepared to furnish complete Classified Designs. Write for details.

THE BERGER MFG. CO.,
Canton, O.

AUDITORIUM LIGHTING is a SPECIALTY

in itself. We make a specialty of it. The Frink Reflector is made up on special angles to meet the conditions found in each case, no two auditoriums being just alike; hence its uniform success. No church lighting should be undertaken without considering it. To consider is to adopt. Designs for every style of architecture.

I. P. FRINK, 551 Pearl Street, NEW YORK

EXPANDED METAL

For Fireproofing and Concrete Construction

ASSOCIATED EXPANDED METAL COMPANIES Room 1216, 256 Broadway
NEW YORK



AMERICAN SIDEWALK LIGHT CO.

MANUFACTURERS OF ALL KINDS OF

Concrete and Hyatt Sidewalk, Floor and Skylight Work,

AND ALL KINDS OF IRONWORK.

Coal-Hole Covers of every description always on hand.

Tel. Monroe 643.

156-158 West Ohio St., CHICAGO.

Put into the White House by the U. S. Government.



SEALS WITH OR
WITHOUT WATER


CUDELL
ANTI-SYPHON

F. E. CUDELL'S

Patent Sewer-Gas and Backwater Trap

For Wash-Bowls, Sinks, Bath and Wash Tubs,

CLEVELAND, OHIO.



Hardwood Floors

Wood Carpets, Parquet
Floors, Rug Borders.

Send for book of designs.

E. B. MOORE & CO.

37 Randolph Street,
CHICAGO, ILL.

Hydraulic Press Brick Co.

Missouri Trust Building, ST. LOUIS, MO.

**TOTAL
ANNUAL
CAPACITY,
300,000,000
BRICKS.**

American Hydraulic Press Brick Co.,	St. Louis, Mo.
Chicago Hydraulic Press Brick Co.,	Chicago, Ill.
Cleveland Hydraulic Press Brick Co.,	Cleveland, Ohio.
Eastern Hydraulic Press Brick Co.,	Philadelphia, Pa.
Findlay Hydraulic Press Brick Co.,	Findlay and Toledo, Ohio.
Illinois Hydraulic Press Brick Co.,	St. Louis, Mo.
Kansas City Hydraulic Press Brick Co.,	Kansas City, Mo.
Kelley Brick & Tile Co.,	West Superior, Wis.
Menomone Hydraulic Press Brick Co.,	Minneapolis, Minn.
New York Hydraulic Press Brick Co.,	Rochester, N. Y.
Ohio Press Brick Co.,	Zanesville, Ohio.
Omaha Hydraulic Press Brick Co.,	Omaha, Neb.
Union Press Brick Works,	St. Louis, Mo.
Washington Hydraulic Press Brick Co.,	Washington, D. C.

CONVENIENT TRAINS

Leave St. Paul and Minneapolis daily

... VIA ...

Wisconsin Central R'y

... FOR ...


**MANITOWOC,
MILWAUKEE,
CHICAGO,**

where direct connections are made
for the East and South.

Nearest ticket agent can give you
complete information.

JAS. C. POND, Gen. Pass. Agent,
MILWAUKEE, WIS.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.



Avoid Extremes of Heat and Cold

— BY USING —

THE POWERS SYSTEM — OF — Temperature Regulation.

Applicable to all kinds of heating apparatus in Schools, Churches, Residences, Office Buildings, etc.

Successfully applied to the control of heat in RAILWAY CARS.

SEND FOR CATALOGUES.

The Powers Regulator Co., 40 Dearborn Street, Chicago.

111 Fifth Avenue, New York.

224 Franklin Street, Boston.



JENKINS BROTHERS' VALVES

Perfectly tight under all pressures of steam, oils or acids.
Warranted to give satisfaction under the worst conditions.

Received the Highest Award GOLD MEDAL at the Pan-American Exposition
Insist on having the genuine stamped with Trade-Mark.

JENKINS BROTHERS, NEW YORK, BOSTON, PHILADELPHIA, CHICAGO

POROUS FIREPROOFING

Illinois Terra Cotta Lumber Co.

Manufacturers and Contractors for the Fireproofing of Buildings


OFFICE

439 "The Rookery," CHICAGO

Telephone, HARRISON 1705

WORKS AT FULLMAN

"GIANT" METAL SASH CHAIN



Has not been equaled in quality in 20 years. Durability guaranteed. The bronze costs 40 per cent more than any other Sash Chain metal.

Full line of Sash and Cable Chains, Sash Pulleys and Fixtures.

MANUFACTURED BY

THE SMITH & EGGE
MFG. CO.
BRIDGEPORT, CONN.

WRITE FOR OUR LATEST
CATALOGUE.

FLORIDA?

Yes, I'm going.
Well, there's *something new* for you to consider.

THE SOUTHERN RAILWAY

— in connection with the —
Queen & Crescent Route

will take you *down one way and bring you back another*, for a slight advance in the regular winter tourist rate.

Low round-trip rates now in effect to all tourist points in Florida and the South.

Good connections, through sleepers, fine equipment, best of everything.

On January 11, 1904, the "Chicago & Florida Special" and the "Florida Limited," with through Pullman sleepers, dining, club and observation cars, will again go into service, Chicago to St. Augustine, via Cincinnati, Chattanooga, Atlanta and Jacksonville.

For through sleeping-car reservations, literature and full particulars, write

J. S. McCULLOUGH,
N. W. P. A.,

225 Dearborn St.,

Phone Harrison, 1813.

CHICAGO, ILL.

G. B. ALLEN, G. P. A., St. Louis, Mo.

Sheet-Steel Indian Canoes

Non-sinkable and indestructible. 14 feet long, 39 inch beam.

Twenty-Two Dollars, Net. EXTRA FOR FUEL BOX AND REMOVAL BOAT.
W. H. MULLINS, 210 Depot St., SALEM, OHIO.



THE ALTON'S ENGINEER.

IF YOU WILL SEND THE ADDRESS OF A PERSON WHO, WITHIN A YEAR, WILL HAVE USE FOR THE CHICAGO & ALTON RAILWAY



(TERRITORY COVERED OUTLINED IN ABOVE MAP), WE WILL MAIL TO YOU A PICTURE, 4 1/4 x 3 INCHES, OF THE ALTON'S ENGINEER. IF, IN ADDITION, YOU WILL TELL US IN WHAT PUBLICATION YOU READ THIS ADVERTISEMENT, WE WILL SEND TO YOU A PAMPHLET ABOUT THE BIGGEST CAMERA IN THE WORLD.

GEO. J. CHARLTON,

GENERAL PASSENGER AGENT, CHICAGO & ALTON RAILWAY,
CHICAGO, ILLINOIS.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

INDEX TO ADVERTISEMENTS.

	Page		Page		Page		Page
Architectural Drawing.		Electric Plants.		Monuments.		Shingle Stain.	
Deane, E. Eldon	XV	Westinghouse, Church, Kerr & Co	IV	Mortar Colors.		Berry Bros	VIII
Architectural Iron Works.		The Westinghouse Machine Co	IV	French, S. H., & Co	VI	Cabot, Samuel	XII
The Winslow Bros. Co	II	Elevators.		Moldings, Mirrors, Frames.		Dexter Bros	XV
Brown Bros. Mfg. Co	V	Link Belt Machinery Co	XII	W. W. Abbott	IX	Sidewalk and Vault Lights.	
American Sidewalk Light Co	IX	The J. W. Reedy Elevator Co	XIII	Paints, Oils and Varnishes.		Brown Bros. Mfg. Co	V
Architectural Photographers.		Elevator Supplies.		Berry Bros	VIII	American Sidewalk Light Co	IX
Taylor, J. W.	II	Engineers.		Joseph Dixon Crucible Co	X	Skylights (Metal).	
Architectural Views.		Westinghouse, Church, Kerr & Co	IV	New Jersey Zinc Co	X	Snow Guards.	
Taylor, J. W.	II	The Westinghouse Machine Co	IV	Pitkin, Geo. W., Co	II	Folsom Snow Guard Co	IX
Boats.		Fireproof Doors.		Smith, Edward, & Co	XVI	Spring Hinges.	
W. H. Mullins	VIII	Kinnear Mfg. Co	X	Thomson Wood Finishing Co	V	Smith & Egge Mfg. Co	VIII
Boiler Covering.		Fireproof Shutters.		Pencils.		Stained and Decorative Glass.	
The Keasbey & Mattison Co	XII	Kinnear Mfg. Co	X	Joseph Dixon Crucible Co	VI	Louis J. Millet	XIV
Bricks (Pressed).		Fireproofing.		Plumbers' Fittings.		Steam Engines.	
Chicago Hydraulic Press	IX	Associated Expanded Metal Co's	VI	Standard Sanitary Mfg. Co	V	Westinghouse, Church, Kerr & Co	IV
Brick Co	IX	Illinois Terra Cotta Lumber Co	VIII	Printers.		The Westinghouse Machine Co	IV
Findlay Hydraulic Press	IX	National Fireproofing Co	XIV	The H. O. Shepard Co	VII	Steam Fittings.	
Brick Co	IX	Pioneer Fireproofing Co	XIV	Railroads.		Steam Loops.	
Illinois Hydraulic Press	IX	The Roebbling Construction Co	XII	Baltimore & Ohio R. R.	XIII	Westinghouse, Church, Kerr & Co	IV
Brick Co	IX	Floor Polish.		Big Four Route	XIII	The Westinghouse Machine Co	IV
Kansas City Hydraulic Press	IX	Butcher Polish Co	X	Chicago & Alton	VIII, X	Steel Rolling Doors.	
Menominee Hydraulic Press	IX	Gas Engines.		Chicago & North-Western R'y	X	Kinnear Mfg. Co	X
Brick Co	IX	Westinghouse, Church, Kerr & Co	IV	Chicago, Milwaukee & St. Paul	XIV	Steel Rolling Shutters.	
Omaha Hydraulic Press	IX	The Westinghouse Machine Co	IV	Delaware, Lackawanna & Western	XIV	Kinnear Mfg. Co	X
Brick Co	IX	Grilles.		Denver & Rio Grande R. R.	IX	Steel Shutters.	
Brick (Enameled).		Hardware.		Grand Trunk Lines	XV	American Sidewalk Light Co	IX
Hydraulic Press Brick Co	IX	The Yale & Towne Mfg. Co	XVI	Illinois Central	XVI	Kinnear Mfg. Co	X
Brick (Ornamental).		Heating.		Michigan Central R. R.	VIII	Stokers.	
Chicago Hydraulic Press	IX	B. F. Sturtevant Co	III	Missouri Pacific R'y	XI	Westinghouse, Church, Kerr & Co	IV
Brick Co	IX	Heating and Ventilating Apparatus.		New York Central R. R.	XI	The Westinghouse Machine Co	IV
Findlay Hydraulic Press	IX	Pierce, Butler & Pierce	XVI	Northern Pacific R. R.	XI	Temperature Regulator.	
Brick Co	IX	B. F. Sturtevant Co	III	Queen & Crescent Route	VI	The Powers Regulator Co	VIII
Hydraulic Press Brick Co	IX	Kellogg-Mackay-Cameron Co	XI	Rio Grande & Western	VIII	Terra Cotta.	
Illinois Hydraulic Press	IX	Hollow Block.		Southern R'y	XI	Northwestern Terra-Cotta Works	II
Kansas City Hydraulic Press	IX	National Fireproofing Co	36	Southern Pacific Co	XI	Winkle Terra Cotta Co	IV
Brick Co	IX	Ice and Refrigerating Machinery.		Santa Fe Route	X	Tile (Rubber).	
Menominee Hydraulic Press	IX	Westinghouse, Church, Kerr & Co	IV	Wisconsin Central	VI	New York Belting & Packing Co., Ltd.	VII
Brick Co	IX	The Westinghouse Machine Co	IV	Reflectors.		Trees.	
Omaha Hydraulic Press	IX	Interior Finish.		Frink, I. P.	VI	Peterson Nursery	II
Brick Co	IX	Locks.		Roofing Tile.		Valves (Steam).	
Builders' Hardware.		The Yale & Towne Mfg. Co	XVI	National Tile Roofing Co	II	Jenkins Bros	VIII
Orr & Lockett	XVI	Mail Chutes.		Roofing Tin.		Varnish.	
The Yale & Towne Mfg. Co	XVI	Cutler Manufacturing Co	XIII	American Tin Plate Co	VII	Ventilation.	
Builders' Sundries.		Mechanical Stokers.		N. & G. Taylor Co	III	Wall Papers.	
The Yale & Towne Mfg. Co	XVI	Westinghouse, Church, Kerr & Co	IV	Rolling Doors and Shutters (steel).		Window Lines.	
Building Papers.		The Westinghouse Machine Co	IV	Kinnear Mfg Co	X	Samson Cordage Works	XVI
Cabot, Samuel	XII	Metal Ceilings.		Rubber Tiling.		Wood Floors.	
Cements.		Berger Mfg. Co	VI	New York Belting and Packing Co	VII	Moore, E. B., & Co	VI
French, S. H., & Co	VI	Metallic Fixtures and Furniture.		Sanitary Appliances.		National Wood Floor Co	XIII
Clothes Dryers.				Cudell, F. E.	IX		
Conduit.				Standard Sanitary Mfg. Co	V		
National Fireproofing Co	36			Sash Cords and Chains.			
Cordage.				Smith & Egge Mfg. Co	VIII		
Samson Cordage Works	XVI			Samson Cordage Works	XVI		
Creosote Stains.				Sash Locks.			
Cabot, Samuel	XII			Sheathing and Deadening Quilt.			
Drawing Material and Implements.				Cabot, Samuel	XII		
Abbott, A. H., & Co	XII						

Folsom New Model Snow Guard



Specified by leading architects to hold the snow on all pitch roofs, entirely obviating all chance of injury to life or to the property it protects. The only perfect device for this purpose. It is made in various forms for old and new roofs of slate, shingle, tile or metal. Full information on application.

THREE HISTORIC BUILDINGS.


Faneuil Hall,
Old South Church,
King's Chapel,
Boston,

Are Fitted with this Snow Guard.

FOLSOM SNOW GUARD CO.

ROSLINDALE (BOSTON), MASS.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

KINNEAR
STEEL ROLLING
DOORS SHUTTERS
SEND FOR CATALOGUE 'K'

THE KINNEAR MFG. CO. OHIO, U.S.A.

BOSTON - 85 WATER ST.
NEW YORK - 45 VESEY ST.
CHICAGO - 112 CLARK ST.
PHILADELPHIA -
1011 CHESTNUT ST.



BUTCHER'S BOSTON POLISH

is the best finish made for FLOORS, INTERIOR WOODWORK AND FURNITURE. ▲ ▲ ▲

Not brittle; will neither scratch nor deface like shellac or varnish. Is not soft and sticky like beeswax. Perfectly transparent, preserving the natural color and beauty of the wood. Without doubt the most economical and satisfactory POLISH known for HARDWOOD FLOORS. Specially valuable for the use of HOTELS.

For sale by dealers in Paints and Hardware.

Send for our FREE BOOKLET telling of the many advantages of BUTCHER'S BOSTON POLISH.
THE BUTCHER POLISH CO., 356 Atlantic Avenue, BOSTON, MASS.

COLORS AND SPECIFICATIONS

(ILLUSTRATED)

PROTECTIVE PAINT FOR CONSTRUCTION AND MAINTENANCE OF STEEL AND IRON WORK

PUBLISHED FOR FREE DISTRIBUTION BY THE

Joseph Dixon Crucible Co., Jersey City, U.S.A.

Pyramid nor Colosseum

Nor any work of man can approach in majesty

Niagara Falls

It is the grandest sight on earth

The Michigan Central

"The Niagara Falls Route" is the only line passing directly by and in full view of the entire panorama of the Falls. Remember this when you go east.



Send three red stamps for Niagara book and ask about the new Niagara art picture.

O. W. RUGGLES, G. P. & T. A., Chicago

Adulteration

of paint can be practiced by the painter as easily as by the paint manufacturer; but the manufacturer fails or succeeds by the quality of his paints, the painter by the quality of his work. The manufacturer's incentive to do his best is paramount. To do his best he uses

Zinc White

as the base of his paints, making them beautiful, durable, economical.

FREE

OUR PRACTICAL PAMPHLETS:

- "The Paint Question"
- "Paints in Architecture"
- "Specifications for Architects"

The New Jersey Zinc Co.

71 Broadway, New York

We do not grind zinc in oil. List of zinc paint manufacturers furnished on request.

BOOKS ON THE ARCHITECTURE OF ALL COUNTRIES : : :

Bruno Hessling Co., Ltd.

PUBLISHERS and IMPORTERS

WRITE FOR CATALOGUE

64 East 12th St. New York, N. Y.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

FIFTY-TWO PAGES

are required just to describe a lot of interesting booklets of travel, any one of which can be obtained by sending a few cents in stamps. These fifty-two pages make the

ILLUSTRATED CATALOGUE OF THE NEW YORK CENTRAL'S "FOUR-TRACK SERIES"

Embracing 37 Books of Travel.

A copy of this catalogue will be sent free, post-paid to any address on receipt of a two-cent stamp, by

GEORGE H. DANIELS,
GEN'L PASSENGER AGENT,
GRAND CENTRAL STATION, NEW YORK.

Successful Boilers AND RADIATORS



ONE OF 36 STYLES

Our Catalogue, "The Boiler Magazine," sent on request, is the best ever

Kellogg-Mackay-Cameron Co.
CHICAGO
MINNEAPOLIS KANSAS CITY
SEATTLE, WASH.

French Lick and West Baden Springs

Adjoining Resorts in Indiana

On the MONON ROUTE

Wonderful curative waters for diseased conditions of the digestive organs; magnificent fireproof modern hotels; rest, recuperation and recreation. Two trains daily via Monon Route.

Round-Trip Excursion Rate From Chicago \$12.45

Folders and facts free. Address
CHAS. H. ROCKWELL, Traffic Manager FRANK J. REED, G. P. A.
200 Custom House Place, Chicago.

CALIFORNIA

IS

A LAND OF REFUGE

FROM

Winter Blizzards

HER

MOUNTAIN PLATEAUS
GLACIAL LAKES
GIANT FORESTS
SEASIDE CITIES

OFFER

AN IDEAL CLIMATE

WITH THE

BEST HOTEL ACCOMMODATIONS

WRITE

W. G. NEIMYER, General Agent

SOUTHERN PACIFIC

193 Clark Street

CHICAGO

FOR CALIFORNIA FOLDERS



HOPPIN & KOEN, ARCHITECTS, NEW YORK

Cabot's Shingle Stains ..

MADE OF THE BEST
PIGMENTS, PURE
LINSEED OIL AND
CREOSOTE, THE
BEST WOOD PRE-
SERVATIVE KNOWN

The Standard Stains for over twenty years
Samples sent on request

Samuel Cabot

Sole Manufacturer


28 Dearborn Avenue
CHICAGO

70 Kilby Street
BOSTON

MODERN

LINK-BELT

METHODS



MISCELLANEOUS FREIGHT CARRIER RECENTLY INSTALLED FOR BUTLER BROS., CHICAGO

WE DESIGN AND INSTALL
APPROVED

LABOR SAVING APPLIANCES

FOR HANDLING ANY MATERIAL
IN BULK OR PACKAGE

LINK-BELT ENGINEERING CO., PHILADELPHIA

LINK-BELT MACHINERY CO., CHICAGO

KEASBEY & MATTISON COMPANY'S

"CENTURY" SHINGLES

FOR FIREPROOFING WOODEN BUILDINGS.

With ordinary care these shingles will last a century,
without painting or any other treatment whatever.
They are the cheapest shingles for everyday use.

**ABSOLUTELY FIREPROOF.
LAST FOREVER.**

Manufactured by

**THE KEASBEY & MATTISON CO.
AMBLER, PA.**

Standard size, 14 x 16 in., or any size to order. Our "Century"
Sheathing for general fireproofing use can be had in large sizes.
Address all correspondence to
THE KEASBEY & MATTISON CO., AMBLER, PA.



A. H. ABBOTT & CO.

Drawing Supplies,

Instruments, Tracing Cloth, Papers, Colors
Scales, Levels, Transits, Etc.
BLUE-PRINTS.

50 Madison Street, CHICAGO.

The Roebling System of Fire-Proof Construction.

HIGHEST EFFICIENCY IN THE FIRE AND WATER
TESTS OF THE NEW YORK BUILDING DEPART-
MENT, AND NOW THE RECOGNIZED STANDARD
OF FIRE-PROOF CONSTRUCTION.

THE ROEBLING CONSTRUCTION CO.,

121 Liberty Street,
NEW YORK CITY.

171 Lake Street,
CHICAGO, ILL.

SEND FOR CATALOGUE.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

THE INLAND ARCHITECT AND NEWS RECORD

Vol. XLIII.

APRIL, 1904.

No. 3



A Monthly Journal Devoted to
ARCHITECTURE,
CONSTRUCTION, DECORATION AND FURNISHING
IN THE WEST.

PUBLISHED BY THE INLAND PUBLISHING CO.,
 602-603 STAR BUILDING, CHICAGO, ILL.

Entered at Chicago, Ill., Postoffice as second class matter.

L. MULLER, Jr., Manager. ROBERT CRAIK McLEAN, Editor.

SPECIAL CONTRIBUTORS:

C. HOWARD WALKER.	D. H. BURNHAM.	W. L. B. JENNEY.
HENRY VAN BRUNT.	P. B. WIGHT.	IRVING K. POND.
LOUIS H. SULLIVAN.	ALLEN B. POND.	J. R. WILLETT.
WILLIAM S. MACHARG.	C. E. ILLSLEY.	F. W. FITZPATRICK.

TERMS: Regular number, \$5 a year; Photogravure edition, \$10 a year. Single copies, Regular number, 50c.; Photogravure edition (including 7 photogravures), \$1. Advance payment required.

The columns and illustration pages of THE INLAND ARCHITECT are open to all alike, merit and availability only determining what shall be published. Contributions appropriate to its pages are always desired.

AMERICAN INSTITUTE OF ARCHITECTS.

OFFICERS FOR 1904:

PRESIDENT	*W. S. EAMES, St. Louis, Mo.
FIRST VICE-PRESIDENT	F. M. DAY, Philadelphia, Pa.
SECOND VICE-PRESIDENT	WM. A. BORING, New York.
SECRETARY AND TREASURER	*GLENN BROWN, Washington, D. C.
AUDITOR FOR TWO YEARS	JOS. C. HORNBLLOWER, Washington, D. C.
AUDITOR FOR ONE YEAR	JAMES G. HILL, Washington, D. C.
* Executive Committee.	

BOARD OF DIRECTORS FOR 1904.

For Three Years.—Charles F. McKim, New York; Geo. B. Post, New York; R. D. Andrews, Boston, Mass.

For Two Years.—Robert S. Peabody, Boston, Mass.; W. B. Mundie, Chicago; Isaac E. Ditmars, New York.

For One Year.—Walter Cook, New York; Cass Gilbert, New York; W. S. Eames, St. Louis, Mo.

† A successor to W. S. Eames, on Board of Directors, will be elected and standing committees appointed at the next meeting of the Board, in January, 1904.

THE ARCHITECTURAL LEAGUE OF AMERICA.

(ORGANIZED 1899).

The Architectural League of New York.	The Detroit Architectural Club.
The T Square Club, Philadelphia.	The St. Louis Architectural Club.
The Cleveland Architectural Club.	The Washington Architectural Club.
The Toronto Architectural Club.	The Architects' Club, U. of Ill.
The Pittsburg Architectural Club.	The Toledo Architectural Club.
The Cincinnati Chapter A. I. A.	The National Sculpture Society.
The Brooklyn Chapter A. I. A.	The National Society of Mural Painters.
The Chicago Architectural Club.	

EXECUTIVE COMMITTEE, 1904

William B. Ittner, President.	Chemical Building, St. Louis.
Newton A. Wells, Vice-President.	Geo. F. A. Brueggeman, Recording Secretary.
Ernest C. Klipstein, Treasurer.	Ernest Helfensteller, Jr.
Ernest John Russell, Corresponding Secretary.	Oscar Enders.

STANDING COMMITTEES.

Publicity and Promotion.—N. Max Dunning, Chairman, Chicago; Herman Kregaluis, Cleveland; Claude Fayette Bragdon, Rochester.

Code of Ethics and Competition.—Julius F. Harder, Chairman, New York; S. C. Gladwin, Cleveland; Edward G. Garden, St. Louis.

Committee on Exhibition Circuit and Foreign Exhibit.—Newton A. Wells, Chairman, Urbana, Ill.; J. T. Vawter, Urbana, Ill.; Birch Burdette Long, New York city.

Committee on Current Work.—William C. Hays, Chairman, Philadelphia; Birch Burdette Long, New York city; Hugh M. G. Garden, Chicago.

Committee on Education.—Percy Ash, Chairman, Washington; Frederick M. Mann, St. Louis; John T. Comes, Pittsburg.

Washington Improvement Bill in the Senate.

It is usual for the average citizen to resent the frequent slurs of the public press and the sharp wit of the cartoonists when leveled at so august a body as the United States Senate, but when individual members display such crass ignorance as that exposed in the late debate on the proposed site of the Agricultural building, it serves to convince the public that, in a degree at least, the press and the cartoonists are right in their strictures. When such men as Senators Hale and Lodge oppose a great plan reported upon after months of investigation and labor by the acknowledged authorities upon such matters in this country that is to stand for all the future years of our republic, and that upon the flimsy pretexts of excessive fees or a different location, the public has ample cause to doubt their mental balance when dealing with other things. There can be no controversy in the propositions that our capital city should express our highest ideals in art and architecture. It is therefore inexplicable that Senators who know at least the value of expert opinion can oppose a bill the value of which is so self-evident and upon the general scheme of which no one in authority, expert or otherwise, has proposed an alternative. It is to the interest of every citizen that the Newlands bill be adopted unanimously by House and Senate, and its provisions for the perpetuating of Washington's plan as laid down in view of existing conditions by the report of the Burnham commission be made as unalterable as the Constitution.

Architects' Drawings Ruled Works of Art.

The commercialism of the age and its ignorance of the true or even the commercial value of art is nowhere so much in evidence as in the Department of Customs, where the status of each article is established. And in this court the estimate placed upon things is a fair reflex of the estimate of the people. Thus a great pork packer only learned that a painting was as worthy of consideration as a hog when France refused to admit hogs unless this country admitted works of art. A customs official in Canada ruled that the plates in THE INLAND ARCHITECT were dutiable, and when asked for his authority, stated that "Butterick's dress patterns were listed and that these plates showed patterns of houses and were therefore subject to the same duty as dress patterns." At last, however, the question of architects' drawings has been settled, and by a recent ruling placed upon the list as works of art, and other signs of improvement in the understanding of the people in regard to the commercial value of art, gives hope for the future. No country can be commercially great until she is great in art. If its commercial value is recognized, then from that a true appreciation may grow. The knowledge that a piece of clay or marble worth a few cents can be formed into a thing of beauty that yields a thousand per cent upon the investment will, some time, lead the commercial mind that understands this phase of art into an appreciation of the art value of the thing itself.



INLAND ARCHITECT PRESS.

ENTRANCE, SCHOOL OF EDUCATION, UNIVERSITY OF CHICAGO.

Stone from the Old Hoosier Quarry
of the Bedford Quarries Co., Chicago.

JAS. GAMBLE ROGERS, ARCHITECT.



VIEW IN THE BLACKSTONE LIBRARY, CHICAGO.

S. S. BEMAN, ARCHITECT.


INLAND ARCHITECT PRESS.



INLAND ARCHITECT PRESS.


VIEW IN THE BLACKSTONE LIBRARY, CHICAGO.

S. S. BEMAN, ARCHITECT.



RESIDENCE, HAVERFORD, PA.

INLAND ARCHITECT PRESS.




COURT VIEW, SCHOOL OF EDUCATION, UNIVERSITY OF CHICAGO.

JAS. GAMBLE ROGERS, ARCHITECT.

Stone from the Old Hoosier Quarry
of the Bedford Quarries Co., Chicago.

INLAND ARCHITECT PRESS.



DREXEL INSTITUTE, PHILADELPHIA, PA.
WILSON BROS. & CO., ARCHITECTS.


INLAND ARCHITECT PRESS.

Negative by R. Capes.

THE BLACKSTONE LIBRARY, CHICAGO.

S. S. BEMAN, ARCHITECT.

INLAND ARCHITECT PRESS.





Stone from the Old Hoosier Quarry
of the Bedford Quarries Co., Chicago.

SCHOOL OF EDUCATION, UNIVERSITY OF CHICAGO.


JAS. GAMBLE ROGERS, ARCHITECT.

Wells Bros. Co., Chicago,
General Contractors.

INLAND ARCHITECT PRESS.



THE REAR OF HOUSE.



THE PERGOLA.



BACK ENTRANCE ON SIDE STREET.




SCREEN FOR NEIGHBORING

THE GLORIFYING OF A BACK YARD.
W. A. OTIS, ARCHITECT.



HIGH PLANTING TO SCREEN
CLOTHES YARD.



DAISY AND POPPY BED.




NEIGHBORING BARN.




PLANTING AGAINST BACK FENCE.

BACK YARD, WINNETKA, ILL.
ARCHITECT, CHICAGO.




"NEW KENTUCKY HOME," WORLD'S FAIR, ST. LOUIS, 1904.

KENNETH McDONALD AND J. F. SHEBLESSY, ARCHITECTS, LOUISVILLE, KY.




SELECTED COMPETITION DESIGN, UNIVERSITY OF OTTAWA, CANADA.

A. O. VON HERBULIS, ARCHITECT, WASHINGTON, D. C.




RECEPTION ROOM, SILVER GRILLE HOTEL, SPOKANE, WASH.
CUTTER & MALMGREN, ARCHITECTS.




DAVENPORT'S RESTAURANT (REMODELED), SPOKANE, WASH.


CUTTER & MALMGREN, ARCHITECTS.



FIRST STORY PLAN, SCHOOL OF EDUCATION, UNIVERSITY OF CHICAGO.
JAMES GAMBLE ROGERS, ARCHITECT.




INTERIOR VIEW, RESIDENCE, CHICAGO.




FIRST CONGREGATIONAL CHURCH, WILMETTE, ILL.


PATTON & MILLER, ARCHITECTS, CHICAGO.



FIRST PRESBYTERIAN CHURCH, ROCKFORD, ILL.
PATTON & MILLER, ARCHITECTS, CHICAGO.



VARIED INDUSTRIES BUILDING.
VAN BRUNT & HOWE, ARCHITECTS.



MACHINERY BUILDING.
WORLD'S FAIR BUILDINGS, ST. LOUIS, 1904.

ABOUT FIREPROOF BUILDINGS.

BY FREDERICK BAUMANN, ARCHITECT.

THE old proverb, "Experience is the mother of science," is valid also in regard to fireproof buildings; and, though slow, the growth has been sure in this regard. It has been known since primeval days that earth and all materials therefrom derived are fire-resisting, yet their exclusive application on any buildings—not mere structures—of any character may justly be doubted. It is even a question whether in earlier times up to the past century the idea of fireproof buildings has even been seriously considered. It is indeed altogether of modern origin and owes its rapid development to the wonderful progress made in the fabrication of iron materials.

But iron is a material which, like all other metals, loses its firmness under the influence of heat. This its character has ever been known since the earliest days, yet—strange to say—modern man had to pay for having this old fact brought to his mind by "experience." Some seventy-five years ago cast-iron girders and lintels had become in use, aside from columns of the kind, which are of an earlier origin. Buildings were thus made fireproof by spanning brick arches between beams. But the columns were left wholly unprotected, and so it happened that a small fire on its lower floor brought destruction to a whole building. It was demonstrated what ought to have been foreseen and, probably, the demonstration repeated itself again and again, before it became acknowledged, that all iron parts to a fireproof building must be kept shielded against fire. Thereupon it became a matter of further experience as to the best mode of fireproofing irons.

Many kinds of factory buildings calling in regard to fireproofness for better facilities, thus giving rise to a manufacture of rolled wrought-iron beams, and Bessemer's wonderful and great invention put full life into this business. Nowadays there are on the market hundreds of sizes and shapes of steel beams in lengths up to sixty feet. Not only beams and girders were, but columns of the kind also began to be used in floor constructions on a number of sundry kinds of buildings, which it had been found profitable to erect to a height of ten stories. Thus it occurred that in the year 1884 the Home Insurance Co., intending to erect a new nine-story office building, invited three architects to offer plans. I, as one of these, in my wonted devotion toward progress in regard to building matters, undertook to lay out in these plans an independent iron structure, sufficient to sustain the building and keep all enveloping materials in place. Before the year expired I published the idea, 250 copies of which I distributed. The plans thus laid out, the first of the kind so conceived, and a few of the prints are still in my possession. I regret my neglect to apply for patent. I fancied the matter to be a mere idle speculation, which nobody might follow and which, at all events, anybody else could set up just as well. The fact is that two years later the "Tacoma" was erected on this very principle as the first building of the kind in the world—thirteen stories high.

It is still at the present day an open question whether authorities have any right to prescribe the height of buildings. In continental Europe, especially in Germany, they do so and exercise this right for the benefit of communities. In our country, however, the case is different. We acknowledge a common law which stands, unwritten, above the power of civil authorities. All statutory laws are by these enacted, but the courts determine whether those laws are or are not valid under the rules of the common law. The courts in fact are the highest authority. Jurists, therefore, opine that the up and down limits of real estate can in no way be restricted by any civil authority, the courts alone having power under the common law to determine what the case shall be. This is a slow and, maybe, uncertain process. Hence the many premature and uncertain actions on the part of civil authorities. In New York the height of buildings seems to be in no way confined. "Skyscrapers" are the rule, though to the disgust of the general public, whose opinion, as Vanderbilt has it, be "damned." But it will appear to me that there is a time approaching when the erection of all skyscrapers will come to an end. The past twenty-five years have given us health departments in all cities, and it must be hoped and expected that the same are progressively inclined. Good sense will lead them to decide that buildings beyond a certain height, rationally determined, constitute what may justly be called a nuisance. Imagine, any one, a street fully beset

on both sides with skyscrapers, would it not be almost bare of light and air, the main factors in public health? A positive general law in regard to height of buildings everywhere would then put an end to all quackeries of the kind, which in a number of cities are in vogue under ever repeated changes. The authorities in Baltimore express now a desire to restrict the height of buildings, but to-morrow another council may be teeming with "higher" ideas. And with all this any crank may succeed in an appeal to the courts for annihilating all such arbitrary laws.

By a renowned decision on the part of the Supreme Court the common law is held to be a kind of living organism which grows in communion with social progress. When some twenty-five years ago the first stationary bridge across the Father of Waters had been built, the shipowners appealed to the courts for abatement of this "nuisance," as impeding free and clear navigation, which had for ages been guaranteed under the common law. But the court recognized modern railroading to be on a par with time-honored navigation, and decided accordingly. Thus the ancient common law became vested with the mantle of progress, and it would appear to be probable that in its authority it will favorably adjust the matter in question. Be it hoped that the health authorities will jointly take this matter in hand and see it settled.

It is a common belief that materials made of clays and sands are thoroughly fireproof. This, however, is the case only with the very purest of them. In nature all are more or less mixed with foreign ingredients, which in corresponding measure deprive them of their inherent property. The best fireproof clay is a rare article and stands high in price. But the commonest kinds of it ought to be, and often are, preferred in the manufacture of the hollow tiling which is used for protecting irons in fireproof buildings, and for filling the spans between beams.

In relation to the condition of front materials in the burnt Baltimore buildings, according to an expert, "The behavior of the materials used in the construction of the exterior walls is the most noticeable thing to the casual observer. Marble and sandstone, granite, faced brick and terra cotta have all seemed to suffer terribly from the fierce heat of the fire. The sandstone seemed to spawl and crack on the edges wherever they were prominently exposed, the effect being to round off the corners. In general the damages to these stones is a surface damage. The limestone, however, cracked in deep and its injuries were, therefore, more effective. Face brick stood the fire but a little better than terra cotta, projecting courses, edges and corners in both cases suffered the most."

In relation to the condition of wall faces in the interior of Baltimore's buildings I may mention that my experience in prior cases has been that any kind of a half-way fire left its mark upon the wall faces and were spawled off. Many, and sometimes all, of the brick of the parts struck by flames were spawled, now and then to a depth of more than an inch. I drew from these facts the lesson, that stores filled with combustible goods should always have their inner wall faces lined to the point of shielding them against deterioration by fire.

As to the probable damage on the Baltimore fireproof buildings, I believe that it should be estimated at not less than 80 per cent. Nothing has been saved except, say, two-thirds of the iron construction, as well as of the tiling, and perhaps one-half of the value of walls. This, altogether estimated at 45 per cent of total cost, the value of what is really left is, cleaning up and preparing for repairs considered, about 20 per cent, probably even less. Foundations, as perfect, are to the increase of salvage. A restitution of these buildings to their former solidity and appearance will be a very serious task, and many times the point in view may have to be to an extent neglected, so that the building will be brought to a condition which does not fully represent its original value. It would, therefore, appear to be incorrect to say that these fireproof buildings have withstood the effects of fire. They have in fact merely shown that human ingenuity had succeeded in a saving of some consistent skeletons, of which it may justly be said that in some limited measure they have contributed toward retarding the course of the fire. Had they been there in a tenfold number, the spread of the fire would undoubtedly have been far less rapid, and the total loss, as matter of conjecture, essentially less. Such consideration would lead to the opinion that where about one-half, or even one-fourth of the central part of a city consists of but ordinary fireproof buildings, the elements, even such as

raged at Baltimore, would be powerless as to wholesale destruction. Baltimore has taught that Chicago can by no means be regarded as proof against the possibility of a second conflagration. Let it be hoped that soon she will have a building law to the effect of gradually leading to an impossibility.

At the present day it would, though difficult and expensive, not be impracticable to erect buildings which could not be inflamed from without, nor seriously damaged on their exterior parts. Their interior parts also could with proper care be made positively incombustible, and subject to but trifling damages, though they may contain goods and articles which are inflammable. To this end it is required to produce, after repeated experiments to the effect, face brick and terra cotta which will not soften nor spawl off under heat approaching that of melting iron, and face with these all exterior parts, under exclusion of any kind of cut stone—to make exterior doors and frames, also window frames and sash of metal—to fill sash with wire glass and also provide all windows with rolling iron shutters. This ought to and probably will be sufficient for withstanding any and all heat that may come from without, even such as was raging at the Baltimore fire. Damages would be reduced to some smoke on the walls, to destruction of rolling shutters, of doors and—may be—of some of the glass. But the firemen should know that they must not direct any hose as against such masonry. The interior to contain no wood of any kind in any part. There is no difficulty in making the right kind of concrete floors where the proper tiling is not preferred. All plastering material to be of a kind selected on experiment. Let any such building be used for apartment or office purposes, or for stores filled with incombustible goods, incidental fires therein would be of the most trifling account.

In hospitals this result would be reached by dividing each of the floors into at least two parts, guardedly connected with each other, and also story with story, in order to assure a positive certainty that a mishap at any place could not lead to any fatality. This certainty can still be enhanced by avoiding wooden furniture of any kind, and by saturating all cotton goods with a mixture that will render them unflammable, there being no difficulty in obtaining such. Buildings filled with inflammable goods should have all inner surfaces of walls and ceilings especially lined so that any fire within could in no case deteriorate the proper ones. All parts should also be provided with the best of sprinkler systems, aside from having all ordinary apparatus for extinguishing fires.

The exterior parts of such buildings should always be treated in an artistic manner. The artist-architect will thus design his work in its entirety as well as in all its details, and express in its external design the use of the building. He must be truthful in his work. For the past twenty years we have had the "Rookery" in our city as a very fair sample of an approach to the above. The demands, however, must go beyond, inasmuch as they are or ought to be for buildings artfully clad with materials of harmonizing tints.

COTTAGE HOMES.*

WHILE in the United States the architect rarely designs houses of less cost than \$3,000, a recent paper read before the Architectural Association of England, by W. A. Harvey, upon cottages costing from \$800 to \$3,000 is so full of practical interest, showing, as it does, how the English architect has given study and time to a certainly most unremunerative problem that it is well worth quoting in full:

The subject of cottage homes, said Mr. Harvey, that you have done me the honor of inviting me to speak upon this evening I can not approach without being apprehensive that it is one with which my audience must already be well conversant; and, in submitting to you, for your consideration, observations resulting from my own experience, it must not be imagined that I regard them as being pregnant with originality, or yet that I presuppose the ignorance of my listeners.

It is my intention, as will probably have been anticipated, to take as the reference basis of my remarks the project in which I am directly interested. I refer to the scheme of the Bournville Village Trust, whose architect I have been since its inception.

By way of introduction, let me briefly state that the village of Bournville, which lies in the northeast of Worcestershire, four miles southwest of Birmingham, is of quite recent development, nearly the whole of it having been built since 1895. The estate, which is now administered by a trust, owes its existence to Mr. George Cadbury, of Northfield, the senior member of the firm of Cadbury Brothers Ltd. Mr. Cadbury's object is an endeavor to

alleviate the evils which arise from the unsanitary and insufficient housing accommodation supplied to large numbers of the working classes and to secure to workers in factories some of the advantages of outdoor village life, with opportunities for the natural and healthful occupation of cultivating the soil. When the village was handed over to the trustees in December, 1900, something like three hundred and fifty cottages had been erected. Since then building has been steadily proceeded with, the total now being over five hundred. Most of those built before 1901 have two sitting-rooms, a scullery, three bedrooms and the usual conveniences. Larger ones of later date have four, five and six bedrooms, and a bathroom supplied with hot and cold water. During the last two years several cottages have been built with one large living-room instead of two smaller ones, a scullery with bath sunk in floor, or disposed of in other ways, to economize space, three bedrooms, and, in some cases, an attic. Others are now built with two bedrooms, for small families.

There is an average garden space allowed each house of 600 square yards, which is found to be as much as one man can attend to. The rents range from 5s. 6d. a week, rates included, to 12s., rates not included, and there are a few houses of a larger class at higher rentals. The village is served by Birmingham with gas, water and sewers, the rates being about 6s. 6d. in the pound, exclusive of water rate.

Although much has been said of higher percentages, four per cent on the outlay is the most that should be expected in building houses of this class, the same meeting the demands both of satisfactory accommodation and artistic appearance. The profit on the outlay is often exaggerated, and it might be well to point out that six per cent gross will rarely pay four per cent net, as is often stated. It is true that a greater profit may be made by erecting houses in endless rows to an unsightly stock pattern; but I strongly urge that the only legitimate way of diminishing cost is by the avoidance of unnecessary ornament and by the advancing of a pleasing simplicity. The jerry-builder introduces considerable ornament in detail, which, though neither necessary nor beautiful, must yet cost him something, and it is in attention to such matters as this that the difficulty may be largely overcome.

In building a street of houses the expense would, of course, be very great if, to get variety, we employed a different plan and different details for each house. We have to resort to other methods. In the case of fifty houses I might suggest getting as many details, such as windows, doors and door-frames, the same (or at any rate, half of one kind and half of another), and should avoid the monotony by a variation of the disposition of these features. An extensive elevation may also be made interesting by the treatment of a porch here, the addition of a bay-window there, and the use of rough-cast somewhere else. Go in for the most irregular building line you possibly can. In a block of three cottages a pleasing effect is gained by projecting or recessing the middle one, or putting long way on, and so forming a fore-court in front.

If it be resolved that a row of houses shall have ornament to make it attractive, I would suggest that something not too small and crowded be distributed here and there—say, on the first and third houses—the unadorned ones affording relief to the others. I might mention that if an architectural village had been the main object at Bournville, more money had been spent on detailed enrichment. After all, let money be sown lavishly, and in this spring-tide revival of architectural art Utopia itself may spring up!

The idea of a cottage home that I have always endeavored to keep in view is one in which beauty is based on utility—a principle which should guide all art, it is true, but which, in order that a plebeian and vulgar taste for shoddy display may be gratified, has been too often violated—and though with the artisan class it is perhaps most difficult to gain this end, an adherence to it must sooner or later tell. On the whole, my experience at Bournville has been that the residents in the cottages have shown a remarkable readiness to catch the idea and spirit of a homely simplicity, and it is evinced in such details, for instance, as their manner of furnishing the rooms, in their adopting suitable and artistic curtains to the casement windows, etc. Another point I have endeavored to keep in view is the advisability of building more permanent dwellings than those we so commonly see erected in these rows. Many of these are the work of a speculative builder, who sells as soon as the slates are on to one who will probably sell again, someone in the end suffering considerable loss. To say that care should be taken to well ventilate floors is almost a platitude; nevertheless this is sometimes overlooked in the effort to save a trifling expense in spite of the fact that in the long run, when dry-rot sets in, a considerable expense is inevitable. There should be a bed of concrete over the whole site, and plenty of air bricks should be employed to thoroughly ventilate ground-floor joists, and the same (or whatever ground work is used under joists) should be, if possible, above the level of the ground round the house. This prevents any chance of water collecting under floors. There is an increasing demand for a substantial home, and in time—let us hope soon—it will be such that must be supplied.

My object being to deal with cottages the cost of which is from £175 to £750, I take first the accommodation of one of the smallest types, erected in blocks of four:

Ground Floor: Living-room, 13 feet 6 inches by 12 feet 6 inches; scullery, with cabinet bath, 10 feet 6 inches by 7 feet; larder under stairs; coals and water-closet; small paved yard; lobby. Size of garden, 600 square yards.

From *The Builder*.

First Floor: Front bedroom, 13 feet 6 inches by 12 feet 6 inches; back bedroom, 16 feet 6 inches by 7 feet; small linen closet.

Total cost, including laying out of garden and all extras, £175 per house.

Estimated net return £7 per house. A return is, therefore, obtained of four per cent.

Cubical contents, 8,023 feet per house, at 5¼d. per foot (in 1903)=£175.

At Bournville eight per cent gross yields about four per cent net.

This type is of the smallest possible dimensions and simplest construction; the roof runs uninterruptedly from end to end, and the building throughout is of a very inexpensive character. In this class of design every simplicity should be studied; unnecessary roof complications should be avoided, and the chimneys, in order to diminish trimming, flashing, etc., grouped together and brought to the highest point of the roof to avoid draughts and cold, smoky flues. It is not essential that each bedroom should have a fireplace if efficient ventilation is provided. Nooks and recesses doubtless make a room interesting, but in small cottages of this kind they are too expensive to introduce, and, instead, the best must be made of materials, color and proportions, if we are to make four per cent on outlay.

A very important point to emphasize regarding cottages of all sizes is *compactness of plan*, and there should be an aim at getting wall lines as long and as unbroken as possible. Where possible all outbuildings should be arranged under the main roof, otherwise when cottages are semi-detached one of them must suffer through the projecting roof of the other. This precaution also admits of a better view of the garden from the living-rooms, and the glimpse of green is no small consideration in the building of cottage homes. Care should be exercised in the planning of corner cottages to avoid the yard being exposed to the road, and where necessary it should be enclosed. The flaunting pageantry of the week's wash may be met perhaps for the eyes of the matron of the tub, but for the public it is generally considered an eyesore.

Aspect and prospect in small and large houses alike should have careful attention, and it should be remembered that the position of the larder, which, when possible, should be north or north-east, is of no small domestic importance.

Another type is as follows:

Ground Floor: Living-room, 17 feet by 16 feet, with ingle-nook and bay; scullery, 13 feet by 10 feet 6 inches, having bath sunk in floor; larder, 5 feet by 6 feet; coals, water-closet and small paved yard. Veranda in front.

First Floor: Bedrooms, 17 feet by 13 feet 6 inches, 8 feet 6 inches by 9 feet 6 inches, and 13 feet by 8 feet 6 inches; small box cupboard; attic, 16 feet by 17 feet.

Total cost, about £300.

In view of the advantage of one spacious and healthy living-room over the parlor plan, this class of cottage has been largely introduced at Bournville. The dweller in this home must get far better value for his rent than that artisan of the suburb of mushroom growth in his cramped villa. Is it not piteous to think that the front parlor, silent and musty during the week, should know the amiable chatter and cheerful blaze of the fire but for six hours on the Sunday? A pleasing writer (Mr. G. K. Chesterton, writing not long since upon a debate in the London County Council upon the Housing Committee's report, urged that this drawing-room, with its wax fruit and other gimcracks, represents the art instinct—or, as he called it, the religion—of the artisan, and he became eloquent in denouncing its abolishment. Surely he was in jest. For could not a corner in his more spacious room be yet preserved for such treasures, and the tinkle of the hymn tune be heard to greater advantage withal?

I consider that the heights of 8 feet 6 inches for ground floor and 8 feet for bedrooms are quite adequate for the average cottage, so long as sufficient ventilation is provided. Floor space is the most important consideration in the economic building of cottage homes.

I might say here that the cottage with the long sloping roof, of which I have many examples at Bournville, has one great advantage, for if the front walls were carried up level with the ceiling line of bedroom, besides the building suffering in lack of proportion the expense of extra brickwork is considerable. Generally speaking, the height of bedrooms to the point of intersection of the roof and wall need be no more than 5 feet 6 inches. Ample ventilation may be got by the simple insertion of a 9 inch by 7 inch air brick on the outside wall, and a tobin tube within, about 5 feet 6 inches from floor, the cost of the latter being only about 3 shillings.

The bath, now justly regarded as an essential in every house, is, where the cottage is not of a size to admit of a bathroom, either sunk into the floor of the kitchen near the hearth which is covered by what may be used as a standing or draining board, or, if sufficient room, not sunk, but covered by what may be used as a settle or table. In some cases the patent adjustable bath has been used, the same being hinged at the bottom of one end in order that it may be raised and lowered from a cabinet, the upper portion having shelves and forming a cupboard, where it is kept in a vertical position, much room being saved thereby, the cost being about £3 5s. In other cases the admirable arrangement of Corne's Combined Scullery-Bath-Range and Boiler has been introduced, which I can well recommend. The patent, one well thought out, utilizes to its fullest extent the heat of the kitchen,

and, while a great economy of space is effected, there is considerable saving of fuel to the householder. The heating and cooking range forms a great part of the division between the kitchen and scullery-bathroom, the flue being coursed over the head of the bath. In the center of the range is the grate, with an oven on one side and a twelve-gallon boiler, in which water is kept hot for domestic purposes, on the other. Boiling water can be obtained by raking down live fuel into a small secondary grate under the boiler through a small hole made for the purpose. Clothes can be boiled in the boiler, with which, owing to its open construction, there is no risk of explosion. Access to the boiler from the scullery is gained by opening a curved door, and further developments have been made in the way of providing a folding door in front of the range, which will shut off the boiler from the kitchen when necessary. The scullery-bathroom, which contains about thirty-six superficial feet, is fitted with a full-sized iron, enameled bath, supplied with hot water by a pipe from the range boiler and with cold water from the cistern, or through a shower-bath sprinkler fixed overhead, so that this latter luxury can be enjoyed by simply turning the tap.

I have found the introduction of White's Patent Steam Exhaust advantageous and efficient in preventing steam permeating other rooms.

The following is an example of a cottage where a clear four per cent is made on the outlay. A large number have been built to this plan at Bournville. The accommodation is:

Ground Floor: Parlor, 13 feet 6 inches by 11 feet 3 inches, and bay; living-room, 14 feet 6 inches by 11 feet 9 inches (French window); kitchen, 12 feet 3 inches by 10 feet 6 inches; larder, 6 feet by 6 feet 3 inches. Porch and hall, and cloak space under stairs. Tools, water-closet and coals, enclosed yard, and 600 square yards garden.

First Floor: First bedroom, 13 feet 6 inches by 11 feet 3 inches; second bedroom, 14 feet 6 inches by 11 feet 3 inches; third bedroom, 10 feet 6 inches by 8 feet 3 inches; bathroom (hot and cold water).

Total cost, including laying out of garden and all extras, £395 per house.

Estimated net return, £16 per house.

A return, therefore, is gained of four per cent.

Cubical contents, 26,885 cubic feet, at 5¼d.=£404.

The hearth, which should be the holy of holies in the home, is worthy of the architect's most careful attention, even in the smallest cottage. It should in itself convey the suggestion of comfort, and it might be remembered that the most inviting hearth is not that which is surrounded by artistic extravagance. Fireplaces I consider suitable for the six-roomed cottage are as follows: For front room, interior, slabbed surrounds, tiled hearth, and white wood chimney-piece; dining-room, iron tiled mantel-sham; kitchen, 3-foot range, with white tiled coves and York stone shelf and trusses; front bedroom, 30-inch mantel-sham and tiled hearth; back bedrooms, 24-inch mantel-sham and tiled hearth; the total cost of the whole amounting to £12.

I should like to say a word in favor of the casement window. It is not only cheaper than the sash window, but if in the building of a small cottage beauty of effect is demanded it is expressly cheap. Whatever the esthetic principle be, there is something (perhaps it is its simplicity) so homelike in its appearance, which makes it infinitely more fitting than the sash species. Behold Juliet bending to Romeo from a sash window! The old difficulty of cleaning may now be obviated by the very simple device of causing the window to open upon a pivot in the center, inwardly as well as outwardly, which permits the whole of the outside of the fixed pane to be reached easily by the hand.

A good window-sill is formed of calf-nosed bricks set on edge in cement, with two courses of tiles beneath, which forms a drip under sill, and a backing of slate, also in cement. By bringing the window-frame forward to reduce the size of top of sill, damp and the driving in of rain at this point, the curses of small property, are prevented. This makes an inexpensive sill, and, adding as it does to the appearance, is very suitable for cottages.

The following is the accommodation of a single cottage:

Ground Floor: Drawing-room, 13 feet 6 inches by 12 feet 9 inches, and bay; dining-room, 13 feet by 13 feet, and bay; kitchen, 10 feet 9 inches by 10 feet; scullery, 7 feet 6 inches by 10 feet; larder. Porch and hall, cloak space under stairs. Coals and water-closet.

First Floor: First bedroom, 13 feet 6 inches by 17 feet; second bedroom, 13 feet by 11 feet; third bedroom, 12 feet 3 inches by 10 feet; dressing-room, 7 feet 6 inches by 7 feet 6 inches; cupboards. Bathroom, with water-closet and lavatory (hot and cold water).

Total cost (1899), about £600.

The accommodation now given is of a larger class of cottage:

Ground Floor: Drawing-room, 11 feet 9 inches by 13 feet 6 inches, with 4 feet 9 inches by 10 feet ingle and bay window; dining-room, 16 feet by 13 feet 6 inches, and bay; kitchen, 12 feet by 10 feet; scullery, 9 feet 6 inches by 9 feet 6 inches; larder. Water-closet and coals, and tool-house. Porch, hall, and small cloak space. Frontage, 15 yards.

First Floor: First bedroom, 16 feet 6 inches by 12 feet; second bedroom, 12 feet 6 inches by 13 feet 6 inches; third bedroom, 13 feet 6 inches by 9 feet; fourth bedroom, 10 feet by 10 feet 6 inches; boxroom, 9 feet 6 inches by 8 feet 3 inches; bathroom.

Total cost (1899), about £650.

My object in giving these different accommodations is to

show what can be given in the way of substantial dwellings for the amounts given.

In this case the outlook at the back of the house is to be preferred to the front, and as should always be done providing the aspect is favorable, the principal rooms are placed at the back.

As to wall decoration in interiors, for small cottages, I have found it advisable to use papers instead of color wash, for the latter is very soon soiled where there are children. In the better houses a color wash may be at first used and a paper added later, with a frieze. A good effect is also obtained by bringing down the white from the ceiling as far as the picture rail, which gives light to and improves the proportions of the room. Picture rails should be placed in the smallest houses, if only to save the plaster. I generally place them level with top of architrave of door.

With regard to bricks, as far as possible I make a point of avoiding those which are mechanically made (the pressed stock brick) and use the brindled Staffordshire ones. They are more suitable for cottage building, for a pleasing variety of color is introduced at a low cost, the tints being a bright cherry red blended with purple and blue—the last of which is quite different from the indescribable vitreous blue. I prefer to use the hand-made roofing tiles and thick Welsh green Precelly slates, and occasionally the rustic peggies.

Roof-ridging, though seemingly a small matter, should have careful attention, and in my opinion it is wiser to suppress the same rather than to sharpen it, for by so doing a much-desired homely appearance is lent to the cottage. Many fantastic ridges, with vulgar finials, are employed in the building of small suburban villas, of a more or less sharp pointed character and of a depth out of proportion with the roof, which gives an unpleasant harshness to the general appearance. With the principle in view that the skyline should be softened as much as possible, I invariably use the brindled, hand-made half-rounds. With green slates I use blue ridges, as being the most suitable color, and one which defines without undue severity.

There is a strong temptation to introduce a variety of colors upon exteriors, but with cottages of the class I deal with it is advisable to refrain from so doing. My experience has been that it is best to get the color in masses, treated broadly, not in bits—say, each house of one color; for where the cottages stand close together, or even where they are semi-detached, the contrast or relief is borrowed from the neighboring one, and in the case of a village a much better general effect is thus gained. With white-washed houses a tarred plinth of about two feet is pleasing, and prevents the rain and mud splashes from being seen.

With regard to the thickness of walls, my opinion is that a 9-inch wall outside is sufficient, and is to be preferred to the cavity wall. Southwest fronts should be protected by overhanging eaves, but where this is impossible the face should be white-washed, by which not only is damp largely prevented, but an effective appearance gained.

As to general timber, I might say that I have used common building red deal, the joinery being of seconds and thirds Archangel, and, where larger timber is required, the ordinary pitch-pine. Oak is advisable for weather-boarding and sills.

Half-timbers for exteriors I do not recommend. District councils insist on a 9-inch wall being at the back; thus not only is its use false art, but an unwarranted present and future expense; an effect equally as good, moreover, is obtained with rough-cast or whitewash. Half-timber one lives to regret, for the weather tells sadly, and it demands constant repair.

A garden arrangement largely adopted is as follows: At the bottom are eight apple and pear trees and fruit trees, which, besides being reasonably expected to bear fruit, form a screen between houses which are back to back. The paths are made of six inches of ashes and three inches of gravel. The position of the grass plot and ornamental bed at the top permits a little soothing green and flash of color to be seen from within the house.

Toolsheds should be erected beyond the outhouses, not only because of their usefulness, but as a means of preserving the appearance of the back. The tenant, if these are not supplied, invariably knocks up a disorderly apology from Sunlight soap-cases, and it is best to forestall him.

Given a plot of land upon which four houses are to be erected, it is advisable, in order to more equally distribute the garden space, say, of about five hundred or six hundred square yards per house, to spread them laterally by arranging the staircase, not between the rooms, but between the houses, thus widening (not lengthening) the building. This, bringing the remote houses nearer the extremity of the land, not only gives the garden plot the preferable straightness, but a breadth of view upon same is obtained from within and the yard space materially widened.

FOLLOWING the general scheme and encouraged by the Society of Beaux-Arts Architects of New York city, the Washington Atelier, which was organized some years ago by Theodore Wells Pietsch, has succeeded in filling a definite place in the educational field of the student in architecture. The direct competition of the students with those of other ateliers has been found very healthy and beneficial, and the general success under Mr. Pietsch's guidance seems to have placed Washington among the cities rapidly growing in number where a knowledge of architecture is directly and practically acquired.

TRADITION IN ARCHITECTURE.

THE European designers have been so carried away with the freedom of the "new art" that in architecture, where law must reign at least in a measure, they have allowed the freedom of the new spirit in design to degenerate into license and even anarchy. The reason of this, says the *Forum*, is clear. Tradition, which has always, in architectural style, ministered for a while to progress in refinement, by concentrating all effort upon the perfecting of the details of the style, has just as uniformly in the end led to sterility in design and then to a final reaction. This is what is taking place in France, Belgium, Germany and Austria, where the too academic formality of the long-accepted classic revival has bred weariness and revolt.

In our own land, we have suffered more from the absence of traditions than from their despotism. American architecture has only in recent years begun to learn the value, and master the use for our own special requirements, of the forms and details of the Renaissance and classic revivals, of which the French and Germans have become so tired. Our problem has been how to evolve order out of the chaos of styles; how to bring the too free individualism of an architect's efforts, and the endless variety of our changing requirements, under the harmonizing influence of unifying principles of taste and style. It is not more variety, but greater unity, that our architecture has needed; not greater freedom, but more restraint.

The last ten years have witnessed a notable advance in this direction, due, no doubt, in part at least, to the influence of the American schools of architecture and the Paris Ecole des Beaux-Arts with their thorough training in the principles of sound composition and rational planning, and the emphasis they place on the monumental and artistic handling of the masses of a design. That their training results in no mere slavish repetition of hackneyed and traditional forms is seen in the freshness and freedom of our adaptations of the historic styles of the Renaissance to our special needs. Very few of our most successful architectural works of recent years could be by any chance mistaken for European buildings. Under these conditions there could be no occasion for an artistic revolt like that which has produced the art nouveau in Europe. But as every European fashion is likely sooner or later to become the fashion or the fad on this side of the ocean, it speaks well for the taste of the public and the good sense of the architects of the United States that they have discerned the distinction between the demands of architecture and those of the minor arts, and have refused to allow in their buildings, to any appreciable extent, the vagaries of a movement whose proper field and whose really successful achievements lie in the domain of the art of small objects.

MAKING CITIES BEAUTIFUL.

IN a recent discourse before the New York Architectural League, John M. Carrere gave some pertinent advice in regard to the beautifying of our cities. His summary of the principles and conditions which underlie work in American cities is worth careful study, as his conclusions are based upon the closest study of conditions and the widest knowledge of the subject.

"With us cities far surpassing in size the largest cities of the world have grown so rapidly that the utilitarian side has forced itself upon the people, and taken all their energy, means and thought, leaving no opportunity for art excepting of the most perfunctory and casual character, so that we are now confronted with the necessity, from the artistic point of view, of remodeling practically the whole of the United States, not by the will of the Caesars, of a Napoleon or even of a Haussmann, but by the will of 80,000,000 people of different races, and with different views, a large majority of whom have no appreciation of the subject, and are, moreover, sordid and thinking of the present, without any consideration for the future.

"I find that the more I study the subject the more apparent it is to me that there are a few cardinal principles which can be considered as essential to city building and city development.

"First—Circulation. Convenient, adequate and direct circulation, by which I mean providing ample facility for every sort of traffic, so arranged as to connect every point of the city in the most direct and adequate possible manner with any other point, no matter how distant. Second—Hygiene. That is to say, the promotion of health by providing for every scientific means of sanitation, drainage, and especially for natural ventilation, by which I mean that a certain proportion should be established throughout every city between the voids and the solids, the areas covered by buildings and other improvements and those reserved for air and light. Third—The esthetic side. By which I mean the science of solving the two first problems, and all the problems dependent thereon, in an artistic way.

"In our cities, and, in fact, in our whole mode of life, we separate work from pleasure, the practical from the beautiful, instead of blending them, as is so skilfully done by the older nations of the world. A street is apt to be nothing but a thoroughfare, so that we must go and come and travel upon it without enjoyment, which we must seek elsewhere at given points laid aside for this particular purpose. In the same manner we do not combine work and pleasure sufficiently, with the result that both our work and our pleasures are strenuous in character and often become excesses.

"There is no reason why our streets should not be thorough-

fares and breathing spaces and pleasure grounds all in one. Neither is there any reason why we should not get as much pleasure in traveling through our streets during working hours as at other times. The beauty of a street induces beauty in buildings and adds beauty to life, whereas the confusion of streets and jumble of buildings that surround us in our American cities contribute nothing valuable to life; on the contrary, they sadly disturb our peace of mind and destroy that repose within us which is the true basis of all contentment.

"There is hardly a practical solution of a single municipal development which is presented that can not be made less expensive within a very few years by the development of the artistic side and possibilities of the problem, whether by creating entirely new civic centers, whether by adding to the beauty and attractiveness of these centers, and thereby enhancing the value of property and increasing the tax levy, or whether only by making an improvement which is permanent and capable of indefinite development, so that the first cost is not an absolute waste of money.

"The principal reason for the great waste of artistic opportunity in municipal development, and some other lines of development, is, without question, due to the fact that the engineer, and not the architect, has been the master mind which has conceived and executed the projects. The engineer's point of view is strictly quantitative. It is therefore important that we, the artists who compose this league, and to whom the public looks for inspiration, should see to it that the architect in this sense, and not the engineer, should be the guiding spirit in the future growth and development of our great cities."

NEW ARCHITECTURE AT CAMBRIDGE.

IN view of the recent adverse criticism of Charles Eliot Norton, regarding the architecture of recently designed university buildings at Cambridge, Massachusetts, it may be interesting to note the comment of *The Builder* upon the new work at Cambridge, England. It says, that "of the three new buildings in the neighborhood of Downing street—for in an architectural sense there are but three, the Sedgwick Museum and the Law Library forming one block—a survey of their effect on the ground may be appropriate at this juncture, when they are outwardly complete, or nearly so.

"Downing street is a narrow street turning westward out of the main artery of Cambridge, just opposite the heavy classic front of Emmanuel College; but south of it is a large open piece of park, the property of Downing College, which occupies the south end of this space, and at the north end the university has purchased from the college sufficient land to form a spacious site for the Botanical School, and for the building in which are housed both the Sedgwick Museum and the 'Squire' Law Library and the Law School, and to which is to be added ultimately an archaeological museum as a return wing. On the north side of Downing street, and nearly opposite, is the new Medical School with its pendant, the Humphrey Museum.

"The long range of buildings containing the Law Library and the Geological Museum, of which Mr. T. G. Jackson is the architect, extend along the south side of Downing street, with a return wing at a slightly obtuse angle, along Downing lane on the east of the site. The Law Library forms the main feature in the Downing street front, rising higher than the rest, and emphasized by the five lofty windows of the library on the upper floor. It is not central in the design, nor does the architectural treatment adopted require that it should be, as the design of the front on each side of it is not symmetrical; the whole is freely treated in a manner arising out of the requirements of space of the different departments. The Sedgwick Museum occupies the larger eastern portion of the façade, and turns round the corner along Downing lane. The Law School, and the beginning of what will be the Archaeological Museum wing, occupy the smaller portion on the west side. Beneath the three central windows of the Law Library is a triple arched and vaulted gateway with coupled columns, leading into the large open space at the back, at the other side of which, but not centralized, is the separate building, by Mr. W. C. Marshall, which forms the Botanical School and Museum. The Downing street front of Mr. Jackson's buildings runs to about four hundred and forty feet in length, so that it will be seen that this is an architectural scheme on a pretty large scale. The main entrance to the Geological Museum is not from the street but from the courtyard; the door, which is on the first-floor level, is reached by a double exterior flight of stone stairs treated in a decorative manner, the balustrades terminating at the foot in sculptured bison on one side, and sculptured bears on the other. We do not exactly see the relation of these animals to a geological museum, inasmuch as they are not extinct (though the bison is likely to be so before long), and, therefore, do not come under that study of palæontology which is so closely connected with geology; but we are truly glad to find any architect having the courage to revive that fine feature, the exterior staircase, so common in the Renaissance period, and which is supposed to be so much at variance with our ideas of comfort in the present day. It is in a university city, however, that we may expect to find, if anywhere, the spirit that will prefer a little bit of effect like this to the consideration of mere every-day and prosaic convenience. It was to gain this, probably, that the principal entrance was made on the courtyard side; there would not have been space for the staircases on the street side. When the west return wing is complete, we gather that there will be a

similar exterior staircase entrance to the Archaeological Museum. The erection of new buildings on a large scale in an ancient university town is an architectural event of some importance, and one which inevitably suggests a reference to the continual conflict, in modern architecture, between the claims of tradition and of originality, and the difficulty of reconciling them. If ever there was an architectural situation in which tradition might be said to have the higher claim, it is in the case of an ancient university. In the very air of such a place tradition is strong; many of its usages, its regulations, even to some extent its habits of thought (to too great an extent, some may think), are governed by respect for tradition. And the old Renaissance buildings of Cambridge have about them a kind of air of the best traditions of a school of architecture which, in a peculiar degree, combines refinement of detail with general dignity of aspect. It is easy to see that this element in the architecture of the past in Cambridge has not been out of the mind of the architects of the new buildings to the south of Downing street. Mr. Jackson has given ample evidence already, in his Oxford buildings, that such considerations are prominent and important to him; *genius loci*, in spirit and intent, is writ large on many of his buildings, not excluding this latest university building at Cambridge. There have been times and occasions when the architectural traditions of Oxford and Cambridge have received no such recognition, and when buildings have been erected for the uses of the university which seemed rather to breathe the spirit of the prosperous manufacturing town without a past. Even the great mass of the Johnian Chapel at Cambridge, correct revived Gothic by an 'eminent hand,' has the air of an interloper on the scene, with the look of a Colonial cathedral rather than a college chapel; and there have been worse developments than that. In the present new buildings to the south of Downing street there is nothing to suggest the trail of the manufacturing town; the details are restrained and unobtrusive, and suggest the influence of the late Gothic and the free Renaissance which are the prevailing elements in Cambridge architecture without direct imitation. Yet, when comparing them with the older buildings in the neighborhood, one can not but doubt whether tradition might not have been a little more completely kept up with advantage. Both the geological buildings and the botanical school, while they show the influence of the Cambridge atmosphere, seem to want the dignity and unity of effect which belong to the old buildings. The latter look better in reality than they do in drawings; the new ones strike us as looking better in drawings than they do in reality. The employment of brick for the general mass of the walls is, of course, much to their disadvantage in comparison with many of the old buildings; but what strikes one also is that, with many interesting points, there is a want of that coherence and wholeness of design and character which belong to old architecture of the same class; it is not, to borrow a literary criticism, 'sufficiently inevitable.' The rather staring red-brick arches in the ground floor next the court, for instance, disturb the effect; the heavy round molding on the set-offs of the interior buttresses of the law library clashes with other details and looks coarse; the cupola over the tower on the courtyard side does not seem to fit well into the composition. The architecture has the look of having been designed in parts rather than as a whole. The treatment of the large windows of the library on the inner side, with alternate straight and curved pediments, seems more pleasing than the canted bays on the street side, with no particular finish at top; another little point in which we think tradition has the best of it. Mr. Marshall's botanical building can not be accused of being designed piecemeal; it presents a center feature with a large segmental gable of Georgian fashion, and wings pierced regularly with two tiers of large mullioned windows. Nothing could be simpler; but it looks rather bald, and one feels here again that the ancient buildings have the advantage in dignity. The windows do their duty; the interior is admirably lighted; but the external appearance is, for a university building, rather commonplace.

"The interior of the geological museum is well arranged as to lighting, with the good, old, common-sense arrangement of cases placed at right angles to the wall between the windows, so as to give each case a good side light. Onslow Ford's statue of Sedgwick is admirably characteristic, but it is not effectively placed; it should have been seen down a vista, whereas it fronts only to the opposite side of one of the galleries.

"Mr. Prior's medical school on the north side of Downing street rather clashes with Mr. Jackson's building; it belongs to so different a type of architecture. The object has evidently been to give to the exterior the plain and almost stern aspect proper to a building erected for purely technical study. This severity of style is combined with a certain degree of architectural character, and, though the treatment has less of tradition than the opposite building, it has the merit of unity of design. The carving in the panels under the pediments of the bay windows is rather coarse and out of scale with the rest. We doubt whether the freak of planting on the Humphrey Museum building at an oblique angle to the rest produces any effect to compensate for the inconvenience in planning occasioned, nor does the heavy and severe style of architecture employed lend itself very well to this picturesque irregularity. The Humphrey Museum is a nice interior, but contains another freak which would annoy us every time we had to enter the room. Two of the dark bands formed in the floor pavement coincide with the position of the columns; the next one is a foot out of center with the columns. No Renaissance architect would ever have done that."

IMPORTANT CUSTOMS RULING ON ARCHITECTS' DRAWINGS.

An architect is an artist for the purposes of the tariff law, and the work of American architects residing abroad is entitled to free entry. This ruling was handed down March 12, 1904, by Judge Henderson M. Somerville, of the Board of United States General Appraisers, in sustaining the protest of Arthur Bohn, an architect, of Indianapolis, against the assessment of twenty per cent duty on certain drawings made by him in Europe. The drawings were designs for an art museum, prepared by him and accepted by the Indianapolis Art Association. He valued them at 600 francs. They were assessed under the provision of the law for paintings, pastels, pen-and-ink drawings, and statuary not specially provided for. In his decision, which overturns the practice of the appraisers for years in regard to such drawings, Judge Somerville says: "We are unable to draw any sound distinction between a pen-and-ink drawing of men, animals, or other objects, artistically executed, and a painting of the same objects. Architecture has always been historically classified as an art, and, in a certain sense, a skilled architect, therefore, may be an artist. . . . The architects of the Roman Pantheon or of the Parthenon at Athens were undoubtedly artists, and so of others who planned the Temple of Diana at Ephesus and that of Juno at Samos. So Ruskin, in his essay on 'The sublime in Architecture,' styles it 'the primal art of man,' and leaves no room for doubt that he who could design a structure like St. Peter's at Rome or St. Paul's in London, must be an artist in the truest sense of the term. These authorities are quoted to illustrate the fact, not that every architect is an artist, but that architecture is itself an art."

THE JOHN STEWARDSON MEMORIAL SCHOLARSHIP.

In the twelve years since the establishment of the John Stewardson memorial scholarship the following problems have been treated: "A building for a numismatic society," "A railroad station," "A savings bank," "A postoffice and custom house," "A city church," "A farmhouse and farm shading," "A school of architecture and a museum of architectural casts," "The improvement of the entrance to Fairmount Park, Philadelphia," "A casino and baths at a health resort among the mountains," "A boys' school in the country" and "An official building for a county." The problem for 1904 is "A terminal station for an underground electric railway," which, in addition to the customary waiting-rooms, ticket offices, etc., a café-restaurant and clock tower will be required, the final drawings to be handed in before May 14.

In the list of these contestants it is interesting to note that while in a number of cases the prize was won by men who had not before received either of the three "mentions" in the contest, in one case a contestant received first mention in two and won in the third, another received second mention the first year but did not win until the sixth, and while two received first mention one year to win the next, another divided second mention with another contestant twice, winning the prize the third year. The managing committee for the twelfth competition is composed of Warren P. Laird, of the School of Architecture, University of Pennsylvania, and Architects Frank Miles Day, Edgar V. Seeler, J. G. Rosengarten, George B. Page.

HOT WATER AND TANK HEATERS.*

THE fire in a boiler grate is maintained fast or slow, according to the amount of air (or oxygen) passing, not only over, but through it. The more oxygen the red coals come in contact with, the more complete is the combustion, and the higher the corresponding temperature. To illustrate: the most efficient lamp-burners to-day are those in which the wick is so made as to offer the largest surface of flame to the incoming air (or oxygen). They are generally made circular with an air duct coming up through the center as well as outside, so that the circle of flame is constantly and completely surrounded by a current of air drawn in by the draft created by the lamp chimney. If the lamp is turned up so that the additional oil exposed produces an amount of vapor which in burning overbalances the amount of oxygen admitted necessary to completely burn it, it "smokes"; that is, the kerosene vapor is only partially burned, and soot or unburned carbon pours out of the chimney.

If the draft is not strong enough, or the lamp is turned very low, the vapor escapes unburned, noticed by its disagreeable odor. If the draft were strong enough and properly proportioned, enough air might be let in to produce an almost colorless, non-luminous flame, a result of perfect combustion.

Exactly so with the relation of the chimney draft to the boiler fire. It is quite as delicate as the relation of the lamp light to the lamp chimney, and at the same time its results are of far greater importance.

The area and height of the chimney must be proportionate to the area of the grate and size of boiler to be erected, a point the heating engineer or architect must calculate with precision, and the householder and heating contractor must insist on.

The flue responds in efficiency to the area of its *smallest* cross-section. If, for any reason, known or unknown, it is constricted, the area of this strictured part determines the efficiency

of the flue. This may often be caused by the usual ornamental capstone, the openings of which are much smaller than the area of the chimney proper. A fireplace or closet may have been built in front of a chimney at some point, thus reducing the size of the flue at that point. An old brick or some mortar may have become dislodged. The smokepipe from the boiler may project into the flue too far, or the chimney may not be straight as it should be, and consequently contracted at some point in the bend or angle.

A leaky chimney is also one to be condemned. All openings, other than the one to which the boiler is connected, should be closed up air-tight. In old chimneys, the mortar may fall away and expose cracks between the bricks, thus spoiling the draft not only by the admittance of air, but on account of its rough surface, which in the case of a light draft, may become of some serious consequence in resisting the upward currents of air by friction against it.

The cheapest shapes of chimneys to build are the rectangular or square, and most chimneys for residences are of these shapes, although it is known that round flues are the best shapes for general use. The aim in selecting a cross-sectional shape being to reduce the friction of the ascending smoke and gases as far as possible.

Another point probably not fully appreciated is the fact that the house may be so shut up by weather strips, etc., that a proper inlet of air does not take place, either for proper ventilation or to supply the necessary air for the draft of the chimney. Now, draft, when the chimney has become warmed up, depends upon the unbalanced pressure of the column of heated gases against the column of outside air which is heavier.

If the pressure of this outside column is shut off, entirely or partially, by shutting up the rooms tightly, there will necessarily result a decrease in the chimney draft. Again, an inside flue is much better from any engineering standpoint than one outside of the building and exposed to the elements. It is less apt to leak, and is more efficient because it gets warmer and stays so longer.

Some chimneys smoke because they form the shortest channel by which the air can enter the house to supply the draft to a higher chimney.*

In about one-third of the average private dwellings, the flues are so carelessly finished, or so much out of proportion to the work they are expected to do, that it is almost impossible to get gilt-edged results from heating apparatus connected with them without a thorough investigation along the lines we have attempted to point out.

ASSOCIATION NOTES.

SOCIETY OF BEAUX-ARTS ARCHITECTS.

A meeting of the Society of Beaux-Arts Architects was held in New York, February 15, S. B. P. Trowbridge presiding. Provision was made for establishing a traveling scholarship to be won by competition and to carry with it a two years' course in architecture at the École de Beaux-Arts in Paris. Addresses were made by John M. Carrere, John Howard, Professor Baird, of the University of Pennsylvania, and Lloyd Warren.

BROOKLYN CHAPTER, A. I. A.

A comprehensive report upon the existing conditions of theater safety was formulated by the Brooklyn Chapter of the American Institute of Architects at a large meeting February 11. As the deductions are the most comprehensive that have yet been made upon the subject and cover the main points, they are given in full:

The undersigned committee, appointed by the Brooklyn Chapter of the American Institute of Architects to consider the causes of and remedies for theater fire disasters, of which the great loss of life incident to the recent Iroquois Theater fire in Chicago is an example, and the bearing of same upon the public safety of the theaters of the City of New York and the laws relating thereto, report as follows:

1. The laws relating to theaters and penalties for non-compliance therewith should be consistently enforced.
2. That, in our opinion, the law relating to theaters and places of public amusement, Section 109 of the Building Code, is full and explicit in respect to provisions for exits, seating, staircases, courts, stage arrangement and appliances for putting out fires.
3. That the danger to be apprehended lies largely, first, in neglect of proper inspection on the part of the authorities to ascertain if all the equipment is in condition for instant operation, and second, probability of either unreliable or entire lack of fireproof treatment of scenery, both stock scenery and that of traveling companies.
4. That, while your committee believes that the present equipment required for putting out fires would be efficient if in proper condition, yet to guard against possible failure, as a matter of precaution, the water equipment should be increased, introducing additional sprinklers, together with a "dry pipe" system supplied with a separate and distinct tank, which, by turning on a valve at the stage level or from the fly galleries, by the firemen on duty, or stage hands, could be brought immediately into use. Also in addition to the arrangement of sprinklers around the proscenium arch on the stage side there should be some means devised whereby a sheet of water would fall on the auditorium side of the curtain, presumably connected with the "dry pipe" system before mentioned, thus causing two sheets of water, one inside and one outside of the curtain, to act simultaneously. This system should be applied also to the first, second, third and fourth entrances in the rigging loft.
5. That the law should be rigidly enforced in respect to fireproofing scenery, not only stock scenery but also that brought in by traveling companies, and that tests should be made from time to time to show that all scenery will resist fire.
6. That the present method of constructing and hanging asbestos curtains is imperfect. In view of this fact, asbestos curtains should be reinforced by steel bands and should be raised and lowered by some means other than by an ordinary windlass, possibly by hydraulic pressure or elec-

*From *The Boiler Magazine*, Kellogg-Mackay-Cameron Company, Chicago.

*Chimney Design and Theory.—Christie.

tric motor, the contention being that, by the ordinary means, the curtain is apt to fall too rapidly and possibly break away from the hanging lines.

7. That the arrangement for opening a part of the roof, as required by the law, could be improved by substituting other means of enforcing draft in that direction, the general impression being that the present skylights would be inoperative during heavy snow-storms in the winter-time. Large ventilators, operated by motors, which could be put into operation either by thermostatic device or from the stage by the firemen on duty would be preferable.

8. That the closing of emergency exits during a performance should be by such means as could be easily opened from the auditorium side without keys, objection being raised by managers to the manner by which the doors can be opened from the court side.

9. The emergency exits should be put in perfect repair for constant use and all exits should be thrown open and used by the public in leaving the theater after every performance.

10. That the sprinkler system should be tested weekly, arrangements for such tests to be attached to the feed pipes near the stage level whereby water could be drawn from the pipes, showing that the system is ready for operation. Tell-tale gauges should be placed in some conspicuous place showing water condition of tank supplying the sprinkler system.

11. That all woodwork in the auditorium and stage should be eliminated so far as it is possible, and such woodwork that may be used should be treated by fireproofing process, including all floor boards.

12. That the equipment of a theater should be done under the direction of the Superintendent of Buildings. After the occupation of the theater, the Fire Department should have supervision of all apparatus and be held responsible for its condition.

13. That a commission of competent experts, consisting of architects, engineers, electricians and fire insurance experts, should be appointed by the city authorities to investigate thoroughly and formulate whatever additions and modifications of Section 109 of the Building Code may be considered advisable.

(Signed) PETER COLLINS,
Superintendent of Buildings, Borough of Brooklyn.
FRANCIS H. KIMBALL,
WASHINGTON HULL,
President, Brooklyn Chapter, American Institute of Architects.
Committee on Theaters.

The Chapter also discussed plans for its fourth annual exhibition, which will be held at the Pouch Galley, from May 2 to May 21.

MOSAICS.

JAMES S. ARNOT, architect, has opened up offices in rooms 419-420 Fernwell building, Spokane, Washington, and requests that material men send to his office their latest catalogues.

P. & F. CORBIN, New Britain, Connecticut, state that the first edition of "The Skyline of New York," which they published a few months ago, was so quickly exhausted that they have printed a second edition and would be pleased to send a copy, with their compliments, to any of our readers, upon request.

THE remarkable manner in which some buildings escaped or withstood the fierce onslaught of the fire at Baltimore is exemplified by the Merchants National Bank, erected of granite from the Maine & New Hampshire Granite Co. by Messrs. Edwards & Ward, of Chicago, and located quite in the heart of the burned district.

ROBERT MAYNICKE, architect, of New York, has obtained a verdict of \$40,000 against the Central Realty, Bond & Trust Company for plans he prepared in 1899 for the construction of the Broad Exchange building. The plans were drawn on a "rush" order in advance of a change in the New York building laws requiring fireproofing throughout the \$3,000,000 building at a saving of \$450,000. The suit was for about \$80,000, or two and one-half per cent of the total cost. The enterprise was twice transferred after the building was commenced, but this, it seems, did not affect the liability of the original owners.

THEY tell a story in New York that is ludicrous or serious, according to one's point of view. A millionaire wishing for a palatial residence refused the plans of three architects, bought plans in Paris, and, returning, took them to a Fifth avenue decorator and told him to superintend the building of the house. In other words, all the changes that may be made, all the amendments to the specifications that may become necessary as the work progresses, and all the thousand and one details which always arise during the construction of a house of this character will be left very largely to the judgment of a man familiar with the value of antiques and tapestries. When, as an investor, he erects a skyscraper he will probably leave the planning to the janitor or the real estate man who is expert on the value of floor space.

The suit in equity between Austin W. Lord and J. Monroe Hewlett as plaintiffs, and Washington Hull, of New York, demanding an accounting without dissolution of partnership, in which the lower courts ruled for the plaintiffs, the Court of Appeals reversed the judgments of these courts and placed the parties back where they were before the action commenced and dismissed the complaint, with costs to the defendant Hull against the plaintiffs. The court cited a large number of precedents in English courts and established a new precedent for the laws of the State of New York in that "A court of equity will not take cognizance of an action for an accounting as a mere incident to the settlement of a solitary matter in dispute between partners, when it is not vital to either party or to the business, and dissolution is not sought."

THE statement that the costly new church edifice which Dr. Parkhurst's people are to erect in New York is not to have a spire has excited an amount of comment more significant in its volume than in its specific nature. The change amounts simply to an adoption of the Byzantine as distinguished from the Gothic style of architecture—there is to be a great flat dome—and the substitution was made necessary by the fact that very tall build-

ings, tall enough to dwarf any spire, may be expected to crowd around the church. The extent and regretful nature of the comment on the abandonment of the spire, says the Philadelphia *Public Ledger*, shows how firmly the Gothic has at last been adopted into our ideal of ecclesiastical architecture. The Byzantine has just as good a claim to be considered, and the classic revival is not so old that many a Romanesque and even Grecian building is not still to be found in use for church purposes. But behold! One more conspicuous church is to be built, and there is a howl because it can not have a spire—and this although the ringing of bells has become such an anachronism in a downtown church that the place to suspend them might well be dispensed with.

OUR ILLUSTRATIONS.

Interior View, Residence.
Residence of W. A. Otis, architect, Winnetka, Illinois.
Reception Room, Silver Grille Hotel, Spokane, Washington.
Cutter & Malmgren, architects.
Davenport's Restaurant (remodeled), Spokane, Washington.
Cutter & Malmgren, architects.
First Presbyterian Church, Rockford, Illinois. Patton & Miller, architects. Cost, \$37,000.
First Floor Plan, School of Education, University of Chicago. James Gamble Rogers, architect.
First Congregational Church, Wilmette, Illinois. Patton & Miller, architects, Chicago. Cost, \$30,000.
"New Kentucky Home," World's Fair, St. Louis. Kenneth McDonald and J. F. Shebley, architects.
Selected Composition Design, University of Ottawa, Canada.
A. O. Von Herbulis, architect, Washington, D. C.
Photogravure Plate: South Front, School of Education, University of Chicago. James Gamble Rogers, architect.

PHOTOGRAVURE PLATES.

Issued only with the Photogravure Edition.

Residence, Haverford, Pennsylvania.
Drexel Institute, Philadelphia. Wilson Bros. & Co., architects.
Blackstone Library, Chicago. S. S. Beman, architect. Three full-page plates are shown.


School of Education, University of Chicago. James Gamble Rogers, architect. Two full-page plates are shown. To understand properly the arrangement of the buildings forming the School of Education, it is necessary to mention the plan which is intended to be followed in completing this group. The buildings now fronting on the Midway, together with those running north from the east and west corners, inclose one-half the large court or quadrangle which will be formed when the rest of this group shall have been built. This courtyard will be embellished by trees and shrubs, and will form the playground for the students, and around it will run the arcade, which, together with the corridors of the upper floors, forms easy communication between the various classrooms and laboratories. The buildings which are to complete this quadrangle will be the same in architectural treatment as those already built. North of these will be the Assembly Hall and Gymnasium, opening directly upon the arcade. The east and west arcades will continue north to the Manual Training School, now nearly completed. Gothic architecture was used in designing these buildings, and the use of brick for the exterior was given upon account of the desire of the University authorities to conform to the style of architecture already adopted in the University architecture. The style has been treated in a very liberal manner to express in a degree modern thought and the requirements of modern schools. This mode of construction is interesting from the point of view of hygiene, abundance of light, safety from fire panic, and the concrete construction of the floors. The broad, straight corridors affording abundant light and air, lead to well-distributed stairs and are panic-proof; and the construction itself is fireproof. The ornamental iron and bronze, both in its utility value and art decoration, has been carried out with extreme care so as to harmonize with the general strength and character of this building, and consists of iron stairways throughout, iron railings, gates and column bases; bronze bulletin boards, lamps and lamp fixtures. The work was accomplished from special designs of the architect by F. P. Smith Wire & Iron Works, Chicago. The construction of the floors is a logical use of steel and concrete, in that it puts each to its appropriate use—the concrete in compression and the steel placed at the bottom of the beam in tension. These floors are 25 feet clear span, and were tested to 608 pounds per square foot, live load. The outside walls are faced with buff Bedford from the Old Hoosier Quarry of the Bedford Quarries Company. The roofs are red shingle tile. The walls of the corridors to a height of 7½ feet are faced with gray pressed brick. Above this line the walls are plastered. The interior partitions are built of hollow tile. The main entrance hall is finished in buff Bedford stone and contains large fireplace and stone benches. The architect was relieved from much care and anxiety from the fact that the construction was in the skilful and responsible hands of the general contractors, Wells Brothers Company, Chicago, who, as will be remembered, were also contractors for the extensive Tower Group, illustrated in the March number. As is usual with the work intrusted to this company, all the details were so carefully and intelligently handled that each part was carried out in due order and without the too-often annoying friction.

ARCHITECTS
ENGINEERS
CONTRACTORS

Be Careful in specifying your HOUSE PUMP

until you have looked into the merits of the

BROOKS CENTRIFUGAL PUMP



BROOKS HOUSE PUMP.

Most pumps are recommended as "practically noiseless," but the Brooks Pump is

ABSOLUTELY NOISELESS

as the working parts are entirely submerged in oil and there is no contact between the cylinder and piston.

It is extremely simple in construction, requires no attention, except to start and stop, no expensive foundation as there is no vibration.

COMPARE THE FOLLOWING WITH OTHER PUMPS:

WEIGHT	CAPACITY PER HOUR	ELEVATION	SUCTION	POWER
56 Pounds	2,400 Gallons	80 Feet	28 Feet	½ H. P. for each 20 feet

Ideal showing for City or Country Houses and Farm Work.

OUR GUARANTY

GREATEST SUCTION GREATEST PRESSURE GREATEST EFFICIENCY
of any centrifugal pump in the world.

PRICE OF PUMP - - \$35.00

NOTE.—We sell these pumps complete with electric motors, gas or gasoline engines, direct-connected and mounted upon an iron base.

MANUFACTURED BY

Wm. H. Cook & Co., 752 Monadnock Bldg., Chicago

CORRESPONDENCE SOLICITED.



Piston in two-inch Pump.
Capacity 120 Gals. per minute.
Suction 31 feet.

THE J. W. REEDY ELEVATOR CO.

Passenger and Freight

ELEVATORS.

83 to 91 Illinois Street,
CHICAGO.

31-33 Tenth Avenue,
NEW YORK CITY.

FOR INFORMATION ABOUT

U. S. MAIL CHUTES

WHICH ARE

A necessity in office buildings and hotels,
write to the sole makers,

THE CUTLER M'F'G CO., Rochester, N. Y.

PATENTED.

AUTHORIZED.

THE NATIONAL WOOD FLOOR CO.

Manufacturers
of

Parquet Floors
National Hard Finish
National Wax Polish

Established 1869

186 FIFTH AVENUE AND
10 W. 23d STREET, NEW YORK

"Big Four" Route.

CHICAGO

TO

INDIANAPOLIS,
CINCINNATI,
LOUISVILLE.

SOUTH and SOUTHEAST

THE SCENIC LINE TO

Hot Springs, Va., and
Washington, D. C.

Via the

Chesapeake & Ohio Ry.

J. C. TUCKER, G. N. A.

238 Clark Street,

CHICAGO.

"WHATEVER
IS WORTH
DOING AT ALL
IS WORTH
DOING WELL."

Telephones
Harrison 4230-4231.

THE HENRY O. SHEPARD COMPANY

120-130
Sherman St.
CHICAGO.

**Printers, Embossers
Blank Book Makers**

We do
all kinds of
Printing and
Binding.
Rush Work a
Specialty.

.. Observe typography of THIS JOURNAL as a fair specimen of our grade of work ..

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.



Indians of the Southwest

Where they live and how to get there—their homes, handicraft and ceremonies—an intensely interesting book of more than two hundred pages—written by Geo. A. Dorsey, Ph.D., Curator of Anthropology, Field Columbian Museum, an authority on the "Amerind"—profusely illustrated with half-tones from special photos—handsome cover in colors—sent anywhere on receipt of fifty cents—valuable for schoolroom or library. Address Geo. T. Nicholson, 1312 Great Northern Building, Chicago.



Oh Yes I stop off at -
WASHINGTON

The B. & O. grant me that -
privilege on through -
tickets. It's just a top off -
to the beautiful Country -
and Mountains along the -
B. & O. - before taking the -
five hour ride to the Metro-
polis.
Traveling over the B. & O. is -
- becoming more popular -
every day - Three trains -
daily - Solid Vestibule Pullmans.
For information regarding -
sleeping car reservations, tickets, etc.,
call on W. W. Picking D.P.A.
214 Clark St. Chicago.
D. B. Martin Mgr. of Pass. Traffic
BALTIMORE.
B. E. Austin Genl. Pass. Agt.
CHICAGO.



National Fire Proofing Company.

STANDARD METHODS OF

HOLLOW AND POROUS TILE FIREPROOFING

OFFICES

FRICK BUILDING	-	-	-	PITTSBURGH
170 BROADWAY	-	-	-	NEW YORK
NORTH AMERICAN BUILDING	-	-	-	PHILADELPHIA
TREMONT BUILDING	-	-	-	BOSTON
HARTFORD BUILDING	-	-	-	CHICAGO

We own patents for the Johnson System of Fireproofing. - Residences and other buildings can be made fireproof without the use of steel.

LET US GIVE YOU ESTIMATES

PIONEER

FIRE-PROOFING COMPANY

1515 Marquette Building

CHICAGO

CONTRACTORS FOR FIRE-PROOFING
OF BUILDINGS

MANUFACTURERS OF CLAY PRODUCTS

LOUIS J. MILLET

(Successor to HEALY & MILLET)

Interior Decorator

151 MICHIGAN AVE., CHICAGO

Leaded Glass. Glass Mosaic. Frescoing

CRANE VALVES

ESTABLISHED 1855

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

Mr. Architect: REASONS WHY YOU SHOULD USE

Dexter Brothers' English Shingle Stains

BECAUSE they will outwear paint or any other stain.

BECAUSE they preserve the shingle.

BECAUSE they do not give a painted effect to the shingle.

BECAUSE they do not change as other stains do.

BECAUSE they have no disagreeable odor.

BECAUSE they are used on the best work from Maine to California.

BECAUSE they are used by people who want the best of everything.

Exclusively used on the shingled country houses of *Mr. George Vanderbilt* at Biltmore, *Mr. J. Pierpont Morgan*, Adirondacks, *Hon. Wm. C. Whitney*, Westbury, L. I., *Mr. Thomas W. Lawson*, Egypt, Mass.

Manufactured by

DEXTER BROTHERS COMPANY

103-105-107 Broad Street

H. M. HOOKER CO., Agents
57 W. Randolph Street
CHICAGO

BOSTON

W. S. HUESTON, Agent
24 East 22d Street
NEW YORK



ESTABLISHED 1873

INCORPORATED 1890



71 & 73 Randolph Street.

MANUFACTURERS, WHOLESALE AND RETAIL DEALERS

Builders' Hardware

ART METAL-WORK OF ALL KINDS.

Cooling Rooms.

Mechanics' Tools.

Table and Pocket Cutlery.

Our selection comprises THE BEST from all the leading factories, as well as our own, and our heavy purchases enable us to offer you these goods at prices which can not fail to please.

We have many specialties which we manufacture and control which can not be found anywhere else.

Orr & Lockett Hardware Co.

71 & 73 RANDOLPH STREET.

Telephone, Central 551.



The Yale Lock

with Paracentric Key affords the highest standard of security, and is made in hundreds of styles and sizes, adapted to almost every possible use, from a jewel-case to a prison door.

Little Brochures, "What is a Genuine Yale Lock," "Yale Night Latches," "Artist and Artisan," etc., will be sent on request.

The
YALE & TOWNE
Mfg. Company.

CHICAGO OFFICE:
131 Wabash Avenue.




Linen Shoe Thread Sash Cord
Italian Hemp Sash Cord
India Hemp Sash Cord
and Samson Spot Cord

WE LIKE TO SEND SAMPLES

Samson Cordage Works

Boston, Mass.



Enamel Finish that is made of inferior material will always look cheap and mar the beauty of the finest drawing-room. The best materials that can be obtained are used in the manufacture of our

Structural Enamels

THEY ALWAYS GIVE SATISFACTION



EDWARD SMITH & CO.

Varnish Makers and
Color Grinders

45 Broadway, New York,

59 Market Street, Chicago.

New Pittsburg Service

VIA

The Lake Shore Limited

A Through Pullman Sleeper is now in daily service between Chicago and Pittsburg on the LAKE SHORE LIMITED, affording Pittsburg travel all of the luxurious accommodations of this famous train.

Leaves Chicago
5.30 p. m.

Arrives Pittsburg
6.35 a. m.

ADDITIONAL SERVICE AS FOLLOWS:

Leave Chicago, 8.30 a. m.
Leave Chicago, 10.35 p. m.

Arrive Pittsburg, 9.45 p. m.
Arrive Pittsburg, 11.15 a. m.

City Ticket Office, 180 Clark St.
CHICAGO.

A. J. SMITH
Gen'l Pass'r and Ticket Agt.
CLEVELAND

C. F. DALY
Chief Ass't Gen'l Pass'r Agt.
CHICAGO

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.