

NA

I 58

V. 46

no. 1

AUGUST, 1905

46-1



IRVING K. POND, DES.

LORADO TAFT, SCULPT

UNIVERSITY OF MICHIGAN
GENERAL LIBRARY



Entered at the Postoffice at Chicago as second-class matter, June 1, 1905.

CONTENTS

EDITORIAL.....	1
Possible Building Improvements—Requirements of Concrete—only Building Blocks—The Mission Style of Architecture—Progress in Grouping of Buildings.	
RECENT IMPROVEMENTS IN BUILDING.....	3
By T. M. Clark, Architect.	
HOW TO BECOME AN ARCHITECT.....	4
By W. L. B. Jenney, Architect.	
MUNICIPAL IMPROVEMENTS, MODERN CITY-MAKING.....	6
By Albert Kelsey, Architect.	
TRINITY BUILDING, NEW YORK.....	7
By Barr Ferree,	
CONSTRUCTION PROBLEMS, TRINITY BUILDING.....	8
ARCHITECTURAL EFFECTS IN BUILDING BLOCKS.....	10
By A. S. Atkinson.	
ASPHALTUM AND ITS USES.....	11
By J. S. Jackson.	
LOCKS AND HARDWARE.....	12
OUR ILLUSTRATIONS.....	12

NORTH-WESTERN TERRA COTTA CO.

WORKS AND OFFICE:

Clybourn and Wrightwood Avenues.

BRANCH OFFICE: 1415 Railway Exchange Building
CHICAGO.

A NEW ROOFING TILE

WITH DOUBLE INTERLOCK AT TOP AND SIDES

ABSOLUTELY RAIN AND SNOW PROOF

NOW ON THE MARKET

Being made of stiff clay with metal dies under a pressure of fifty tons, it is both exceedingly light and dense, and will not break up nor flake off under the action of the elements. *Better than other tile. As cheap as good slate.*

THE NATIONAL TILE ROOFING CO.

LIMA, OHIO, U. S. A.


J. W. TAYLOR

MONON BLDG., 324 Dearborn St. Telephone 1500 Harrison

ARCHITECTURAL PHOTOGRAPHS,

BUILDINGS, INTERIORS, DETAILS, ETC.

Promise to purchase two dozen from the lot at \$4.00 per dozen, unmounted, and I will send 200 from which to make the selection.



Polished Wire Glass in office windows.

Re: Trinity Building

Broadway and Thames Street, NEW YORK CITY

(Illustrated and described in this issue.)

EXPOSED on the north side to the possibility of fire originating in an old style office building and a number of low, inflammable structures, this building contends with a typical exposure hazard. In consequence, Mr. Francis H. Kimball, the Architect, recommended to the owners the necessity of adopting **Mississippi Wire Glass** as the most efficient type of protection, framing it in hollow metal frames and sash. Wire glass is employed in the elevator doors and enclosures as well as in the skylights.

Mississippi Wire Glass Co.

277 BROADWAY, NEW YORK

CHICAGO

ST. LOUIS




Maze Wire Glass in elevator enclosures.

PEONIES

Wholesale and retail catalogues ready for distribution sent free on application. All stock guaranteed true to name. Send your orders in early to be assured of a good collection for fall planting.

PETERSON NURSERY

506 W. PETERSON AVE., CHICAGO, ILL.



JAMES A. MILLER & BRO.

133 So. Clinton St., Chicago

Manufacturers

Fire Retarding Wire Glass Windows

Sheet Metal Frames and Sash

SKYLIGHTS, TILE, SLATE
AND METAL ROOFING...


Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

Gen. Ed.
Ex. Ch.
4-30-53
Vol. 46, complete

AUGUST, 1905

THE INLAND ARCHITECT AND NEWS RECORD.

iii



There's absolutely no dripping of Oil

from Sturtevant Electric Propeller Fans suspended in any position whatsoever from the wall or ceiling. The oiling arrangement requires no attention.

They are efficient, self-contained and compact, because the fan is designed for the motor and the motor for the fan. They are as one unit but are easily detachable.

The special curvature of the fan wheel blades is such as to give the highest efficiency and deliver a maximum amount of air.

The motors are in closed or semi-enclosed, and are of the regular Sturtevant two and eight pole type, especially designed for continuous running.


Carried in sizes from 18 to 60 inches in diameter. Large sizes to order.

B. F. Sturtevant Co., Boston, Mass.

Gen. Office & Works, Hyde Park, Mass.

NEW YORK
PHILADELPHIA
CHICAGO
LONDON

Designers and Builders of Heating, Ventilating, Drying and Mechanical Draft Apparatus; Fans, Blowers and Exhausters; Steam Engines, Electric Motors and Generating Sets; Fuel Economizers; Forges, Exhaust Heads, Steam Traps, Etc. 420



Don't say "Taylor Old Style" or equal, because "Taylor Old Style" has no equal. There is only one thing as good as a "Taylor Old Style" roof, and that is another "Taylor Old Style" roof.

N. & G. TAYLOR COMPANY

ESTABLISHED 1810

Philadelphia

FLORIDA NEW ORLEANS and CUBA

Best Reached Via

Queen and Crescent Route AND Southern Railway

THREE TRAINS A DAY TO FLORIDA
TWO TRAINS A DAY TO NEW ORLEANS

Winter Tourist Tickets now on sale at reduced rates.
Also Variable Route Tickets good going via
Lookout Mountain and returning
via Asheville.

FOR INFORMATION AND PRINTED MATTER ADDRESS:

W. A. Garrett, W. C. Rinearson,
General Manager General Passenger Agent

Cincinnati, Ohio

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

Foundations

BEST FOUNDATIONS BY BEST METHODS. NONE TOO LARGE. NONE TOO SMALL.
NONE TOO DIFFICULT.

PNEUMATIC CAISSONS STEEL SHEET-PILING
SIMPLEX CONCRETE PILES WOODEN PILING
PIERS BY BOX METHOD

Foundations of All Kinds...For All Purposes

For Skyscrapers

THE TRINITY BUILDING 111 BROADWAY, NEW YORK

LOOK FOR THE CUT AND READ DESCRIPTION, PAGE 9
WE INSTALLED THESE CAISSON FOUNDATIONS,
INCLUDING ALL SHORING AND EXCAVATING.

Competent Engineers

*Adequate Plant of Special Machinery and Tools...Completely Organized Force of Experienced Men
Always Available*


Shoring and Underpinning

CONTRACTS TAKEN ANYWHERE
INQUIRIES SOLICITED

THE FOUNDATION COMPANY

35 NASSAU STREET " " " " " " " " NEW YORK CITY, N. Y.

623 NEW NELSON BUILDING, KANSAS CITY, MO.
604 HIBERNIA BANK BLDG., NEW ORLEANS, LA.



Batterson & Eisele

Marble Workers

THE ILLUSTRATION HERewith
SHOWS VIEW OF MARBLE WORK
IN MAIN CORRIDOR OF THE
TRINITY BUILDING NEW YORK,
FRANCIS H. KIMBALL, ARCHITECT.
ALL THE MARBLE WORK IN THE
THREE LOWER FLOORS OF THIS
BUILDING WAS EXECUTED BY US

Office, Mill and Wharf
Edgewater, - - N. J.

New York Office and Works
425-433 Eleventh Ave.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

Baltimore & Ohio Railroad



STOP-OVER
TEN DAYS ALLOWED
on all first-class through tickets at
WASHINGTON
BALTIMORE
PHILADELPHIA

THE PICTURESQUE ROUTE

BETWEEN

Chicago and Eastern Seaboard Cities

Cleveland Baltimore
Pittsburg Philadelphia
Washington New York



D. B. MARTIN
M.P.T., Baltimore.

B. N. AUSTIN
G.P.A., Chicago

**MISSOURI
PACIFIC
RAILWAY**

THE
"Colorado Short Line"
DIRECT TO
Glenwood Springs, Colorado
Springs, Manitou
AND ALL THE
Famous Resorts of the Rockies.

Elegant Pullman Sleeping Cars, Observation
Parlor Cafe Dining Cars, with Electric
Lights and Fans, and Free
Reclining Chair Cars.

**BEST LINE TO THE
PORTLAND EXPOSITION**

H. C. TOWNSEND, G. P. and T. Agent, St. Louis.



Butcher's Boston Polish

Is the best finish made for
FLOORS, Interior Wood-
work and Furniture

Not brittle; will neither scratch nor deface, like
shellac or varnish. Is not soft and sticky, like bees-
wax. Perfectly transparent, preserving the natural
color and beauty of the wood. Without doubt the
most economical and satisfactory POLISH known for
HARDWOOD FLOORS.

For Sale by Dealers in Paints, Hardware and
House Furnishings.

Send for our FREE BOOKLET, telling of the many
advantages of BUTCHER'S BOSTON POLISH.

THE BUTCHER POLISH CO.,
356 Atlantic Avenue, Boston, Mass.

Our No. 3 Reviver is a superior finish for
kitchen and piazza floors.

Advance News

INDICATING

Chances to Sell

PLANS, FIXTURES,
MATERIALS, FURNITURE,
MACHINERY,

May be secured with promptness, accuracy and
thoroughness, and at reasonable rates, from

THE PRESS CLIPPING BUREAU,

ROBERT AND LINN LUCE,

26 Vesey St., NEW YORK. 68 Devonshire St., BOSTON.
206 E. Fourth St., CINCINNATI. Railroad Bldg., DENVER.

ORNAMENTAL IRON

STAIRS

STORE FRONTS

ELEVATOR ENCLOSURES

FENCES AND RAILINGS

SIDEWALK LIGHTS

SKYLIGHTS

Brown Bros. Mfg. Co.

Established in 1860

22d St. and Campbell Avenue

CHICAGO

Telephone Canal 115


Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

PERFECTED VAULT LIGHTING

TESTED POINTS OF SUPERIORITY

"BAR-LOCK" Galvanized Wrought Steel Construction, and "3"-POINT PRISMS

Indorsed wherever installed as the most satisfactory of all overhead systems of illumination for pavements, floors or skylights.



Construction gives 77 per cent glass area; refraction, 100 per cent. Wrought steel insures greatest strength. Cement reinforcement makes perfectly watertight. No rust.

FOR FURTHER PARTICULARS, ADDRESS

American Bar-Lock Company

Offices and Works, 26th St. and Pennsylvania Ave. - PHILADELPHIA, PA.

CAUTION.—Any person using or selling any infringement of this Company's patents will be promptly prosecuted.

The Great East and West Line Across the Entire States of TEXAS AND LOUISIANA



NO TROUBLE TO ANSWER QUESTIONS

New Dining Cars (meals a la carte) between Texas and St. Louis

Write for new book on Texas. FREE
E. P. TURNER, General Passenger Agent, Dallas, Texas

TAKE THE

PENNSYLVANIA LINES


DIRECT ROUTE

CHICAGO to PITTSBURG BALTIMORE WASHINGTON
PHILADELPHIA and NEW YORK also to COLUMBUS INDIANAPOLIS
LOUISVILLE CINCINNATI

And All Points South

FOR TIME OF TRAINS, RATES, SLEEPING CAR RESERVATIONS, CALL ON AGENTS OF PENNSYLVANIA SHORT LINES OR ADDRESS

C. L. KIMBALL, Assistant General Passenger Agent
No. 2 Sherman Street, CHICAGO



PIONEER

FIRE-PROOFING COMPANY

1515 Marquette Building

CHICAGO

CONTRACTORS FOR FIRE-PROOFING
OF BUILDINGS

MANUFACTURERS OF CLAY PRODUCTS

National Fire Proofing Company

STANDARD METHODS OF

HOLLOW AND POROUS TILE
FIREPROOFING

OFFICES

BESSEMER BUILDING PITTSBURGH
170 BROADWAY NEW YORK
NORTH AMERICAN BUILDING PHILADELPHIA
TREMONT BUILDING BOSTON
HARTFORD BUILDING CHICAGO
15 WEST SARATOGA STREET BALTIMORE

We own patents for the Johnson System of Fireproofing. Residences and other buildings can be made fireproof without the use of steel.

LET US GIVE YOU ESTIMATES

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

We Give Particular Attention To Special Designs

and are fully equipped
to execute the most in-
tricate and delicate work
ever attempted in sheet
metal.


Mullins Art Architectural Sheet Metal Work

is far in advance in architectural
design and artistic execution and
has won an enviable reputation
for excellence.

Estimates, Designs, etc., submitted
to architects, builders and contract-
ors on request.

The W. H. Mullins Co.
211 Franklin Street,
Salem, Ohio.

(Everything in sheet metal.)



THE WINKLE TERRA GOTTA CO.

MANUFACTURERS OF

Architectural Terra Cotta

IN ALL COLORS.

OFFICE:

**Rooms 502 and 503, Century Building,
ST. LOUIS, MO.**

Works: CHELTENHAM, ST. LOUIS.

THE DELTA LANDS OF THE SAN JOAQUIN RIVER

are as rich as any in Holland and
under the sunshine of

CALIFORNIA

growth is simply amazing. They are
attracting the attention of Eastern
Experts, and are among the remark-
able lands of the world. Descriptive
pamphlets free of Agents of

SOUTHERN PACIFIC

Send 10 cents for March SUNSET
MAGAZINE, containing illustrated
description of the Delta lands

Also books about opportunities and
advantages of Life in California

WRITE

W. G. NEIMYER, General Agent,
193 Clark Street CHICAGO, ILL.

"The Nation's pleasure ground and sanitarium."
—David Bennett Hill.

THE ADIRONDACK MOUNTAINS

The lakes and streams in the Adi-
rondack Mountains are full of fish; the
woods are inviting, the air is filled with
health, and the nights are cool and rest-
ful. If you visit this region once, you
will go there again. An answer to
almost any question in regard to the
Adirondacks will be found in No. 20 of
the "Four-Track Series," "The Adi-
rondack Mountains and How to Reach
Them;" issued by the

NEW YORK CENTRAL

A copy will be mailed free on receipt of a two-cent
stamp, by George H. Daniels, General Passenger Agent,
Grand Central Station, New York.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.



Trinity Building, New York City

"Giant" and "Red Metal" Sash Chains

This cut illustrates one of many high class buildings in which our chains are used. We are the originators of SASH Chain as a substitute for cord. Our Chains are "STANDARD" and are acknowledged as such by the leading architects and are specified by them * *

Samples of chains on application

The Smith & Egge Mfg. Co., Bridgeport, Conn.

POROUS FIREPROOFING

Illinois Terra Cotta Lumber Co.

Manufacturers and Contractors for the Fireproofing of Buildings

OFFICE

439 "The Rookery," CHICAGO

Telephone, HARRISON 1705

WORKS AT FULLMAN

CRANE FITTINGS

ESTABLISHED 1855

SOLID THROUGH TRAINS
BETWEEN
CHICAGO, BUFFALO, NEW YORK AND PHILADELPHIA
"VIA NIAGARA FALLS."

Also to BOSTON via the important business centers of CANADA and NEW ENGLAND.

For information, Time Tables, etc., apply to any Agent of the Company, or to
GEO. W. VAUX,
ASST. GEN. PASS. & TKT. AGT.,
135 ADAMS ST.,
CHICAGO.

GRAND TRUNK RAILWAY SYSTEM

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

THE SCHOOL OF ARCHITECTURE

University of Pennsylvania

THE FOUR YEAR COURSE

Offers full professional training with an option in Architectural Engineering leading to the degree of B. S. in Arch.

THE GRADUATE YEAR

Affords opportunity for advanced work in design and other subjects; leading to the degree of M. S. in Arch.

THE TWO YEAR SPECIAL COURSE

For qualified draughtsmen, offers advanced technical training, yielding a Certificate of Proficiency.

THE UNIVERSITY

also grants advanced standing to College graduates; offers a combination of liberal and technical courses whereby the degree of A. B. and B. S. in Arch. can be taken in six years, and conducts a Summer School in which architectural studies may be taken.

FOR FULL INFORMATION

Address Dr. J. H. Penniman, Dean, College Hall, University of Pennsylvania, Philadelphia, Pa.

Money

Is Saved

By the use of paints based on OXIDE of ZINC. They cover a much greater area per pound and last longer than other paints. They also yield more beautiful and more lastingly beautiful results.

FREE:

OUR PRACTICAL PAMPHLETS:

"The Paint Question"
"Paints in Architecture"
"Specifications for Architects"
"French Government Decrees"
and "Paint: Why, How and When"

The

New Jersey Zinc Co.

71 BROADWAY, NEW YORK

We do not grind zinc in oil. List of manufacturers of high grade zinc paints will be sent on application.

Architects' Specification Reminders

	Page		Page		Page		Page
Architectural Instruction. University of Penn.....	VIII	Exhaust Fans. Sturtevant Co., B. F.....	III	Mortar Colors. French, S. H. & Co....	XI	Sanitary Appliances. Cudell, F. E.....	XI
Architectural Iron Works. The Winslow Bros. Co.	XVIII	Exhaust Heads. Sturtevant Co., B. F.	III	Motors (Electric). Sturtevant Co., B. F.	III	Standard Sanitary Mfg. Co.	XI
Architectural Photographers. Taylor, J. W.	II	Fans. Sturtevant Co., B. F.	III	Ornamental Sheet Metal Work. Mullins, W. H. Co.	VII	Sanitary Woodwork. Never Split Seat Co.	XII
Architectural Views. Taylor, J. W.	II	Fireproof Doors. Sturtevant Co., B. F.	III	Paints, Oils and Varnishes. Joseph Dixon Crucible Co.	X	Standard Sanitary Mfg. Co.	XI
Art Metal Tile Roofing. Mullins, W. H. Co.	VII	Fireproof Shutters. Sturtevant Co., B. F.	III	New Jersey Zinc Co. Smith, Edward & Co.	XX	Sash Cords and Chains. Smith & Egge Mfg. Co.	VIII
Bath Room Fixtures. Standard Sanitary Mfg. Co.	XI	Fireproofing. Illinois Terra Cotta Lumber Co.	VIII	Pencils. Joseph Dixon Crucible Co.	X	Samson Cordage Works Co.	XX
Bath Tubs. Standard Sanitary Mfg. Co.	XI	National Fireproofing Co.	VI	Plumbers' Fittings. Standard Sanitary Mfg. Co.	XI	Shingle Stain. Dexter Bros.	XIX
Blinds and Screens. Willer Mfg. Co., Mil- waukee, Wis.		Pioneer Fireproofing Co. The Roebling Construc- tion Co.	XII	Plumbers' Ware, Porcelain Enameled. Standard Sanitary Mfg. Co.	XI	Showers, Permanent and Port- able. Standard Sanitary Mfg. Co.	XI
Blowers. Sturtevant Co., B. F.	III	Fire Retarding Windows. James A. Miller & Bro. Mullins, W. H. Co.	II	Prisms. American Bar Lock Co.	VI	Sidewalk and Vault Lights. Brown Bros. Mfg. Co.	V
Brass Goods (Plumbers'). Standard Sanitary Mfg. Co.	XI	Floor Polish. Butcher Polish Co.	V	Railroads. Baltimore & Ohio R. R.	XII	Sinks, Porcelain Enameled. Standard Sanitary Mfg. Co.	XI
Builders' Hardware. The Yale & Towne Mfg. Co.	XIII	Forges. Sturtevant Co., B. F.	III	Big Four Route. Burlington Route.	XIV	Skylight (Gal. Iron). Mullins, W. H. Co.	VII
Builders' Sundries. The Yale & Towne Mfg. Co.	XIII	Foundations. Foundation Co., The.	IV	Chesapeake & Ohio R. R. Chicago & Alton R'y.	XI	Snow Guards. Spring Hinges.	VIII
Cements. French, S. H. & Co.	XI	Fuel Economizers. B. F. Sturtevant Co.	III	Denver & Rio Grande R. R.	XIV	Statuary. Mullins, W. H. Co.	VII
Closets. Standard Sanitary Mfg. Co.	XI	Gas Blowers and Exhausters. Sturtevant Co., B. F.	III	Grand Trunk Lines. Illinois Central	VII	Steam Hot Blast Apparatus. Sturtevant Co., B. F.	III
Concrete Construction. Mullins, W. H. Co.	VII	Generating Sets. Sturtevant Co., B. F.	III	The Lake Shore Route. Monon & C. H. & D. Route.	XIV	Steel Construction. Volkmann, Chas. & Co.	XII
Cornices. Mullins, W. H. Co.	VII	Hardware. The Yale & Towne Mfg. Co.	XIII	Missouri Pacific R'y. New York Central R. R.	XVI	Steel Ceilings. Mullins, W. H. Co.	VII
Conduit. National Fireproofing Co.	XIV	Heating. B. F. Sturtevant Co.	III	Northern Pacific Line. Northwestern Lines	XVI	Steel Rolling Doors. Steel Rolling Shutters. Steel Shutters.	
Cordage. Samson Cordage Works Co.	XVI	Heating and Ventilating Appa- raturs. B. F. Sturtevant Co.	III	Pennsylvania Lines. Queen & Crescent Route Santa Fe R'y.	X	Terra Cotta. Northwestern Terra Cot- ta Works	II
Draft (Mechanical). Sturtevant Co., B. F.	III	Hollow Block. National Fireproofing Co.	XIV	Union Pacific Route. Texas & Pacific R'y.	VI	Tile (Rubber). Traps (Steam).	III
Drawing Material and Imple- ments. Abbott, A. H. & Co.	XII	Interior Decorations. W. & J. Sloane.		Range Closets. Standard Sanitary Mfg. Co.	XI	Trees. Peterson Nursery	II
Drinking Fountains. Standard Sanitary Mfg. Co.	XI	Landscape Architect. Thomas Hawkes	X	Roofing Tile. National Tile Roofing Co.	II	Urinals, Porcelain Enameled. Standard Sanitary Mfg. Co.	XI
Drying Apparatus. Sturtevant Co., B. F.	III	Laundry Tubs. Standard Sanitary Mfg. Co.	XI	Celadon Roofing Tile Co., Manufacturers of High Grade Roofing Tile, 204 Dearborn St., Chicago; 156 Fifth Ave., New York. Fac- tories: Alfred, N. Y., and Ottawa, Ill.	XVI	Ventilating Apparatus. Sturtevant Co., B. F.	III
Dynamos. Sturtevant Co., B. F.	III	Lavatories. Standard Sanitary Mfg. Co.	XI	Rolling Doors and Shutters (Steel). Rubber Tiling.		Vinometers. Standard Sanitary Mfg. Co.	XI
Economizers (Fuel). Sturtevant Co., B. F.	III	Lead Pipe. Standard Sanitary Mfg. Co.	XI			Window Lines. Samson Cordage Works Co.	XVI
Elevators. The J. W. Reedy Eleva- tor Co.	XI	Locks. The Yale & Towne Mfg. Co.	XIII			Wire Glass. Wrought Iron Railings and Grilles.	VII
Enameled Iron (Plumbers' Ware). Standard Sanitary Mfg. Co.	XI	Lumber. Mail Chutes. Cutler Manufacturing Co.	XX			Winslow Bros. Co. Co.	XVIII
Engines (Steam). Sturtevant Co., B. F.	III	Marble. Standard Sanitary Mfg. Co.	XI				
		Metal Ceilings. Berger Mfg. Co.	XI				

Alphabetical Index of Advertisers

	Page		Page		Page		Page
Abbott, A. H. & Co.	XII	Denver & Rio Grande R. R.	XIV	National Fireproofing Co.	VI	Samson Cordage Works..	XX
American Bar Lock Co.	VI	Dexter Bros.	XIX	National Tile Roofing Co.	II	Santa Fe R'y.	X
American Luxfer Prism Co.	XIII	Dixon, Jos. Crucible Co..	X	Never Split Seat Co.	XII	Shipway, J. H. & Bro.	XVII
American Sheet & Tin Plate Co.	XVI	Follansbee Bros. Co.	XX	New Jersey Zinc Co.	X	Sloane, W. & J.	V
Atlas Portland Cement Co..	XV	Foundation Co.	IV	New York Central R'y.	VII	Smith, E. & Co.	XX
Baltimore & Ohio R. R.		French, S. H. & Co.	XI	Northern Pacific Line.	XVI	Smith & Egge Mfg. Co.	VIII
Co.		Grand Trunk R. R.	VIII	Northwestern R'y Lines..	VI	Southern Pacific Co.	VII
Batterson & Eisele.	XII	Hall, G. P. & Son	XVI	Northwestern Terra Cotta Co.	II	Standard Plunger Elevator Co.	XV
Berger Mfg. Co.	XI	Hawkes, Thomas	XIV	Orr & Lockett Hardware Co.	XVI	Standard Sanitary Mfg. Co.	XI
Big Four Route.	XI	Illinois Central R'y.	VI	Peterson Nursery	II	Sturtevant, B. F. Co.	III
Bradley, W. & Son.	XVII	Illinois Terra Cotta Lum- ber Co.	VIII	Pennsylvania Lines.	VI	Taylor, N. & G. Co.	III
Brown Bros. Mfg. Co.	XV	Kinnear Mfg. Co.	X	Perfect Safety Window Guard Co.	XX	Taylor, J. W.	II
Burlington Route.	XIV	Lake Shore Route.	XIX	Pioneer Fireproofing Co. .	VI	Texas & Pacific R'y.	VI
Butcher Polish Co.	V	Meltzer, C. A.	X	Queen & Crescent Route. III, VIII		Union Pacific Route.	XVI
Celadon Roofing Tile Co..	IX	Miller, James A. & Bro.	II	Reedy, J. W., Elevator Co	XI	University of Penn.	XI
Chesapeake & Ohio R. R.	XI	Mississippi Wire Glass Co..	II	Roebling Construction Co.	XII	Volkmann, Chas. & Co.	XII
Chicago & Alton R. R.	XIV	Monon & C. H. & D. Route	XIV			Willer Mfg. Co.	IX
Crane Co.	VIII	Mullins, W. H. Co.	VII			Winkle Terra Cotta Co.	VII
Cudell, F. E.	XIV					Winslow Bros. Co.	XVIII
Cutler Mfg. Co.	XX					Yale & Towne Mfg. Co.	XIII

* Roman figures refer to advertising pages.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

PAINT for **Fences Bridges Roofs Smoke Stacks**
 WRITE FOR COLORS AND SPECIFICATIONS
Joseph Dixon Crucible Co., Jersey City, N.J.

CRANE VALVES

ESTABLISHED 1855

THREE GOOD BOOKS

for the

Architect's Library

by Fred T. Hodgson, Architect

THE MODERN ESTIMATOR, describes reliable methods of pricing quantities for competitive work, showing in brief concise form the methods generally employed by the most successful architects. Contains many tables, rules and useful memoranda and gives full details for estimating.

Price, 12 mo. cloth.....\$1.50

Architect's Edition, half leather\$2.00

THE HARDWOOD FINISHER, gives rules and methods for working hard woods, with description of tools required and methods of using. Also treats on filling, staining, varnishing gilding and enameling woodwork of all kinds.

Price, 12 mo. cloth, 320 pages 117 illustrations, \$1.00

Architect's Edition, half leather..... 1.50

ARCHITECTURAL DRAWING SELF TAUGHT. This work is especially designed for architects and draughtsmen who desire to increase their knowledge of practical architecture. Rules for laying out drawings and executing the same and for drawing the plans, elevations and details of a house are given, including walls, doors, windows, stairs and all other items required to complete a building. 300 pages, 300 illustrations, 18 folding plates.

Price, 12 mo. cloth.....\$2.00

Architect's Edition, half leather..... 3.00

SEND IN YOUR ORDERS TO-DAY

PORTER, TAYLOR & CO.

360 Dearborn Street

CHICAGO, ILL.

To properly **SET OFF YOUR DESIGNS**, especially country residences, public buildings and churches, advise a landscape design. **YOU WILL PROFIT** by doing so. My designs will properly fit your architecture, create the proper ensemble, and be effective.

CARL ALFRED MELTZER

LANDSCAPE ARCHITECT, CIVIL and FOREST ENGINEER

104 Michigan Ave., Chicago

Landscape and Engineering Problems connected with the development of city and country estates solved and executed. Selection of home sites. Proper locating of buildings. Grading of grounds. Making of roads. Building of bridges. Plans for drainage, sewage and water supply. Building of dams and reservoirs. Artificial lakes and ponds.

BARREN DESOLATE GROUNDS TRANSFORMED INTO PLACES OF BEAUTY.

The introduction of sheets of water with bridges spanning them, ornamental waterfowl, water lilies, and so forth, will greatly beautify your landscape. Rippling brooks; miniature waterfalls and cascades; rustic bridges; pergolas; fountains; stately old English, Colonial and Formal gardens; Italian and Japanese gardens; water gardens; rock and wild gardens. All designs carefully executed and supervised. Correspondence invited. Long distance telephone Central 2682.



All the Way

Get Ready for your Colorado Outing

It is not too early to plan that Summer outing in the Colorado Rockies.

The Santa Fe is arranging some low-rate excursions to Colorado, account Epworth League and G. A. R. meetings in Denver.

It will pay you to inquire about them.

Best of trains, and Harvey serves the meals.

Ask Santa Fe Agent
109 Adams St., Chicago

"Standard"

Porcelain Enameled Closets

AND HIGH GRADE

Sanitary Wood Work

Possess Qualities which make them Superior to all Other Closet Combinations

"Standard" Porcelain Enameled Closet Bowls are neat in design and will not stain or discolor. The surface is more vitreous than of earthenware, and is absolutely non-porous. They will not craze under frost or crack when frozen. **"Standard"** Sanitary Wood Work is made in our own wood-working plant and the wood is properly cured to prevent warping or opening of joints.

The "Delecto"

is a popular **"Standard"** Closet and should be specified by architects who are specially particular about this most important fixture of the bathroom. Like all other **"Standard"** Ware, it bears our **"GREEN and GOLD"** label, the guarantee of quality and durability which relieves you of all risk.

We will mail our book **"MODERN BATH-ROOMS"** to your clients, with your compliments, if you will send us their names.



THE "DELECTO"—PLATE P 802

Standard Sanitary Mfg. Co.

PITTSBURGH, PA.,

U. S. A.



Dexter Portland ...Cement...

Highest Standard Attainable for Pavement and Concrete Work.

SAMUEL H. FRENCH & CO., Sole Agents,

Established 1844.

PHILADELPHIA.

Put into the White House by the U. S. Government.



F. E. CUDELL'S

Patent Sewer-Gas and Backwater Trap

For Wash-Bowls, Sinks, Bath and Wash Tubs,
CLEVELAND, OHIO.

THE J. W. REEDY ELEVATOR CO.

Passenger and Freight

ELEVATORS.

93 to 91 Illinois Street,
CHICAGO.31-33 Tenth Avenue,
NEW YORK CITY.

THE CUTLER MAILING SYSTEM

Patented—Authorized by P. O. D.

U. S. MAIL CHUTE

A necessity in Hotels, Apartments, Office
and Public Buildings

Full Information on Application to

THE CUTLER MFG. CO., ROCHESTER, N. Y.

Sole Makers and Patentees.

BERGER'S STEEL CEILINGS

Largest Variety of Designs



"CLASSIK" DESIGNS EXCLUSIVELY

Write for Catalogue

For Churches, Schools, Stores, Residences,
Offices, Lodge Rooms, Courthouses, Libraries,
Etc. Easy to erect.We also make Roofing, Siding, Metal Shingles,
Cornices, Finials, Skylights, Metal Lath, and
Fireproofing Specialties in Sheet Metal.

Send Your Plans for Estimate

THE BERGER MFG. CO., Canton, Ohio

New York Boston Philadelphia St. Louis
I. A. 7-5

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.


4,500 TONS OF STEEL ERECTED IN LESS THAN 50 DAYS



View Taken April 21, 1904.

The above is the record established by us on section B, of the **FIRST NATIONAL BANK BLDG., Chicago,** and illustrated by the accompanying cuts.

Let us make a record for you.



View Taken June 18, 1904.

CHAS. VOLKMANN & CO.

IRON SETTERS AND
GENERAL CONTRACTORS

Tel. Central 6068

Suite 22, 184 Dearborn Street, CHICAGO, ILL.

The Roebling System of Fire-Proof Construction.

HIGHEST EFFICIENCY IN THE FIRE AND WATER TESTS OF THE NEW YORK BUILDING DEPARTMENT, AND NOW THE RECOGNIZED STANDARD OF FIRE-PROOF CONSTRUCTION.

THE ROEBLING CONSTRUCTION CO.,
Fuller Bldg., Broadway and 23rd St. 906 Tribune Building
NEW YORK CITY. CHICAGO, ILL.

SEND FOR CATALOGUE.




A. H. ABBOTT & CO.

Drawing Supplies,

Instruments, Tracing Cloth, Papers, Colors
Scales, Levels, Transits, Etc.

BLUE-PRINTS.

50 Madison Street, CHICAGO.



The difference between a satisfied client and one who is not, is sometimes merely a question of not specifying a

NEVER-SPLIT SEAT

This cut should prove to architects why **NEVER-SPLIT** Seats are **Guaranteed Never to Split or Crack.** The Sections are assembled with bolts and nuts inserted, ready to join. If you are not quite convinced, write us and we will send our catalogue that will lead to your specifying seats manufactured exclusively by the

Never-Split Seat Company
EVANSVILLE INDIANA

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

THE INLAND ARCHITECT AND NEWS RECORD

VOL. XLVI.

AUGUST, 1905

NO. 1



A Monthly Journal Devoted to

ARCHITECTURE
CONSTRUCTION, DECORATION AND FURNISHING
ISSUED ON THE 15TH OF EACH MONTH

PUBLISHED BY PORTER, TAYLOR & CO.

PONTIAC BUILDING, CHICAGO, ILL.

Entered at Chicago, Ill., Postoffice as second-class matter.

SUBSCRIPTION, \$10.00 a year in advance. Single copies, \$1.00.

All communications intended for The Inland Architect should be addressed to Porter, Taylor & Co., 505 Pontiac Building.

AMERICAN INSTITUTE OF ARCHITECTS

PRESIDENT	W. S. EAMES, St. Louis, Mo.
FIRST VICE-PRESIDENT	ALFRED STONE, Providence, R. I.
SECOND VICE-PRESIDENT	CASS GILBERT, New York.
SECRETARY AND TREASURER	*GLENN BROWN, Washington, D. C.
AUDITOR FOR TWO YEARS	ROBERT STEAD, Washington, D. C.
AUDITOR FOR ONE YEAR	JAMES G. HILL, Washington, D. C.

BOARD OF DIRECTORS FOR 1905.

For Three Years.—W. A. Boring, New York; J. M. Donaldson, Detroit; *Frank Miles Day, Philadelphia.

For Two Years.—Charles F. McKim, New York; *Geo. B. Post, New York; *R. D. Andrews, Boston, Mass.

For One Year.—Robert S. Peabody, Boston, Mass.; W. B. Mundie, Chicago; Isaac E. Ditmars, New York.

*Executive Committee.

THE ARCHITECTURAL LEAGUE OF AMERICA

(ORGANIZED 1899.)

The Architectural League of New York.	The Detroit Architectural Club.
The T Square Club, Philadelphia.	The St. Louis Architectural Club.
The Cleveland Architectural Club.	The Washington Architectural Club.
The Toronto Architectural Club.	The Architect's Club, U. of Ill.
The Pittsburg Architectural Club.	The Toledo Architectural Club.
The Cincinnati Chapter A. I. A.	The National Sculpture Society.
The Brooklyn Chapter A. I. A.	The National Society of Mural Painters.
The Chicago Architectural Club.	

EXECUTIVE COMMITTEE, 84 ADAMS ST., CHICAGO.

N. Max Dunning, President.	Alfred H. Granger.
Richard E. Schmidt, Vice-President.	Elmer Jensen.
Herman Von Holst, Treasurer.	Howard Shaw.
J. L. Hamilton, Secretary.	

NEXT CONVENTION AT NEW YORK, N. Y., 1906.

Possible Building Improvements.

We hope that our professional friends will read the article in another column on "Recent Improvements in Building." Some portions of the article relate rather to possible than to actual improvements, but they are, perhaps, not less interesting on that account; and the suggestions in regard to extending the use of structural metal in dwelling-houses are of importance, not only to architects and builders, but to the people who are to inhabit the dwellings, and to those who insure them and their contents.

We remember once, in Paris, seeing a workman come out of a new house, pick up an iron beam which was lying on the sidewalk, and carry it into the building under his arm. The beam, as we remember it, was about five inches deep and nine or ten feet long; and it seemed to us then, as it has ever since, that such beams would have a wide field of usefulness in this country. Imagine, for example, that six-inch beams could be rolled to a weight of five pounds to the foot, in place of the present minimum of about twelve pounds. A six-inch beam of this kind would weigh just about as much as a two by ten spruce beam of the same length, and, at present prices of timber and of structural steel, would be approximately the same in cost, while the steel beam would be considerably stronger, and much stiffer. In building an ordinary city dwelling-house, the steel beams would be more readily set in place than wooden beams, being uniform in width they would be much more easily and quickly levelled; and there would be no trimming to do around fireplaces and flues, as the beams could be built directly into the flues, and the hearths for the fireplaces would be built on the beams, with a support of bent bars under them, without requiring the brick trimmer arches which give so much trouble with wooden beams, and are so unsatisfactory when built. With the beams spaced at the distance usual for wooden beams, there would be no need of plates under their ends, as the weight would be better distributed than under wooden beams; nor would there be any need of anchors, as a steel beam, being unshrinkable, holds to a wall of masonry with at least ten times the force that a wooden beam does.

For laying wood flooring on top of the steel beams, a sharp-pointed dog, driven into the edge of the floor board, and hooking under the flange of the beam, so as to draw the board tight down to the metal, would be suitable for matched flooring; and it might have a double point for square-joint flooring. Such dogs, if properly designed, could never move or draw out, and would hold the flooring more securely and permanently than nails in timbers. For carrying the ceiling, metal lath would be necessary. Although this material is being gradually improved, it needs still further improvement, and the price of it is much too high. One of the best varieties weighs only a little over three pounds per square yards, and sells at nineteen cents, or at the rate of nearly one hundred and twenty dollars a ton. This is at least twice as much as it ought to cost, and the design should be modified, so as to give it greater stiffness without materially increasing the weight. Something has already been accomplished in this direction, but what is required is a material which, when applied to beams or studs sixteen inches from centers, will be as rigid

as wooden lathing, so as to do away with furrings, stiffeners, stretchers and all other devices of the sort; and it should be made flat and straight in manufacturing, so that it can be properly covered with two coats of plastering. Such lathing as this, secured to the frame, and the pieces secured to each other, by something better than the wretched wiring now in use, would be of great value to the whole community, not only for buildings with metal framing but for those of the old type, and would do more than anything else, perhaps, to promote the change from combustible to incombustible construction, which is now delayed by obstacles which a little thought could easily overcome.

Requirements of Concrete Building Blocks.

The manufacturers of concrete building blocks must secure improvements in their machines and blocks to reach the best results. By cooperating with architects it may be possible to produce as wide a variation in the construction of private residences, apartment houses and business buildings as it is now with wood, brick or stone. For the facing of buildings blocks must harmonize with the surroundings and architectural treatment. The manufacture of purely ornamental concrete blocks is a feature of the industry that has received comparatively little attention, for the rush has been to produce blocks cheaper and more durable than bricks or stone. Poor cement workmen and unskilled masons have contributed their share toward injuring the standing of the blocks. Indeed, the workmen in many instances show a surprising amount of ignorance in laying the blocks which injures the beauty and value of a wall composed of them. An important need of the industry is a class of efficient workmen who can understand the value of artistically combining the different kinds of blocks in harmonious structures. The artificial coloring of the faces of concrete blocks has been attempted with more or less success, but the most satisfactory way to do this, it has been found, is by using colored sand stones in a mortar for mixing on the surface of each block. By having a solid facing, the stone blocks can better resist the destructive effects of time and weather. There is no material so uncertain in its action as concrete unless made carefully according to well known formulas. The manufacture of cements has reached its present stage of success only through years of experiment and test. The best Portland cement is the most valuable product of the ages for a wide class of work, and its reliability is well established. But when we mix the cement with sand or other foreign substances we introduce an element which may or may not weaken its efficiency. Concrete building blocks have come to stay, and their influence upon our future building will be far reaching, but it is time that a note of warning should be sounded against their careless and inefficient manufacture, and also against the fault of crude designs. The materials must be made popular among architects by virtue of their intrinsic qualities.

The Mission Style of Architecture.

The desire for simple lines and good proportion among those of cultivated taste has with in recent years caused a growing demand, especially in the West, for the so-called mission style of design in buildings and furniture, based upon the remains of old Spanish work in Southern Cali-

fornia. Where the designer recognizes the limitations of the style and the surroundings are appropriate very charming results are often secured. It best lends itself to low broad masses, simple outlines and roofs of low pitch. With these characteristics, graceful sweep of gables, deep porches and an interior court, picturesque and well nigh ideal suburban and country houses can be designed, especially adapted for warm latitudes, that will have much of the true spirit of the style. In too many instances this style has been used for buildings to which it was not adapted. It is not suited to ordinary commercial buildings, nor to street fronts in city blocks, nor can satisfactory results be obtained in buildings over two stories high. It has been used quite successfully in the design of railroad stations, notably where the roads traverse the country in which the style may be said to be indigenous, and some very good libraries and schoolhouses have been designed in this style. The most successful mission churches have been those which have followed their prototypes with considerable fidelity. While its chief features are derived from the Moors and the Italians, these have been adapted and combined by the Spanish builders to produce a style with a charm all its own. Its Mooresque origin suggests the character of the ornamentation most appropriate, and its most effective application. While such ornament correctly applied adds beauty to the work few styles are less dependent upon ornamental detail. Its true spirit, strong in mass and refinement and simplicity of line, can be obtained with comparatively few elements of design, coarse material and finish, and freedom from ornamentation. To interpret the style with just appreciation one needs to come under the spell of those old missions and their harmonious surroundings.

Progress in Grouping of Buildings.

Considerable distinction awaits the American city that shall first adopt the Paris custom of awarding each year a prize for the best designed building of the year. While America as yet has not advanced to the point of such recognition of good architecture, progress is making in other directions, notably in the grouping of buildings of a public and educational character. Several cities with the assistance of the architectural profession have under consideration, carefully prepared plans for the rearranging and grouping of public buildings, erection of monumental approaches to avenues and parks, the beautifying of water fronts with terraces and ornamental bridges and other civic improvements and embellishments. Most of these plans require in the larger cities great expenditures of money for their fulfillment, but with the rapidly growing sentiment in their favor this obstacle will not be found insurmountable. In this regard, the smaller and less congested cities have considerable advantage, as convenient locations for the grouping of buildings can be obtained at comparatively moderate cost. The list is constantly growing of educational institutions, the old as well as the newer, that are working to a harmonious plan for the arrangement and design of their buildings. It can not be urged too strongly upon those in authority that the first intelligent step is to secure under competent advice, a general plan. A comprehensive plan can not be decided upon too soon, and should wisely provide not only for present requirements but for growth far in the future. It would thus form a foundation upon which each stone in the future superstructure would fit into its proper place to form a consistent, harmonious, beautiful whole.

RECENT IMPROVEMENTS IN BUILDING.

II.

BY T. M. CLARK, ARCHITECT.

There are many indications that this country is preparing for a great change in its habits of construction, and that the characteristic American building of the future is to be a very different thing from the flimsy construction of boards and laths to which we have been so long accustomed. It is not impossible that sentiment may have had something to do with the change; and that the feeling which has grown so rapidly among us within the past five or six years, that this country is a great force among the nations of the earth, and that its duties and responsibilities have become proportionate to its power, may have its influence in leading people who can afford to pay for what they like, to demand in their buildings, as many do at present, a seriousness of design, and a massiveness of material and construction, utterly opposed to the pettiness and sham once believed, with too much reason, to be inseparable from American architecture. Undoubtedly, a part of the credit for this improvement is due to the high artistic feeling of American architects; but the best architect must shape his designs to suit his clients; and the impression of power, as distinguished from richness or show, in which our great cities already surpass any others in the world, is due quite as much to the taste of the owners of new buildings as to that of the architects whom they employ.

In the design of country dwelling-houses the movement, although more recent, and, as yet of limited extent, is still more conspicuous than in city buildings, for the reason that the change is greater; and, even now, it is difficult for any one but an architect to realize that the structure of studding and clapboards, which has been in universal use here for such purposes for nearly three hundred years is destined to give place, within a comparatively short period, to a far nobler and more enduring fabric of masonry and steel. Aesthetically, the world will be the gainer by the exchange of a mode of building so limited in architectural expression, and so mean and shabby in its rapid decay, for a more solid system of construction; but artistic considerations, although they will be influential in introducing and defining the new fashion, will count for less than economical ones in securing its general adoption.

Among the economical arguments which will lead, before many years, to the substitution of metal and masonry for wood in country, as well as city buildings, is likely to be the unanswerable one of the smaller cost, all things considered, of the more substantial construction. Already, strength for strength, a steel frame is cheaper, at normal prices, even in this country, than one of wood; and it is only in details that the more enduring and incombustible structure exceeds in cost the familiar type. These details can be, and undoubtedly will be, very much simplified and cheapened as soon as the demand warrants the working out of a new system, while the cost of framing timber must, apparently, steadily advance. Few people realize that, while structural steel can be produced more cheaply in the United States than anywhere else in the world, our timber resources are already smaller proportionately, than those of any other civilized country, except, perhaps, Spain, while the enormous consumption of lumber is rapidly reducing them still further. Architects, who now constantly see doors and other finished woodwork of Oregon cedar and Swedish fir, brought four thousand

miles to be used on the site of what were supposed, not so very many years ago, to be the inexhaustible pine forests of Massachusetts, New York and Pennsylvania, have no difficulty in foreseeing the abandonment of timber framing in all but the remoter regions of the country as soon as a cheap and satisfactory substitute can be found for it; and, judging from what they have already accomplished in this direction, it is the architects who will lead in adapting metal construction to new and greatly extended uses. The first need is, probably, lighter shapes for beams. Very light steel beams are rolled in France and Belgium, to be used as a substitute for wooden beams, and shapes of the same kind, which could be handled and cut readily by builders, would be very useful in this country.

Another requisite for dwelling-house construction in metal is a light and efficient connection, perhaps in the nature of a stirrup, which will not require bolting or riveting. For ordinary dwelling-house work the methods used in designing the metal frame of an office-building are totally inapplicable. The country builder can not lay out his steel work beforehand with any precision; he can not handle heavy beams, and can not, with the materials within his reach, fill in wide spaces between the beams. What he needs is framing stock, any piece of which can be handled by one or two men. In order that supplies of material suitable for his use may be carried by dealers, as timber is in the lumber yards, he must be able to cut his floor-beams and uprights, either with a machine or a hacksaw, as easily as those of wood; to secure them together by adjustable brackets, something like those used in library work, which will not involve drilling or punching; and to frame his headers and tail-beams by means of adjustable hangers. With light beams, at such a moderate distance apart that floor-boards could be laid directly upon them, secured by clips in the joints, and metal lath fastened underneath, a structure would be formed which would be practically, if not theoretically, economical, and, enclosed by walls of brick, stone or concrete, or, possibly, by steel studding, covered on both sides with metal lath, and finished outside and inside with cement, would be cheap, strong and undecaying. It would not be fireproof in the way in which the beautiful system worked out for office-buildings is fireproof; but that is not necessary for dwelling-houses; and, with ceilings, walls and partitions plastered on metal lath, or on terra-cotta or concrete, it would be practically incombustible. Even stairs might, probably, be worked out with adjustable brackets, so as to suit any conditions, at a cost no greater than that of wood-framed stairs; and to the roof-purlins, attached with adjustable clips, would be hung tiles, such as are made in France and Germany, and should be made here, at a cost no greater than that of good shingles, while they are put on more easily than shingles, need no nails, and are everlasting. For gutters, skylights and many other accessories, where the indestructible copper can not be afforded, galvanized iron, which is much better made now than it was a few years ago, would be at least equal in durability to wood.

It is true that some time is likely to be required for the development and introduction into current use of a structural system of this kind, but circumstances seem to be leading unmistakably to such development, and, meanwhile, many details of the more costly fireproof work, which would be applicable also, in part, to dwelling-houses,

have been greatly improved, as well as reduced in price, within the last few years. Marble tiling for floors, for example, costs now little more than one-third the price demanded for it ten years ago, and is much better done; and the cost of the "terrazzo" flooring, of bits of marble imbedded in cement, has been reduced in even greater proportion. The floorings of earthenware or cement tiles, once so popular, have been for some years rather out of fashion, although the cost of them has been reduced in about the same ratio as that of marble tiling, and it is not until very recently that new and charming varieties of floor tile have been introduced, which seem likely to revive the use of a material excellent in itself and capable of lovely architectural effects. It is a satisfaction to know that the best of the new tilings are of American design and manufacture, and it is hardly less satisfactory to find that they have met with immediate appreciation from the American public, which has welcomed their picturesque irregularity and dull but beautiful coloring with a readiness which gives a high idea of the native artistic instinct of our people.

In connection with the masonry filling between metal floor beams, much has been accomplished in the way of improvement within the past few years, but much still remains to be done. It ought to be observed that such filling, while necessary in warehouses, and perhaps in lofty office-buildings, hotels and apartment-houses, where a conflagration may accumulate heat enough to cripple or destroy metal floor beams not protected in this manner, is worse than useless in dwelling-houses, where, unless a marble or tile floor is to be laid, it simply burdens the floor and adds greatly to the cost of the building without any necessity, as no dwelling-house fire could spread through a floor of steel beams, with a wooden floor laid directly on top of them, and a plaster ceiling, on metal lath, applied to their underside.

Where, however, such filling is necessary, it can be had now in a great variety of forms. Without entering into the controversy between the so-called "standard" floor filling, made with flat arches of cellular terra-cotta blocks, and the different concrete fillings, reinforced with metal in various forms, it may, perhaps, be suggested that patentees and manufacturers, particularly of systems of concrete filling, have made a mistake in endeavoring to surpass each other in the width of the spans which they would undertake to cover. If concrete were a perfectly invariable material the maximum spans might be used with confidence, but it is very far from being so, and scores of accidents, which have done much to discredit all systems of reinforced concrete construction, have occurred, in consequence of attempts to cover spans of unnecessary width. It is true that, in theory, the cheapest steel-framed structure is that in which the floor-beams are spaced most widely apart; but, with concrete, the weight and cost of the filling between the beams increase, roughly, in proportion to the square of the span, so that the limit of spacing for the greatest economy in the combined construction is soon reached, and, in practice, it is desirable to reduce the span of the filling still more, the cost of the additional steel required, at normal prices, being fully offset by the saving in the thickness of the floors, the reduction in weight on the uprights and the foundations, the lessening of the volume of wet concrete which must be dried out before the finishing of the building can proceed, and the simplifica-

tion of the problem of laying wood floors over the concrete construction, a problem which has not yet been satisfactorily solved.

HOW TO BECOME AN ARCHITECT.

BY W. L. B. JENNEY, ARCHITECT.

OF course, most every one knows that when such a course is practicable, the easiest, best and surest road for a student is to obtain the most complete liberal and professional training—a college course, then a course in the Institute of Technology or the Architectural course in such institutions as Columbia, Cornell, Champaign, etc., and then the course of the Ecole des Beaux Arts at Paris, after which journey to see the most noted buildings. If he can obtain admission go to the School of Athens.

It is assumed that our student has kept up a constant judicious course of architectural reading during his entire course of study, so that he is prepared to derive the greatest benefit from his travels. What I have outlined is no exaggeration. Read Vitruvius, who wrote about the beginning of the Christian era, and see what he thought, at that time, an architect should know. Of course, he should be able to speak French, some German, and Italian, especially Italian enough to understand and make himself understood. His course at the Ecole will have made him familiar with French, but he will find some Italian of decided benefit. The writer well remembers how annoying he found his far too limited knowledge of Italian was to him, when he was traveling in Italy, and his determination to speak it much better on his next visit. It is true the educated persons he met spoke French or English, but it is often to the peasant or to the workman that he is forced to apply for information, who knows no language but Italian, and he must do the best he can, and is often much vexed that he can not obtain the little he wants to know. His pocket dictionary may have helped him to ask his question, but not to understand the answer.

We must admit that it is only the very exceptional student that can obtain the means to follow the foregoing course, and the average student must get on with far less help from others. One calls to mind successful practitioners who were what is called self-educated. Our student is determined to do as well as they have done, and commences to study how he can best do it. He seeks a place in some architect's office, even without pay, and commences to draw. He attends an evening school of which there are usually several in our larger cities. He soon becomes so useful that the employer commences to pay him a salary, little enough perhaps at first, but it is at least an encouragement. Only a short time since a well known architect told the writer that he felt almost ashamed when at first he received his pay each Saturday night, feeling conscious that he did not earn it, but it made him determined that he would and that right soon, and soon his employer promoted him, and he was able to lay by a little each week, which enabled him to take a two years' course at Columbia College, under that dear old man Professor Ware, until today his practice and reputation are equal to that of some of his competitors who were able to follow the schools from the outset with all the advantages that a wealthy parent could give them. Self education in every branch is hard work and requires much determination and self sacrifice, and it is only those who possess these qualifications that succeed.

An earnest student usually draws well before he knows what to draw—before he has sufficient knowledge of the styles and of proportion to keep his drawings pure and simple—dignified and pleasing. Never rely upon ornament—a good drawing is pleasing from its general forms and proportions alone without detailed ornament and without a molding, and this is the way drawings should be made and studied in outline alone, and when this is quite satisfactory, then if you desire, ornament or accent the construction, but never construct the ornament.

In the office of most architects there is a considerable library, and our student should avail himself of every opportunity to study these books, look over carefully the plates, and take notes.

If he has not begun already, he should now commence his scrap books. Select a well bound scrap book of good size, not too small, number the pages, and make a classified index. This should be a separate volume, for later in life the scrap books will become very numerous. Go at this only after a careful study. Make your first volumes, exteriors, general facades, one volume, masonry, brick, steel skeleton, terra cotta, frame, one volume, office buildings, one, banks, one, court houses, libraries, hotels, etc., and these subdivided, leaving numerous pages under each class for future additions. Let the student always carry in his pocket a pad of good sketching paper, pencils and a fountain pen. After a little practice he will prefer to sketch with the pen; when he gets to his office let him complete his sketch, put on the date, locality, and anything of interest. Never miss an opportunity to sketch everything he sees that he thinks may be of interest or use to him hereafter. Let him cut from the magazines, papers, etc., all prints he considers of value, and collect photographs wherever he has an opportunity, having his own camera. Put all these collections in the classified scrap books that must be carefully indexed, as Poole indexed the magazines. It is easy to see that in a few years our student will possess a valuable working library that really has cost him very little more than the valuable study.

It can be readily seen how important is the classification and indexing, and that the scrap books should be of the most substantial character. Some of my old scrap books needed rebinding years ago.

Whenever the student is studying books of architectural plates he should make small tracings of bits that he will like to refer to hereafter, and note the work wherein he found them. These tracings should be pasted in their proper places in the scrap books. Although the writer has detached scrap books designated by the year 1872-6, 1877-9, etc., still he has always regretted that he did not start a regular classified collection properly indexed long ago. He remembers hundreds of things that he now wishes were in his scrap books, so arranged and indexed that they could be readily found.

There will be much in these scrap books that he will use in his daily work, and the spirit that they will give to his work in designing will make him what is known as a rapid workman, of great value if he is practicing for himself, and highly appreciated and well paid if he is at work for others.

Our student has now become so conversant with the different styles of architecture that his designs will be pure, quiet, dignified and always pleasing.

About 1886 the writer was in his office in Chicago when Mr. Fred Law Olmsted called. They had known each other long ago, during the campaign of Vicksburg, when Mr. Olmsted, who was vice-president of the Sanitary Commission, visited the army to see what the commission could do to benefit the soldiers. We were with Sherman's command at Young's Point opposite Vicksburg, and were riding along the levee which was lined with steamboats that had brought supplies and men to Grant's army. They were all of that stereotyped pattern known as river boats, all with a light gallery around the saloon deck profusely ornamented with three boards cut into poor flimsy patterns by the jig saw and all painted white.

Mr. Olmsted stopped his horse, saying, "Let us stop a moment and look at those boats. How easy it would be to improve their 'architecture.'" I saw at once that I must lead on Mr. Olmsted and I would get some valuable information.

At that moment I caught sight of the gun boat "Tyler" coming down the river, to which I called Mr. Olmsted's attention. I remarked, "for example that gunboat was once a river boat exactly the counterpart of these." "That is an example," says Mr. Olmsted, "see what was done—simply took out the useless gallery and ornamentation simplified and made practical—see how much the architecture is improved; just what should be done to all these boats." I have always called this my first lesson in architecture. Learn to improve what you see about you.

In 1900 the writer attended the International Congress of Architects at the World's Fair Grounds in Paris, where we met Mr. Dumontier, the architect-in-chief of the Duchy of Brabant, who invited him to be sure and call upon him when he came to Brussels, which he did about a month later. We were riding together when in Brussels, in the celebrated woods in which Wellington marched, on leaving the ball of the Duchess of Richmond, on his way to Waterloo. He gave directions to the driver and we soon entered the new suburb. There were new houses, many completed on either side of the boulevard, through the wood. Dumontier said, "Look at these new houses, they are what we call the style de la Jeunesse (youth). See that front door? The top twists off at the summit in the most extravagant rococo style like the corner of a gilt picture frame. You might ask does he intend to gild it?"

All the details of the houses were in a similar, absurd, extravagant style, certainly original, for I had never seen anything like it. Dumontier added, "These houses are all by young architects; it is not that they lack talent, for you can see that they have plenty. They are all striving after originality, and hope to make a reputation in that direction. They will quiet down as they get older and will design in a simple and dignified manner, and will be the first to laugh at what they will style the follies of youth."

Our student is now well informed on all matters pertaining to architecture as a fine art; he must now study the engineering of architecture.

First, I would recommend that he should carefully read Kidder's Architects' and Builders' Pocket Book; a misnomer, by the way, for its dimensions have far outgrown the pocket. It should be kept ready at hand and be studied until the student can refer to every subject and quickly solve his problem and be sure that he has understood the book correctly. He should then study elementary and prac-

tical electricity, understand what is best for an electric plant in the buildings he is likely to have in charge, the wiring for lighting, etc.

He should then take the different apparatus and appliances, such as heating, plumbing, sewerage, elevators, etc., it is not necessary that I should enumerate them, but it is necessary that the architect shall be able to write a clear and proper specification therefor, with a diagram of the necessary layouts, etc.

Of course, you will say that the writer has outlined the work of a lifetime, and certainly he has, and very properly, for a professional man should keep up his studies as long as he is in professional practice, or he will find himself dropping behind and younger men taking his place.

MUNICIPAL IMPROVEMENTS.*

II. Modern City-Making.

BY ALBERT KELSEY, ARCHITECT.

Chairman Committee of Experts, Art Federation of Philadelphia.

REDUCED to a formula, the elements of modern city-making are circulation, hygiene and beauty. Circulation may be termed the anatomy of a city; the transit facilities above, below and on the surface of the ground, the life arteries or pipe galleries for the distribution of public utilities, including a sewerage system.

The interdependence of circulation and hygiene is evident.

Hygiene represents the aspect and prospect of the city, its general salubrity, the density of population, the lighting by night and day, a free sweep of air, and lastly, a proper density of construction.

A fixed ratio should exist between the voids and solids of all quarters of the city, whether such quarter be one of lofty buildings or of modest two or three story residences. By this is meant a proper ratio between blocks of buildings on the one hand and the streets, courts, and open spaces surrounding them on the other. If a sufficiency of open space is provided, beauty is possible. The interdependence between all three—hygiene, circulation and beauty—is now evident.

Beauty represents the expression of a city. Cities, like individuals, have natural and artificial expressions. The dominating chimneys of the manufacturing town, and the surmounting domes and minarets of the oriental city, are each natural expressions.

The savage man has much the same faculties as his civilized brother, but these faculties are less developed. The savage man is unkempt, shaggy and dirty.

The ordinary city is unkempt, i. e., it is a haphazard agglomeration and is usually dirty. But as cities develop—whether it be the crude and purely utilitarian manufacturing town or the mysteriously beautiful city of the Orient—in this age of tolerance and universal knowledge they soon produce one or more cosmopolitan thoroughfares, providing easy circulation, good hygienic properties and some degree of beauty.

The city begins to wash itself. It may be but Pera Street of Stamboul, merely “a lick and a promise,” yet it illustrates the fact that all cities have certain requirements

in common when they begin to groom themselves and enter into competition with one another.

This social adjustment may take away much from their picturesque charm, and some of their individuality, but in return it brings compensating conveniences and well being.

Consider the manner in which the Germans methodically approach any problem and you will see positive results of their intelligence in the physical development of their well disciplined cities. Consider Paris, with its nearly perfect civil service; its departments of public works and design; its special representative from one board serving on many other boards; with architects, sculptors, painters, horticulturalists and medical men in consultation on problems that are purely engineering problems with us, and the reader gets some idea of the proper way to evolve plans for the carrying out of public improvements.

With Glasgow's public utilities entirely removed from politics, and the municipality successfully conducting its gas and electric lighting, its telephones, water works, markets, parks, baths and lodging houses, and you obtain an idea of what the downtrodden Scot gets for his taxes. Or, again, consider St. Gall, in Switzerland, and one or two other happy communes in the same country, where all public property is administered without taxation and returns a profit annually, and you get another of many object lessons from backward Europe which should encourage you, should you be a social idealist, to hope for much here that is yet beyond the horizon.

Here in “the land of the free and the home of the brave,” in all our cities many foul growths must be torn up root and branch before a fair start can be made. But let us not be downcast on that account, for in many European cities conditions were much worse where now prevail high standards of hygiene, circulation and beauty.

Is it to be wondered at that our short term officials often hesitate to inaugurate physical improvements upon really broad and enlightened lines? Not at all. The responsibility is too great. And then the next election must be considered. The contractors who put them in office must be considered. And sometimes better get-rich-quick schemes, such as the reckless granting of franchises must be considered of paramount importance. Yet there is progress. To the remarkable private initiative of our people we owe nearly everything that is public spirited, and in spite of an unfortunate state of affairs which levels down to politics and corporate greed rather than up to the standards of the best trained minds, yet notwithstanding all this several civic patriots have already accomplished wonders, and it is to them we must look for that evolution which will enable our cities to gradually metamorphose themselves upon 20th century lines. Were Haussman alive today he would not apply his rules of thirty and forty years ago to American city-making, but from conditions peculiar to our life and time he would evolve new ones which, if followed, would produce magical results. In reconstructing Paris this is what he accomplished: He transformed a dark, dirty, tortuous and malodorous mediaeval city into the brightest, the cleanest, the most open and the most countrified community of any size in the whole world. Briefly, he increased the density of population in proportion to a great decrease in the density of construction.

A uniform six story alignment did the trick.

*The opening paragraphs are from an address delivered by the Author before Municipal Art Society of Baltimore at Johns Hopkins University, Jan. 8th, 1902.

What possibilities might he not see in our lofty structures; in our rapid transit facilities, and in our adaptability as a people!

Here the principles and rules to govern in working out the immense and delicate problems before us are yet to be formulated, while since Haussman's time they have been drawn up, tabulated and arranged for the most effective guidance in many different fields abroad. We look for private initiative and then to the officials. Among us the rule is that some private citizen or society must initiate the idea, then it must be followed by newspaper publicity, public meetings, etc., before it is worthy of official consideration, while abroad it is planned years in advance of execution by well trained officials. Not only are public improvements schemed out in advance in this manner, but all private enterprises using in any way the public domain have their plans developed, altered, perfected and extended by the city officials, without consulting the public; and with but scant consideration of the wishes of the promoters who supply the funds. Thus railways and trolley lines are not paralleled, real estate operators are not permitted to stamper property values, overhead electrical construction is restricted and carried out only under the most rigid regulations, and the strangling of thoroughfares by all sorts of encroachments, so frequent in this country, is unknown.

A hopeful sign comes from Boston. An agitation started by the Society of Architects is now on foot to secure legislation which will insure a wider use of the laws of eminent domain. The law is to enable the city to go into the real estate business, as it were.

Such laws exist abroad. In the case of the construction of Northumberland avenue in London, and the Avenue de l'Opera in Paris, they enabled the authorities to create two magnificent new thoroughfares at a profit! Not only did these improvements not cost the taxpayers anything, but all abutting properties were subjected to wise and just restrictions which provided and still provides for a uniform treatment of all buildings facing upon them.

The scheme is identical with what our suburban development companies are doing. They buy a tract of land, lay out better and broader streets than the city would build and derive a profit from the sale of the adjoining property thus improved.

Notable illustrations are to be seen at Overbrook, Pelham and St. David's, in and about Philadelphia, where the monotony of a stupid city plan has been broken and beautiful, well wooded, winding avenues have in many cases been given their direction in order to save noble trees.

Such revenue yielding improvements are common to other cities. A less rural but equally profitable example (both financially and from a civic standpoint) is illustrated by Vandeventer and Portland places in St. Louis.

They are all in striking contrast to the methods pursued in the construction of the two new boulevards now building in Philadelphia, where the city paid extravagantly for the right of way to enormously enhance the value of adjoining property owned or controlled by councilmen and their friends. These broad parkways, laid out and constructed along foolish and ineffective lines, were routed not to embellish the portions of the city they traverse, not to relieve congestion and ease circulation, and lastly not with any idea of preserving natural beauties. They were graft-laden schemes projected in defiance of the real needs of the people, and are as unprincipled in design as in ex-

ecution. In fact, in the construction of the finished part of one it is alleged that the only portion of the specifications that has been lived up to is the item describing the bricks to be used for paving gutters, which were manufactured by one of "the gang."

It is in our suburbs, in new communities and in sparsely settled old ones that there is the least excuse for unenlightened development. These areas are usually unencumbered by buildings, and are sometimes free from the rapacity of politicians, and yet it is in just such cases where the opportunities are the greatest that crass ignorance manifests itself most frequently. Many excuses, more or less reasonable, may be advanced for the go-as-you-please, the-public-be-damned methods, followed in congested quarters, but none can be advanced in support of the wanton desecration of our frequently beautiful suburbs. Yet from the Atlantic to the Pacific monotonous rectangular block, are laid out, and are still being laid out regardless of every topographical and scenic consideration and the indefinite extension of uninviting narrow streets goes on unchecked far out into the pure and promising country.


TRINITY BUILDING, NEW YORK.

BY BARR FERREE.

IT is a good thing to have built a good building; it is a better thing to have built another good building. It is a wonderful opportunity to have the finest site in New York on which to build a structure of great size and cost; it is even more wonderful to have had another opportunity of the same kind; and it is most wonderful of all to have eclipsed in the second the success obtained in the first structure. These are the thoughts which naturally occur to one when observing the very remarkable buildings which Mr. Francis H. Kimball has erected on two sides of Trinity churchyard, the Empire building and the Trinity building. No other architect in New York, no other architect who ever lived had such splendid opportunities in the designing of commercial buildings, and it is to Mr. Kimball's lasting credit and enduring fame that he rose to the full height of the opportunities given him and created two of the most successful and most impressive office buildings in New York.

The Empire building is quite an old story; the Trinity building is very new, having been opened for occupancy this spring. But it is impossible not to compare the two, since their long fronts overlooking Trinity churchyard are almost identical in dimensions, and the fact that two such unusual sites should have been built upon by the same architect is so remarkable as to call for more than passing mention.

Trinity churchyard, as all the world knows, is the most considerable open space in lower New York. Roughly speaking it is about 430 feet long and 250 feet deep. The buildings that overlook it on either side have an immense renting value owing to the ample light and air their offices are permanently assured of, and to the architect they have the additional advantage of being structures that can be seen, seen at all times and in every part. It is hardly necessary to point out that this is not the fate which attends most office buildings, for the care lavished upon most of them is utterly wasted, and ornateness of design, and even beauty of detail is, in a quite general and literal sense, lost art. Mr. Kimball's two great buildings are not



DETAIL UPPER STORIES.



DETAIL, LOWER STORIES

THE CHAPIN & GORE OFFICE
RICHARD ERNEST SCHMIDT



FACADE

OFFICE BUILDING, CHICAGO
EST SCHMIDT, ARCHITECT




INTERIOR VIEWS, MEN'S CLUB HOUSE, McCORMICK REAPER WORKS, CHICAGO.

JAS GAMBLE ROGERS, ARCHITECT.


AREA
CLUB V. I. WORKS
AREA



MEN'S CLUB HOUSE, MCCORMICK REAPER WORKS, CHICAGO.
JAS. GAMBLE ROGERS, ARCHITECT.



C. M. & J. W. A. R.



Graham Photo Co., Los Angeles

VIEW IN RECEPTION HALL.
RESIDENCE, ERASMUS WILSON, LOS ANGELES, CAL.
DENNIS & FARWELL, ARCHITECTS




VIEW IN DINING ROOM




ROGERS PARK CONGREGATIONAL CHURCH, CHICAGO
J. E. O. PRIDMORE, ARCHITECT

*J. E. O. Pridmore
Architect*



NEW HIGH SCHOOL, DENVER, COLO.
D. W. DRYDEN, ARCHITECT




FLEUR DE LIS APARTMENTS, SHERIDAN PARK, CHICAGO
FRANK V. NEWELL, ARCHITECT



RESIDENCE, ERASMUS WILSON, LOS ANGELES, CAL.
DENNIS & FARWELL, ARCHITECTS

INTERIOR VIEW
RESIDENCE, C. H. SHAFFER, LOS ANGELES CAL.
C. H. BROWN ARCHITECT



RESIDENCE OF MR. CAMPBELL, SPOKANE, WASH.
CUTLER & MALMGREN, ARCHITECTS




Graham Photo Co., Photo.

INTERIOR VIEW

RESIDENCE, C. H. SHAFER, LOS ANGELES CAL.

C. H. BROWN ARCHITECT





The Foundation Company,
Caisson Foundations.
Wm. Bradley & Son,
Cut Stone Contractors.
Walls of Blue Bedford Stone from
the Hoosier Quarries of the Bedford
Quarries Co., Chicago.

GENERAL VIEW, MAIN FACADE.
TRINITY BUILDING, NEW YORK.
FRANCIS H. KIMBALL, ARCHITECT.

Atlas Portland Cement Co., Cement.
Perfect Safety Window Guard Co.
Geo. P. Hall & Son, Photographers.
Mississippi Wire Glass Co., Wire Glass.






Walls of Blue Bedford Stone from the Hoosier Quarries of the Bedford Quarries Co., Chicago.


DETAIL OF ENTRANCE AND LOWER STORIES.
TRINITY BUILDING, NEW YORK.
FRANCIS H. KIMBALL, ARCHITECT





Walls of Blue Bedford Stone from the Hoosier Quarries of the Bedford Quarries Co., Chicago.

DETAIL, UPPER STORIES.
TRINITY BUILDING, NEW YORK.
FRANCIS H. KIMBALL, ARCHITECT






Batterson & Eisele,
Marble Work,
Three Lower Floors.

VISTA IN MAIN CORRIDOR.
TRINITY BUILDING, NEW YORK.
FRANCIS H. KIMBALL, ARCHITECT


Winslow Bros. Co., Bronze.
John H. Shipway & Bro.
All marble work above third floor.






Winslow Bros. Co., Bronze.

TREATMENT OF STAIRWAY.
TRINITY BUILDING, NEW YORK.
FRANCIS H. KIMBALL, ARCHITECT.






Winslow Bros. Co., Bronze.


ELEVATOR ENTRANCES.
TRINITY BUILDING, NEW YORK.
FRANCIS H. KIMBALL, ARCHITECT

Standard Plunger Elevator Co.,
Elevators.






RESIDENCE, W. G. FRICKE, OAK PARK, ILL.
FRANK LLOYD WRIGHT, ARCHITECT



Graham Photo Co., Los Angeles.

RESIDENCE, A. C. ALLERTON, PASADENA, CAL.
JOHN PARKINSON, ARCHITECT, LOS ANGELES, CAL.



only conspicuous for their size, but are conspicuous because they can be seen and must be seen. No one can view Trinity church without having their attention immediately attracted to the great walls of masonry and glass that now bound its churchyard. In short, they occupy splendid sites and they occupy them in a splendid manner.

But Trinity building has another distinction which is quite as great as its superb situation, and that is that it is a wholly new presentation of the problem of designing a high building. It is a Gothic sky scraper, a building which, if not actually the first of its kind, is so new a version of the Gothic style and so successful a one to boot, that it is likely to give a fresh impetus to the study of Gothic architecture, and lead to new studies in its adaptation to the needs of modern building design.

Whether the close juxtaposition of Trinity building to Trinity church was the reason for choosing the Gothic is immaterial; the Gothic of the building is quite different from the Gothic of the church; yet both are examples of modern Gothic, that of the church being an ecclesiastical Gothic; that of the office building being civic Gothic. The difference between the two is very great, and in this lies the secret of Mr. Kimball's success. The last word of Gothic in modern architecture was supposed to have been enshrined in Mr. Street's Law Courts in London. But Mr. Street failed, and failed disastrously, because he used the forms of ecclesiastical Gothic, used them unthinkingly and without adaptation, strung mediæval turrets upon his walls; lighted his rooms with traceried windows, profoundly pointed; vaulted his corridors and used all the paraphernalia of mediæval Gothic as it was understood by the archæological architects of the Victorian era.

Mr. Kimball's processes have been widely different and his success correspondingly great. Having a commercial building to design, he immediately ignored the forms and the traditions of ecclesiastical Gothic. Attacking the subject from the viewpoint of the Gothic spirit—something quite different from the copying of Gothic forms, which was the rock on which the Victorian Gothicists went to pieces—he designed a modern office building exactly as he imagined a mediæval architect would have done had he had an identical problem presented to him. His design is, therefore, almost completely devoid of the stock materials of Gothic design. It is true there are a couple of pointed gables in the lower cornice; there are smaller similar gables crowning emphasized bays introduced to relieve the design; there are some pointed windows, and four and five centered arches in the lower tiers and in the uppermost member; these give character and emphasis to the design, but do not dominate it.

An examination of the facade overlooking Trinity churchyard will make clear just what has been accomplished. This is the most important aspect of the building, for the frontage of 41 feet 6 inches on Broadway, and of 46 feet 6 inches on Trinity place are too narrow to properly represent the real architectural achievement of this building. It is the churchyard front, with its great length of 264 feet, and its enormous height of 290 feet which counts, and by which the success of the design must be measured. This is a very considerable surface to treat in an architectural manner and in a way that holds the interest throughout, especially in a city with the rigid requirements of the building law prohibiting extensions beyond the building line, and the stern commands of the

owners forbidding retreat behind it; yet Mr. Kimball has solved this most difficult problem in a highly interesting and very successful way.

There is an architectural base of four stories, which is emphasized by a central series of two storied rounded windows. Then comes the superstructure of thirteen stories, the uppermost of which is included within the supports of the main cornice immediately above it. All of this great surface is kept perfectly plain and flat, save for two string courses, and the grouping of seven pairs of windows into bays, surmounted with curved and pointed pediments that barely obstruct—and practically do not do so—the windows immediately above them. Then comes the frieze of four stories, in which the two storied arches of the base are repeated. The pavilions at the ends, with their shallow curved pediments are, perhaps, the least successful parts of the design; but the problem here was a very difficult one to solve successfully, and the present finish is certainly not objectionable. Of Gothic forms, therefore, there is little enough, but Gothic character is given by the detail, by the traceried windows below, by the Gothic panels and pilasters, by the applied pinnacles to the enclosed bays and by other features of like nature.

As it stands today Trinity building is but part of a more extended scheme which it is hoped to carry into completion; but it is thoroughly complete in every detail, and needs no further extension to give it interest. Its floor space, while restricted, is admirably adapted to the needs of corporations requiring uninterrupted floor area, and the rapid manner in which its offices and floors have been rented are ample testimony to its commercial success.

Gothic having been chosen for the external expression of the building, the same style has been used in the interior. The main corridor, with its marble walls, its gilded ceiling, its great bronze entrance door, with its upper traceried screen of leaded glass, its Gothic elevator enclosures, with their beautiful bronze pediments, and the windows opening onto it, is something entirely new in commercial architecture. And it is not only new but very well done, admirably conceived and beautifully carried out. Narrow as this corridor is, it is, in some senses, the most interesting corridor in New York. It speaks a new note in modern architecture, a note that is modern and new, good and fine. It is a building that will not only greatly enhance the reputation of its designer, but which must greatly extend the application of the Gothic style to modern needs. Apart from its own merits as an example of commercial architecture this is a fact likely to be of supreme importance in modern building.


CONSTRUCTION PROBLEMS, TRINITY BUILDING.

MR. FERREE, in his admirable criticism mentions the fact without enlargement, that the Trinity building is a commercial success. To account for this attention must be directed from the grace and beauty of the architecture to the consideration of the building from the point of its utility as a business structure. The reason for the commercial success lies not so much in its beauty of design as in the fact that the owners have neglected no opportunity to insure the comfort and convenience of their tenants. No detail has been overlooked and nothing left undone. Only those methods, materials, products, appliances and equipments have been used that have a merited reputation as the best of their kind.

From the mass of interesting details of construction a few of the more noteworthy features are selected for mention:

The building is about 41 feet wide on Broadway, widening to about 47 feet on Trinity place with a total depth of about 265 feet. It is 21 stories in height, being about 290 feet from street to roof. Standing as it does on a narrow plot unusually heavy steel work was necessary to give the required stability against wind pressure. The basement of the building is reached by a broad flight of steps from Broadway and is at the level of the street on the Trinity place end. In the sub-basement are the electric lighting, heating and ventilating machinery. Turbine engines will be used for power generation.

The prominence and the location aroused much interest in the work of installing the foundations. The rapid progress made was noted by even the casual observer. The actual time consumed in putting in these foundations has created a record—fifty caissons in fifty days. The weight of this building is approximately 45,000 tons—fifty caissons are distributed so as to carry this great weight to the best advantage. All of these caissons were carried down to bed-rock or a satisfactory hardpan overlaying the bed-rock. Some of the caissons were taken through several feet of hardpan either to rock or a most suitable strata.



THE TRINITY CAISSON FOUNDATIONS.
THE FOUNDATION COMPANY, NEW YORK.

The average depth of sinking below the curb was about eighty feet. Thirty-two of these caissons were rectangular in shape and built of timber. These form an almost unbroken wall around the four sides of the plot. The other eighteen were circular in shape and built of steel. These are in a straight line running through the center of the plot from end to end. These are the deepest foundations for buildings in New York City. Of the eighty feet of depth below the curb all of it below an average depth of about twenty-four feet was through water and quicksand. The water level being about twenty-four feet below the curb, approximately 6,000 cubic yards of material were removed from inside the caissons under air pressure. There was also about 6,000 cubic yards of general excavation in addition to this—a total of near 12,000 cubic yards of material excavated, removed and disposed of. About 5,000 cubic yards of concrete was deposited in filling the caissons from the rock up to the column bases. The abutting

streets on three sides of the plot and the adjoining property made the problem of shoring quite as interesting as the foundations themselves. On the north is narrow Thames street with its old buildings but a short distance away. On the south, historic Trinity churchyard running the entire length with the massive gothic gate at the Church street end. On the east busy Broadway with its heavy continuous traffic and the subway running close to the curb line. On the west Church street, surmounted by the Sixth avenue elevated with one supporting post almost opposite the center of the plot. To properly shore all this adjoining property and protect it against damage and settling during the sinking of the fifty caissons necessitated the most careful and skillful handling and the planning called for the best engineering ability. The difficulty of the shoring was increased through the efforts of the contractors to preserve the sacredness of the church property. A protecting fence was erected the full length of the plot and all work was kept rigidly inside this fence so that no work whatever was done in the churchyard. All timbering and bracing was done from the building side. This entire contract of foundations and shoring was completed without trouble of any kind and the finished foundations were delivered to the general contractor well within the time specified. Such results reflect great credit upon the foundation contractor, The Foundation Company. It is not possible to accomplish such results except with the highest engineering ability to conceive and plan, a well balanced, fully organized force of superintendents, foremen, engineers and men trained to their work to execute and a complete equipment of heavy machinery and tools especially adapted to this class of work and always ready for immediate service. The Foundation Company possesses all of these and are splendidly equipped for heavy foundation work of all kinds—caissons particularly. It might be added here that the sinking of caissons for office building foundations was made possible by the Moran Air Lock which is the invention of Mr. Daniel E. Moran, C. E., who is secretary of The Foundation Company and is associated with Mr. Edwin S. Jarrett, C. E., treasurer, and Mr. Franklin Remington, C. E., president.

The main front and the sides of the building are of blue Bedford stone from the Hoosier quarries of the Bedford Quarries Company, Chicago. Remarkably quick time was made in the stone setting. The first stone was placed August 19, 1904, and the last December 20. This record was made by William Bradley & Son, cut stone contractors, Brooklyn, N. Y.

The integrity of the masonry was assured by the use of Atlas Portland cement.

A long list of great buildings in New York testifies to the ability of John H. Shipway & Brother, importers and manufacturers of interior marble, mosaic and tile work, to execute successfully the largest contracts. Their list of work includes the Trinity building.


A glance at the plate in the illustration pages, entitled "Vista in the Main Corridor," will indicate the extensive use made of marble in the interior finish. The marble was all carefully selected, and adds great brilliancy and beauty to the interior treatment. All the marble work in the three lower floors was executed by Batterson & Eisele, New York.

The fireproofing of the building is of hollow-tile blocks, both floors and partitions, the floor arches being of

the end construction type. A very interesting feature of the building is the plan and type of elevator service. The elevators are eleven in number and all of the plunger pattern. Ten are used for passenger service; five of these are expresses running to the top of the building and five for local service running to the twelfth floor; the remaining one is used for freight. The pistons on which the elevator cars rest are sunk to a depth of 300 feet. They represent the highest single rise ever achieved by this type of elevator. The elevator equipment was installed by the Standard Plunger Elevator Company, of New York.

As a matter of course, the building is equipped with the mail chute system, installed by the sole makers, the Cutler Manufacturing Company, Rochester, N. Y., and authorized for use in connection with the United States free collection service.

The very elaborate mahogany trim throughout the building has been subjected to a fire retarding process. Two 6-in. stand-pipes are installed in the cut-off staircase hallways, each with a valve and 100 feet of hose and nozzle at each floor level. These stand-pipes are intended to be supplied by fire engines through Siamese connections on the street level.



IRON GRILLEWORK
BY WINSLOW BROS. CO.

WIREGLASS BACKING
BY MISSISSIPPI WIRE GLASS CO.

No other feature of the building is more indicative of its ornate character than the bronze work in the various halls, corridors and elevator openings. All of the ornamental iron and bronze work in the building was executed by Winslow Bros. Company, of Chicago and New York,

and is regarded as the most elaborate of any office building in the world.

The building itself is so thoroughly non-combustible that little remained in the matter of fire protection save against the exposure hazard—against fire spreading from floor to floor or fire contributed from buildings at the rear. All stairways are enclosed in hollow tile partitions with tin-clad doors, while elevator shafts are enclosed in grille work backed by Mississippi wire glass as shown in cut herewith. All windows facing on Thames street have Mississippi wire glass in copper frames, those opening into offices having polished glass admitting an unobstructed view. The skylights are wire glass.

In a building of this size the hanging of the windows is an important detail. It is of interest to note that sash chain was selected for this purpose. This was supplied by the original sash chain manufacturers, the Smith & Egge Manufacturing Company, of Bridgeport, Conn.

While the fenestration of the building is of vital importance in the design, and to the welfare of the tenants, the cleaning and care involved is a constant menace to life which has engaged much inventive genius to overcome efficiently. Along this line over 1,600 of the windows in the building are equipped with that very latest appliance for the safety of the operator in cleaning the outside of the windows, the Perfect Safety Window Guard. The owners after careful investigation of all appliances of this nature gave the contract to this company, for the reason that it represented the latest improvements in appliances of this character to be had, combining actual insurance against accident, and economy in time and labor.

The views of the Trinity Building in our illustration pages are from the photographs of George P. Hall & Son, New York, and demonstrate their thorough competency in difficult photography.

ARCHITECTURAL EFFECTS IN BUILDING BLOCKS.

BY A. S. ATKINSON.

NEXT to the question of making strong serviceable building blocks of concrete is that of widening their use for architectural effects by producing greater variety in form, shapes, sizes and finish. The ordinary concrete building block is eminently adapted to construction of buildings in which strength and fireproof qualities are more desirable than anything else, but architects have been less cordial in adopting the blocks for private residences where lines of beauty and effect are particularly demanded. It is true that a solid front or side of a house built entirely of one size of blocks presents a rather monotonous finish, but today there is little reason or justification for such sameness.

The tendency in the manufacture of the concrete building blocks is noteworthy both in the direction of securing better and more durable products and in obtaining more architectural effects. This latter development is worthy of special consideration in view of the widespread demand for some form of low cost fireproof building material for private residences. Fireproof homes in the country and small towns and villages have recently become very popular, and the concrete building blocks have contributed largely toward this movement. But in the effort to combine the useful with the beautiful there have been designed houses of concrete blocks with shingle roofs and wooden trim. The effect of this is somewhat incongruous, for

while variety is obtained in combining the two materials the fireproof qualities of the house are practically nullified.

The concrete manufacturers have come to the rescue by building machines that will make blocks of almost every conceivable shape and size. This variety is rapidly increasing, and it may not be many years before concrete building materials will represent as wide a diversity of effect as anything made of wood. There is no just reason why this should not be accomplished when we consider that in its plastic condition the concrete can be moulded into any shape or form desired. It is simply a question of moulds and of artistic workmen to finish the blocks in any design demanded. There will undoubtedly spring up a class of concrete workmen who will represent in this trade the stone carvers and cutters of the latter trade. Here is just as wide a field for development. Variety will be demanded, and while machines will press the blocks in their desired form it will require hand workers to finish off the faces in particular forms.

This is not altogether a novelty in the trade, for where blocks are made by pouring the concrete into the moulds and leaving the tops exposed it has been customary to finish the face off with a richer mixture of cement and sand, and then trowel the upper surface smooth. In addition to this rollers and tools are now used to produce any artistic effect desired. The tooling of the face of the blocks opens great possibilities for variation, and expert workers can reproduce any form of stone carving.

In addition to this some remarkable effects have been obtained by representing different colored stones with thin coatings of screened stone. The stone is broken into uniform sizes, and while the block is still wet and plastic this is screened over the upper face. The selection of different colored stones for this purpose permits a wide variation in effects. When such surfaces are tooled by hand it is impossible to distinguish the artificial front from natural red, blue or green stone. The screened stone must be applied quickly, and worked in the concrete so that it will adhere firmly to it. In constructing handsome residences of concrete building blocks, the facing of colored stones is entirely under the control of the workmen. There is needed today probably as much as anything proficient cement and concrete workmen who can produce such desirable artistic effects in the blocks, and as the trade develops a distinctly new industry will be created by these workmen. The concrete block machines can not finish off such stones with anything like the variety that is obtained by hand, and as a complement to the machines efficient workmen will be required for facing blocks and corner stones.

The machines themselves have developed rapidly, and they possess a mobility of work that enables the manufacturer or builder to secure a wide variety of shapes and forms. The adjustable nature of the machines makes it possible to adapt the work to the needs of nearly all kinds of building work. The blocks can be made of various lengths, height and thickness by simply adjusting the moulds, and the advantages of such manufacture are very apparent. Blocks for sills, coping and lintels can be turned out with almost equal facility, and the builder can produce changing effects without resorting to hand moulding and tooling. This is quite important when we consider that in an ordinary brick building a dozen different size bricks may be used by the mason to secure a finished effect. The brick builder in recent years has greatly popularized his

work by increasing the variety of his materials. With plain faced bricks, glazed, colored and burnt, he has been able to secure variety enough to avoid any monotony of appearance in the walls. Used in combination with stones, even richer effects have been produced.

Now the concrete block builder must compete directly with the brick builder both in regard to price of material and workmanship and artistic effects. A bare plain wall, unrelieved by any change in form or color, may satisfy owners of factories and stores, but the owner of an artistic dwelling demands more variety. It is not sufficient to demonstrate to him that concrete blocks are fireproof, and thus afford more protection to his home and contents. Even when it is shown that the hollow concrete walls are less affected by heat and cold, and almost proof against dampness, he will weigh all these unfavorably against the final question of appearance. If the house is inartistic, and appears like a duplicate of every other house built of the same material, he will hesitate. Consequently, for the best interests of the trade, it is important that the blocks of concrete should represent as wide a variation in form, size, facing and coloring as possible. It is the very fact that this can be accomplished at comparatively little expense, which gives so much promise to the future of the concrete block industry.

The ordinary stone house, with the front chipped and tooled by hand, grows somewhat monotonous unless the different courses of stones vary in width and length. The foundation courses of either stone or concrete blocks should be much larger in size than the upper courses. This sharp distinction between the foundation and the beginning of the walls adds dignity and beauty of outline that is quickly noticeable. The further breaking up of the walls with courses of small stones or concrete briquettes of the size of ordinary bricks just above the first story, and again on the line of the third story, provides variety of outline that is pleasing to the eye.

In factory and mill construction the building blocks have already become well established, but it is in other fields that the building materials should make their reputation. The store, apartment house and private residence, as well as the country barn and farm house, should be converted into fireproof, substantial structures by concrete blocks. Indeed, there is no limit to the application of the blocks, provided care and good judgment are exercised in every direction.

ASPHALTUM AND ITS USES*—Continued.

BY J. S. JACKSON.

The specifications require that the ultimate thickness of burlap and two coats of asphaltum shall be at least 1/4-inch, on top of which is laid a course of brick, laid flat, grouted with cement mortar. The city of Cincinnati is spending about \$10,000,000 on their new system and is taking every precaution to insure that there shall be no leakage in the reservoirs.

The city of Philadelphia in 1892 completed a large reservoir called the Queen Lane Reservoir, which caused the city great annoyance and expense in the way of leakage. This reservoir was treated with asphaltum in the same manner as set forth in the above mentioned specifications, and there has been no further trouble.

*A paper read before the Chicago Architects' Business Association, May 12, 1905.

In the same year the city constructed another large reservoir at Rocksborough, a suburb some twelve miles out. This was built at a cost of some \$1,200,000. The slopes and bottom were puddled with eighteen inches of clay, followed on the bottom by six inches of cement concrete, and on the slopes with a lining of vitrified brick laid edgewise in cement mortar. The reservoir was practically worthless, as the leakage was so bad that the city gave up trying to use same until some remedy was effected. In this reservoir the writer had charge of the work in 1896 of putting in an asphalt lining consisting of one and one-half inches of asphalt as laid on the streets. The brick and cement lining was first coated with a solution of benzine and asphalt, being followed by one-eighth inch of pure asphalt, on top of which was laid one and one-half inches of street mixture; this in turn being coated by one-eighth inch of pure asphalt. There has been no trouble since.

Many reservoirs have been completed within the last fifteen years being lined with asphalt alone and being laid directly on the first sub-grade, using a material similar to a street mixture, and then coating the same with pure asphalt mopped on hot. This is an economical and effective lining and answers every purpose, and is very largely used, especially on the Pacific coast.

A desirable feature of the lining is that it is entirely water tight and if there should be any settlement of the earthen slopes or bottoms, the lining will gradually follow any moderate settlement without cracking or breaking and thus insuring against leakage.

The writer has also constructed reservoirs with brick by dipping same in asphalt and laying them in two courses and again coating with pure asphalt.

It is unnecessary to go further into this branch of the asphalt industry, as it has been completely demonstrated that for this purpose the material is unequalled.

(To be continued.)

LOCKS AND HARDWARE*—HISTORICAL.


(CONTINUED)

"The ravages that followed the downfall of the Roman Empire gave an unprecedented impulse to lock-making—indeed, to the art of working in iron generally. The danger of being robbed at any time was a keen spur for human ingenuity to improve the means of securing property. Painting on glass is not the only art that the Middle Ages made their own, developed and perfected to a marvelous degree. That of the smith was furthered likewise. For the security of property, locking a door became insufficient. Doors were lined with iron plates or strengthened by iron bars, and even made of iron altogether; locks were applied to any piece of furniture destined to contain valuables, and these, too, were either strengthened by iron network or made of iron. Though the fact has seemingly been overlooked by the historians of safe-making, iron safes began to be built as early as the fifth century of our era. Gregory of Tours, the French Herodotus, relates in his history of France that the Emperor Justinian being dead, Justin II, his successor, full of miserly fears, 'ordered his smith to construct iron coffers to keep there his thousands of goldpieces.' Fredegonde, Queen of France, wishing to revenge herself for some insult she had suffered from her daughter Rigonthé, engaged her to take anything she chose among her mother's jewels, 'which were kept in an immense iron chest,' says the same author. 'While Rigonthé was thus bent over the open coffer, Fredegonde

*An article forming part of "A Treatise on Locks and Builders' Hardware," by Henry R. Towne, president of the Yale & Towne Manufacturing Company, and past president of the American Society of Mechanical Engineers. John Wiley & Sons, publishers. Price, \$3.00. It is the intention of the publishers of the INLAND ARCHITECT to publish other selections from this work. The book is profusely illustrated and contains more than 1,100 pages, 4x6½ inches.

**For all mechanical explanations that may be found in this sketch, we are indebted to the kindness of Mr. Frederick Vors.

with unparalleled treachery caused the iron lid to fall on her daughter's head, and so she pressed on it with all her weight, that the poor girl's neck, caught between the cover and the rim of the iron box, was nearly severed from her body.'



"During the pagan ages labor had weighed on man as the penalty of a crime. Christianity transformed it into a glory. In the early centuries of the new religion manual labor, accomplished with resignation and courage, rose up to the level of virtue. The Middle Ages made a goldsmith bishop, several smiths archbishops, and a carpenter pope. The saints' calendar of those times is filled with names sanctified by manual labor."

OUR ILLUSTRATIONS.

Men's Club House at McCormick Harvester Works, Chicago, Jas. Gamble Rogers, Architect.

Fleur de lis Apartments, Sheridan Park, Chicago, Frank V. Newell, Architect.

Residence for W. G. Fricke, Oak Park, Ill., Frank Lloyd Wright, Architect.

Residence for Erasmus Wilson, Los Angeles, Cal., Dennis & Farwell, Architects. The following views are shown: Exterior, Reception Hall, Dining Room.

New High School, Denver, Colo., D. W. Dryden, Architect.

Residence A. C. Allerton, Pasadena, Cal., John Parkinson, Architect.

Residence for Mr. Campbell, Spokane, Wash., Cutter & Malmgren, Architects.

Residence of C. H. Shafer, Los Angeles, Cal., Interior View.

Rogers Park Congregational Church, Chicago, J. E. O. Pridmore, Architect.


The Architecture of the Trinity Office Building, New York City, Francis H. Kimball, Architect, is described in another column by Barr Ferree. The following illustrations of the building appear in this number: General View, Main Facade, Exterior Detail, Upper Corner, Detail of Entrance and Lower Stories, Vista in the Main Corridor, the Elevator Entrances, Treatment of Stairway.

Luxfer Sidewalk Lights in Re-inforced Concrete Setting :: Best for Basement Lighting

"LUXFER PRISM
TILE"

No Iron Frames
No Rusting

GREAT STRENGTH
and DURABILITY



RANSOME SYSTEM

"LUXFER BLANK
TILE"

All Steel Imbedded in
Concrete

Watertight and Free from
CONDENSATION

Note the twisted
TENSION RODS
shown in illustration

LUXFER PRISMS IN RE-INFORCED CONCRETE SETTING HAVE NO EQUAL

ARCHITECTS and ENGINEERS are agreed upon EXCELLENCE of this work.

AMERICAN LUXFER PRISM COMPANY

160 Fifth Ave.
NEW YORK

346 Wabash Ave.
CHICAGO

Garfield Bldg.
CLEVELAND

Ryan Bldg.
ST. PAUL

New York Life Bldg.
KANSAS CITY

15 Federal St.
BOSTON

American Bldg.
BALTIMORE



Entrance to Office of Works
at Stamford, Conn.

A Cheap Horse Seldom Wins a Race

—a cheap man seldom or never does good work—there's logic in saying that cheap hardware cannot be good hardware. It *may* look nice when bought (we sometimes wonder why its makers don't produce something *better looking* for the money) *but* time and the elements will prove its inferiority.

Time Proves **Yale Hardware** to be good hardware—there's a depth of finish that lasts.

A number of Artistic Brochures of interest to
Architects and Builders will be sent on request.

The Yale & Towne Manufacturing Company

General Offices

9 Murray Street, NEW YORK

Branch Office

88-90 Lake Street, CHICAGO

Other Local Offices: BOSTON, PHILADELPHIA AND SAN FRANCISCO

French Lick and West Baden Springs

Adjoining Resorts in Indiana

On the MONON ROUTE

Wonderful curative waters for diseased conditions of the digestive organs; magnificent fireproof modern hotels; rest, recuperation and recreation. Two trains daily via Monon Route.

Round-Trip Excursion Rate From Chicago \$12.45

Folders and facts free. Address

CHAS. H. ROCKWELL, Traffic Manager FRANK J. REED, G. P. A.
200 Custom House Place, Chicago.

Free Guide to the Lewis AND Clark Exposition

We have just published a Lewis and Clark Exposition guide that's crowded with just the sort of information people want when planning the trip.

The guide is free for the asking. Write to-day. Our services in helping you to plan your trip are free, too.

Mention Inland Architect.

**Burlington
Route**

P. S. EUSTIS,
Pass'r Traffic Manager,
209 Adams Street,
Chicago.

To California through Colorado and Utah via DENVER & RIO GRANDE R. R.

"Scenic Line of the World"



The only line passing through Salt Lake City enroute to the coast.

Low rates will be in effect this summer to Colorado account numerous conventions at Denver; also to Portland, Ore., account Lewis & Clark Exposition.

For complete information and interesting literature address

S. K. HOOPER,
G. P. & T. A.,
DENVER, COLO.

R. C. NICHOL,
General Agent,
242 South Clark St.,
CHICAGO, ILL.

CHICAGO & ALTON RAILWAY "THE ONLY WAY"



THE CHICAGO & ALTON
runs the largest passenger engines
in the world

They keep the trains on time

Between Chicago,
St. Louis,
Kansas City and
Peoria

GEO. J. CHARLTON, General Passenger Agent
CHICAGO, ILL.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.



TRINITY BUILDING, NEW YORK
13,937½ Bbls. Atlas Portland Cement used in Construction

STANDARD AMERICAN BRAND

ATLAS PORTLAND CEMENT

ALWAYS UNIFORM

Specified by the Leading Architects and Builders
where Strength and Durability are Necessary.

MANUFACTURED BY THE

Atlas Portland Cement Co.
30 Broad Street NEW YORK

SEND FOR PAMPHLET

STANDARD PLUNGER ELEVATOR COMPANY

1 Broadway, New York

Elevator Equipment

in the

Trinity Building

Installed by our Company

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

GEO. P. HALL & SON

General Photographers

212 Broadway, N. Y.

NEW YORK CITY VIEWS

MAILING CARDS

BOOKS OF VIEWS

PHOTOGRAPHS MADE TO ORDER

— VIEWS OF —

New York	Niagara Falls	Washington
Brooklyn	Montreal	West Point
Boston	Quebec	Saratoga
Baltimore	Cuba	Newport
Buffalo	Porto Rico	Albany
Narragansett Pier	United States and Foreign Warships	

Telephone, 2151 Cortlandt.

Illustrations of the Trinity Bldg. in this issue are from our photographs

*Architects Attention***The National Builder**FRED T. HODGSON, ARCHITECT
EDITOR**WILL INTEREST YOU**


ARTICLES on Steel Construction, Cement Construction and all phases of building design appear in each issue. The list of contributors comprises the ablest writers the country affords.

Issued the 15th of every month.

PRICE \$2.00 PER ANNUM

The National Builder

358 DEARBORN STREET :: CHICAGO

Alaska Excursions

Via the beautiful "Inland Passage" to Wrangel, Juneau, Skagway, Glacier Bay and Sitka. Pacific Coast Steamship Co.'s S.S. "Spokane," leaving Tacoma and Seattle, June 8, 22, July 6, 20, Aug. 3, 17, connecting with through service of

NORTHERN PACIFIC RAILWAY

The Lewis and Clark Exposition, June 1 to Oct. 15, 1905; and Yellowstone Park, June 1 to September 20, en route.

VERY LOW RATES WEST

Booklets — Four cents for Lewis and Clark Booklet "A," six cents for "Wonderland," to A. M. Cleland, G. P. A., St. Paul. Information — Address C. A. Matthews, General Agt. Passenger Department, 208 South Clark Street, Chicago, Ill.



Main Thoroughfare
to the
**Lewis and Clark
Exposition**

Via

UNION PACIFIC

This route gives you 200 miles
along the matchless Columbia
River and a trip to

PORTLAND AND THE NORTHWEST

WITHOUT CHANGE

and an opportunity of visiting

YELLOWSTONE PARK

JUNE 1st TO SEPTEMBER 15th

From Pocatello or Ogden through Monida.

INQUIRE OF

E. L. LOMAX, G. P. & T. A.
OMAHA, NEB.

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

**ESTABLISHED 1865
INCORPORATED 1902**

**EDWARD F. GIBERSON, PRESIDENT
EMIL DIEBITSCH, VICE-PRESIDENT
HENRY S. LANPHER, TREASURER**

WILLIAM BRADLEY & SON

CUT STONE CONTRACTORS

EASTERN OFFICE AND WORKS, BUTLER & NEVINS STREET, BROOKLYN, N. Y.

WESTERN OFFICE AND WORKS, BEDFORD, IND.

NEW YORK OFFICE, 277 BROADWAY, NEW YORK

REPRESENTATIVE WORK:

Union Club, 51st Street and Fifth Avenue
Hotel Belmont, 42d Street and Park Avenue
Trinity Building, Broadway and Thames Street
New Federal Building, Indianapolis, Indiana
New War College, Washington, D. C.

JOHN H. SHIPWAY AND BROTHER

Importers and Manufacturers of

Interior Marble, Mosaic & Tile Work

REFER TO THE FOLLOWING BUILDINGS:

Wanamaker Building	Atlantic Mutual Building	Gotham Hotel	Grand Central Station
Trinity Building	Kuhn Loeb Building	Manhattan Hotel	St. Luke's Hospital
Times Building	St. Regis Hotel	Appellate Division Supreme	New York Hospital
Wall & Exchange Building	Imperial Hotel	Court	And many others

Mills, Main Office and Wharf:

Branch Office:

**136th St. and East River, No. 5 East 42d Street,
NEW YORK.**

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.



BRONZE VESTIBULE SCREEN, TRINITY BUILDING, NEW YORK.

F. H. Kimball, Architect

All of the Ornamental Iron and Bronze Work for the Trinity Building

Made by

The Winslow Bros. Company

Chicago

New York

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.

One Million

shingles on the
buildings of
Wm. C. Whit-
ney's Estate
were stained
with

DEXTER BROTHERS'
ENGLISH SHINGLE
STAINS



RESIDENCE ON THE ESTATE OF THE LATE WM. C. WHITNEY, LONG ISLAND, N. Y.

AGENTS:

H. M. Hooker Co., 57 W. Randolph St., Chicago
F. H. McDonald, 90 The Gilbert, Grand
Rapids, Mich.

WRITE FOR PARTICULARS TO

Dexter Brothers' Company
103-105-107 BROAD STREET, BOSTON

America's Premier Train

The "20TH CENTURY LIMITED"

The Train that saves a day for business

DAILY IN EACH DIRECTION BETWEEN

Chicago and New York in 18 Hours

VIA

Lake Shore and New York Central

Lv Chicago 2:30 pm Central Time
Ar New York 9:30 am Eastern Time

Lv New York 3:30 pm Eastern Time
Ar Chicago 8:30 am Central Time

L. F. VOSBURGH

General Western Passenger Agent
CHICAGO

Please mention THE INLAND ARCHITECT when corresponding with Advertisers.


THE CUTLER MAILING SYSTEM

AS INSTALLED IN THE
TRINITY BUILDING—
FRANCIS H. KIMBALL, ARCHT.,

CONSISTS OF TWO SPECIAL CAST BRONZE MAIL BOXES AND TWO CHUTES EQUIPPED WITH LOCKING MAILING OPENINGS DIVIDING THE MAIL UNDER NORMAL CONDITIONS AND PERMITTING CLEANING OR REPAIRS WITHOUT INTERRUPTION TO THE MAIL SERVICE.

WHERE A STANDARD AUTHORIZED MAIL CHUTE EQUIPMENT IS DESIRED THE CUTLER MAILING SYSTEM SHOULD BE SPECIFIED BY NAME.

INSTALLED IN CONNECTION WITH THE U. S. FREE COLLECTION SERVICE ONLY BY THE SOLE MAKERS



THE CUTLER MANUFACTURING CO.
CUTLER BUILDINGS, ROCHESTER, NEW YORK.



Solid Braided SASH CORD

COTTON, LINEN, HEMP AND
SAMSON SPOT CORD

We make them all and like to send samples

Samson Cordage Works

Boston, Mass.



Woodwork Exposed to the Weather



TRADE MARK

must be protected by an exterior varnish of the best quality or it will soon become white and weather beaten. For permanent satisfaction, specify

SPAR COATING

For Varnish Booklet
write

EDWARD SMITH & COMPANY

Varnish Makers and Color Grinders

59 Market St., CHICAGO

45 Broadway, NEW YORK

A GOOD TIN
ROOF IS BEST AND
CHEAPEST.

WHY

BECAUSE IT IS THOROUGHLY PRACTICAL, AND WILL LAST MANY YEARS, WITH FAIR CARE, OFTEN AS LONG AS THE VERY BUILDING ON WHICH IT IS PLACED.

THE BRANDS
NAMED BELOW
ARE THE BEST
MADE. THEY ARE
OF OUR OWN
MANUFACTURE
AND ARE ENTIRELY
RELIABLE.

**Follansbee
Brothers
Company**

PITTSBURG
PA.

**"Follansbee
Banfield
Process"**

WARRANTED
TO
WEAR
NOT
LESS
THAN

15 Years

**"Scott's
Extra
Coated"**

SOLD
THE
COUNTRY
OVER
MORE
THAN


20 Years

The PERFECT SAFETY WINDOW GUARD

IS USED ON THE

TRINITY BUILDING

and one thousand other buildings



SAFETY BELT WITH BOLTS IN WOOD WINDOW FRAME

SECURITY AGAINST ACCIDENT ON
OUTSIDE WINDOW CLEANING

Write for particulars

**THE PERFECT SAFETY
WINDOW GUARD COMPANY**

13-21 Park Row, New York

J. K. GREEN, GENERAL MANAGER