

ERNEST BORN



THE
ARCHITECTURAL RECORD

1935

5



DOES "X" MARK THE SPOT where Stainless would help?

To fit the stainless to the job: that's the way in which the stainless steel producer can be of the greatest assistance to you. USS Stainless is never offered as a cure-all for every corrosion ill. But, when properly selected and applied, it has saved many thousands of dollars in lower maintenance costs, longer-lived equipment, and in protecting products from contamination.

Among the many types of USS Stainless, there is a *right* one for every application to which any stainless steel is suited. If yours is not such an application, you'll find it difficult to buy a pound of USS Stainless.

But if corrosion is costing you money, get the truth about stainless steels. A metallurgical representative from any of the companies manufacturing USS Stainless will be glad to review your problem with you.

USS STAINLESS IS SERVING ARCHITECTS IN THESE AND OTHER APPLICATIONS:
Spandrels and Roof Sheathing • Store Front Metal • Railings and Grilles
Kitchen and Food Handling Equipment • Bars, Counters, and Furniture
Wall Paneling and Trim • Electrical Fixtures and Appliances • Doors and Frames
AND IN OTHER APPLICATIONS WHERE BEAUTY MUST BE PROTECTED FROM ATMOSPHERIC CORROSION

ILLINOIS STEEL COMPANY, Chicago	- - -	BARs, PLATES, SHAPES, SPECIAL AND SEMI-FINISHED PRODUCTS
AMERICAN SHEET AND TIN PLATE COMPANY, Pittsburgh	- - -	SHEETS AND LIGHT PLATES
AMERICAN STEEL & WIRE COMPANY, Chicago	- - -	COLD ROLLED STRIP STEEL, WIRE AND WIRE PRODUCTS
CARNEGIE STEEL COMPANY, Pittsburgh	- - -	SHAPES, PLATES, BARs AND SEMI-FINISHED PRODUCTS
NATIONAL TUBE COMPANY, Pittsburgh	- - -	PIPE AND TUBULAR PRODUCTS

Pacific Coast Distributors—COLUMBIA STEEL COMPANY, San Francisco, Calif.

Export Distributors—UNITED STATES STEEL PRODUCTS CO., New York, N. Y.

United States Steel Corporation Subsidiaries

USS STAINLESS
AND HEAT RESISTING STEELS

USS CHROMIUM-NICKEL ALLOY STEELS ARE PRODUCED UNDER LICENSES OF THE CHEMICAL FOUNDATION, INC., NEW YORK, AND FRIED. KRUPP A. G. OF GERMANY

THE ARCHITECTURAL RECORD

VOLUME 77

NUMBER 5

MAY, 1935

AIRVIEW PLAN OF COUNTRY ESTATES AT BERNARDSVILLE, NEW JERSEY. Photograph by Fairchild Aerial Surveys, Inc.

Frontispiece

PLANNING THE INTERIORS. By William Muschenheim, Architect

303

PORTFOLIO OF APPLIED DESIGN

German Housing Exposition in Munich, Children's Room • Writing Room and Bachelor's Room—Designed by Wolfgang Von Wersin, Architect • A Gymnasium in Aviator's House—Milan Building Exposition, Italy • Apartment in New York—William Muschenheim, Architect • Convertible Table and Bent Wood Chairs—Gilbert Rohde, Designer • Pressed Plywood Furniture—A. Aalto, Finland, Architect • Airline Chair by Kem Weber.

304-311

PLANNING REQUIREMENTS: THE HOUSE INTERIOR

312-317

APARTMENT OF WILLIAM ROSENFIELD IN CHICAGO. Designed by Donald Deskey

318

NON-FEDERAL LOCAL PUBLIC WORKS

319, 320

SAN DIEGO ARCHITECTS DEVELOP A PWA PROJECT

321

LOCAL PUBLIC WORKS: THE NEW PROGRAM. By L. Seth Schnittman, Chief Statistician, F. W. Dodge Corporation

322-327

PORTFOLIO OF PUBLIC WORKS

Low-Rent Housing • Indian Schools • School Buildings • Hospitals and Institutions • Airports and Army Construction • Courthouses • Power Plants and River Improvements • Filter Plants • Pumping Stations • Fire Stations.

328-346

WARDS ISLAND SEWAGE TREATMENT WORKS, NEW YORK CITY. Detailed Design by Fuller and McClintock in Collaboration with City's Engineers. Sloan and Robertson, Architects; Noel Chamberlin, Landscape Architect

347-350

PORTFOLIO OF PARKS AND PARK BUILDINGS

Washington Memorial Park, Rawlins, Wyoming—Harold L. Curtiss, Landscape Architect, University of Wyoming • Field House on Grand Central Parkway, Long Island—State of New York Department of Public Works, William E. Haugaard, Commissioner of Architecture • Gas Station and West Bathhouse Pool at Jones Beach State Park—Long Island State Park Commission, New York.

351-357

ILLUSTRATED NEWS

358, 359

A SMALL ALL-YEAR COUNTRY COLONY

360

TECHNICAL NEWS AND RESEARCH:

THE ESSENTIALS OF PRISON DESIGN. By Charles D. White, of Lockwood Greene Engineers, Inc.

361-372

THE ARCHITECT'S LIBRARY

21, 22 (adv.)

BUILDING TRENDS AND OUTLOOK: RESIDENTIAL BUILDING MAKES MARKED IMPROVEMENT IN APRIL. By L. Seth Schnittman, Chief Statistician, F. W. Dodge Corporation

31, 32 (adv.)

M. A. MIKKELSEN
Editor

A. LAWRENCE KOCHER
Managing Editor

C. THEODORE LARSON
Technical News Editor

JOHN M. WILLIAMS
General Manager

J. A. OAKLEY
Business Manager


F. H. COMTOIS

ERNEST BORN
PRENTICE DUELL
HOWARD T. FISHER
ALBERT FREY
FISKE KIMBALL
WILLIAM STANLEY PARKER
Contributing Editors




Published monthly by F. W. DODGE CORPORATION, 115-119 West 40th Street, New York. Truman S. Morgan, President; Sanford D. Stockton, Jr., Secretary; Howard J. Barringer, Treasurer. Yearly subscription: United States and Possessions, \$2.00; Foreign, \$2.50.

THIS *Giant* BACKBONE of PERMANENCE..



... IS EASY TO HANDLE

BUILD for tomorrow—but in building for the future, do not overlook today's need for speed and economy in floor slab construction. In this connection—you will find American Steel & Wire Company Wire Fabric the ideal reinforcement material. Available in rolls—it is exceptionally easy to handle—and keeps labor costs down to a minimum. This Wire Fabric—of highest quality and perfected design—rein-



forces the concrete slab in every direction. It provides continuous action from one end of the structure to the other—plus high elastic limits

and ultimate tensile strength due to cold drawing. It is truly called "The Giant Backbone of Permanence." Interesting literature is available covering the use of this material in the nation's leading structures. This—along with technical data—will be forwarded on request.

AMERICAN STEEL & WIRE COMPANY

WIRE FABRIC

THE STEEL BACKBONE OF CONCRETE

AMERICAN STEEL & WIRE COMPANY
 208 S. LA SALLE STREET, CHICAGO • • EMPIRE STATE BUILDING, NEW YORK

Pacific Coast Distributors: Columbia Steel Company, Russ Building, San Francisco

Offices in All Principal Cities

Export Distributors: United States Steel Products Company, New York

United States Steel  *Corporation Subsidiary*



Between the World and the Weather Since 1854

For more than 81 years The Barrett Company has pioneered the development of dependable roofing materials and sound roofing practice. No other roofing manufacturer has enjoyed the confidence of leading architects and builders for so long a time.

When you recommend Barrett Asphalt Shingles to your clients you are recommending time-tested and time-proved shingles backed by the greatest name in roofing. In every way, these shingles are scientifically correct roofing . . . designed with every thought toward owner and architect protection.

They are available in a wide variety of types, shapes, weights and colors, and provide low-cost roofs that are fire-safe and weather-safe, long-lasting, colorful and attractive. We will gladly send you descriptive booklets.

THE BARRETT COMPANY, 40 RECTOR STREET, NEW YORK, N. Y.

2800 So. Sacramento Avenue, Chicago, Illinois

Birmingham, Alabama

Triumphal Arches OF A NEW ORDER



A TRIUMPH IN GRACE AND BEAUTY . . . AND IN PRACTICABILITY

● Here in the new International Livestock Pavilion at Chicago, these Beam Arches, fabricated from CB Sections, span a vast arena nearly two hundred feet from wall to wall. The impression is one of soaring, sturdy grace—of simplicity yet strength. The roof is “uncluttered.” The depth of the beam arches is so shallow that there is no

possible interference with vision from any point, yet the walls have been kept economically low.


Erection of Beam Arches is rapid and relatively low in cost. It will pay you to investigate the possibility of this new type of construction on any project where wide spans are involved. Descriptive literature will be sent upon request.

ILLINOIS STEEL COMPANY

208 SOUTH LA SALLE STREET, CHICAGO, ILLINOIS
CARNEGIE STEEL COMPANY, PITTSBURGH

United States Steel  *Corporation Subsidiaries*

Provide "INDOOR CLIMATE"




INCLUDE *air conditioning* — to safeguard your clients against early obsolescence, declining resale value.

Will the house still be modern ten years from now? Every set of plans for residences or small apartments must answer this question. The answer cannot be "yes" unless you provide for "*indoor climate*."

Which system? Experience of architects everywhere points to Mueller-Climator, for we have pioneered and specialized in air conditioning. Send for the facts — the Coupon below is for your convenience. Just tell "Miss Brown" to send it in.

CLIMATOR AIR CONDITIONING SYSTEM



This cut-away shows an all-year MUELLER-FRIGIDAIRE installation, with fan, washer, filters, and condensing coils. We manufacture a complete range of Climator Systems for all types of home, from cottage to mansion, for winter or all-year service.



AIR CONDITIONING by MUELLER-MILWAUKEE

L. J. MUELLER FURNACE CO., Dept. AR-5, Milwaukee

You may send us your illustrated data on Mueller-Climator Air Conditioning Systems, for ☐ Coal ☐ Oil ☐ Gas (check which).

Name.....

Address.....


PREPARING the New Home Builder FOR PROFESSIONAL ADVICE



WITH money made available by the government, thousands of prospective home builders are now considering the types of houses they want. To these prospective home builders, the Stanley Works, through national advertising, is offering a carefully prepared booklet. One of its main objectives is to persuade the new home builder to accept professional advice.

It will be only natural for many of these people to have ideas of their own; ideas which might be more original than practical. The Stanley Booklet tactfully suggests that the home builder consult an architect and accept his professional ideas.

It will not be surprising if these new home builders think they have discovered a way to save money. They may mistakenly think that it will be more economical to use cheap hardware and building materials. The Stanley Booklet reminds the reader that he will be paying for his home for twenty



years. Asks him what the home will be like when the last payment is made. And points out that it will still be livable, attractive and modern if he follows the advice of his architect to use better hardware and building materials — if he follows the architect's advice on design.

Thousands of families will

be better prepared for professional advice because they will read "Decide Now What Your Home Will Be Like". We think you will be interested in this booklet which is going to your prospective clients. We shall be glad to send you copies—and to mail copies to any names you care to send us.



The Stanley Works
New Britain, Conn.



A CONSTRUCTIVE PROGRAM FOR THE BENEFIT OF EVERY FACTOR IN THE BUILDING INDUSTRY

UNIFORM QUALITY



● Each light of L·O·F Quality Glass duplicates the greater clarity, flatness and brilliance of every other one as faithfully as each L·O·F label duplicates the one that precedes it off the printing press. Uniform quality held at a superior standard is the reason so many architects

write a closed specification for this fine glass. The label which appears on each light is evidence that the specification has been followed. It is advisable to instruct contractors and builders to leave the label on until final inspection. Libbey·Owens·Ford Glass Company, Toledo, O.




LIBBEY·OWENS·FORD

Which Houses Designed Today will be "Old Fashioned" in 1940?



ISN'T THIS a fair answer: "The houses without air conditioning"? From the wishing stage of a few years ago, air conditioning has become a reality—practical and efficient. General Electric is demonstrating it every day.

Men and women who experience the delightful comfort of properly conditioned air in theatres, stores, restaurants and offices are bound to think of how much more livable their own homes would be if air conditioned. Their new homes are going to be!



AIR CONDITIONED HOUSE (Southern Climate) that won the Grand Prize (\$2,500) in Classes A and B (small homes) in the "Home Electric" Architectural Competition, sponsored by the General Electric Company. Architects, Hays & Simpson, Cleveland. Photograph of small model, made from architects' plans, reproduced by courtesy of "House & Garden."



● **AIR CONDITIONED HOUSE** (Southern Climate) that won the Grand Prize (\$2,500) in Classes C and D (medium size homes) in the "Home Electric" Architectural Competition, sponsored by the General Electric Company. Architects, Paul Schweikher and Theodore W. Lamb, Chicago. Photograph of small model, made from architects' plans reproduced by courtesy of "House & Garden."

In air conditioning, General Electric offers more than anyone else. The most complete line made by any one manufacturer—the experience of an organization which has specialized in designing and building all the elements of air conditioning systems for many years—an authorized national dealer set-up, each dealer with a personnel of G-E—trained specialists—local responsibility and supervision.


G-E air conditioning covers winter heating—plus the proper humidification, filtering and circulation—and summer cooling. It will take care of one room or a whole house. Installed in a new home, the cost of G-E air conditioning is comparable with that of a good automatic steam heating system.

The local G-E Air Conditioning dealer is ready to cooperate with you. He will place at your disposal his facilities and engineering service. See him, or write for further information to General Electric Company, Air Conditioning Dept., Div. 21616, 570 Lexington Avenue, New York.

SEE THE SPECIAL GENERAL ELECTRIC AIR CONDITIONING SECTION

42 PAGES, IN YOUR NEW SWEET'S CATALOG

GENERAL  ELECTRIC AIR CONDITIONING



WE WANT TO USE A
MONEL METAL SINK BUT
I DON'T FIND ONE THAT
IS THE RIGHT SIZE

DON'T YOU KNOW THAT
THEY NOW MAKE THEIR
STANDARDIZED MODELS
IN INTERMEDIATE SIZES
TO THE EXACT FRACTION
OF AN INCH?

Split-Inch Sizes and
NEW LOW PRICES
are two good reasons
for using standardized
MONEL METAL SINKS
on Fine Residence Jobs

THERE'S no need to juggle designs to fit in a standardized Monel Metal sink. Sizes range from 48" to 144" and you can get any model in one piece, and in dimensions that are exact to the fraction of an inch.

Also, there's no need to juggle budgets. With new prices . . . reduced, some as much as 35% . . . you are free

to include a Monel Metal kitchen, complete with sink and counters, even in a home of moderate price.

Moreover, you don't need to compromise on details. You have available every possible type of sink: Apron, high back, low back, single or double drainboard, single or double bowl, and with drainboards smooth or grooved . . . 57 models in all.

For complete details, illustrations, and prices, call in a representative of the distributors, Whitehead Metal Products Co., 304 Hudson St., New York, N. Y. Or write direct to them.

**THE INTERNATIONAL NICKEL
COMPANY, INC.**

67 WALL STREET NEW YORK, N. Y.

Monel Metal is a registered trade-mark applied to an alloy containing approximately two-thirds Nickel and one-third copper. Monel Metal is mined, smelted, refined, rolled and marketed solely by International Nickel.





It must be remembered that when you talk to prospective home builders, the wiring materials—such as Rigid Conduit, BX, Boxes, Fittings, Building Wires, Convenience Outlets, Switches, Sockets and Plates—in themselves mean very little. However, home builders do know the General Electric Company and its reputation for quality products. Therefore, when you tell your prospects that the electrical convenience, comfort and safety in their homes is to be maintained by General Electric products, you assuredly will have their confidence. Every home, large or small, can be made a better place in which to live if the wiring system is adequate. Don't overlook this most necessary feature in your home planning.

The General Electric Company manufactures all



the materials necessary for a complete wiring system. Take advantage of these products that are designed and engineered to be used with each other. G-E White Rigid Conduit, BX Cable, Outlet Boxes, Fittings, G-E Safecote Building Wires, G-E Convenience Outlets, Switches

and Plates when installed in the homes you are planning assure your customers electrical safety, comfort and convenience . . . they build up good will for you.

In every type of building that you are planning, General Electric Wiring Materials can be economically and satisfactorily used. For further information regarding these products, see your nearest G-E Merchandise Distributor or write to Section CDW-235, Merchandise Department, General Electric Company, Bridgeport, Conn.

GENERAL ELECTRIC

WIRING MATERIALS

MERCHANDISE DEPARTMENT, GENERAL ELECTRIC COMPANY, BRIDGEPORT, CONNECTICUT

MELLON INSTITUTE OF INDUSTRIAL RESEARCH


TO BE WARMED WITH NATIONAL RADIATOR HEATING



BEAUTY AND UTILITY ABLY COMBINED IN NEW RESEARCH STRUCTURE

A triumph of design, the new building of the Mellon Institute of Industrial Research, Pittsburgh, Pa., combines aesthetic appeal with extreme practicability. Sixty-two columns are ranged around the four sides of the structure. Each shaft is monolithic; weighs approximately 60 tons; is over 36 feet in height; and is 5-feet 11-inches in maximum diameter. In arriving at final proportions, a series of models was used—the last a full-size reproduction of two columns and a corner, which was built on a hill in the country, so that it could be studied


by 300-feet, and contains 6,500,000 cubic feet of space. With few exceptions, windows face on courts, of which there are four on the lower level, and two on the upper level, where a cross wing bridges the front and back of the structure.



with iron push nipples, assuring protection against leaks. Both types of units have the same operating characteristics, and of course work perfectly together.

Arrangement of the heating units departs somewhat from the conventional. False walls are used in laboratories to conceal piping, and the Aero Convector are placed behind these walls. Heat is emitted through top-outlet grilles. Walls are easily removed, to permit changes in piping layout at any time that laboratory needs demand.

Architects on the new building are Janssen and Cocken; the Heating Engineer is Arthur McGonagle; the Heating Contractors are McGinness, Smith & McGinness—all of Pittsburgh, Penna.



from every angle, and from varying distances.

The building is approximately 300

AERO CONVECTORS AND AERO RADIATORS SHARE HEATING RESPONSIBILITY

Invisible Warmth will be provided in part of the building by 729 Aero Convector units, with a combined capacity of 27,000 square feet. Other portions of the building will be warmed by 392 Aero Radiators, with a combined capacity of 17,000 square feet. Both convectors and radiators are made of cast iron, the life-time metal, and are assembled

CHECK LIST

NATIONAL RADIATOR CORP.
JOHNSTOWN, PA.

Please send me Literature on:


- ☐ Complete Line
- ☐ Steel Boilers
- ☐ Gas Boilers
- ☐ Cast Iron Boilers
- ☐ Invisible Warmth
(Aero Convector)

(Check items desired . . . tear out
. . . attach to your company
letterhead, signing your name)

262

NATIONAL RADIATOR CORPORATION

GENERAL OFFICES: JOHNSTOWN, PA. . . . BRANCH OFFICES IN PRINCIPAL CITIES



WHAT WILL IT DO ON THE JOB?

A FEW UNVARNISHED FACTS ABOUT INSULATION

We have plenty of laboratory figures to show why BALSAM-WOOL is better insulation. But your clients don't want laboratory figures. They want insulation efficiency—*on the job*.

Here are a few questions every architect should ask . . . if he is interested in giving his clients more insulation value per dollar:

Is It Moisture-PROOF?




We know—and you know—that moisture destroys the effectiveness of insulation. We know—and you know—that moisture gets into any insulation which is not adequately protected *as a whole*. BALSAM-WOOL is completely and permanently protected from moisture . . . *sealed in a water-proof covering*. In addition, it is chemically treated to make it vermin-proof and fire-resistant.

Is It POSITIVE in Application?



To be effective, insulation must have no weak spots—leave no loophole for wind, heat or cold to get through. But you cannot be sure of continuous insulation with materials that are merely poured or dumped in by common labor. BALSAM-WOOL is positive in application—*fastened in place* by qualified carpenters who know their business. Flanged edges now make it even easier to apply than ever before.

Is It Permanent in EFFECTIVENESS?



Materials that settle or that change their form, cannot be permanently effective. BALSAM-WOOL lasts as long as the building in which it is applied—*stays where it is put* and does not change its form.

Does It Offer the RIGHT Thickness for the Job?

For every home and every climate, there is a *right* thickness of insulation beyond which it does not pay to go. BALSAM-WOOL comes in thicknesses to fit every insulation need, everywhere.

Let us tell you *all* of the facts about BALSAM-WOOL. We believe you will find them worth knowing!


BALSAM-WOOL

WOOD CONVERSION COMPANY
ST. PAUL · MINNESOTA



Made by the Makers of
NU-WOOD

A.C.F. FAIRHURST *folding* WALLS



The problem of flexibility of space is most satisfactorily solved by use of the Unitfold wall, manufactured by the American Car and Foundry Company under the well and favorably known Fairhurst patents. Public buildings of all types, including schools, Y.M.C.A.'s, churches, hotels, clubs, gymnasiums, funeral parlors, etc., have found that the use of the Unitfold folding wall adds to the utility of their space and eliminates all cost of maintenance of the unit.

The Unitfold folding wall is simple to operate; shows no visible hardware; harmonizes with any surroundings; uses no hinges or bolts; can be locked in place with one key; and may be fitted at any point with shuttle or communicating doors.

The installation shown at left is in the Payne Whitney Gymnasium of Yale University, New Haven, Connecticut; architect John Russell Pope of New York. Other important installations include those in the Yale Graduate School of Yale University; architect James Gamble Rogers of New York; the Parish House of All Saints' Episcopal Church, Great Neck, New York; architect Henry C. Pelton of New York; the Madison Avenue M.E. Church, Park Avenue and 60th Street, New York; architects Cram & Ferguson of Boston, Massachusetts; and the Athletic Club of Camden, New Jersey; architect Paul P. Cret, of Philadelphia, Pennsylvania.

AMERICAN CAR AND FOUNDRY COMPANY

30 CHURCH STREET, NEW YORK, N. Y. • TELEPHONE CORTLANDT 7-8100

Kindly send full particulars of A.C.F. Fairhurst Unitfold folding walls () A.C.F. Fairhurst school wardrobes ()

Name _____

Address _____



Also A.C.F. Fairhurst School wardrobes. Strong, sturdy, space-saving. Widely used by leading Schools.



The same **FLAT PAINT** that
Beautifies this
INTERIOR...

Left—College Hill Branch of Central Trust Co., Cincinnati. Redecorated with Dutch Boy White-Lead and Lead Mixing Oil by painting contractor Charles Kammer who highly commends the easy-brushing and far-spreading qualities of this paint.

Below—Concrete apartment house at 915 Franklin Street, San Francisco, recently waterproofed with Lead Mixing Oil and white-lead. Owner Thomas Powell states, "We are more than satisfied with the appearance and the perfect protection from penetration of dampness."



...also *Protects this Concrete*
EXTERIOR!

● Can you picture a flat paint on your interior walls that's sturdy enough to expose to sun, rain and snow? A flat paint fine enough for your handsomest interiors...yet tough enough to withstand exterior exposure on concrete, stucco, stone and brick which it seals and waterproofs?

Hard to believe? Well...here it is, right before your eyes. Two views showing the same flat paint—inside and outside. Two views of actual jobs—each satisfactory in every respect to the owners.

Responsible for this vastly improved flat paint is Dutch Boy Lead Mixing Oil. When added to its companion product, Dutch Boy White-Lead, it produces a finish with the characteristic richness and beauty of a white-lead "flat" plus extraordinary durability.

The fact that it defies the weather

TEST IT WITH YOUR HEEL



You can actually grind your heel against a Lead Mixing Oil job that is thoroughly dry and clean off the dirt without a trace of damage.

on outside jobs gives you a good idea how economical such a finish is on inside jobs—how it withstands wear and repeated washing. You never saw a tougher interior "flat," nor one that is harder to soil permanently. Ink stains, pencil marks,

finger smudges, grease and dirt can all be completely removed.

There are also other good points about this modern flat paint. For example: Easy to mix—just add Lead Mixing Oil to white-lead. Levels out smooth and free from brush-marks. Requires no stippling. Seals. Hides fire-cracks. Brushes with the ease and high spreading rate of all white-lead paint. Gives a white-lead "flat" at a reduced cost per gallon.

NATIONAL LEAD COMPANY


111 Broadway, New York; 116 Oak St., Buffalo; 900 W. 18th St., Chicago; 659 Freeman Ave., Cincinnati; 820 W. Superior Ave., Cleveland; 722 Chestnut St., St. Louis, 2240 24th St., San Francisco; National-Boston Lead Co., 800 Albany Street, Boston; National Lead & Oil Co. of Penna., 316 Fourth Avenue, Pittsburgh; John T. Lewis & Bros. Co., Widener Bldg., Philadelphia.



DUTCH BOY
Lead Mixing Oil

for use with





It's the FLOOR that tells the Tale!

PUT the rest of the building aside for a moment . . . and let's talk about **FLOORS**. Nothing is more vitally important in a building. Floors are the fundamental reason for its existence. They produce all its revenue. They play a vital part in deciding whether the building shall have a long profitable life or a short one . . . for upon the floor system depends the building's ability to adequately meet the present and future electrical requirements of business and industry.

Realizing the inadequacy of present floor construction methods, the H. H. Robertson Company spent hundreds of thousands

of dollars and many years of concentrated research to develop a really new and constructive idea in floor design. This new idea is called the Robertson Steel Floor System. It revolutionizes present building practices! It entirely prevents the subtle tragedy of electrical obsolescence which has overtaken so many buildings and robbed them of profitable life. It combines a stronger, more compact, lighter-weight floor with a system of protected wire raceways more comprehensive than any existing today. It provides 100% electrical flexibility without the use of a single foot

of costly under-floor ducts. For the Robertson Steel Floor is composed of parallel cellular steel beams through which electrical and other services are directly led! No matter what new uses of electricity are developed, this flooring will always amply provide for their quick and economical installation.


There are other advantages, too. The Robertson Floor System provides greater safety for workmen on the job by eliminating the need for temporary floors of dangerous loose planking, and affording a safe, solid platform upon which tradesmen may work. It speeds up building erection from 25% to 30%. It does away with most of the delays incidental to building floor forms, pouring concrete, waiting for floors to set. It reduces fire hazard. It may be used readily in any type of building from skyscraper to modest home. And its use in modernization gives complete electrical flexibility to old buildings which are still structurally sound.

Send for Bulletin

We have prepared a special bulletin upon this new development in floor construction which every architect, builder and engineer should have. It contains complete technical details which should be given close attention in your plan department. Write for your copy today.

ELIMINATED. This costly tearing up of floors, this litter of debris, which is usually necessary in most buildings when a tenant wants a new telephone or a new business machine connection, is entirely eliminated by the use of the Robertson Steel Floor System.

FLEXIBILITY. The Robertson Steel Floor permits an electrical outlet every 3 to 6 inches if desired. For a new connection it is merely necessary to pierce a beam and fish your wire to the nearest outlet . . . because every beam in the floor is really a protected wire raceway of generous capacity.




HH ROBERTSON CO
World wide building service

GRANT BUILDING

PITTSBURGH, PA.

KNOB AND TUBE WIRING SYSTEM



SAFETY AND ECONOMY UNITE WHEN ARCHITECTS AND ENGINEERS SPECIFY KNOB AND TUBE WIRING

The above sketch shows approximately 100 buildings forming civilian and residential groups of Port Sulphur, La., a town equipped with the knob and tube system.

Forty Years of Safe and Dependable Service to Home Owners

... Such is the history of Knob and Tube wiring which is today safely carrying electricity through millions of homes. Electrical Wiring, supported on porcelain insulators, insures a round trip for electrical current, and is considered by many of the most outstanding electrical inspectors as the safest and least hazardous method of wiring factories and modern homes.

The tendency today is toward KNOB and TUBE wiring because of its economy. It costs less than any other system, and once the job is completed it is never subject to expensive service calls and repairs.

The chief electrical inspector of a city of more than a million population recently said: *"There are plenty of KNOB and TUBE installations wired forty years ago, and they are functioning today just as well, and in my opinion they are safer than many of the all-metal installations which have been made more recently. My home was built five years ago. I think I know enough about the subject to have taken especial care of my wiring installation as far as safety, convenience and adequacy are concerned. When I had the wiring in-*

stalled it was done in KNOB and TUBE, and I have had no reason since to regret my decision in this respect."

There are literally thousands of such testimonials on record, but porcelain speaks for itself. It is not affected by heat or cold. It will neither rust nor corrode. It does not absorb moisture. It is as permanent as the hills, and will never wear out.

KNOB and TUBE wiring, because of its superior service record, has proved to be the safest and best form of electrical construction, and we urge the prospective home builder to consider this safe and economical type of wiring before letting his electrical contract.

When KNOB and TUBE wiring is specified, your clients are protected by a system of wiring that is absolutely safe, and is recognized and approved by the National Electrical Code. Write KNOB and TUBE wiring into your specifications, and you will definitely place your client in position to enjoy years and years of trouble free protection.

For further information please address any of the following manufacturers of Electrical Porcelain:

Illinois Electric Porcelain Company
Macomb, Illinois

Superior Porcelain Company
Parkersburg, W. Va.

Knox Porcelain Corporation
Knoxville, Tenn.

Porcelain Products, Inc.
Parkersburg, W. Va.

Universal Clay Products Company
Sandusky, Ohio

Central Porcelain Company
Columbiana, Ohio

You Design Fine Terrazzo



Domestic White marble, white cement, no pigment.



Yellow Verona marble, white cement, yellow pigment.



Blue Turquin marble, white cement, blue pigment.



Red Verona marble, white cement, red pigment.



Belgian Black marble, white cement, black pigment.

This fine terrazzo floor, photographed in full natural color, is in the entrance to Sallinger's Department Store, Boston. Made with Atlas White portland cement. Freeport Marble & Tile Company was the terrazzo contractor. Sumner Schein was the architect. Both of Boston.

WHETHER it is a store entrance, like this one, or a hotel lobby floor, or a hospital reception room floor, your ideas of color harmony and pattern make the design in fine terrazzo. Once installed, these floors of yours wear like concrete (for they are a form of concrete) and perpetuate your designs in lasting beauty. Fine terrazzo (which is terrazzo made with white portland cement) is a true medium of architectural expression, open to experiment, tested in performance. See Sweet's for details, or ask any terrazzo contractor. Universal Atlas Cement Co. (United States Steel Corporation Subsidiary), 208 South La Salle Street, Chicago.

ATLAS WHITE PORTLAND CEMENT

SLOANE-BLABON LINOLEUM

The all-purpose floor-covering



BEAUTY PARLOR, HOTEL BUCKINGHAM, N. Y. C.



BAR, S. S. COLUMBIA



AN UP-TO-DATE KITCHEN

Sloane-Blabon Linoleum is available from linoleum contractors in all principal cities in a wide selection of tasteful patterns and beautiful colors in both contract and household weights. Write for our "Linoleum Handbook," containing much information of value to architects. W. & J. Sloane Selling Agents, Inc., 577 Fifth Avenue, New York.




**OIL-EIGHTY AUTOMATIC
BOILERS**



COAL-EIGHTY BOILERS




R-Z-U JUNIOR BOILERS



Z-U BOILERS




"F" SERIES BOILERS



500 SERIES BOILERS




**700 and "P" SERIES
BOILERS**



**600 and 800 SERIES
BOILERS**

FITZGIBBONS

STEEL HEATING BOILERS



The R-Z-U

...proven efficient and economical in scores of installations, with any fuel and any heating system

Apartments, hotels, schools, churches, hospitals, office buildings, industrial buildings, in short, all types of buildings within this range are finding in the use of the Fitzgibbons R-Z-U, full and adequate heating service and extreme fuel economy.

Designed in types for every fuel—hard coal, bituminous, stoker, oil, gas—R-Z-U Boilers meet all firing conditions with equal efficiency. Their basic design is right.

The Fitzgibbons R-Z-U is truly a "boiler-man's boiler"—built by a company, which for a continuous half century has built steel boilers exclusively. Architects can safely specify this boiler, heating contractors can confidently recommend it, building management companies, real estate holding organizations and building owners can accept it without question as a sound, substantial, dividend-paying investment, a piece of essential equipment which will give highest satisfaction with minimum upkeep.

You will find complete details and specifications of this boiler in the catalog. Ask us for the R-Z-U Catalog. Write Today.

Fitzgibbons Boiler Company, Inc.

GENERAL OFFICES: 570 SEVENTH AVE., NEW YORK, N. Y.

Works: OSWEGO, N. Y.

BRANCHES AND REPRESENTATIVES

Atlanta, Ga.
Birmingham, Ala.
Boston, Mass.
Buffalo, N. Y.
Chicago, Ill.
Cincinnati, Ohio
Cleveland, Ohio
Dallas, Texas

Dayton, Ohio
Denver, Colo.
Detroit, Mich.
Grand Rapids, Mich.
Harrisburg, Pa.
Hartford, Conn.
Jackson, Miss.
Kansas City, Mo.

Kingston, Pa.
Los Angeles, Calif.
Louisville, Ky.
Minneapolis, Minn.
Newark, N. J.
New London, Wis.
New Orleans, La.
Oklahoma City, Okla.

Philadelphia, Pa.
Pittsburgh, Pa.
Portland, Ore.
Richmond, Va.
Salt Lake City, Utah
San Antonio, Texas
San Francisco, Calif.
Scranton, Pa.

Seattle, Wash.
St. Louis, Mo.
St. Petersburg, Fla.
Syracuse, N. Y.
Toledo, Ohio
Tulsa, Okla.
Washington, D. C.
White Plains, N. Y.

THE ARCHITECT'S LIBRARY



ORIGINAL DESIGN OF THE WASHINGTON MONUMENT, WASHINGTON, D. C.
(Left) From original drawing in Library of Congress. (Right) An engraving by A. C. Warren

ROBERT MILLS: ARCHITECT OF THE WASHINGTON MONUMENT (1781-1855). By H. M. Pierce Gallagher. Foreword by Fiske Kimball. Columbia University Press. 233 pages, illustrated. \$4.50

Some years ago there appeared in *THE ARCHITECTURAL RECORD* several articles on Robert Mills by H. M. Pierce Gallagher. Since then additional material accumulated, and the articles have become chapters in Mrs. Gallagher's volume. The first part of the book treats of Robert Mills as a citizen, the second part reviews his professional career and the third part provides an excellent bibliography and eleven appendices. These latter constitute an interesting collection of letters and documents that give the necessary flavor to a chronicle of events occurring in the new nation during the first half of the nineteenth century.

Mrs. Gallagher attributes her interest in the subject of architecture to a timely and early bit of encouragement by her father. In later years the circumstance of finding residence in Baltimore in the shadow of the Washington Monument there focused her interest on the record of the life of the relatively unknown architect of the monument. To Mrs. Gallagher must go our appreciation of her valiant efforts to piece together the story of this life that had come down to our times in obscure and unrelated fragments. Her researches give us the record of one of the earliest and most notable careers in the profession of architecture in the United States. It is hoped that this new compilation of the life and achievements of Robert Mills will prove the required instrument to stir to completion the movement which has already been started to mark in a suitable manner what is today merely known as "Grave No. III" in the Congressional Cemetery in Washington.

Was Robert Mills "the first native born American to enter the study of architecture in the United States"? These words are his own, quoted from his "Statistics of

South Carolina." We regret that Mrs. Gallagher's reply to this question (in a footnote on page 5 of her book) is not more adequate. (Mills is twice quoted as making the statement: page 3 and page 168. On page IX and page 183 the statement also occurs.) The claim rests on very slender grounds. Charles Bulfinch graduated from Harvard the year Mills was born and was established as an architect twenty years before Mills opened his own office. The question simmers down as to just what each man did between the ages of 20 and 27 to prepare himself for his professional work. Due no doubt to limited means, Mills traveled only in the United States. He worked under Jefferson, Hoban and Latrobe. Bulfinch, the son of a prominent Boston physician, traveled and studied in Europe. The fact that Bulfinch had these additional advantages does not imply that he did not also travel and study in the United States long before Mills. The very fine distinction that probably holds for Mills is one to be guarded against by the hasty reader. From Mrs. Gallagher's book we gather that competitors for the "title" must be classified as "brick-layers" or "builders" on the one hand or as "gentlemen" on the other in order that Mills may be permitted to pursue the fortunate middle ground.

The title of the book, "Robert Mills, Architect of the Washington Monument," leads one to expect a more complete history than one finds of the Washington National Monument in Washington, D. C., for we infer that it is from that monument that the book derives part of its title, rather than the Washington Monument in Baltimore. However, only twelve pages of the 233-page book are devoted to the structure in Washington. A rather too romantic presentation is given of this material and certain statements are repeated that lead to inaccurate conclusions regarding the monument itself. These pages could well have recorded steps in the evolution of the design of this structure that become increasingly hazy with the passing of the years.

The case of the relation of Robert Mills to the Bunker Hill Monument in Boston is better presented. Unfortunately, from the standpoint of a champion of Mills, this material merely serves to emphasize how slight is his connection with the design of this structure. The point will undoubtedly continue to be veiled in controversy, even though the conclusion seems quite obvious that Mills merely submitted two designs in the competition sponsored by the Bunker Hill Monument Association, neither of which was accepted. The records left us must continue to give to Solomon Willard the great majority of the credit for the design. Mrs. Gallagher states on page 104: "The part played by Greenough's model was obviously small, if it had any importance at all." It must be recalled that Greenough submitted not only a model but a design and an essay in which he emphasized, without reservation, that the monument should take the form of an obelisk. The records indicate that his arguments impressed the committee. Mills on the other hand submitted a design for a column and also one showing an obelisk, recommending the latter as more desirable. The only question seems to be the amount of credit Willard must share with Greenough in determining the form of this monument.

In the letter which Mills sent with the competition drawings for the Bunker Hill Monument he states that in the case of his obelisk design, the base shall be 24 feet and the top width 15 feet (page 204). The design of an obelisk requires the determination of but four dimensions. The relationship between these four dimensions is of course of major importance. It is therefore interesting to note that the base and top dimensions of the Washington Monument, Washington, D. C., have the same relation as the dimensions given above. The curious part, however, is that these are not the dimensions Mills had in mind in his original design for the Washington structure. They were arrived at twenty years after his death by those commissioned to complete the work.

The admirable figure and distinguished career of Robert Mills emerge through these controversial clouds. The record of his work needs no gilding nor the pressing of any slight claims based on fine distinctions. Here was a man of vigorous imagination and yet one who at once came to grips with practical elements of building design that in some respects remain problems today. He wrote: "A builder need not be an architect, but every architect must be a builder."

In his designs, Mills evolved practical solutions of the problem of fireproofing. He was interested in the earliest experiments in gas lighting. Acoustics was a subject which, as he puts it, "engaged my attention from the earliest practice of my profession." The result that he obtained in this respect in one building, however, is reminiscent of the story told of H. H. Richardson. A church he had designed was practically completed when he decided to test for himself the acoustic properties of the nave. He posted an assistant near the entrance, mounted the pulpit and called out, "Do you hear me?". No doubt the reply must have shaken him: "Yes, sir, I heard you twice."

This practical side of Mills's nature resulted in engineering work that in itself constituted a notable career. He occupied himself with plans for improving the navigability of rivers, the reclaiming of swamps and the building of canals. The single arch wood bridge with a span of 344 feet, over the Schuylkill River at Philadelphia, was designed in cooperation with Lewis Wernwag. He was the author of drainage and waterworks projects for towns and an enthusiastic advocate of the possibilities of the railroad at a time when this means of transportation was in its infancy. He gave some study to a

type of railroad construction which sounds strangely prophetic—a type which "admits one hundred miles an hour to be accomplished, if required, so as to enable the government to transport troops or munitions of war from the Mississippi River to the Pacific Ocean in less than 20 hours."

In his architectural work Mills was responsible for no less than fifty important works, many of which still survive. Among these should be mentioned the old State Capitol at Harrisburg, the Patent Office, the old Post Office and the Treasury building in Washington, together with the Washington Monuments in Baltimore and Washington.

Robert Mills was born August 12, 1781 in Charleston, South Carolina, the son of William (1750-1802) and Ann Taylor (1755-1790) Mills. He died at his residence, 553 New Jersey Avenue, corner of B Street South, Washington, D. C., on March 3, 1855.

Reviewed by JOHN T. CRONIN.

THE AMERICAN SCHOOL AND UNIVERSITY. *The American School Publishing Corporation, 470 Fourth Avenue, New York City. 427 pages. Illustrated. \$2.50*

This yearbook is the seventh annual edition devoted to the design, construction, equipment, utilization, and maintenance of educational buildings and grounds. Contributors are leaders in the educational field, engineers, architects and city planners, landscape architects. The text is divided into twelve sections, as follows: (I) Problems of Planning and Finance; (II) Design and Construction of Buildings; (III) Operation and Maintenance; (IV) the Planning and Planting of Grounds; (V) Buildings and Equipment for Physical Education and Play; (VI) Classroom—Auditorium—Library—Commercial Department; (VII) Cafeteria—Home Economics—Dormitory; (VIII) Laboratory and Shop; (IX) List of College, University and Normal School Presidents; (X) List of Superintendents of Schools in places of 5,000 population and over; (XI) List of architects for educational buildings; (XII) Aids available to local school boards from state departments.

PROGETTO DELL'AUDITORIUM IN ROMA. *73 pages. Illustrated.*

The new auditorium in Rome was designed by E. A. Griffini and E. Faludi, architects, and G. Cavaglieri, engineer. The text describes the building technique and construction; there are many excellent photographic illustrations, including plans and elevations, of the various individual auditoriums which make up this building.

OUTLINES OF THE HISTORY OF ARCHITECTURE. *By Rexford Newcomb. John Wiley & Sons, Inc., 440 Fourth Avenue, New York City. 193 pages. \$3*

The third part, Renaissance Architecture, revised and enlarged, of the original "Outlines," of which there are four parts. The text, originally prepared for use in the author's classes at the University of Illinois, is confined to the right-hand pages, while the pages on the left are blank, to be used for notes and sketches.

REPAINTED ONLY ONCE IN 14 YEARS

Eagle Sublimed Blue Lead sets remarkable record as rust-inhibitive paint on Pittsburgh's Bloomfield Bridge (Allegheny County, Pa.)

● The Bloomfield Bridge, built in 1913. Steel given priming coat of Eagle Sublimed Blue Lead at the mill, and two more coats after structure was completed. This long-wearing paint gave good service for 14 years! On the basis of this remarkable performance, Eagle Sublimed Blue Lead is now extensively used by the Department of Highway Bridges and Tunnels on the steel maintenance of 350 bridges in Allegheny County.

A More Enduring Rust-Inhibitive Paint

Here's why more and more engineers every year are recommending Eagle Sublimed Blue Lead as the most efficient rust-inhibitive paint for all metal surfaces:

1 Being pure lead, it is more enduring—gripping metal surfaces tenaciously. Does not chip or peel.


2 Being of extremely fine particles, it stays in suspension. Doesn't harden in container or clog the spraying nozzle. Equally satisfactory for brushing, spraying or dipping.

3 Chemically stops corrosion because of great basicity.

4 Brushes easily, flowing out like enamel. Painters like it.

5 Offers greatest economy. Lower in first cost than other high grade metal paints. Greater coverage—600 to 800 square feet per gallon. Saves 40 to 50% in material cost. Long lasting.

● You can buy Sublimed Blue Lead in paste form (pure lead ground in pure linseed oil) under the Eagle label—or in ready mixed form from reputable manufacturers. Send for descriptive booklet and free sample.



EAGLE *Sublimed* BLUE LEAD

BASIC SULPHATE OF LEAD, BLUE

EAGLE RED LEAD

Rapid-drying qualities make it ideal for rush jobs.

MAIL COUPON FOR FREE SAMPLE


The Eagle-Picher Lead Company, Dept. AR5, Cincinnati, O.

Please send me free sample of Sublimed Blue Lead—also descriptive booklet on this more efficient rust-inhibitive paint.

Name

Address

City State




LIGHTNESS

Engineering science advances...old beliefs crumble...weight gives way to lightness—lightness that makes no concession to strength.

• The new Duro-Brace sheave, for Texrope V-Belt drives, is the lightest sheave on the market, in relation to its great strength. Thus it reduces bearing pressures to a minimum. • In the newly designed Duro-Brace Texsteel sheave the outside walls are reinforced by convex steel plates which so greatly increase their strength as to eliminate distortion, even under the severest duty. The result is a light, true-running, vibrationless drive always. • Texrope drives are 98.9% efficient, silent, slipless,


*Former Design:
cross-section showing
unsupported
outside plate.*



shock-absorbing, require no belt dressing or lubrication, and are not affected by dirt or moisture. • Mail us a card asking for Bulletin No. 2188 which sets forth the advantages which Duro-Brace Texsteel Drives offer you in all matters of power transmission, whether they be simple or complex.

★ ★ ★


*New Duro-Brace
Design: cross-section
showing outside
plate braced
by a convex reinforcing
steel plate.*



TEXROPE

DRIVES

ORIGINATED BY
ALLIS-CHALMERS MANUFACTURING



ALLIS-CHALMERS
COMPANY • MILWAUKEE, WISCONSIN

NEWS

OF THE FIELD

Frederick S. Cates, architect, has opened an office for the practice of architecture, and residential development, in Jacksonville and vicinity, at 1202 Lynch Building, Jacksonville, Florida.

Announcement is made of the withdrawal of Robert Helmer, architect, from the firm of Halsey, McCormack & Helmer, Inc. Mr. Helmer will continue the practice of architecture, independently, at 219-50 141st Avenue, Springfield Gardens, Long Island, N. Y.

The firm of Dreisoerner & Leech, architects, regretfully announce the death of Mr. Henry Dreisoerner. Under the direction of Mr. Norman A. Leech, surviving partner, the firm will continue under the same name at the old address, 3828 Arsenal Street, St. Louis, Mo.

Frank J. Forster and R. A. Gallimore, architects, have moved their offices from 500 Fifth Avenue to the seventh floor, 19 East 47th Street, New York City.

William Paul LaVallee, architect, announces the removal of his office from the Chamber of Commerce Building to 160-10 Hillside Avenue, Jamaica, Long Island, N. Y. Mr. LaVallee is supervising architect for the United Associates Corp. of Jamaica which is at present constructing 300 residences at Douglaston, Mineola, and Bellmore, Long Island; he is interested in receiving literature and samples of modern building materials.

Frederick Mathesius, architect, has removed his office from 16 East 41st Street to the Architects' Building, 101 Park Avenue, New York City.

An office for the practice of architecture has been opened by Will Young, architect, at Fairhope, Alabama. Mr. Young would like to receive samples and literature from manufacturers.

The firm of Haralson & Nelson, architects, of Fort Smith, Arkansas, has been dissolved except that all work at present under contract will be carried out by that firm. Joe J. Haralson has formed an association with Ralph O. Mott and will continue the practice of architecture under the firm name of Haralson & Mott with offices at 229 Merchants Bank Building; E. Chester Nelson will continue the practice of architecture with offices at 427 Merchants Bank Building, Fort Smith, Arkansas.

The LeBrun Traveling Scholarship of \$1,000 for 1935 has been awarded to Harry A. Gnerre of Mount Vernon, N. Y., according to an announcement by William F. Lamb, chairman of the Scholarship Committee of the New York Chapter of the American Institute of Architects.

The Department of Architecture of the University of Pennsylvania announces that two graduate scholarships covering tuition fees are being offered to qualified graduates of Schools of Architecture. Those interested should file an application for admission to the University with the Dean of the School of Fine Arts, as a requirement for consideration. Samples of work should be submitted not later than May 15 with three letters of recommendation. The Lowthorpe School of Landscape Architecture for Women announces for the scholastic year 1935-1936, a scholarship amounting to the cost of tuition (\$500). Candidates for this scholarship must be over twenty-one years of age and must have their bachelor's degree from an accredited institution, or experience which has fitted them to undertake professional training in this field. The award will be made after a most careful consideration of the personal record of the applicant. Those interested should send in their qualifications to John A. Parker, director, Groton, Massachusetts.

CALENDAR OF EXHIBITIONS AND EVENTS

May 3-4	Low-cost housing conference at Atlanta Biltmore Hotel under the auspices of Georgia School of Technology.
May 4-12	Annual Building Exposition in San Francisco.
Until May 14	Exhibition of African Art, Museum of Modern Art, New York City.
Until May 15	Industrial Arts Exposition at Rockefeller Center, New York City, under auspices of National Alliance of Art and Industry. Model of Frank Lloyd Wright's Broad Acre City.
May 15	Closing date for applications for architectural scholarship at School of Fine Arts, University of Pennsylvania, Philadelphia.
May 28-30	Sixty-seventh convention of the American Institute of Architects in Milwaukee.
June 23-26	Housing congress of the International Housing Association in Prague.
July 16-20	Fourteenth International Housing and Town Planning Congress in London.
October 10-19	Architectural League Exhibition, Grand Central Palace, New York City.
October 15	Closing date of eighth annual small house competition conducted by House Beautiful magazine, 572 Madison Avenue, New York City. Rules and conditions sent on application.

The first all-Union Congress of Soviet Architects is shortly to take place in Moscow. Eminent architects of Western Europe and America are being invited to the Congress. The Architects Society of Ohio is a development of the former Ohio State Association of Architects. Changes in membership regulations will enlarge the prospective membership from 300 to 850.


A conference on low-cost housing is to be held under the auspices of the Department of Architecture, Georgia School of Technology, on May 3 and 4. The headquarters will be at the Atlanta Biltmore Hotel, where exhibitions from the TVA, the Rural Rehabilitation Office, and the PWA Housing Division will be on display. The subject matter will be both urban and rural housing, and discussions will be mainly along technical lines, including consideration of planning, design, materials, structure, and equipment. Speakers will include Col. Hackett, Harold D. Hynds, and David Williams of Washington, W. Pope Barney of Philadelphia, Earl S. Draper, Roland Wank, and Charles Barber from the TVA, Knoxville, Tenn., and others. Besides the technical discussions, there will be a general consideration of housing with a talk by C. F. Palmer, accompanied by moving pictures of foreign achievements in housing. Teheran (the Capital of Iran, a city of about 300,000 people) is planning to build a stock exchange for natural products, paper money and stocks. An outline on the scale of 1:200 is desired for the whole project: basement, ground floor, first floor, the façade, as well as information on square meters of surface and cubic meters of space in the building. For the best solution a prize of £750 is offered, on condition that the winner of the prize executes the plan necessary for the construction, according to suggestions given by the management of the Bank, on a scale of 1:100. The plan should be presented at the National Bank of Iran before June 1. Further information may be obtained by writing to the Czechoslovak Consulate General, 1440 Broadway, New York City.

IN THE JUNE ISSUE



Photograph by Whittington

LOS ANGELES COUNTY GENERAL HOSPITAL
DESIGNED BY ALLIED ARCHITECTS ASSOCIATION OF LOS ANGELES



From Cité Hospitalière de Lille
MEDICAL CENTER DESIGNED BY PAUL NELSON, ARCHITECT

Medical Centers showing trend toward the unification of hospital, sanatorium, correctional and welfare facilities of a locality, whether a community of twenty-five thousand or one of several hundred thousand population. This study coordinates recommendations of specialists for the care and cure of the sick in medical centers.

Medical Buildings. For reasons of economy, a single building for medical diagnosis and hospital facilities is becoming increasingly popular. Its planning for completeness of services deserves analysis. Examples of this type of building will be shown.

Health Centers. A field of design activity for the architect is implied by the emphasis now being placed on sickness prevention, semi-public care of the sick and aged. The health center is intended as a health service station for a community. In some instances recreation and occupational therapy are involved. From the requirements of this new building type the architect can create the suitable plan and building setting to administer health service effectively.

Other Features

Medical service buildings eligible for Federal loans.

Lighting the House—a portfolio of lighting fixtures selected as examples of good industrial design.

Building trends.

Book reviews.

OVERPAGE: PHOTOGRAPH BY FAIRCHILD AERIAL SURVEYS, INC.

**AIRVIEW PLAN OF COUNTRY ESTATES
AT BERNARDSVILLE, NEW JERSEY**



VOL · 77 NUMBER 5

1 9 **5** 3 5
M A Y

T H E

ARCHITECTURAL RECORD

FURNISHING THE INTERIORS

By **WILLIAM MUSCHENHEIM, Architect**

The purpose of all domestic architecture is the provision of spaces for living, sleeping, eating, reading, studying and entertaining. These spaces have to be furnished, and this can be done either by haphazardly filling a room with chairs, tables and lamps, or—more desirably—by integrating the furnishings with the whole architectural scheme.

In considering any particular space, we have to deal with certain elements which will determine the design or selection and arrangement of furniture. Such are wall areas, windows and other openings, all of which are variables in most instances. Consequently, the design problem consists of choosing and grouping the furniture in relation to these elements so that fullest use can be made of their potentialities. Only in this way can the best results be obtained in convenience.

Furniture available on the market, and designed with respect to modern manufacturing technique, modern materials and modern ideas of comfort, may fit in part.


This line is limited, however, and certain pieces should be specially designed. It is not necessary, although sometimes desirable, that such pieces be built into the room. As a rule, it is more practical to design demountable units so that future arrangements can be made. Lighting fixtures and mechanical appliances, such as telephones and radios, can often be incorporated in the furniture designs. Furniture coverings, floor coverings and curtains, the colors of walls and ceilings, the wood and metal finishes should then be chosen so that the entire room scheme will be harmonized and articulated, and made a suitable background for human occupancy as well as for movable objects such as books, plants, pictures and china.

The range of possible combinations is limitless. If carefully studied for proportions and spatial interrelations, the final result will be as pleasing as any good work of architecture. The furniture and the architecture will, in fact, be each a part of the other.

PORTFOLIO


OF APPLIED DESIGN

GERMAN HOUSING EXPOSITION IN MUNICH . . CHILDREN'S ROOM



DINING ROOM . . DESIGNED BY WOLFGANG VON WERSIN, ARCHITECT





WRITING ROOM


TWO ROOMS AT GERMAN HOUSING EXPOSITION IN MUNICH — DESIGNED BY WOLFGANG VON WERSIN



BACHELOR'S ROOM

A GYMNASIUM
IN AVIATOR'S HOUSE

MILAN BUILDING
EXPOSITION — ITALY



APARTMENT
IN NEW YORK

BY WILLIAM
MUSCHENHEIM
ARCHITECT



CONVERTIBLE TABLE




Table measures 12" x 33" closed, 64" x 33" open. Solid oak base has two drawers lined for silver, one drawer for linen, and a cabinet for bottles or toaster. Ply-wood oak top, finished natural with colorless lacquer. (Also made in gray-stained oak.)





GILBERT ROHDE, DESIGNER

Bent wood chairs have no glued joints at points of stress. They are made of beech, finished to match oak and covered in white lacquered fabric. (Also made with frames finished in colored lacquer.) Room colors: brown wallpaper and dark brown carpet.






PRESSED PLYWOOD FURNITURE
A. AALTO, ARCHITECT, FINLAND



AIRLINE CHAIR OF WOOD BY KEM WEBER




The two upper horizontal rails are not constructed as a solid frame, but get their strength through a logical transformation of stresses. The rear block of the upper rail is structurally solid with the rail and as it moves down when pressure is applied, the distance between the lower end of the block, where the second rail is located, and the front of the chair is decreased. There is an open space between the lower rail and the block to allow free movement. With a pressure of about 300 pounds the space is closed, transforming the breaking stress into tension on the upper rail and compression on the lower.


This principle in connection with the bow construction of hickory lamination on the tension side of all surfaces is said to give this chair strength far out of proportion to the lightness of the individual parts.




(Photographs by Will Connell)



FRONT VIEW



SIDE VIEW



PLANNING THE HOUSE INTERIOR

STUDY PLAN FROM POINT OF VIEW OF "WHAT GOES ON IN THE HOUSE."

SEPARATE COOKING AND DINING SPACE FROM LIVING ROOM SPACE. SIMILARLY SEGREGATE SLEEPING ROOMS AS A SUITE. See accompanying diagrams prepared for Milan Building Exposition for House Planning.

BEDROOMS, KITCHENS AND BATHROOMS CAN BE EXACTLY DETERMINED IN SIZE BY DIMENSIONS OF STATIONARY EQUIPMENT AND THEIR DEFINITE USE.

DINING AND LIVING ROOMS OFTEN SERVE DIVERSE PURPOSES AND SHOULD BE OF AMPLE SIZE TO ALLOW FOR DINING, ENTERTAINING, AND IN SOME CASES AS PLAY SPACE FOR CHILDREN.

FURNISHINGS SHOULD PARTICIPATE IN THE CREATION OF ROOMS.


RESTRICT FURNITURE TO ESSENTIAL PIECES. A Committee of Home Economists recommends that "in the interest of economy the typical dining room set be reduced to eight pieces—sideboard, dining table and six chairs. The china cabinet and serving table being considered unnecessary."* For further economy, two chairs from the dining set could be used in the living room.

CABINETS MAY DIVIDE ROOMS IN PLACE OF PARTITIONS.


CABINETS SHOULD BE DESIGNED SO AS TO ALLOW FOR:

Expansion of storage space.

Variety of storage purposes.




(1) LINES OF COMMUNICATION FOR THE HOUSEHOLD. THE THREE GROUPS OF LINES CORRESPOND WITH THREE MAJOR ACTIVITIES: COOKING-DINING; SITTING-RELAXING; SLEEPING-WASHING. THEY SHOW THE SEGREGATION OF EACH USE, NO INTERFERENCE WITH EACH OTHER, SHORT AND DIRECT RELATIONS.




(2) CIRCULATION BETWEEN GROUPS. PATH OF TRAFFIC SHOWS CENTRALIZATION, SHORT DISTANCE FROM ONE GROUP TO ANOTHER, NO OBSTACLES TO AVOID, EASY ACCESS AND FLOW OF WALKING PATH ARE THE BASIS OF EFFICIENT HOUSEKEEPING.

* Homemaking, Home Furnishing and Information Centers. President's Conference on Home Building and Home Ownership, p. 131.



(3) FURNITURE LOCATION AND FREE AREAS. THERE IS AMPLE FREE SPACE AFTER THE PLACING OF NECESSARY FURNITURE. THE CONCENTRATED LIVING AREA MAKES FOR CONVENIENCE AND A MINIMUM OF PHYSICAL EXPENDITURE. THE SLEEPING AREA FORMS A SEPARATE SUITE.



(4) INTERIOR AND DAYLIGHT. WINDOWS WITH DESIRABLE RELATION TO ROOMS, PARTITIONS AND FURNITURE. CONSIDER DESIRABLE DAYLIGHT ON WORK SURFACES AND GOOD VISION FOR ALL PARTS OF A ROOM FOR BOTH CLEANLINESS AND TO FAVOR A GENERAL IMPRESSION OF CHEERFULNESS.

FURNITURE SHOULD BE LIGHT IN WEIGHT FOR MOVING.

Adjustable or convertible to different uses.

Small in bulk and correct in heights.

BUILT-IN FURNITURE REQUIRES LESS SPACE, IS EASIER TO KEEP CLEAN, GATHERS LESS DUST.

ANY PART OF FURNITURE THAT COMES IN CONTACT WITH HANDS, ARMS, LEGS, OR ANY OTHER PART OF THE HUMAN BODY SHOULD BE OF MATERIAL THAT IS WARM TO THE TOUCH.

HORIZONTAL SURFACES SHOULD BE OF WASHABLE, NON-TARNISHABLE MATERIAL, STAINLESS, FIREPROOF (PROTECTED AGAINST CIGARETTES) AND COLOR-FAST.

COLOR IN FURNISHINGS SELECTED FOR PRACTICAL USE, NON-GLARING, RESTFUL TO EYES, INTENSE COLORS RESTRICTED TO PARTS WHERE ATTENTION SHOULD BE ATTRACTED.

AVOID DUST-GATHERING CORNERS AND SURFACES. AVOID ROUGH SURFACES AND HORIZONTAL SURFACES ABOVE EYE LEVEL.


AVOID SHARP EDGES AND CORNERS.

CEILINGS WHITE OR IN PALE SHADES TO REFLECT LIGHT. WALLS OF CLEAR COLORS OR NEUTRAL SHADES.


FLOOR COVERINGS WITHOUT PATTERN AND OF SHADES SUCH AS TAUPE, GRAY AND SAND.

WALLS SMOOTH, HARD AND OF SANITARY FINISH.

Hard plaster, plywood panels, made in wall-board sizes, which can be varnished, stained or waxed; fabric; plastic materials.



CHAIRS WITH ARM RESTS
 1 STEEL FRAME AND OF MINIMUM COST.
 2 CHAIR OF STEEL, TREATED SURFACE, SLAT SEAT,
 SUITED TO PORCH OR GARDEN.



UPHOLSTERED CHAIRS WITH AND WITHOUT ARM
 REST FOR GENERAL USE IN HOUSE. FRAME OF
 STAMPED ALUMINUM, NON-CORRODING SURFACE,
 WATERPROOF FABRIC.

CHAIR DESIGNS BY MARCEL BREUER, ARCHITECT

The chairs illustrated were submitted in an international competition for the best aluminum chairs of the world. Two independent juries unanimously awarded the first two prizes to the executed designs by Marcel Breuer.

Aluminum was previously considered too soft and brittle for the structure of furniture. With a new structural system involving the stamping of metal as flat parallel springs, the desired strength was attained.

These chairs were designed primarily for comfort with extreme simplification in shape. They are unusually light in weight; are of homogeneous material with an integral surface that does not stain.






DIAGRAM OF CHAIR DESIGNED
 FOR RESTAURANTS AND OF-
 FICES.




SECTION OF CHAIRS AT LEFT.




DETAIL OF HEADREST.



RECLINING CHAIR FOR LIVING ROOM AND PORCH. THE SAME MODEL USED FOR GARDEN TERRACE IS LIGHTER IN WEIGHT AND HAS WATERPROOF UPHOLSTERY, ALUMINUM OR STEEL FRAME.




SECTION OF RECLINING CHAIR FOR RESIDENCE INTERIOR AND PORCH.




SECTION OF CHAIRS AT RIGHT.



CHAIRS DESIGNED FOR GARDEN AND PORCH USE, WATERPROOFED UPHOLSTERY, NON - CORRODING SURFACE FOR STEEL OR ALUMINUM FRAME.





FLOOR PLAN IN WHICH ROOMS ARE SUBDIVIDED BY CLOSETS AND CABINETS OF STANDARD SIZE, INSTEAD OF BY PARTITIONS. SUCH AN ARRANGEMENT CAN BE ECONOMICAL TO CONSTRUCT AND CAN GIVE UNITY OF APPEARANCE TO ROOMS. THE ARRANGEMENT OF ROOMS CAN BE READILY CHANGED.



ISOMETRIC OF APARTMENT. LIVING ROOM AND HALL COMBINED, WITH EASY ACCESS TO TERRACE. MOVABLE AND STATIONARY FURNITURE ARE IN CLOSE RELATIONSHIP. THE FURNITURE GROUPS CREATE AREAS FOR READING, ENTERTAINING AND WORK. L. KOZMA, ARCHITECT, FROM "L'ARCHITECTE," PARIS.

IN PLANNING ROOMS CONSIDERATION IS GIVEN TO THE AREA REQUIRED FOR FURNITURE WHEN IN USE. THE DIMENSIONED AREAS AT THE LEFT ARE FOR COMBINATIONS OF CHAIRS AND TABLES. The designer of a dining room arrangement usually allows 2 feet for clearance between chair back and wall or from chair back to other furniture.

- (1) Dining table 4'-0" in diameter requires a room 11'-0" in width as minimum.
- (2) Rectangular table of same seating accommodation requires 6-foot width for chairs and table.
- (3) Required floor area for bridge table with chairs.
- (4) The conventional grouping of settee, smoking table and chairs requires 7' x 8' with 4 additional feet needed for comfortable width.



DIAGRAMS OF CHAIRS IN RELATION TO POSTURES. PART OF INVESTIGATION TO DETERMINE DESIRABLE AND COMFORTABLE CHAIR HEIGHTS, DEPTHS, AND SLOPE FOR SEAT AND BACK. RESEARCHES FOR PROTOTYPE OF CHAIRS, GOVERNMENT BUREAU OF INDUSTRIAL ART, JAPAN. FROM "KOKUSAI-KENCHIKU" MAGAZINE.



Photograph by Hedrich-Blessing Studio

APARTMENT OF WILLIAM ROSENFELD
IN CHICAGO — DESIGNED BY DONALD DESKEY

NON-FEDERAL LOCAL PUBLIC WORKS

The greater part of this issue is devoted to non-Federal local public works. These consist of building and engineering projects undertaken by States and their political subdivisions—counties, cities, school districts and so on. Non-Federal local public works, being initiated, designed and constructed by local political action through local professional and business channels merit preferred consideration as a means of stimulating recovery in the building industry. They are real estate improvements which, supplying new or superior communal services, tend to attract population or business and, consequently, to promote private real estate activity.

Under authority of Title II of the National Industrial Recovery Act, approved by the President on June 16, 1933, the Public Works Administration has made loans at 4 per cent and granted subsidies of 30 per cent of the cost of labor and materials for non-Federal local public works. Elsewhere in this issue will be found a list of the types of work financed. The list is based upon a press release of some 90 pages itemizing all non-Federal public works financed wholly or in part by PWA during the 21 months of its existence, up to April 1, 1935.


A total of \$747,757,000 in loans and grants had been made to local public bodies for 4,040 projects completed or under construction. PWA has recently been reselling at a profit through the Reconstruction Finance Corporation some of the bonds accepted as security for loans and it is estimated that municipalities which applied for grants only have marketed about \$40,000,000 in bonds to cover the cost of projects above the grants.

In view of the improvement which has taken place in the bond market, it seems likely that under the Work-Relief Act approved by the President on April 8, PWA may purchase a smaller proportion of bonds than it did under the old program and make a larger proportion of grants. At any rate, the Work-Relief Act omits the provision which limited a grant to 30 per cent of the cost of labor and materials. Legally the grant may now cover the entire cost of a project. A statistical comparison of the old and the new program is given on another page.

Practically all of the non-Federal local public works shown in this issue were designed by architects. Wherever a local improvement is needed there is a double advantage to tax payers in having the work done as part of the PWA program. There is, first, a low financing cost and, secondly, a reduction in the local cost of relief through reemployment. In many communities groups of architects have as citizens shared in the preparation of community plans and indicated how commissions for architectural services on individual jobs may be equitably distributed. A typical procedure, followed in San Diego, Calif., is described by William Templeton Johnson.

TYPES OF NON-FEDERAL LOCAL WORKS CONSTRUCTED UNDER TITLE II OF THE NATIONAL INDUSTRIAL RECOVERY ACT APPROVED JUNE 16, 1933

Abattoir	Dam	Housing	School Garage
Administration Building	Deaf-Dumb Institution	Hydrants	Schools
Agricultural Building	Detention Building	Incinerator	Science Building
Airport	Dining Hall	Industrial Building	Sea Wall
Alleys	Disposal Plant	Infirmery	Service Buildings
Almshouse	Dock Improvement	Irrigation	Ship Channel
Archives	Dormitory	Jail	Shop
Armory	Drainage	Juvenile Court	Shop Building
Arts Building	Economics Building	Laboratory	Sidewalks
Assembly Hall	Electric Distribution	Laundry	Smoke Stack
Asylum	Electric Plant	Library	Sprinkler
Auditorium	Equipment Building	Locker Room	Stadium
Auditorium Gymnasium	Filtration Plant	Machine Shop	State Building
Auditorium Library	Fire Alarm System	Market	Stock Barn
Barn	Fire Exits	Mausoleum	Storehouse
Barracks	Fire-Police Station	Medical Building	Storm Sewers
Bathing Beach	Fire Protection	Memorial Building	Street Lights
Bell Tower	Fire Station	Municipal Building	Streets
Board Walk	Flood Control	Museum	Sub-Station
Boys' Home	Garbage Disposal	Nurses' Home	Subway
Bridge Approach	Gas Distribution	Park Development	Swimming Pool
Bridges	Gas Mains	Passageway	Terminal
Canal	Gas Plant	Penal Institution	Town Hall
Capitol Annex	Golf Course	Physical Building	Training School
Car Lines	Guard Rail	Pier Sheds	Tunnel
Cemetery	Gymnasium	Police Radio	University Buildings
City Hall	Hangar	Police Station	Viaduct
Civic Building	Harbor Improvement	Poor Farm	War Memorial
Club Building	Harbor Railroad	Prison Buildings	Ward Buildings
College Buildings	Health Building	Pump Plant	Warehouse
Comb. Sewer	Heat Power	Railroad Bridge	Water Building
Comfort Station	Heating System	Record Building	Water Meters
Community Building	High Schools	Reformatory	Water Pump
Cottages	Highway Bridge	Refrigeration Plant	Water Sewer
County Home	Highway Railroad Crossing	Reservoir	Water Tank
Courthouse	Highways	Roads	Watermains
Creamery	Home for the Aged	Sanitarium	Waterworks
Culvert	Horse Barn	Sanitary Sewers	Well
Curbs	Hospitals	School Buses	Well Pumps
			Wharf



Construction completed this year; reinforced concrete walls, cement plastered; tile roof.

DISTRICT X OFFICE BUILDING FOR THE DIVISION OF HIGHWAYS, STOCKTON, CALIFORNIA
STATE OF CALIFORNIA DEPARTMENT OF PUBLIC WORKS—GEORGE B. McDOUGALL, STATE ARCHITECT

ARCHITECTS DEVELOP A PROJECT FOR SAN DIEGO

About ten years ago San Diego, California, commissioned John Nolen, city planner of Cambridge, Mass., to make a general study plan for the development of the town. One of Mr. Nolen's recommendations was the construction of a civic center group on the water front which is controlled by the city under a grant from the state of California.

San Diego has a shabby, old civic hall and an entirely inadequate county court house forty years old and besides this, with the expansion of official functions, space has been rented by the city and county in various buildings throughout the city to such an extent that the yearly rentals amount to about \$45,000.

To remedy this condition and to house the offices of the city and county in adequate quarters, a joint committee was appointed by the city planning commission and the county planning commission to make recommendations for the development of a civic and county group. This joint committee proposed the utilization of the water front lines of the city for the develop-

ment of the civic center and studies were made for the general arrangement of a group of public buildings.

At this stage the local chapter of the American Institute of Architects offered its services to prepare without cost to the city and county preliminary plans for a city and county building with the idea of passing a bond issue and obtaining government aid under the Public Works Administration. Three architects were chosen by ballot by the San Diego chapter to prepare these drawings in consultation with the city administration and the planning commissions and they have been carried along far enough to make an intelligent estimate cost. No details are yet available as to the exact basis upon which the financing with the government will be consummated.

The San Diego chapter of the American Institute of Architects recently voted that the three members who donated their services for the preparation of the preliminary plans should be recommended to the city and county administrations for construction of the building if the financing is successfully carried out.

WILLIAM TEMPLETON JOHNSON, *Architect*

LOCAL PUBLIC WORKS: THE NEW PROGRAM

By **L. SETH SCHNITMAN**
Chief Statistician
F.W. Dodge Corporation

Since July 1933 about 4,000 non-Federal construction projects—buildings and public works of states and their subdivisions—have been made possible by PWA funds. These are of almost every description, from airports to zoo buildings, and were additional to some 15,000 so-called Federal projects that were undertaken by the national government from the same appropriations. (This article treats only with non-Federal construction.)

About 1,200 non-Federal projects are already completed. In fact, roughly three-fourths of the total number of local projects are (May 1) either completed, under construction, or under contract. On the basis of estimated cost, less than half of the total old non-Federal program has reached these stages. Thus, of an estimated total cost of about \$1,080,000,000 that has been made possible by PWA loans and grants, only about \$500,000,000 has actually been under construction.

A new program of non-Federal construction is now being undertaken. \$900,000,000 of Federal funds have been appropriated as compared with about \$765,000,000 under the old. Should the new funds be allotted in the same manner as the old, this would produce a total of local public improvements of about \$1,275,000,000. Together, the old and the new programs have an indicated size of about \$2,300,000,000. Federal funds under the new legislation will be available until June 30, 1937.

All charts are based upon data from the Public Works Administration and Dodge Statistical Research Service.

LOCAL IMPROVEMENTS DOT THE NATION . . .


Under the provisions of the NIRA (Act of June 16, 1933) the President was authorized, through the Administration of Public Works, "to make grants to States, municipalities, or other public bodies for the construction, repair, or improvement of any such project (public works), but no such grant shall be in excess of 30 per centum of the cost of the labor and materials employed upon such project."

As a result of this legislation no State has been without allotments, in the form of loans and grants, for the construction of what will henceforth be referred to as non-Federal or local public projects. PWA allotments for these projects exceeded \$750,000,000. Though an additional amount of approximately \$200,000,000 was allocated for construction loans to railroads, much of which incidentally went into new equipment, none of this total will be considered here. Roughly one-third of the PWA construction fund was earmarked for loans and grants to finance the construction of projects of States, municipalities, and other local public bodies.

In the first map each symbol represents 5 non-Federal projects or fraction thereof; in the second map each symbol represents \$5 million or fraction thereof. On each map the black dots signify actual allotments; the white dots designate projects on which planning was well advanced when, for lack of funds, allotments under the old program were stopped.

On the following pages are given some of the more salient features of the old program. Likely developments under the new program which has been provided for in the Emergency Relief Appropriation Act of 1935 (Act of April 8, 1935) are also portrayed. Under this legislation the sum of \$900,000,000 has been set aside for "loans or grants, or both, for projects of States, Territories, possessions, including sub-divisions and agencies thereof, municipalities, and the District of Columbia, and self-liquidating projects of public bodies thereof, where, in the determination of the President, not less than 25 per centum of the loan or the grant, or the aggregate thereof, is to be expended for work under each particular project."

There is no limit as to the size of the grant whereas under the old law grants were limited to 30 per cent of the cost of materials and labor.



LOANS AND GRANTS UNDER OLD PROGRAM

Of the approximate total of \$765,000,000 which was allotted for loans and grants by the PWA to further the construction of non-Federal projects (exclusive of railroads), some \$505 million, or roughly two-thirds of the aggregate, represented loans to public bodies on their bonds at interest of 4 per cent. The remaining amount, approximating \$260 million, represented grants.


According to Circular No. 1 of the Federal Emergency Administration of Public Works the test for eligibility for a grant was "the social and economic significance of the project and its relative importance in the comprehensive national program of public works contemplated by the act, and the extent its construction will provide employment and purchasing power in the vicinity."

The regulations also stated: "The following classes of projects will be preferred as to the grant: (1) waterworks projects not unduly burdening the community with debt and necessary for its health and convenience; (2) sewer projects of the same character; (3) sewage disposal projects sufficiently comprehensive to render a river or lake system, used by many communities, safe as a water supply, and other sewage disposal projects; (4) other projects which, like the foregoing, are regenerative, i. e., tend to stimulate further projects, such as highways, bridges, and tunnels, opening of new territory for homes and industry, projects for the transmission of electrical energy into territories not now served. The President, in determining whether to allow or withhold the grant, will also consider to what extent the budget of the applicant is balanced or in process of balancing and will prefer those public bodies which put their finances in order."

In the light of these regulations promulgated in July 1933, it is of interest to note that of the 1,200 or so non-Federal projects that are already completed, approximately 23 per cent are water supply systems; some 20 per cent are streets and local highways; about a like percentage represents educational facilities; about 18 per cent are sewers and sewage disposal plants; the remainder are miscellaneous types.

It is also of interest that, of the total allotment for grants amounting to about \$260 million, little more than \$100 million represented grants to public bodies which did not find it necessary to borrow from the PWA. Ostensibly, these public bodies either had their own funds or could sell their bonds in the market on a basis more attractive than that offered by the PWA.


Of the total amount of loans allotted approximately 85 per cent was in connection with grants, the remainder being loaned to public and quasi-public bodies, such as limited-dividend housing projects and toll bridges, which under the law were not eligible to grants.



- GRANTS WITHOUT LOANS
- LOANS WITHOUT GRANTS
- LOANS WITH GRANTS AND GRANTS WITH LOANS

DISTRIBUTION BETWEEN FEDERAL AND LOCAL MONEY

If all projects for which loan and grant allotments were made reach fruition, some \$1,080 million of local construction and improvement projects will have been provided. From this it appears that local public bodies will have supplied approximately \$315 million as their share of the total cost. Thus for each dollar of Federal money, roughly 40 cents of local or equity money will have been provided, as raised either out of current revenues or bond sales or both. This applies generally but not necessarily for any community. The relationship between Federal money by way of loans and grants—and local or equity money is shown by the chart to the right. On the following page a further breakdown as between types of construction is given.




OLD PROGRAM CLASSIFIED BY TYPE

In the chart to the left is pictured the approximate distribution of the major classifications of local or non-Federal construction which was made possible by the old program. The unshaded portions of the chart indicate the segments for which local or equity money has been or will be supplied under each major class; the shaded segments designate the total amount for which Federal funds have been allotted. (No attempt has here been made to separate loans from grants.)

The figures denote millions of dollars and include, in each instance, both the Federal or PWA allotments and the local or equity money, the combined total of all of which, as has already been shown, approximate \$1,080,000,000.


Thus, of the total amount of probable construction, about 32 per cent represents building types, architecturally designed; almost a like percentage represents public utilities of all descriptions, exclusive of water power; almost 20 per cent will go into engineering structures, such as bridges, viaducts, tunnels and subways; and the remainder in miscellaneous type, chiefly of engineering designs.



BUILDING PROJECTS

Educational buildings formed by far the most important category of building types provided for by the PWA non-Federal allotments. Here, as above, the unshaded portions of the chart represent equity money locally raised, while the shaded segments designate PWA allotments, both loans and grants. On all building projects the borrower or the applicant hires the architect. Fees were usually 6 per cent of the cost of the project and include plans, specifications, preliminary sketches, supervision and necessary travel expenses.

In this chart, municipal buildings embrace city halls, courthouses, fire and police stations, and armories. Housing projects include both limited-dividend housing and sundry other residential building erected as incidental to other projects. Under the miscellaneous classification all other building types not specially shown have been grouped.




OTHER CLASSIFICATIONS

Here is given a detailed classification of the remaining major construction classifications, with the unshaded portions of the bars likewise indicating local or equity money raised by the applicants.

Just as educational facilities outranked all other classes in the case of building types, so, in the engineering division, the utilities outranked all other types. Of the utility types sewer projects are the most important, exceeding somewhat in total estimated cost the value of educational buildings. It is of interest, too, that for sewers less equity money, both in the aggregate and relatively, is to be raised by the applicants than is the case in educational buildings.

For water systems, with a total estimated cost almost double that for hospitals and institutions, the equity money in each is just about on an even base. For municipal buildings, with a total approximate cost not far different from that for electric, gas and other utilities (exclusive of water power), the equity money is about twice as great.

A fairly complete picture of the probable results under the existing program construction of non-Federal projects by major divisions has thus been afforded.



APPRAISING THE NEW PROGRAM

Since the old program is still a considerable distance from completion, it is obviously difficult even to attempt an approximation of the new. Two facts, however, stand out prominently under the old program and may be helpful in assaying the new program:

(1) Grants approximated \$260 million, while loan allotments were about \$505 million, making an approximate total of \$765 million in PWA allotments for non-Federal projects.

(2) These allotments are estimated to produce a construction total of approximately \$1,080,000,000, allowing for equity money.

All that is known about the new program is that the law provides for \$900,000,000 (see page 322) and even here the law states that "not to exceed 20 per centum of the amount herein appropriated (\$4,000,000,000) may be used by the President to increase any one or more of the foregoing limitations (including the \$900,000,000) if he finds it necessary to do so to effectuate the purpose of this joint resolution."

With these difficulties in mind, the best basis for appraising the new program is probably to be found in the likely results under the old which are now fairly well defined. The chart indicates the old program in solid outline, superimposed on which is the new program in broken outline in the ratio of \$765 million to \$900 million. This has been done on the premise that the system of loans and grants under the old program will be substantially followed in the execution of the new one.

In the lower chart the same procedure was followed. In this instance the broken circle includes the equity money on the assumption that the same proportion of equity to loans and grants as in the old program will prevail in the new. Thus the aggregate estimated cost of local improvements under the new program, on this assumption, would be approximately \$1,275,000,000, as against \$1,080,000,000 under the old. On this basis, the new program would be just about the size of the old, inclusive of loans to railroads for construction and equipment purchases.

The Executive Committee of the Construction League of the United States recently recommended to the Administration that it follow a schedule of diminishing grants with reference to the \$900 million fund authorized in the new law. Under this schedule it was suggested that no loans be made at all by the Federal government and that the entire fund be given as grants according to the following:

- (1) 50 per cent of the actual cost of the local projects where work thereon has been undertaken before December 31, 1935.
- (2) 30 per cent of the actual cost of the projects where work has been undertaken in 1936, but before September 30.
- (3) 20 per centum of the actual cost of the projects where work has been undertaken thereafter.


In this manner, the League suggests, \$900,000,000 of grants would mean a construction volume from two to three times the total possible under the old plan of loans and grants. Construction would be accelerated materially by the arbitrary time limits as set up in the above schedule on the diminishing scale of grants.

In his recent radio address, President Roosevelt stated that he will recognize the following six principles with respect to the new program and from these there is no indication that the President intends to accept the recommendations of the Construction League:


- (1) The projects should be useful.
- (2) Projects shall be of a nature that a considerable proportion of the money spent will go into wages for labor.
- (3) Projects which promise ultimate return to the Federal Treasury of a considerable proportion of the costs will be sought.
- (4) Funds allotted for each project should be actually and promptly spent and not held over until later years.
- (5) In all cases projects must be of a character to give employment to those on the relief rolls.
- (6) Projects will be allocated to localities or relief areas in relation to the number of workers on relief rolls in those areas.

COMPARING THE OLD AND THE NEW

In charts below, the circle in solid line represents the old program, the circle in broken line represents the new.



TOTAL LOANS AND GRANTS



TOTAL CONSTRUCTION



PROBABILITIES UNDER THE OLD POSSIBILITIES IN THE NEW

Almost two billion dollars in applications were pending for non-Federal projects in the PWA when allotments under the old program were stopped more than a year ago for lack of funds. This probably represented projects with an estimated cost of at least \$2½ billions. For the most part these were well advanced as to planning and included some 2,500 individual jobs of practically every building and engineering type, and well distributed geographically.

On the basis of the inventory of potential construction projects undertaken in February of this year by the PWA, there were approximately 100,000 projects, chiefly non-Federal, estimated to cost in excess of \$15 billions on which construction is locally considered as desirable. PWA officials have been quick to indicate, however, that many of these could not qualify under existing stringent PWA requirements as to legality and financial soundness.


Somewhere between the extremes of \$900 million and let us say \$15 billion lies the probable answer to the question: How large is the new non-Federal program likely to be?

In an attempt to aid the reader in answering this question there is given in the charts to the left a comparison between the old non-Federal program and the new as it may unfold. The solid outline surrounding the shaded area indicates the estimated cost of the building types under the old; the broken outline represents the estimated cost of non-Federal buildings for which planning was well advanced when funds under the old program had all been allotted.



In the chart showing specified engineering projects the shaded portions, as explained above, likewise indicate the estimated cost of the projects under the old program. For mechanical reasons, not all engineering types have been shown; important omissions include local roads, flood control, reclamation, water works, dams, canals, channels, levees, and the like.

Singularly for both educational buildings and sewer projects the amount of planned structures likely to proceed under the new program was less than their respective estimated cost totals under the old non-Federal allotments. For electric, gas, and other utilities (excluding water power) planning had proceeded the furthest but it is here that actual construction is least likely to be materially different from results under the old program because of adverse court decisions with respect to municipally-owned gas and electric power plants.



GENERAL CONCLUSIONS


As has been indicated elsewhere, roughly \$500 million of the estimated cost of all non-Federal projects made possible by the PWA program which was started in July 1933 is now either completed or under construction. More than half yet remains to get under way.

The solid line in the chart on this page represents the cumulative line of construction to May 1, 1935. This line is then arbitrarily projected on the basis of the growth indicated for the early months of 1935. On this basis of projection it would take virtually all of 1936—a period of 19 months—for the remaining projects under the old program to get under construction. The total would then be about \$1,080,000,000.

But now we have a new program which has just been authorized. If the line of construction on this program cumulates at the rate of the old, starting on May 1, it would take the remainder of 1935, all of 1936 and 1937 for the two programs to be either completed or under construction. The darkly-shaded segment between the

dash-lines indicates the increment added by the new only if it proceeds at the rate of the old.

Under the Act of April 8, 1935, however, the funds are available only until June 30, 1937. Hence, in order to fulfill the requirements of the legislation the new program of non-Federal construction projects would have to proceed much more rapidly than the old. For this reason the chart depicts, by the topmost dash-line of extension, the cumulative line of construction which would be formed were the current rate to continue on the old program through 1936 and the new program at twice the current rate beginning with May 1. The light shading indicates the effect of this hypothetical speeding-up, while both shaded areas together would indicate the increment due to the new program. This is all on the assumption that the \$900 million fund may be employed along approximately the same lines as the \$765 million under the old but is not intended as a forecast.




Photographs by F. S. Lincoln


PUBLIC WORKS

LOW-RENT HOUSING

JUNIATA PARK HOUSING CORPORATION PROJECT IN PHILADELPHIA
W. POPE BARNEY, ARCHITECT . KASTNER AND STONOROV, ASSOCIATES


Approximately 284 living units (1,085 rooms). PWA loan: \$1,039,000.





CEDAR-CENTRAL LOW-RENT HOUSING PROJECT IN CLEVELAND — A \$3,044,000 PWA DEVELOPMENT
WALTER R. McCORNACK, JOSEPH L. WEINBERG, CONRAD AND TEARE, ASSOCIATED ARCHITECTS

ELLIOT PARK NEIGHBORHOOD—A PROPOSED LOW-COST HOUSING PROJECT
FOR MINNEAPOLIS—STRAUS, DORR, BERSBACK AND CHAPIN, ASSOCIATED ARCHITECTS





INDIAN SCHOOLS

(1) SAWMILL SCHOOL, SOUTHERN NAVAJO (ARIZONA)

(2) HOGAN DAY SCHOOL, NORTHERN NAVAJO — MAYERS, MURRAY AND PHILLIP, ARCHITECTS


Construction on the Navajo Indian Reservation in Arizona is being financed by a Public Works Administration allotment of \$950,000. The old Navajo architecture is being adapted to the construction of the new buildings. The same materials which the Indians have always used—mud, stones, sticks and logs—will be employed exclusively in the work. It is an old Indian tradition that there shall be no doors and windows on the north side of the hogans, and that the entrance door shall always face the east.



Hogan Day School
Northern Navajo

SCHOOL BUILDINGS

THOMAS A. EDISON JUNIOR HIGH SCHOOL, LOS ANGELES — A. R. WALKER AND P. A. EISEN, ARCHITECTS
(1) EXTENT OF PWA SCHOOL RECONSTRUCTION . (2) EXTERIOR OF COMPLETED SHOP BUILDING



1




2



NEW DISTRICT GRADE SCHOOL
BUILT BY THE GOVERNMENT AT
BONNEVILLE DAM, 40 MILES
EAST OF PORTLAND, OREGON


More than half the schools constructed in 1934 were financed by PWA allotments. Returns from State departments of education in 24 States show that 9,828 school building projects at an estimated cost of \$241,285,254 are needed in rural areas, and returns from 1,026 cities of 2,500 population and over, or 52 per cent of the number to which questionnaires were sent by PWA, show that 2,965 building projects at an estimated cost of \$384,713,768 are needed in urban areas.

NEW SAN DIEGO STATE TEACHERS COLLEGE — CALIFORNIA STATE DEPARTMENT OF PUBLIC WORKS
PRELIMINARY STUDY SHOWING PROPOSED DEVELOPMENT — GEORGE B. McDOUGALL, STATE ARCHITECT



HOSPITALS and INSTITUTIONS

NAVY HOSPITAL, PHILADELPHIA—WALTER T. KARCHER AND LIVINGSTON SMITH, ARCHITECTS



HOSPITAL BUILDING FOR
THE McLEOD INFIRMARY
FLORENCE, S. C.


LAFAYE AND LAFAYE
ARCHITECTS
F. V. HOPKINS, ASSOCIATE



Photograph by Wiles

JOSEPH B. KNOWLES MEMORIAL HOME FOR AGED COLORED PERSONS AT NASHVILLE, TENN.
 PWA GRANT: \$57,400 DONALD W. SOUTHGATE, ARCHITECT


CAMARILLO STATE HOSPITAL — CALIFORNIA STATE DEPARTMENT OF PUBLIC WORKS




AIRPORTS and ARMY CONSTRUCTION

CHICAGO MUNICIPAL AIRPORT


PAUL GERHARDT, JR., CITY ARCHITECT






The greatest peacetime construction program in the history of the United States Army, enabled by a Public Works Administration allotment of \$65,000,000 for non-military purposes, is rapidly nearing completion. Benefits of the program have been spread through 65 stations, posts and camps, located in practically every state. The program has been devoted chiefly to improving the lot of the Army's notoriously ill-housed officers and enlisted men.

BARKSDALE FIELD






Photograph by Cole & Co.

SIGNAL CORPS LABORATORY AT FORT MONMOUTH, NEW JERSEY — UNITED STATES ARMY

Of the total PWA apportionment to the Quartermaster General's Office, \$8,300,000 was set aside for improving the plant of the Army air corps. New quarters for officers and enlisted men have been built, landing fields graded and improved, new hangars and service buildings erected.





BALLOON HANGAR
AT POPE FIELD
NORTH CAROLINA

COURTHOUSES

(1) CASS COUNTY COURTHOUSE IN IOWA — PWA GRANT: \$36,500
DOUGHER, RICH AND WOODBURN, ARCHITECTS AND ENGINEERS


(2) GARFIELD COUNTY COURTHOUSE AND JAIL AT ENID, OKLAHOMA
PWA GRANT: \$57,000
HAWK AND PARR, ARCHITECTS




POWER PLANTS and RIVER IMPROVEMENTS

DRAFT TUBES OF THE POWER PLANT UNDER CONSTRUCTION AT BOULDER DAM

PWA has made allotments totaling \$192,518,900 which will result in the generation and distribution of cheap electricity by publicly owned power plants and distribution systems. \$146,250,000 of this money is being spent for five giant projects: the Bonneville and Grand Coulee dams and power plants on the Columbia River in the Pacific northwest section of the country, the Fort Peck dam on the Missouri River in Montana, the Boulder dam and power plant, and the Casper-Alcova project in Wyoming.







BOULDER DAM, BUILT BY BUREAU OF RECLAMATION, DEPARTMENT OF INTERIOR, WITH PWA FUNDS

SINKING AN ASPHALT MATTRESS TO PROTECT BANKS OF THE MISSISSIPPI RIVER NEAR NEW ORLEANS

Through the allocation of \$98,500,000 in PWA funds, residents of seventy per cent of the lower Mississippi districts have been insured against disastrous floods, while in the upper river a six-foot channel has been guaranteed. A complete system of waterways will connect the Gulf and the Great Lakes and Minnesota's Twin Cities by the Mississippi; Sioux City, Iowa, and the main water-course by the Missouri; and Pittsburgh and the Mississippi by the Ohio River.




FILTER PLANTS




SETTLING BASIN AND FILTER PLANT AT ROME, GEORGIA

INTERIOR VIEW OF FILTER PLANT AT ELIZABETHTON, TENNESSEE — LOCKWOOD GREENE ENGINEERS, INC.




PUMPING
STATION




SHEAHAN PUMPING STATION AT MEMPHIS, TENNESSEE

JONES, FURBRINGER AND JONES, ARCHITECTS — FULLER & McCLINTOCK, THOMAS H. ALLEN, ENGINEERS




FIRE STATIONS




The building cost \$20,000 and was built with CWA funds. It was completed in November, 1934.


FIRE STATION AT AYER, MASSACHUSETTS DESIGNED BY GEORGE ERNEST ROBINSON, ARCHITECT






CENTRAL FIRE STATION AT NANTUCKET, MASSACHUSETTS LITTLE AND RUSSELL, ARCHITECTS






SECOND FLOOR PLAN




FIRST FLOOR PLAN




INTERIOR AND PLANS OF FIRE STATION AT 4911 BELMONT AVENUE, CHICAGO


PLANS OF FIRE STATION AT 9311 SOUTH CHICAGO AVENUE, CHICAGO — PAUL GERHARDT, JR., CITY ARCHITECT



FIRST FLOOR PLAN



SECOND FLOOR PLAN



HEATING PLANT AND PUMP AND BLOWER HOUSE

WARDS ISLAND SEWAGE TREATMENT PLANT NEW YORK CITY

On July 7, 1931, ground was broken for the construction of the Wards Island plant, which will be the largest activated sludge sewage disposal works in the world. It will treat a flow of 180 m.g.d. of sewage and serve a population of 1,350,000, nearly one-fifth that of greater New York.


This \$30,000,000 plant, with its collecting works, is the first part of a program calling for the ultimate purification of all the sewage entering New York Harbor. The volume of domestic and industrial waste and of spent water now entering the harbor approaches a billion and a half gallons daily.


The activated sludge process and plant, as described by George W. Fuller in a paper presented before the American Society of Civil Engineers:

"Sludge is activated by aerating sewage for a sufficient time to permit the solid particles to become coated and impregnated with

growths of oxidizing bacteria and other organisms. Such activated sludge, with gelatinous surfaces and oxidizing properties of a biochemical nature, is mixed with the sewage to be treated for three or more hours in an aerating tank well supplied with atmospheric oxygen. Here the suspended and colloidal matter in the sewage becomes attached to the activated sludge particles, and the dissolved organic matter is oxidized by the bacteria and their enzymes. The sludge is then separated by sedimentation, leaving a clear and well purified effluent. A portion of the sludge is returned to the inlet of the aeration tank and the excess is dried for use as a fertilizer, or otherwise disposed of

"In the general layout of the Wards Island project, the principal structures are the pump and blower house, containing the main sewage pumps, the blowers, and the electric control; the preliminary settling tanks, where the heavier suspended matter will be settled





SLUDGE DECANTATION AND STORAGE BUILDING


FULLER & McCLINTOCK, ENGINEERS • SLOAN AND ROBERTSON, ARCHITECTS


out; the preliminary sludge pumping stations, housing grease and scum ejectors, and pumps for removing the settled sludge from the preliminary tanks; the aeration tanks, where air is admitted to the mixture of sewage and return sludge for agitation and aeration; the final settling tanks, where the remaining solids are separated from the liquid; the return sludge pumping stations, housing the pumps which return the sludge from the final tanks back into the system for recirculation, and which move the excess sludge to the sludge storage tanks or to the proposed fertilizer plant; the operating galleries, which house the gates and meters for controlling the flow to and from the aeration tanks and for regulating the withdrawal of sludge from the final tanks; and the sludge storage and decantation building, housing the tanks in which the excess sludge is stored previous to loading on the sludge boats and for decantation. In addition there are a dock; a central heating plant, with oil-fired boilers; an administration building, housing the administrative offices and the laboratory

for plant control; and a fertilizer plant, for demonstration purposes.


"Sewage reaching the island from Manhattan and the Bronx will flow from the tunnel uptake shaft to the pump and blower house, where it will be raised some 46 ft. and discharged through conduits into the preliminary settling tanks. The settled sewage will then flow to the aeration tanks through conduits equipped with Venturi meters. Just before it reaches the aeration tanks the return activated sludge will be added. From these tanks the activated sewage will flow across the operating galleries to the final tanks. Here the clear liquid will be drawn off the top and discharged through conduits into the East River, while the sludge at the bottom will flow to the return sludge pumping stations. From there, a large portion, equivalent to some 25 per cent of the raw sewage, will be returned to the inlet conduits of the aeration tanks, and the rest will go to the sludge storage tanks at the dock, for loading into the sludge boats after some decantation."

GH PLANT





GROUND FLOOR PLAN OF SLUDGE STORAGE BUILDING




GROUND FLOOR PLAN OF PUMP AND BLOWER HOUSE

WARDS ISLAND SEWAGE
TREATMENT PLANT, NEW YORK

FULLER & McCLINTOCK
ENGINEERS


SLOAN AND ROBERTSON
ARCHITECTS



HEATING PLANT

PARKS

A large percentage of funds expended in Wyoming by the Federal Emergency Relief Administration have been used in the development of George Washington Memorial Parks now nearing completion. Varying in size from 3 to 27 acres, these parks contain adequate provision for a wide range of active and passive types of recreation. Harold L. Curtiss, landscape architect, University of Wyoming, was selected to supervise these projects which were carried forward in cooperation with local park advisory committees on sites acquired by purchase, by gift and by transfer of tax delinquent tracts from other governmental agencies. The accompanying landscape plan shows the general design of one of these recreation areas.






PLANTING LIST

BOLING BOTANICAL NAME	QUANTITY
1 SYRINGA VULGARIS	200
2 VIBURNUM OBTUSUM	225
3 - LANTANA	250
4 JALIA PERILLOSA	45
5 ELAEAGNUS ARGENTIFOLIA	240
6 EUCALYPTUS GIBBERNA	100
7 SAMBUCUS CANADENSIS ACUTIFOLIA	20
8 LIGULASTRA ACUTIFOLIA	100
9 ROSA KUGOZA	100
10 RANUNCULUS CATALPA	20
11 BERBERIS SP. ASH LEAF SPIRIT	20
12 SAMBUCUS CANADENSIS ACUTIFOLIA	20
13 PRUNUS LACINIA	20
14 LONICERA TATARICA	20
15 LARICUS LACINIA	20
16 LARICUS LACINIA	20
17 - PUNILA	20
18 PRUNUS LACINIA	20
19 POPULUS ARGENTIFOLIA	20
20 PICEA DENSATA	20
21 PINUS PARVIFLORA	20

NOTE: IN BRACKETED FIGURES THE FIRST NUMBER IS THE INDEX NUMBER, THE SECOND THE QUANTITY OF SEEDS, THE THIRD THE QUANTITY OF SEEDS.

PLANTING PLAN
& GENERAL PLAN FOR THE DEVELOPMENT OF
WASHINGTON MEMORIAL PARK
RAWLINS - WYOMING


PREPARED AT THE UNIVERSITY OF WYOMING
BY HAROLD L. CURTISS - EXTENSION LANDSCAPE ARCHITECT




FIELD HOUSE ON GRAND CENTRAL PARKWAY, LONG ISLAND


ALLEY POND PARK
BOROUGH OF QUEENS

STATE OF NEW YORK DEPARTMENT OF PUBLIC WORKS
WILLIAM E. HAUGAARD, COMMISSIONER OF ARCHITECTURE








Photograph by Long Island State Park Commission






GAS STATION AT JONES BEACH STATE PARK
LONG ISLAND STATE PARK COMMISSION — NEW YORK





Photograph by Long Island State Park Commission

WEST BATHHOUSE POOL AT JONES BEACH
LONG ISLAND STATE PARK COMMISSION — NEW YORK



ILLUSTRATED NEWS

The proposed amendment to Title I of the National Housing Act increasing the maximum government insured loan from \$2,000 to \$50,000 for purposes of modernization and repair has been passed by both House and Senate and is now in conference. Its early enactment is anticipated.

This revision of Title I of the Act has far-reaching possibilities for store merchants, owners of hotels, apartment houses, theaters, industrial plants, club-houses, hospitals, gas stations and other buildings normally part of "Main Street."


To reach this market the Federal Housing Administration will utilize, in addition to its regular field activity, a visomatic presentation, "Modernize Main Street," and will also utilize the facilities of motion pictures.

B. A. McDONALD,
Director of Promotion
Federal Housing Administration.





(ABOVE) HOUSE DESIGNED BY JOSEPH J. DEUCHER, ARCHITECT



(BELOW) HOUSE DESIGNED BY OTT AND DOLEYS, ARCHITECTS




Photograph courtesy of Gar Wood Industries

A HOUSEBOAT ON LAND: In order to make room for more automobiles, the forward cabins of the Great Lakes Engineering Works' steamer "Britannia" were removed. C. E. Baisley, the shipping company's manager, has made a house from the two-story deck quarters, now located on the banks of the Detroit River at Ecorse.





s courtesy of the Art Institute of Chicago



WINNING DESIGN FOR PROPOSED ADDITION TO THE ART INSTITUTE OF CHICAGO — HOLABIRD AND ROOT, ARCHITECTS. The lower illustration shows that part of the complete plan which will be constructed first. The addition will cost \$10 million, and the construction will extend over a period of eight to ten years.





ONE OF THE STEEL RIVER CROSSING TOWERS for the transmission line which supplies power for the dredges and tunneling operations for the Fort Peck dam, which is being built by the Engineer Corps in eastern Montana with an allotment of \$50,000,000 from the Public Works Administration.

A SMALL ALL-YEAR COUNTRY COLONY

A wooded tract of 50 acres on the outskirts of New Haven, Connecticut, is being developed by J. Cox Howell as a small all-year colony for ten or twelve congenial families with a common background of cultural interests. The site is at an elevation of over 600 ft. and has a southern exposure with extensive views over the surrounding country. The express motor highway from New York to Boston, proposed by the Regional Planning Board, is intended to pass through Bethany Gap. Improvements have been started on a modest scale. A road has been surveyed on the east end of the site and a well is now being drilled for water. Three houses designed by L. Bancel LaFarge, architect, are in process of construction and will provide comforts and conveniences on a scale commensurate with yearly incomes of \$4,000 to \$6,000.

The community will be organized by a non-profit corporation owning and maintaining the common road, playgrounds and land reserved for protection against encroachment. Individual property lines will be run, so far as practicable, as individual buyers desire. Each individual unit of ownership will be entitled to representation in the corporation by election.

The extent to which community interests can be unified depends on the wishes of the members, but the following possibilities are contemplated by Mr. Howell: (1) Janitor service for the care of paths and grounds, and removal of house wastes. (2) Cooperation with local school authorities in training girls from families in the neighborhood for domestic service, and the establishment of uniform practices among the housewives in the colony in employing these girls to secure maximum satisfaction on both sides. (3) A nursery school or at least an informal nursery group for care and supervision of small children. (4) For children of school age it is suggested that money which would be spent for expensive private schools be applied to the already excellent local consolidated school, enabling it to improve the quality of its teaching staff and its bus service. (5) A flexible schedule of playtime supervision for afternoons and Saturdays and the Christmas and Easter school holidays. (6) Group marketing for furnace oil, milk, laundry and other staple supplies and services. (7) Community exchange of books and periodicals. (8) A community house with or without a guest suite. (9) A pool for wading in the summer and skating in the winter. (10) A safe hill for winter coasting. (11) An inclosed dog park where pets can be left safely in the care of the community janitor. (12) An outdoor fire-place for picnics and story telling.



TECHNICAL NEWS AND RESEARCH

THE ESSENTIALS OF PRISON DESIGN

By CHARLES D. WHITE of Lockwood Greene Engineers, Inc.

The principles involved in the design of a modern penal institution do not differ materially in many ways from the principles controlling the design of any building or group of buildings in which highly specialized functions are to be housed. A successful newspaper plant cannot be designed without an intimate and exhaustive knowledge of newspaper methods and production, nor can a prison be successfully designed without an equal and intimate knowledge of prison requirements and prison routine.

It is not sufficient for the architect to read books or articles on prison design, study a few plans in current literature, or pass several hours in a hurried trip through some institution. Prisons must be studied at first hand, carefully and continuously in detail with the warden, the captain of the guard, the steward, the storekeeper, and above all with the maintenance man, who has to dig and delve to find broken or misplaced piping and must maintain constant and uninterrupted service through all sorts of mishaps.

Without this intimate knowledge of actual routine in similar institutions, without a thorough study of the successful types of housing for the various classifications of inmates, the length of time to be served, the program of rehabilitation, the educational methods planned and the trades to be taught, a comprehensive and successful plan cannot be conceived.

It is not the intention of this article to be a compendium covering the subject, nor does it even attempt to give definite details of construction, proper size of cells, or the benefits of cafeteria service versus table service in the mess hall. Its real purpose is to emphasize forcibly to the architect and those in authority who are charged with the construction of the institution the necessity of a thorough study of the problem before the institution becomes a mass of solid and not easily changed construction.

This, then, is the first and most important essential of prison design. It would seem that such a state-

ment is a platitude and obvious to all readers, but intimate contact and observation prove only too truly that all too often the subject is not given the attention it requires.

DETENTION

A prison is first of all a place of detention and its main purpose is to keep its inmates within its walls. If it fails in this purpose, all its other features will be of little value.

Steel bars and the latest locking and control devices are, of course, a most important part of the equipment of any institution, but many locations to be carefully checked for protection are outside the space in which the inmate may be locked for safe keeping, and are frequently overlooked in the plans.


Toilet rooms, locker rooms, storerooms and similar spaces, not under constant observation, require as much if not more protection than spaces commonly under observation. These spaces are under observation at the time of their use by prisoners, but for long periods are not under observation and for that reason offer an excellent opportunity for uninterrupted work by the prisoner, and he does get access to just such spaces, as reference to the newspapers will prove. Every opening is a hazard, no matter where it may be.

Any place into which an inmate can force his way and hide from the custodian is a source of trouble and expense. An inmate who cannot be accounted for at count periods is to all intents and purposes an escaped prisoner and it may require as much effort to find that inmate as if he were actually outside the walls.

Storerooms and warehouses require protection from without, for more prisoners break into storage spaces than ever break out of prisons. These spaces should also have wire mesh screens to prevent articles being thrown out by inmate workers to be picked up later.

It is important to consider carefully every detail from the standpoint of the inmate, the man who "wants out,"


AN EXAMPLE OF CAREFUL PLANNING FOR CLASSIFICATION OF PRISONS



FEDERAL PENITENTIARY AT LEWISBURG, PA.

ALFRED HOPKINS, ARCHITECT

IN THIS FEDERAL JAIL THE PRINCIPLE OF PROTECTION FOR THE GUARDS HAS BEEN CAREFULLY CONSIDERED



SMITH, HYNCHMAN AND GRYLLS, ARCHITECTS

who spends his entire waking moments in scheming ways and means to overcome and defeat the methods of detention.

PROTECTION

Closely related and of almost equal importance to detention is the problem of the personal safety of individuals responsible for the custody of the inmates. Too many instances are on record of unfortunate injuries or even death itself to permit neglect in planning the institution so that the custodial force can perform its duties with utmost protection from attack and injury. Even in institutions housing only the young or first offenders all precautions should be taken against the possibility of danger. Wire mesh partitions or steel grilles are cheap as compared with human lives.

OBSERVATION

The ideal plan would be one in which all inmates would be under the constant observation of a single guard. This is, of course, theoretical and cannot be carried out in practice, but the closer in conformity to this theory the institution can be planned, the more effective the custody and the less the cost.

The size of the custodial force, and consequently the cost of operating the institution, is directly controlled by the ease or difficulty of observation and supervision. This essential should be constantly kept in mind in the planning of corridors, stairways, the relation of dormitories to corridors and in the avoidance of all spaces accessible to inmates and not easily supervised which may be sources of trouble.

The location and design of all inlet and outlet grilles, radiator inclosures and similar situations are important as they are likely places in which to secrete dope or other contraband. All doors to refrigerator boxes, closets and similar unoccupied spaces should have observation panels and the light switch on the outside.

UNAUTHORIZED TRAVEL

Proper control is seriously impaired if careful attention is not given in the planning to prevent travel by inmates in unauthorized sections. If it is necessary for an inmate to pass through a section in which he has no legitimate business in order to reach a section to which his permission extends, then he has a good excuse when found in forbidden areas and the proper control of the institution is seriously affected. It is especially important that the location of toilets, wash-rooms and locker rooms be planned to prevent the necessity of inmates leaving their own departments.

MALICIOUS MISCHIEF

Careful consideration must be given in prison design to the element of malicious mischief as an excessively large amount of maintenance expense in institutions may be caused from this item alone.

It has been found, as an example, that in power plants operated by inmates a surprisingly large cost of repairs occurs where mechanical stokers of a type which does not permit firing by hand during a breakdown are used. If the stokers are so designed that the boiler can be fired by hand during a breakdown only a nominal amount of repairs is found necessary.

A detention type of sash may be sufficiently strong to prevent the inmate making an unauthorized exit,

but out of sheer maliciousness he may wreck the ventilator section if not of proper strength. The damage may be of no value to the inmate except for the relief to his pent-up feelings, but it is an added item on the repair costs.

Electric service junction boxes often placed in places accessible to inmates offer enticing possibilities not only of mischief but for secreting contraband. The lock on the box only offers an intriguing pleasure to the resourceful inmate.

CLASSIFICATION

Under this subject there are really two divisions. The first is that of separating the inmates into groups determined by the need of proper detention for each group, usually referred to as minimum, medium and maximum security.

Maximum security is, in the average institution, not needed for the entire population; in fact in most institutions this class constitutes not over 30 per cent of the prison population.

It is an unnecessary expense to house all types of prisoners in maximum detention conditions at a construction cost of \$3,000 per inmate, when not over 30 per cent require this type, and 30 per cent can be housed under medium security methods for \$2,000 per man and at least 40 per cent can be housed in minimum security conditions at a cost of \$600 to \$800 per man and in many cases for less.

Where an institution is planned in its entirety for a single predetermined type of inmate and class of detention, as is the case in States with such a large criminal population that separate institutions will be built for the different types of detention, this classification would not have to be considered in any one institution. But when an institution must for good reasons house the varied types, this problem of classification should be carefully studied and provisions made for the several types of housing and detention.

The second consideration is that of grouping the inmates so that group and individual harmony can be maintained with the least enforcement of discipline. By grouping of inmates is meant not only the housing of inmates in rooms with four to fifty men but also the separation of inmates into single rooms or cells. These units of housing should include the inside cell block, the strongest type of detention; cell blocks with outside rooms with small and heavily barred windows; dormitories both large and small; honor rooms and honor dormitories for inmates meriting that privilege.

In the discussion of single rooms versus dormitories for the minimum type of detention, there is and can be no final and definite answer. The modern institution will contain both. Some inmates like the privacy of the single room, or are trouble breeders if housed with a group. Some men enjoy the companionship of the dormitory and select it from choice. The dormitory has the advantage of low cost and easy supervision.

This choice of quarters is not allowed the inmates as a mistaken form of kindness but is a practical method of obtaining discipline at a less cost than by custodial control and is more satisfactory to all concerned. With this variety of housing the inmate can by the degree of his conduct progress from the cell block, in which he is confined for the observation period, through the various grades to the honor rooms or dormitories.




THE BERKS COUNTY PRISON AT READING, PENNSYLVANIA


The main feature of the prison is the group of four cell blocks, each approximately 31 by 130 feet in size, with the administration building, about 53 by 42 feet, between the two center blocks. Across the entire building at the north end of the cell blocks is a recreation corridor 27 feet wide divided into four sections by decorative grilles.

Each cell block contains 72 cells, 36 on each of the two floors. The inside dimension of most cells is 6'2" wide by 9' long. All plumbing is inclosed in a duct on the corridor side of the cell which also provides ventilation through vents to a false chimney on the roof. Heating of cells is done by a steam riser placed at the side of the window.

In the administration building are the main offices, visitors' room, hospital rooms, and dormitories for the guards. Over the reception section, consisting of doctor's office, Bertillon room and clothes storage, and adjacent to the shower baths and laundry, is a large dormitory to accommodate vagrants who come in to sleep.

The buildings, fireproof throughout with the exception of the roof which is erected over a reinforced concrete slab, have bearing walls of concrete masonry units made with limestone aggregate. Masonry trim is of cast stone.





DESIGNED BY ALFRED HOPKINS AND ASSOCIATES, ARCHITECTS

Conversely, the inmate who will not conduct himself in accordance with the discipline of the institution or proves that he is not fitted to be in contact with his fellow inmates has the threat of demotion even to the disciplinary cells always before him.

More important than all other considerations is the possibility that proper classification allows for the separation of the different types of offenders so that at least there is not so much possibility of the prison becoming a college of crime in the education of the younger by the older criminals.

FLEXIBILITY

It is a well established fact that no new institution has been used in its several parts after occupancy as may have been planned. It seldom happens that the person who is selected to manage the institution had much, if anything, to do with its planning and construction. The type and classification of inmates may be changed and the methods of routine and custodial procedure may be revised. This is not unusual and is to be expected and anticipated.

One large institution recently completed was designed with this point clearly in mind. No two experts or authorities would agree on the ratio of single rooms and dormitories and it was seen, after much study, that no fixed ratio would be satisfactory extending over a period of years. With this consideration as a controlling motive, a single room unit was adopted and the layout of all housing sections was established by this measure. All windows, radiators, doors and partitions were so arranged that each wing could be readily changed at any time from single rooms to dormitories, or vice versa, by the simple expedient of

adding or removing partitions without any material structural or mechanical changes. The wisdom of this planning was proven, for within six months after opening the institution, the need for more single rooms developed and it was a simple matter to make the change. In the same institution provision was made for additions to any of the wings so that extensions could be built in the future without material change in the existing structure.


It is also impossible to foresee and plan the relative size of each division but if the plan is such that an overcrowded section can be continued into a less populous area, then it is a simple matter to vary the allocation of areas as needs demand.

SUMMARY

These are the essential elements in planning a penal institution which should be given special attention, but they are by no means a complete list. Obviously in an article of this length even these can only be treated in the briefest manner.

The dominant idea which the writer has endeavored to stress is the importance and absolute necessity of intensive study on the part of the architect before he even makes his first rough sketches. Very few architects have had an opportunity to design a penal institution and the number who have designed their second one is small indeed. So even the experience of profiting by mistakes has been denied to many.



Equally important is the fact that overcrowded conditions in many of the Federal, State and county institutions and the availability of Government funds make likely an unprecedented amount of construction in this type of building during the next two years.



FARM GROUP

MEN'S BUILDING AND ADMINISTRATION

WOMEN'S BU



PLANS OF MEN'S BUILDING
AND ADMINISTRATION SECTION

SAN FRANCISCO COUNTY JAIL FOR MEN AND WOMEN

ALBERT F. ROLLER AND DODGE A. REIDY, ARCHITECTS ASSOCIATED

This new institution is an outside cell block type, each of the 528 cells having its individual window only for the admission of direct sunlight. The windows may be opened for cleaning but are ordinarily kept closed because each cell is mechanically ventilated and the temperature thermostatically regulated. Instead of employing the old system of vertical bar grilles over each opening there has been incorporated into the window itself, as an integral part, horizontal bars of tool-resisting steel welded into frames of similar material, thus providing maximum protection without unsightly effects.

Another feature is the single occupancy of cells, instead of the usual custom of placing two or more inmates in every cell. Each cell is provided with its own sanitary appliances.

The men's and women's buildings are both constructed of fire-resisting materials throughout. The structural floors and walls are of reinforced concrete, all partitions and stairs are of fireproof materials and the windows and doors throughout are of metal. Due to the nature of occupancy, prohibiting the introduction of numerous exits and fire-escapes, every precaution was taken in the structural design of the buildings to insure the safety of those housed therein.

The main (or men's) building, T-shaped in plan, is approached by a wide stairway to the administrative portion which is two stories in height. The connecting service portion between administration and cell blocks is three stories in height. The cell block section or main mass is seven stories high, the center portion terminating in additional stories housing mechanical equipment. This step-back facade was prompted by the contour of the low, rolling hills against which the building is imposed, in the middle of 250 acres of ground.

The lower floor of the main building is devoted to inmate-receiving rooms, shower and dressing rooms, barber shops, clothes and shoe repair shops, boiler and battery rooms, garage and storerooms. The first floor contains administrative offices, visiting rooms, chapel and classrooms, food and clothing storage rooms, laundry and kitchen facilities. On the next floor are two dormitories, each with a capacity of 60 beds, and a complete infirmary with 3 five-bed wards, doctors' and dentists' reception and treatment rooms and a sun deck behind high walls for convalescent inmates.


The next four succeeding floors are devoted to cell blocks—each floor containing four banks of 30 cells, a total of 480 individual cells on four floors. The tower or central portion of the building, above the cell blocks, houses the mechanical equipment of the elevators and the fan equipment serving the entire building with washed and thermostatically controlled air.


Both buildings are equipped with a complete radio broadcast and address system through which from a central control office orders or instructions can be issued to any of the personnel or inmates. This is in addition to a silent code signal system and a house telephone system for use of the guards.

Water for domestic consumption and sanitary requirements is brought to the site a distance of approximately $3\frac{1}{4}$ miles and stored in sufficient quantities to provide a week's supply in the event of a shut-down of the pumps.

As a part of the farm group, consisting of stables, corrals and farm equipment, sheds and a greenhouse for the propagation of young plants and vegetables, is a sewage disposal plant with all units in duplex including dual chlorination. The buildings of the farm group, like the two major buildings, are of reinforced concrete.

FRONT ELEVATION OF MEN'S BUILDING







FRONT ELEVATION OF WOMEN'S BUILDING

SAN FRANCISCO COUNTY JAIL FOR MEN AND WOMEN

DETAIL VIEW OF KITCHEN



The women's building, situated 600 feet from the main building, is a two-story L-shaped structure and contains in addition to 48 separate rooms for sleeping purposes all the necessary service facilities, including recreation room, dining room, sewing room and a large serving pantry. The food is supplied from the main kitchen to this building in electrically heated carts, thereby reducing to a minimum the capital investment in kitchen and refrigeration equipment and eliminating the double overhead of maintaining two food preparation departments. This building is also served with steam from the main boilers but contains its own ventilating equipment. Recreation yards, or inclosures, are provided for both buildings and in addition, the women's building has a spacious sun deck with walls of concrete and glass.



CONTROL BOARD IN CHIEF JAILER'S OFFICE



DETAIL OF TYPICAL CELL

ALBERT F. ROLLER AND DODGE A. REIDY, ASSOCIATED ARCHITECTS

VIEW OF TYPICAL CELL BLOCK IN MEN'S BUILDING



CHECKING SCHEDULE

A complete check list of prison design would require more space than a magazine article could allow. A partial list of many items that have been overlooked or improperly designed in actual practice is given herewith, however, to emphasize the several points discussed in this article. Many of these items may appear obvious but nevertheless did not so appear to the designers of various institutions for they are all observations recorded by Mr. White.

SITE

- Ample supply of good water.
- Railroad facilities.
- Farm land: At least one acre per inmate; minimum 800 acres.
- Avoid locations where fog is prevalent.

INCLOSURE

- Minimum: Cyclone wire fence as a dead-line.
- Inclosure wall: Avoid projecting piers, arches, brackets, and the like.
- Vehicle trap.
- Pedestrian trap: Designed to require two guards, one of whom is protected from any possible attack, to control and operate.
- Automatic recording device for concealed weapons or tools.
- Gas stations controlled by protected guard.
- Guard towers: Full visibility (no small windows), toilet, heat, telephone, flood light with flexible control; entrance only from outside of inclosure.

ADMINISTRATION

- Check list of civilian personnel to insure ample administration office space. Warden usually requires his offices away from the common center. Assistant, usually the custodial office, requires offices near control center.
- Chief clerk: Easily accessible to public.
- Record vault.
- General clerical: Large space divided by glazed movable office-type partitions, preferably metal, allowing complete observation and flexibility. Avoid solid partitions.
- Large storage for supplies.
- Vault for books and records.
- Vault or safe for valuables and cash.
- Paymaster convenient to clerical corridor with safe or vault.

PUBLIC AREA

- Waiting space with toilets.
- Avoid windows opening onto prisoners' courts or yards; if necessary, guard with fine mesh fixed screens.
- Attorneys' rooms for conference (where institution has persons awaiting trial).

VISITING ROOM

- Access by prisoners through controlled corridors.
- Access by visitors as direct as possible.
- Physical separation of prisoner and visitor by (1) glazed screens with speaking device, (2) wire grilles, (3) table with center partition extending to floor. Depending on type of inmates housed.
- In some cases examination of visitors should be provided for by small examining rooms.

CUSTODIAL HOUSING

- A number of guards should have living quarters in the institution for emergency:
 - Single rooms with lavatory.
 - Shower and toilet rooms.
 - Lounge.

GUARD CENTER

- Locker room and duty room: Toilet for guards.
- Office for Captain of Guards.
- Key vault.
- Telephone equipment room.

RECEPTION OF PRISONERS

- Provide trap or inclosure so that prisoners arriving in bus cannot make a break.
- Avoid elaborate suite of rooms for reception, bathing and dressing of new inmates.
- Provide large room in which are showers, toilet, benches and small storage for prison clothes for maximum incoming squad.
- Room for photography and finger printing.
- Doctors' room.
- Record Clerk's office.
- Civilian clothes: Storage for clothes, valuables and personal effects.
- Hold cells for squads arriving too late for day's routine and for observation.

MESS HALL

- Quarry tile floor and base.
- Ample floor drains.
- Hose bibb connections.
- Guard's control station.
- Wire grille partition for patrol guard.
- Acoustical treatment on ceiling.
- Cross light and ventilation.
- Not less than two divisions: Partitions solid to height of seven feet, wire grille above if required.
- Built-in tear gas stations operated from guard's control station.
- Loud speaker connection.
- Provide sufficient space for waiting lines if outside communication is used.
- Tables, if wood, of heavy construction with linoleum tops.
- Use heavy benches and not separate stools or chairs.
- Metal tables and benches secured to floor.
- Serving tables: Use simple type without warming closets. One serving unit for each 100-125 men. Hot tables of stainless steel on pipe frame with two round containers 18" diameter, two oblong 16" x 18", all 11" deep, with covers and cover handles. Flush removable plates in two sections to allow use as plain table when all hot containers are not in use. Bake pans can be set on table and served from direct.

GUARDS' AND OFFICERS' MESS

- Cafeteria service preferable to table service.
- Use small standard hot table, dishwashing machine, separate guards' kitchen.

KITCHEN

- Quarry tile floor and base.
- Impervious wall surface.
- Ample floor drains.

Depression in floor under kettles, walkway at back of kettles at floor level.

Steel removable mat in depression in front of ranges.

Ample light and cross ventilation.

Monitor type roof advisable for light and ventilation.

All partitions glazed for observation.

Ranges, bake ovens, and so forth, set on tile base.

Equipment at walls instead of in center.

Hot and cold water supply over range bank.

Steam kettles to have gate valve on bottom of kettles instead of draw-off cocks.

Hot and cold water supply to all kettles.

Cook's table anchored to floor.

Pot and pan rack over Cook's table supported on standards from table and not hung from above.

Use minimum number of drawers in equipment.

Sinks not less than 30" x 30" x 16" made of stainless steel with all corners rounded. Drain valves instead of sink plugs.

Doors into mess hall and other rooms of ample width for trucks, etc.

Ventilating fan for range hood.

Ventilating ducts will condense much moisture; pitch ducts and make provision for drainage.

Screens in range hood vent easily removed and cleaned.

DISHWASHING

Use separate, inclosed vented room for dishwashing. Dishwashing not a part of kitchen.

Quarry tile floor and base, impervious wall surface.

Ample floor drains.

Double compartment sink.

Dishwashing machine, stainless steel, not less than two tanks; advisable to have two for breakdown.

Large doors for dish trucks.

Separate locked room for clean dishes. Not many shelves required.

STEWARD'S ROOM

Raised floor, glazed partition, located for observation of kitchen.

Ample size as several clerks, runners, and others, will occupy this room.

VEGETABLE PREPARATION

Floor and walls as for kitchen. Ample size as much work is done by hand. Ample drains.

Vegetable sinks, not less than 30" x 30" x 16", stainless steel, gate valve waste.

Ample floor drain under vegetable peeler.

Spinach washer.

Vegetable peeler.

BAKERY

Ample light and natural ventilation.

Floor, walls and drains as for kitchen. Minimum of machinery. Flour elevators, molders, and the like, difficult to keep clean.

Flour sifter makes better bread.

Dough mixer need not be large, since 1 pound of bread per man a day is unit and four runs of bread can be made per day.

Proof box or room with heat, steam jet and floor drain.

Ample table top surface for hand molding.

Bun divider advisable.

Avoid built-in or inclosed bread storage. Use metal racks, wire shelves, with duck covers. Racks have storage capacity of one rack per 500 men.

Doughnut depositor.

Tilting steam kettle.

Mixing machine.

Hand bread slicer.

Ventilate flour storage.

Small refrigerator for yeast, milk, and so on.

REFRIGERATION

Minimum for Steward's daily supplies.

Meat, dairy and vegetable boxes opening into meat preparation room which acts as a vestibule to boxes.

Ice box for fish.

Garbage room.

Main refrigeration for Storekeeper in warehouse. Minimum: Fresh meat (not less than carload capacity with overhead track and hangers), smoked meats, dairy, vegetable storage.

Cold room for roots.

Blanket storage.

All doors to boxes to have observation panels, light switches on outside.

Refrigeration section should not be a thoroughfare for other utilities.

SCHOOL

Linoleum floor covering for rooms and corridor.

Classrooms and corridor partitions glazed office type.

Acoustical treatment on ceiling.

Classrooms not like standard civilian schools. Most classes are small.

Arm table chairs. No fixed seats or desks except for special work.

LIBRARY

Linoleum or similar flooring.

Acoustical treatment.

Work room.

Book storage.

Supplies storage.

Librarian's office.

HOSPITAL

In general good hospital practice should be followed with strict attention to detention and observation.

Ample space should be provided in office portions as trustee orderlies and clerks are used in larger numbers than in a civilian hospital.

Officer of the day convenient at control center.

Barber shop for hospital inmates.

Terrazzo or painted cement floors with 6'0" linoleum insert and acoustical treatment on all corridors.

PATHOLOGICAL LABORATORY

Gas, compressed air, vacuum line.

Locks on all chemical hood doors.

Lavatory.

X-RAY

Check operating room for size and room for wheeled stretcher.

Toilet and lavatory for Technician.

Toilet and lavatory for patients.

Water cooling for X-ray developing.

Ventilation for dark room.

Lavatory in dark room.

DENTAL CLINIC

Not less than two chairs.

Work room with sink and plaster trap; electric outlet for small motors.

Dental X-ray.

UROLOGICAL

Ample supply of straddle sinks.

Scrub up sink for doctor.

HYDROTHERAPY

Tile floors and base and walls if possible.

Ample floor drains.

Sitz bath raised on platform, away from wall and not controlled from control table.

Set control cabinet on tiled base to prevent water running under marble sides.

Slight pitch from control table to shower inclosure to drain water from nozzle streams.

Set bidet jet in this drain.

All metal cabinets on tile or terrazzo base.

SICK CALL

Daily average 1 per 10 to 20 inmates.

Waiting space; examination room.

DRUG ROOM

Vault or safe for narcotics, alcohol, and so on.

AUDITORIUM

Acoustical treatment.

Window dark shades.

Conduits for control and operation of sound devices from operator's booth to stage.

Gas stations controlled from guard station.

Protected guard station.

BAND ROOM

Highly desirable in large institutions. Band, orchestra and musical instruction important features in discipline.

Opportunity to practice where noise is not objectionable.

WAREHOUSE

Receiving space with floor scales, beam in office.

Office for Storekeeper.

Toilet facilities.

No access except for authorized persons.

Loading platform, with ramp to ground.

Separate room for coffee, spices and dry groceries with coffee and spice grinder.

Cold room for blanket storage.

Vault for files, saws, cutting pliers, and so on.

Wire grilles $\frac{1}{2}$ " mesh on all windows in addition to detention grilles.

POWER PLANT

Flush platform scales for coal.

Testing equipment for boilers, CO² recorder, draft gauge, and the like.

Boiler room, coal bunkers and ash handling devices away from kitchen and bakery to prevent infiltration of dirt and dust.

Mechanical stokers should be of type allowing firing of boiler by hand in case of breakdown.

Electric standby service where generating plant is used.

Two sources of power if public utility current is used.

All switchboards, transformers, and the like, under locked protection.

All electric panels in locked rooms, not in corridors or accessible to inmates.

Red, green and white lights at top of stack or tower controlled from guard center for use in escapes or to notify of capture.

Provide emergency lighting for operating rooms, mess hall and all inmate corridors and cell houses.

CONSTRUCTION NOTES

All stairway doors with observation panels.

All office doors glazed except those that are strictly private.

No glazing below lock rail height.

All doors to dormitories and outside rooms should have observation openings, glazed or grilled.

All clerical and school doors and partitions glazed.

Check shop and other doors for size to allow passage of machinery, material and finished products.

Doors or panel at least 8 feet wide for laundry machinery.

Hollow metal door jambs in preference to wood and in all cases cut off at top of base.

Check anchorage and weight of all frames with swinging iron solid or grille doors.

When cell toilets discharge back to back into common line, provide fitting designed to prevent flushing across.

All shower baths should have ample drains, not less than 9" face plate; the 3" type is almost useless.

Check for curbs at front to prevent water flowing onto outside floor. Such faults are all too frequent.

Pedestal type of urinal most satisfactory in every way.

Wall closets secured to both floor and wall are subject to breakage by shrinkage movement.

Poured reinforced concrete in smooth lined forms is very successful in cell and dormitory partition construction. The use of plaster should be avoided in all except civilian quarters.

Grille front cells should have floors 2" above corridor floors to allow washing of corridor floors without flooding cell floors. It also prevents rusting of steel grilles in cell front.

Check for all nooks and angles not under easy supervision. Avoid stairways which afford lurking places for inmates with murderous or malicious intentions.

Check for all unprotected openings not guarded by grilles. Every opening is a weak spot in detention.

Provide grilles and access for guards so that all duties of the guards—operating cell door control boxes, and so on—can be performed as far as possible without possibility of inmates attacking guards.

Provide by gun ports or galleries means by which all cell blocks can be controlled by rifle fire. Such openings may prevent a serious affair merely by their threat.

PROVED by **1,032,716 YEARS** **of Satisfactory Service**

THE architect who specifies Penberthy Pumps wherever seepage water must be removed is assured of well satisfied clients. He is taking no chances because both Penberthy Automatic Electric Sump Pumps and Penberthy Automatic Cellar Drainers have been tested and proved for many years under the most severe operating conditions.

The Penberthy Sump Pumps and Cellar Drainers now in satisfactory service have a combined life of approximately 1,032,716 years. This remarkable performance record is the result of (1) copper and bronze construction throughout, (2) rugged and advanced design, (3) precision workmanship.

Leading jobbers carry Penberthy Pumps in stock for immediate delivery on any job where removal of seepage water is a problem.



PENBERTHY
AUTOMATIC CELLAR DRAINER
(Water or Steam Operated)
Made in 6 Sizes

★
COPPER AND BRONZE
THROUGHOUT
★

PENBERTHY
PRODUCTS

PENBERTHY
INJECTOR
COMPANY

Manufacturers of
Quality Products Since 1886
DETROIT, MICHIGAN
CANADIAN PLANT, WINDSOR, ONT.



PENBERTHY
AUTOMATIC ELECTRIC
SUMP PUMP
Made in 6 Sizes



Sound Service

WHAT IS IT?... DO YOU PLAN FOR IT?

Sound Service is provided by Western Electric sound distributing equipment. In hotels, schools, hospitals and department stores, this apparatus handles paging and announcing—distributes music to any number of points—furnishes voice amplification in large meeting rooms.

You can count on this equipment for highest fidelity sound reproduction. It is built on Wide Range Sound principles—assuring quality com-


parable to that of radio programs broadcast by station WOR's new 50,000 watt Western Electric transmitter.

Graybar engineers will gladly consult with you on new or modernization projects—help you plan an installation to meet specific needs. For detailed information, write to Graybar Electric, Graybar Building, New York, N.Y.—or telephone Graybar's nearest branch.


Western Electric

PUBLIC ADDRESS AND PROGRAM DISTRIBUTION SYSTEMS

Distributed by GRAYBAR Electric Company. In Canada: Northern Electric Co., Ltd.



REG. U.S. PAT. OFF.
TRADE
JENKINS
MARK
Jenkins Bros



Valve Wheels



*These five colors are stocked with plain covers, and with markings in relief

Color Index

Your Valve Equipment

WITH THESE NEW VALVE WHEELS BY "JENKINS"

Color . . . flashing a signal that is instantly recognized . . . that no one misinterprets . . . is an indexing and controlling device of proved value. It banishes doubt, prevents errors and delays in operations of all kinds. Now, Jenkins Bros. applies this positive index to valves, with a radically new wheel, molded of colored materials.

Wherever Jenkins Valves are used, this new wheel can be employed to end confusion between valves on piping lines. Valves for steam, water, air and any fluids or gases may be equipped with wheels of distinctive colors. But color is only one of the big improvements built into this unique Jenkins Valve Wheel.

It is strong because the high tensile strength of the materials used is supplemented by ample cross-sectional dimensions and reinforcing ribs. *It stays cool* as the wheel is

hollow and ventilated and the materials used have low heat conductivity. *It provides a firm grip*, that is smooth and comfortable to the hand; even the wheel nut is concealed inside.

Color is permanent—is in the material. It cannot peel or rub off; in



Wheel nut holds black hub on spindle . . . then colored cover snaps on.



*DETAILS: These wheels are for Jenkins Valves, sizes $\frac{1}{4}$ in. to $\frac{3}{4}$ in. All hubs are same diameter permitting interchanging of the colored cover plates. Special combinations of standard colors and markings of cover plates; or special colors and markings can be furnished.

fact, frequent handling merely keeps it bright. Steam, water, fumes and grease do not harm either color or finish. *It is easy to keep sanitary*, since it is notably free from cavities or projections, and is non-absorbent.

To a fine plumbing or heating installation these new Colored Wheels add appearance values that are most desirable. Their pleasing colors, enriched by lustrous materials are in keeping with fine surroundings. You will want to specify these superior wheels for all or part of the Jenkins Valves on many new jobs.

Also you will find that they can be effectively employed in modernization work. A convenient file folder on Jenkins Colored Wheels is being printed. Mail the coupon for a copy.


JENKINS BROS., 80 White Street, New York, N. Y.; 510 Main St., Bridgeport, Conn.; 524 Atlantic Avenue, Boston, Mass.; 133 No. Seventh St., Philadelphia, Pa.; 822 Washington Boulevard, Chicago, Ill.; JENKINS BROS., Limited, Montreal, Canada; London, England

Jenkins Valves

BRONZE—IRON—STEEL SINCE 1864

JENKINS BROS., 80 White Street, New York, N. Y.
Send a copy of the Folder describing Jenkins Colored Valve Wheels.

BUILDING TRENDS & OUTLOOK



CONSTRUCTION AWARDS BY MAJOR DISTRICTS
Bars indicate annual totals for years 1932 - 1934, inclusive; portions in black show cumulative totals through March of each year.

RESIDENTIAL BUILDING MAKES MARKED IMPROVEMENT IN APRIL

By L. SETH SCHNITMAN, Chief Statistician, F. W. Dodge Corporation

THE April contract volume for residential building was by far the most favorable factor in the otherwise spectacular picture of current construction activity. In fact, the total for residential construction was larger than that shown for any other month since the closing months of 1931. Coming on top of a substantial gain in March and an increase of about 23 per cent for the first quarter of 1935 as compared with the corresponding period of 1934 the April figures are even more encouraging.

Residential awards totaled about \$42,000,000 in the 37 eastern States as against only \$22,635,700 for April 1934 and \$32,209,400 for March of this year.

The April total for housing facilities was about one-third of the total volume for all classes of construction; this, too, is a significant development since, in the recent past, residential building has formed far smaller a proportion of the construction volume than is customary for this branch of activity.

Virtually every important section in the area for which comprehensive data are available shared in this general residential building improvement during April. Curiously enough the betterment occurred without any important amount of so-called low-cost housing undertakings of the Federal government.

The total volume of construction in the 37 eastern States approximated \$124,000,000 for April; this contrasts with \$122,940,500 for March and \$131,157,000 for


April of last year. Of the April total a far greater amount was private construction than was true of either the March total or that for April of last year. This, too, is an encouraging note; in fact private construction during April was higher than for any other month since the beginning of 1932.

Soon the new program of public works construction will be under way. A description of one phase of this new program has been given elsewhere in this issue. The relatively large totals shown in the chart above for the year 1934 were produced largely by the construction volumes made possible under the old PWA program which is now drawing to a close.

Under the Emergency Relief Act of 1935, nearly \$2,500,000,000 might be available for construction of all descriptions. Of this amount the following represent the three most important classifications: \$900,000,000 for public projects of states and cities; \$80,000,000 for highways, roads, bridges, and grade crossing elimination; and \$450,000,000 for housing, both urban and rural.

There is no way yet by which one may judge how soon projects coming under these categories will get under construction. Many projects doubtless will be undertaken during the current year which should tend to improve the otherwise unfavorable comparisons thus far made between 1935 and 1934 in each of the districts on the accompanying chart.


MATERIAL PRICES, BUILDING WAGE RATES, AND BUILDING COSTS . . . 1926 monthly average = 100




Material prices have shown a tendency to weaken a little in the early weeks of 1935, as seen in the index above. However, a closer analysis indicates that the softness is almost entirely traceable to lumber items. Paints and cement have actually shown a firmer price structure. No change has been in evidence with respect to prevailing wage rates in the building trades.

CONTRACTS FOR CONSTRUCTION . . . 37 EASTERN STATES


Curves plotted as 12-month moving totals



Charts shown above depict twelve-month moving total curves plotted on the end-month; i. e., the figure plotted for a given month represents the total for the twelve months ending with that month. This type of curve thus registers the trend of a given movement and effectively eliminates the seasonal element; a rise in the curve signifies that the figure for the current month was higher than that for the corresponding month of the previous year; and, conversely, a decline in the curve signifies that the total for the current month was below that of the corresponding month a year earlier.



Cutaway view of Everdur storage tank in Model No. 267-P, one of the Everdur-equipped line of electric water coolers manufactured by the Halsey W. Taylor Co., Warren, Ohio. This storage tank will last indefinitely . . . for Everdur cannot rust.



Rustless EVERDUR Tanks now used in water cooler



EVERDUR METAL

"Everdur" is a registered trademark identifying products of The American Brass Company made from alloys of copper, silicon and other elements.

ADD another use for Everdur in the ever lengthening list of diverse applications for which this special Anaconda alloy serves better. The Halsey W. Taylor Co., of Warren, Ohio, offers electric water coolers with storage tanks of *rustless* Everdur!

Nearly all copper, Everdur is a special non-rust alloy which provides the strength of medium carbon steel. Since it is readily welded by all commonly used methods, this

unusual Anaconda Metal fulfills *all the requirements* for durable, rustless storage heaters, domestic storage tanks and tank units in automatic heaters. And all these are available today from leading manufacturers.

Equally successful is the use of Everdur for air-conditioning equipment, drains and ducts, electrical conduit, smoke washers, masonry anchors, and window cleaner bolts. Additional data on any use of Everdur mailed on request.

THE AMERICAN BRASS COMPANY

General Offices: Waterbury, Connecticut
Offices and Agencies in Principal Cities

EVERDUR METAL *for* TANKS

NEW MATERIALS & EQUIPMENT

NEW CATALOGS

RESEARCH REPORTS

MANUFACTURERS' LITERATURE

Architects are invited to use the coupon on this page as a convenient means of obtaining manufacturers' publications describing in detail the products and materials mentioned

E51

CURTAIN OF AIR SERVES AS DOOR

The new Burlington Zephyr, streamline train, uses a curtain of air between the kitchen and the area occupied by dining tables as a means of preventing heat and cooking odors from entering the dining area of the car. Through small slits in both sides of the door frame, air is forced toward the center, deflected slightly toward the kitchen. Immediately overhead on the kitchen side is an exhaust ventilator which picks up the fumes checked by the air curtain and delivers them outside the car. The air curtain offers unobstructed vision and free passage at all times. General Electric mechanical equipment is used.

E52

THE HEART OF THE QUIET MAY

A booklet, "The Heart of the Quiet MAY," describes the construction features of this automatic oil burner. It points out how the ordinary type of coal-burning boiler may be converted to an efficient oil heating system through the application of Ther-MAY-lator and EconoMAY Inserts. The booklet is cleverly illustrated.

E53

BOOKLET ON AIRTEMP

Airtemp, the name applying to air conditioning equipment produced by the Amplex Division of the Chrysler Corporation, is the subject of a booklet offered by the manufacturers, describing the functional scope of their equipment. Complete duct systems and separate room-units are illustrated. Fourteen supplementary loose sheets picture the various Airtemp models and give essential data about each.

E54

THE TREND IN SUMMER AIR CONDITIONING

Humidity and the means of its control are treated in an illustrated booklet recently issued by the Bryant Heater Company, under the title of The Trend in Summer Air Conditioning. It describes the principle, in summer air conditioning,

of dehumidifying and cooling by separate and independent operations. Bryant's Silica Gel Dehumidifier, as explained in the booklet, employs the adsorption method for dehumidifying. The material used—Silica Gel—is a hard, hygroscopic, manufactured substance, similar in appearance to clear quartz granules, although extremely porous. When moist air is brought in contact with Silica Gel, the pores of the material adsorb the moisture, much as a sponge will sop up water. Easily reactivated by heat, Silica Gel can be used indefinitely. Dehumidifying unit consists of Silica Gel, supported in suitable compartments, fans for conveying adsorption and activating air through the beds; heater, motor, cooler and suitable automatic controls.



E55

ABSORBEX

Absorbex, Type A, is an incombustible acoustical corrective of fine texture with a noise reduction coefficient of 60% to 80%. It is produced in various standard sizes, 1 inch thick, beveled tile form or in special sizes to meet job conditions. Its applications are varied: sound control in offices, hospitals, restaurants, churches, etc.

Absorbex, Type C, used in armories, machinery rooms, auditoriums and similar structures, is incombustible and structurally strong. Its noise reduction coefficient ranges from 50% to 70%. Like Type A, it can be painted and repainted without loss of acoustical efficiency. Both types are described in detail and actual installations illustrated in a booklet offered by the manufacturer, Thermax.

AN OFFER TO ARCHITECTS PRACTICING IN UNITED STATES

TO OBTAIN FURTHER INFORMATION

about any products mentioned, write the index numbers in space below. For literature about products advertised in this issue, give name of the product and manufacturer. Return coupon to The Architectural Record, 119 West 40th Street, New York, N. Y.

Name _____

One of the world's largest hotels ...and it's roofed with Genasco

The Stevens Hotel, Chicago, is one of the world's largest. In planning such a structure, only the finest, most durable type of roof could be considered... a Genasco Standard Trinidad Built-up Roof was specified.

The years that it has given absolute protection are but a promise of years and years more of dependable service.

Not only is a Genasco Standard Trinidad Built-up Roof used on many hostels in Chicago and elsewhere, but on

commercial, industrial, institutional and public buildings throughout the nation.

Trinidad Lake Asphalt with which a Genasco roof is waterproofed is a native product and from nature's processing it gets its ability to afford unusual protection against the destructive actinic or ultra violet rays of the sun. A Genasco Standard Trinidad Built-up Roof, because of its lasting satisfaction, upholds the reputation of the architect who specifies it.

Get your copy of "For Your Roof" by filling out the coupon below.



The BARBER ASPHALT Company

NEW YORK

PHILADELPHIA
CHICAGO

ST. LOUIS


Genasco

Roof security is felt
with Trinidad

**STANDARD TRINIDAD
Built-up Roofing**



The Stevens Hotel, Chicago, has been protected with a Genasco Standard Trinidad Built-up Roof since its erection. Architects: Holabird & Roche, Chicago. General Contractors: Geo. A. Fuller & Co., New York. Roofing Contractors: Advance Roofing & Sheet Metal Works, Chicago.



Send this coupon NOW

AR5

The BARBER ASPHALT Company
1600 Arch Street, Philadelphia, Pa.

Please send me a copy of your illustrated book "For Your Roof" which carries illustrations of many prominent buildings in all parts of the country protected with Genasco Standard Trinidad Built-up Roofing.

Name..... Address.....



E56**OWENS-ILLINOIS INTRODUCES NEW
AND IMPROVED DUSTOP FILTERS**

A new and improved "Dustop" replacement type air filter is announced by Owens-Illinois Glass Company. The improved filter is fire-resistant, lower in resistance, higher in efficiency, and the life span between replacements has been increased. It is made up of a series of coarse and fine mats of glass fibers, which fibers are bonded to each other to form a semi-rigid mat. The dust and dirt-catching adhesive, a development of the Owens-Illinois Laboratory, has a surface tension four times that of engine oil, which means there is no oil vapor entrained in the air stream. The melting point of this adhesive is 540° F. and is effective to 23° below zero. Air leaving the filter is odorless.

E57**NEW REPUBLIC STEEL PRODUCT**

Republic double strength steel is a new high tensile steel of copper-nickel-molybdenum ferrous alloy with yield point and tensile strength sufficiently higher than ordinary carbon steel to permit the use of 30% to 40% lighter sections without sacrifice of strength or safety factor. Republic double strength steel, said to have exceptional corrosion-resistance and forming qualities, is made in two carbon ranges and is available in the usual commercial forms. It can be arc, gas or spot welded without loss of ductility at or adjacent to the weld. Cold forming tests have shown the superiority of this alloy from the standpoint of ductility over similar products with the same physical properties.

E58**NEW PORTABLE PUBLIC ADDRESS SYSTEM**

A new portable address and sound reinforcement system for moderate-sized public places, compactly self-contained in a carrying-case and weighing only 28½ pounds has been introduced by the RCA Victor Commercial Sound Sales department. This adaptable unit, which any one can put into operation in less than a minute, is particularly suited to window demonstrations in dealers' stores, counter-to-kitchen restaurant call systems, and for local fairs and carnivals. The new sound system is to be known as Model PG63-B and will be priced at \$79.50, complete.

E59**ETERNIT THATCHED SIDING**

The Ruberoid Co. has developed a new version of the Timbertex asbestos-cement siding: an irregular butt line reproducing the effect of weathered cypress shingle applied in the "thatch" manner. Available in silver green and silver gray, this siding shingle, produced in 12" x 24" size, is applied over strips of asphalt roofing, insuring weather protection. Manufacturer has released a folder with detail illustrations of the textures in which the siding is available.

E510**WELDED TUBULAR DOORS**

A folder illustrating rustless metal doors as installed in restaurants, office and bank buildings, hotels, etc., is released by the Kawneer Company of Niles, Mich. Maintenance costs are said to be virtually eliminated as these doors require no painting or refitting—"will not warp, swell, shrink or sag." Specification data, details of typical vertical and horizontal sections are shown in the booklet.

INDISPENSABLE

Where acid wastes come in contact with the drains, substitutes don't pay. The upkeep expense is too great . . . trouble is sure to appear. . . . Use

DURIRON

ACID PROOF

DRAIN PIPE

THE DURIRON COMPANY, Inc.

404 N. Findlay Street
DAYTON, OHIO

See Our Catalog in Sweet's




HERE'S GREATER DOLLAR VALUE

...for soil, waste, vent lines and rain leaders

Dollar for dollar—Copper-Steel Pipe will yield better profits for the owner when used for soil, waste, and vent lines, rain leaders, and steam returns in buildings. Further, architects and engineers can build prestige and confidence in their knowledge of progressive plumbing and heating practice by specifying copper-steel for these services. Over 20 years of service tests have proved that copper-bearing steel has a special resistance to atmospheric corrosion, or alternate wet and dry conditions. Therefore, in the services indicated, Copper-Steel Pipe lasts longer and greater economy will follow its use. The extra cost is negligible—just a trifle above that of regular steel pipe. Begin now to specify NATIONAL Copper-Steel Rust-Resisting Pipe and obtain for your clients greater dollar value for their investment. Descriptive literature sent upon request.

NATIONAL TUBE COMPANY • Pittsburgh, Pa.
Pacific Coast Distributors—COLUMBIA STEEL CO., San Francisco, Calif.
Export Distributors—UNITED STATES STEEL PRODUCTS CO., New York, N. Y.

United States Steel Corporation Subsidiary




LOOK FOR THE GREEN COLOR!

*National Copper-Steel Pipe is marked as follows:
Black Pipe—Smaller sizes, colored green. Larger sizes,
two green stripes running lengthwise. Galvanized
Pipe—All sizes, two green stripes running lengthwise.*

NATIONAL
COPPER-STEEL
RUST RESISTING PIPE

RU-BER-OLD ROOFS

selected by MEN who make over 80%
of AMERICA'S AUTOMOBILES



Over 2,000,000 square feet of RU-BER-OLD Built-up Roofs protect Ford factories. The Pressed Steel and Spring Upset Buildings at the River Rouge Plant are pictured here. Architect, Albert Kahn, Detroit, Mich.

ARCHITECTS serving the automotive industry pay tribute to Ruberoid quality. Over four-fifths of America's automobiles, at some point in their manufacture, are made under RU-BER-OLD Built-up Roofs.

The architect's confidence in Ruberoid's long life and economy is backed by the enviable service record of RU-BER-OLD Roofs on all types of buildings the world over.

Ruberoid serves the home owner and the farmer, as well as the manufacturer, with a wide line of Asphalt and Asbestos Roofings, Shingles, and Building Products that meet every architectural demand and please any taste and pocketbook.

The completeness of the Ruberoid line, its high quality standards, and the integrity of The Ruberoid Co.'s personnel, have attracted the higher type of dealer to serve you. This enables The Ruberoid Co. to match their quality products with quality distribution unparalleled in the roofing industry.

The RUBEROID Co.

ROOFING AND BUILDING PRODUCTS

Executive Offices: 500 FIFTH AVENUE, NEW YORK, N.Y.

BALTIMORE

CHICAGO

ERIE


MILLIS

MOBILE

NEW YORK

E511 COPPER SHOWER PANS AND MEMBRANES

Shower pans of 16-ounce copper, keyed on both sides to carry moisture toward floor drains, are being produced by The Cheney Company of Winchester, Mass. They are fabricated at the factory in any desired shapes and are shipped ready to install. They are said to be more efficient and more durable than the built-in type of lead pan. Another product of The Cheney



Co. is the copper membrane (illustrated above) known as Spando Waterproofing. It consists of a continuous layer of durable, corrosion proof 3-ounce copper bonded to a 5-ounce canvas which is saturated and coated with asphalt and surfaced with crushed mineral. It is embossed on the copper side with round mounds or bumps, about $\frac{1}{8}$ inch high and spaced on 4 inch centers, to prevent slippage of the masonry. Spando is installed as the masonry progresses and being flexible it can be folded and formed to any desired shape at the moment of installation. It is laid dry, copper side up, without plastic asphalt or other adhesive (except at end joints), hence it cannot stain the masonry.

E512 CONCRETE BRIDGES

A fifty-page booklet on concrete bridge details is offered by the Portland Cement Association. The booklet, enlivened with illustrations and marginal notations, discusses most advanced practice in construction of abutments, joints, drainage, wearing surface and other essentials.



RU-BER-OLD ARCHITECTURAL PRODUCTS

BUILT-UP ROOFS

ASBESTOS SHINGLES

ASBESTOS SIDINGS

NEWMARBLE

NEWTILE

ASBESTOS

PIPE COVERINGS

ASPHALT SHINGLES

WATERPROOF

SHEATHINGS

CEMENT

WATERPROOFING



Every man, woman and child is a potential buyer of air conditioning. No construction of importance from this day hence—domestic, commercial, or industrial—will leave air conditioning out of the picture. Factors of health, of convenience, of profit make it as necessary to consider as plumbing or lighting.

They are going to look to you—these people whose building investments will include provision for air conditioning. This is entirely natural, for air conditioning is an integral part of good, modern design, inseparable from other construction considerations which come within the province of the architect.

They
**LOOK
TO YOU**

Kelvinator recognizes the importance of the architect in this tremendous potential business and is prepared to make available the results of Kelvinator's engineering research as well as the cooperation of the Kelvinator Air Conditioning engineering staff, as specific problems present themselves for solution. . . .
KELVINATOR CORPORATION, 14250 Plymouth Road, Detroit, Michigan. Factories also in London, Ontario, and London, England.

(1104)

KELVINATOR



Air Conditioning

GYPSTEEL PLANK* SAVED TIME AND MONEY FOR THIS CONTRACTOR. Let him tell you why . . .

• Erecting PLANK on the Artillery Transportation Storage Shed, the Armory Commission, Commonwealth of Massachusetts, J. Theodore Whitney, Engineer. On this job a wood roof was the base specification; PLANK was an alternate. But because the difference in cost was so small, PLANK was selected.

REGISTERED 1924

P. J. CANTWELL & SON CONTRACTORS AND BUILDERS 88 DWINELL STREET

WEST ROXBURY, MASS., March 11, 1925

Waghorne-Brown Company,
Veteran Building,
44 School Street,
Boston, Massachusetts,

Attention of Mr. A. C. Waghorne.

Dear Sir:

Now that we have finished erecting the 60,000 feet of gypsum plank which you furnished us for the roof of the Storage Shed, at Natick, Massachusetts, we would like to take this opportunity of letting you know what we think of the plank.

In the first place, this work was being done under severe winter conditions, which of course would have made the cost of a concrete roof prohibitive. We found Gypsteel Plank very easy to handle and erect - in fact our erection cost was no more than it would have been had we used a wood plank roof with spiking pieces.

All of the comments which we have heard relative to the appearance of the plank from the inside are very favorable. Although the specifications require it to be painted, we feel that for many installations an unpainted job would be very satisfactory.

In the future we are hoping to make further use of "Gypsteel Plank".

Very truly yours,

P. J. Cantwell & Son.

By

B. A. Cantwell



GYPSTEEL PLANK


U. S. Pat. No. 1,854,396 — Canadian Pat. No. 328,519
Other U. S. and Foreign Patents Pending

*The term PLANK as applied to cementitious building products is a registered trade-mark of the American Cyanamid & Chemical Corporation.

STRUCTURAL GYPSUM DIVISION

American Cyanamid & Chemical Corporation
30 Rockefeller Plaza, New York, N. Y.

More and more architects and builders are discovering that PLANK is the ideal material for fast, inexpensive roofs and floors. It offers practical advantages for fire-safe construction in low cost installation, speed of erection, strength and weather resistance. The rise in sales (more than 800% in four years) proves conclusively that PLANK fills a definite need in the building industry today. Send for bulletin.



E515 NEW CONDENSING UNITS BY GENERAL ELECTRIC

Eight new condensing units of from 1½ to 20 horsepower and rated at from 1.8 to 21.50 tons refrigerating capacity have been announced by the Air Conditioning Department of the General Electric Company. These new units are additions to the present G-E line; three of them are equipped with water-cooled, double-tube counterflow condensers, the others having new shell-and-tube condenser-receivers. All of the new units have external motors with multiple V-belt drive to the compressors, liquid refrigerant filters, suction pressure controls, high-pressure safety lockouts, water regulating valves, service valves, and water and refrigerant connections. Units are shipped with a full charge of lubricating oil and a holding charge of Freon refrigerant. Included with each unit is a magnetic motor starting switch and a thermal overload protective device for the motor.

E516 NEW MULTIPLE-OPERATING WINDOW


A wooden window of awning-type design, especially suitable for schools, hospitals and similar buildings, has been developed by Dalmo Sales Corporation. Hand-operated clutches are entirely eliminated. Construction is simplified and operation expedited by automatic disconnection and re-connection action of lower sash arms. All sash operated in unison by motion of lower sash. Automatic disconnection at predetermined position fixes two upper sash in that position, and permits independent setting of lower sash at closed or any open position. Re-connection is automatic with return of lower sash to fixed position of upper sash.

E513 FORMICA DOORS

A brief folder published by the Formica Insulation Co. illustrates recent installation of Formica doors in theaters, hotels, department stores, etc. Standard designs and special color designs, metal inlaid, are shown. These doors are made by veneering Formica sheet on a wood core, or on a combination metal and wood fire door.

E514 CAST IRON

A booklet on cast iron verandas, railings, entrances and balconies has been issued by Smyser-Royer Company. "New, practical and refreshing effects may be obtained at moderate cost with cast iron craftsmanship," states the introduction to the booklet. Photographs and detail drawings illustrate typical applications.



Authentic

INDIVIDUALLY ENGINEERED AIR CONDITIONING

Laid out and specified by leading architects and consulting engineers. Designed and manufactured by American Blower Corporation. Installations made by responsible contractors everywhere.

AMERICAN BLOWER CORPORATION • DETROIT, MICHIGAN
Established 1881

HIGGINS' INK ATELIER

CONDUCTED BY ARTHUR L. GUPTILL, A. I. A.

.. the rendering of ORNAMENTAL DETAIL



UNLESS you are familiar with "Fragments d'Architecture Antique," by H. D'Espouy, go to an architectural library and study these famous rendered documents. Here is a reproduction at small scale of a portion of one. It suggests their beauty.



FOR rendering of this careful type, **HIGGINS' BLACK DRAWING INKS** have many users. For wash-like portions, the **GENERAL BLACK INK** (soluble) is generally the one selected. It can be diluted with water to suit. Why not try it?

CHAS. M. HIGGINS & CO., Inc. 271 NINTH STREET BROOKLYN, N. Y.

E517

NEW MATERIAL ADAPTED TO VARIETY OF USES

Catalin is the name of a synthetic material recently introduced into architectural use. The material resembles crystal or translucent glass yet it is not easily shattered and is said to be considerably lighter and easier to work than glass. In other forms Catalin, has long been used for the manufacture of costume jewelry; it resembles precious and semi-precious stones. The French Casino, a theater-night-club in New York, has employed Catalin for exterior and interior decoration. Among the applications are these: (1) Catalin sheets two feet wide and sixty feet long for facing of bar behind which runs a neon tube diffusing light throughout the strip; (2) curved strips to conform with shape of bar; (3) tubular shaped Catalin in which incandescent lights are used. This new material may be obtained in any color, from water-white crystal to jet black, and in any degree of translucency.

E518

NEW JERSEY ZINC

The New Jersey Zinc Co. offers a booklet on Metallic Zinc Powder. As a primer and finishing coat for iron, steel and galvanized surfaces Zinc Dust paint is said to possess a combination of unique properties. Noteworthy advantages include: (1) excellent adherence to galvanized iron; (2) it

is rust inhibitive, making it suitable for priming black iron; (3) it effects complete hiding in one coat over a background of any color. New non-gassing Zinc Dust, produced by the New Jersey Zinc Co., has largely eliminated gas formation which is of importance in the storage problem.



E519

TELA-FIRE ALARM UNIT

A new, low cost fire alarm unit, the Telafire, is announced by G-M Laboratories, Inc., Chicago, for use with the conventional electrical alarm systems such as bells, buzzers, red lights, etc. It is adapted to use in homes, factories, stores, garages, warehouses and other buildings subject to fire hazard. An important feature is the mercury contact tube which protects the contacts from corrosion, dust, dirt, grease and other accumulations which could easily prevent operation of low voltage devices of this character. This tube is air tight with two contact wires entering through the upper end and a quantity of mercury in the lower end. Under the action of heat, the movable arm on which the tube is mounted is released, permitting one end to drop. As it drops the mercury flows around the wires, making an electrical connection and completing the alarm circuit.



Specify "PENNVERNON"...not just "window glass"



Photograph by Johnston & Johnston

FOOD FOR THE FIERY FURNACE
are these tons of pure Pennvernion
"batch" materials. Guided by this
Pennvernion Craftsman, the melting tank
receives them, fuses them at terrific tem-
peratures, starts the process which gives
birth to a window glass of better quality.

Our new booklet, called "The Making of a
Leader", describes in dramatic pictures the man-
ufacture of Pennvernion Window Glass. To get
your free copy of this interesting book, sign
and mail this coupon to

PITTSBURGH

PLATE GLASS COMPANY
2100 Grant Building, Pittsburgh, Pa.

Name

Address

City State


FOR CLEARER SPEECH EASIER HEARING MUNICIPAL BUILDINGS NEED ACOUSTI-CELOTEX

IMPRESSIVE public buildings—beautiful in design—yet how often disappointing because one important factor has been overlooked! The acoustics are so poor that speech sounds scrambled and hearing is made difficult. Acoustical treatment has been omitted.

Acousti-Celotex Sound Absorbing Tiles installed in accordance with the findings of a scientific analysis are protection against such defects—an assurance of clearer speech, easier hearing in auditoriums, council chambers, courts, committee and board rooms.

Acousti-Celotex is applied directly to ceilings and walls, old and new; is pleasing in its natural finish; lends itself to attractive designs and patterns; may be painted or stenciled to harmonize with any decorative design; retains its acoustical efficiency after repeated painting because patented perforations permit access of sound waves within the absorbent material.

The Acousti-Celotex contracting engineer in your city will gladly co-operate with you, submit scientific analysis and costs; or write direct.



St. Louis Municipal Auditorium, St. Louis, Mo.—Acousti-Celotex installed in the theater and four assembly rooms to assure clear speech and easy hearing.

THE CELOTEX COMPANY, 919 No. Michigan Ave., Chicago, Ill.



PAINTABLE PERMANENT
ACOUSTI-CELOTEX
TRADE MARK REGISTERED U. S. PATENT OFFICE



E520 GRILLES AND REGISTERS

Tuttle & Bailey offer a new catalog illustrating modern grilles and registers, especially designed for forced air and air conditioning work, either on domestic or commercial buildings. The new line includes special grilles that offer a minimum resistance to air flow; grilles and registers with fixed and adjustable directional air flow; volume control dampers; ceiling outlets, and other special devices. The "Flexair" grille, one of the new products shown in this catalog, can be adjusted at the job to provide a wide range of air deflections. Positive adjustments are made by two controlling levers concealed back of the grille margins. "Ducturns," another new product, is a device for use in ducts to turn high velocity air around right angle elbows. The tubular blades, of which it is composed, are shaped to turn air at right angles with a minimum friction loss, thus eliminating the necessity for long radius elbows.

E521 A BOOKLET ON ELECTRODES

Technical data, including principles of design and operation, physical properties and chemical analyses of deposited metals, are given in a new booklet on Mutex all-mineral coated welding electrodes, issued by the Metal & Thermit Corporation. The booklet is fully illustrated showing applications of various Murex Electrodes. Features of these electrodes include a patented spiral winding of asbestos yarn, which is non-combustible and anchors the extruded coating to the core wire so that it does not crack off when the electrode is bent. The winding also assures uniform thickness of the coating and prevents wandering of the arc when welding.

E522 GENERATING PLANT

For homes and farms where public service power is inadequate or subject to interruption in bad weather The Electric Specialty Company of Stamford, Connecticut, manufactures a gasoline electric generating plant called "Esco." The available models, both for direct and alternating current, are described in a newly released folder.

E523 NEW WATER MIXING VALVE

A thermostatic water mixing valve known as SAFE-T-SHOWR is produced by the Doran Co., of Seattle, Washington, at prices ranging from \$22.50 to \$27.50. According to the manufacturers this valve has proved efficient in tests extending over two years. It mixes hot and cold water, thermostatically controls and delivers it at a fixed temperature. It is not affected by changes of pressure in either hot or cold water supply lines.



THESE THREE CATALOGS

are now being prepared for your use. A good deal of care is being spent on each. Also a lot of time. Also a considerable sum of money.

No. 1 will be mailed to you with a request that you file it for future reference.

No. 2 won't be sent to you unless you ask for it.

No. 3 will be delivered to your office, bound with hundreds of others, in SWEET'S CATALOG FILE.

When, at some future time, you want the information these catalogs contain, which catalog will have the best chance of receiving your attention? Many manufacturers who are now planning new catalogs would like to have your answer.


YOU DON'T HAVE TO PUT COTTON IN YOUR EARS



Pat. 1,970,105

•The quieter operation of Fedders Series 3 Unit Heaters is made possible by streamline tubes, exclusive fin design, graduated pitch fans, resilient motor mountings which isolate vibration, and sturdy cabinets which eliminate resonance. Quieter operation combined with handsome appearance lets you use their high heating ability in stores, banks, offices, auditoriums, lobbies, as well as factories, garages, etc. Write for Catalog 527—it takes them apart for you.

FEDDERS MANUFACTURING CO.
Buffalo, N. Y.



Built to order in sections of two doors up to any number required. Finished in any specified wood or metal, and equipped with special hardware. Correct design and rugged construction mean years of service. It will pay you to write for descriptive booklet.
YORK ICE MACHINERY CORPORATION, YORK, PA.

ROBERT GAIR COMPANY, INC.

Robert Gair Company, Inc., announces acquisition of London Shipping Containers, Ltd., of London, Ontario, and of Canadian Containers, Ltd., of Windsor, Ontario.

CRANE CO.

Mr. C. B. Nolte has been elected president of Crane Co. Mr. J. B. Berryman, who had been president since 1931, and who has been connected with the Crane organization since 1892, has become Chairman of the Board.

NATIONAL RADIATOR CORPORATION

Mr. Charles P. Culbert has been appointed manager of the Oil Heating Division of National Radiator Corporation, manufacturer of National Boilers, Aero Radiators and Convectors, according to an announcement from the general offices of the company, at Johnstown, Pennsylvania. Announcement is also made that Mr. Thomas A. Novotney has accepted an appointment as member of the Technical Advisory Committee of the American Society of Heating and Ventilating Engineers.

CAST STONE EXHIBIT

An exhibition of cast stone will be held May 15, 16 and 17 in Washington, D. C., at the U. S. Chamber of Commerce Building. The exhibition is being sponsored by the Cast Stone Institute and will include samples, models and other exhibits from cast stone plants throughout the country.

BRIGGS MANUFACTURING CO.

John A. Callahan has been appointed to take complete charge of operations of the new plumbing division of the Briggs Manufacturing Co. According to Mr. Callahan the company has been developing its plans and experiments in the plumbing field for more than two years and now is ready to enact a program of mass production.

ROBERT W. HUNT COMPANY

Robert W. Hunt Company, Engineers, conducting a national and international engineering inspection, testing, and consultation service, has accepted the resignation of Mr. C. B. Nolte, their President, who has accepted the Presidency of Crane Company. Mr. James C. Ogden will succeed Mr. Nolte as president. He will be assisted in the operation of the organization by Mr. F. M. Randlett, as Vice President and General Manager.

EAGLE-PICHER SALES CO.

Announcement is made of the opening of a new divisional office in the Temple Bar Building, Cincinnati. A staff of engineers operating from this office are prepared to assist in the solution of installation problems employing the most advanced methods and materials.



"What's the best pipe for these vents, down-spouts and drains?"

"Reading **GPWI*** Pipe—87 years of pipe history prove it."

*GPWI—Genuine Puddled Wrought Iron

Complete information is yours for the asking. Just write



READING IRON COMPANY
PHILADELPHIA

SCIENCE AND INVENTION HAVE NEVER FOUND A SATISFACTORY SUBSTITUTE FOR GENUINE PUDDLED WROUGHT IRON

CONVENIENT TO EVERYTHING
IN HISTORIC **BALTIMORE** MARYLAND

One of America's finest Hotels with every comfort and luxury at low cost



Expert garage attendant will call for and deliver your car at the door

A castle of comfort for the traveler in the very heart of beautiful Baltimore. Restaurants equipped to serve 5000 people daily. 700 Rooms with Bath, Radio and Circulating Ice Water

FROM \$3 SINGLE
H.N. BUSICK
Managing Director

LORD BALTIMORE HOTEL

**WILL YOUR BUILDING
BE COMPLETE WHEN
YOU TURN IT OVER?**



*All modern public buildings
need a good sound system*

Plans for modernizing existing buildings don't fulfill their purpose unless they make provision for a good sound system, designed for their own particular use.

Neither can new buildings truthfully be called modern unless they are adequately equipped with a sound system.

RCA Victor Sound Systems cover every sound need for every type of public building.

FOR SCHOOLS:

CLASSROOM RADIO FACILITIES, PRINCIPAL'S ANNOUNCING SYSTEMS, CLASSROOM SUPERVISORY SYSTEMS, AUDITORIUM SOUND REINFORCEMENT, ATHLETIC FIELD AND GYM SYSTEMS.

FOR HOTELS:

GUEST ROOM RADIO FACILITIES, PUBLIC ROOM SOUND REINFORCEMENT, PUBLIC ROOM SOUND REPRODUCTION, ANNOUNCING FACILITIES AND PAGING FACILITIES.

FOR HOSPITALS:

RADIO SYSTEMS FOR PRIVATE AND PUBLIC ROOMS, AND DOCTOR'S PAGING SYSTEMS.

FOR CHURCHES:

SOUND REINFORCEMENT SYSTEMS.

Remember — the world's richest sound experience stands back of every RCA Victor Sound System!

Write us at Dept. AR, Camden, New Jersey, for complete information on RCA Victor Sound Systems. We gladly offer technical advice and detail drawings for sound systems—for any jobs you have on your boards.



RCA VICTOR

Commercial Sound Systems




RCA MANUFACTURING CO., INC., CAMDEN, N. J.
A Radio Corporation of America Subsidiary



House at Plainfield, N. J. Architect, Harry Keith White, Plainfield. Shingled walls painted with two coats of Cabot's DOUBLE-WHITE.

Cabot's Collopakes are better Paints

Cabot's Collopakes are made from the same materials as the finest paints—standard pigments, standard fixatives, and standard solvents. They are used in the same way and for the same purposes as paints.

The patented "Colloping" Process, however, divides the pigments into particles from 100 to 1000 times finer than ordinary methods. Colloidally compounded, Collopakes have a number of unique advantages. Among them are:

1. Greater Adhesion
2. Greater Hiding Power
3. Longer Life—because the oil does not separate from the pigments, leaving dull, dry flakes of color on the surface. Furthermore, Collopakes contain no fillers, which are the chief cause of fading. (Flat finishes produced by fibrous silicates.)

These are some of the reasons why many architects—and their clients—prefer Cabot's Collopakes to even the best paints made in the old-fashioned way. For further information, let us send you our "White Book." Just sign and mail coupon below.

Cabot's Collopakes

FOR EVERY PAINT USE

Made by the Makers of Cabot's Creosote and Wood Stains

Samuel Cabot
Inc.
Manufacturing Chemists

141 MILK STREET
Boston, Massachusetts


Gentlemen: Please send me your "White Book" giving further information about Cabot's DOUBLE-WHITE, Old Virginia White and Gloss Collopakes.

Name

Address A.R. 5-35

Le Corbusier 1929 — 1934

The leading part which Le Corbusier has taken in the development of a new architecture adapted to new living conditions, new materials and new construction systems, gives a peculiar importance to this comprehensive presentation of his work covering the past six years.



The book makes clear the point of view with which he has approached the problem of developing new solutions for the individual building and for the complete city plan. It contains nearly 600 reproductions of photographs, plans and sketches illustrating residences, office buildings, asylums, theaters, public buildings, clubs, museums, etc.

The detailed descriptions and explanations accompanying the illustrations are in French but the Introduction by Le Corbusier and his chapter "A New Classification of Town Building, a New Dwelling Unity" are printed in English, French and German.

Copies of this timely and important book may be obtained from The Architectural Record at a price of \$11, postpaid in the United States.

THE ARCHITECTURAL RECORD,
119 W. 40th St., New York, N. Y.

Enclosed is \$11 for which send me a copy of "Le Corbusier 1929 - 1934."


Name

Address

City and State

A.R. 5-35

ALL DRESSED UP FOR A PARTY



Two views of the fascinating Cocktail Bar in the Book-Cadillac Hotel, Detroit. Walls of Genuine Masonite Tempered PRESWOOD, painted canary. Chromium strips on joints. Black carpet and draperies. Architect and Contractor, Howard Crane, Detroit, Michigan.



WITH GENUINE
MASONITE
TEMPERED
PRESWOOD



ARCHITECTS everywhere are learning that they can accomplish more new building and remodeling at a saving . . . achieve many more modern decorative effects . . . with Genuine Masonite PRESWOOD. It affords expensive-looking results inexpensively. Enlarges the scope of decorative schemes. Keeps pace with every new development in interior and exterior architecture. • PRESWOOD can be installed directly over existing walls. Eliminates costly remodeling before application. Provides entirely new floor, wall and ceiling surfaces. Ideal for use with chromium and other ultra-modern decorative devices. • This grainless material will not warp, chip, split or crack. Marble-smooth surface can be used in its natural, warm brown finish. Or any desired color scheme can be produced with varnish, lacquer, paint, enamel, or other standard treatment. • Architects should familiarize themselves with Genuine Masonite PRESWOOD. Send for a free sample. Find out how it can solve your problems . . . make your budgets go farther . . . produce bigger results for less money. Address: Masonite Corporation, 111 West Washington Street, Chicago, Illinois.

GENUINE MASONITE PRESWOOD

QUARTRBOARD • TEMPRILE • STRUCTURAL INSULATION • CUSHIONED FLOORING

AN IMPORTANT AND TIMELY CONTRIBUTION TO THE LITERATURE OF PRESENT DAY ARCHITECTURE—A BOOK THAT WILL BE INVALUABLE TO EVERY ARCHITECT, DESIGNER AND STUDENT OF PROGRESS IN RESIDENTIAL BUILDING

THE MODERN HOUSE

By F. R. S. YORKE
A.R.I.B.A.



The Architectural Record is pleased to be able to offer this illuminating and informative book, recently published in England and reflecting the latest and most successful practice in the design and construction of Modern Dwellings not only in the United States and England but in France, Germany, Holland, Belgium and other European Countries.

The point of view of the author, an associate of the Royal Institute of British Architects, is expressed in this paragraph:

"We can no longer afford to build the house that makes bad use of space, or to employ ornamental devices to counteract weaknesses in basic design. Anything that is for use must be, above all else, efficient, and the design of the modern house is based on the principle of utility—it is fundamentally a thing for use; its design, as such, naturally becomes more complex as the standard of living improves, if freedom is to be retained. It is essentially progressive, and the twentieth-century habitation presents a problem that can only be solved in the light of the needs and resources of the present age."

Mr. Yorke has painstakingly collected the most successful examples of advanced house design from the leaders in the movement. His book gives a clear, comprehensive and extremely useful picture of the problems of Modern House Design and of their solutions. It is filled with practical information on plan, design, methods of construction, materials and equipment. It is a handsome volume of 200 pages, 7½ by 10, illustrated with approximately 500 photographs, plans and constructional details. It outlines the requirements to be met in the new type of home and discusses all its component parts—plan, wall, window and roof. One chapter deals with Experimental and Prefabricated Houses. An entire section of over one hundred pages is devoted to the presentation of typical houses erected from 1924 to 1934.

Believing that "The Modern House" is certain to take its place as a standard text in this country as well as abroad, The Architectural Record has arranged to handle its distribution in America. The price, including postage within the United States, is \$6 per copy.

THE ARCHITECTURAL RECORD
119 West 40th St., New York City

Enclosed is \$6 for which send me a copy of THE MODERN HOUSE, by F. R. S. YORKE, A.R.I.B.A.

Name.....

Address.....

City and State.....

AN ACTUAL CASE*

THIS HAPPENED
IN A METROPOLITAN
SCHOOL SYSTEM
WITH 170 BUILDINGS

HOW MUCH DO WE KNOW
ABOUT THE CONDITION
OF OUR BUILDINGS?



NOT ENOUGH.
WE OUGHT TO
EXAMINE EVERY
ONE FROM CELLAR
TO ROOF.

WHAT IS HAPPENING IN THE ROOFING BUSINESS?

WHY DON'T WE?



IT WOULD TAKE
OVER A YEAR
TO DO IT RIGHT.

WELL...LET'S GET
A FUND SET UP
TO DO IT.



ALL RIGHT.
WE'LL TABULATE
THE INFORMATION,
ROOM BY ROOM,
WINDOW BY WINDOW,
ROOF BY
ROOF.

THEN began one of the most comprehensive
school building inspections ever undertaken.
Everything was examined. Nothing was taken
for granted. As a result—many standard

specifications were changed
—many construction meth-
ods were altered.

THIS CLOSE-UP
SHOWS THE CONDITION
FOUND ON MANY
ROOFS WHERE TAR
WAS NOT USED



HERE IS A
TYPICAL CONDITION
FOUND ON THE FLAT ROOFS
WHERE COAL TAR PITCH
WAS USED



Here was a calm, unbiased weigh-
ing of the relative merits of dif-
ferent roofings, based on ade-
quate evidence, on a very large
number of installations and over
a considerable period of years...
and the decision was that flat
roofs built *with* coal tar pitch roof-
ings had given splendid service
and that built-up flat roofs con-
structed *without* tar had failed.
The findings of this school board
confirms what architects and
building owners have been find-
ing all over the country.

AS A RESULT OF OUR
INSPECTION WE NOW
SPECIFY **COAL TAR
PITCH** ON FLAT
DECKS ON ALL
OUR SCHOOLS



* Name on request to responsible inquirers.

KOPPERS PRODUCTS COMPANY, Koppers Building, Pittsburgh, Pa.
BIRMINGHAM • BOSTON • CHICAGO • NEW YORK • PROVIDENCE, R. I. • ST. LOUIS

KOPPERS PRODUCTS CO., Pittsburgh, Pa. AR3
Please send me your folder "Do's and Dont's".....☐
Please send me a set of Don Graf Data
Sheets on Roofing, Waterproofing, etc.....☐

Bargains in Books

Here is an opportunity to add one or more important reference books to your working library at a saving of 33½ to 50%.

Each one of these books is a standard on its particular subject and is well worth the original price. At the special price now quoted it's a real bargain.

THE AMERICAN HOSPITAL of the Twentieth Century, Third Edition—by Edward F. Stevens, who has himself planned more than 150 hospitals and institutions; describes the development of medical institutions in Europe and America; is the recognized authority on hospital planning and equipment; 550 pages, 660 illustrations and floor plans. Price \$7.50 (instead of \$15.00).

POLYCHROMY—by Leon V. Solon with introduction by Ralph Adams Cram; the accepted authority on color in architecture and sculpture; profusely illustrated with reproductions of photographs and drawings, including nine plates in full color. Price \$3.00 (instead of \$6.00).

SPANISH GARDENS AND PATIOS—by Mildred Stapley Byne and Arthur Byne—The first comprehensive, authoritative book on the subject in any language; over 300 pages; four beautiful color plates and 175 illustrations; quarto, in a box. Price \$7.50 (instead of \$15.00).

SMALL MANOR HOUSES AND FARMSTEADS OF FRANCE—by Harold Donaldson Eberlein and Roger Wearne Ramsdell with introduction by Leigh Hill French, Jr.—a rare book of inspiration and information; frontispiece in color and 253 illustrations in half tone; over 300 pages; quarto, in a box. Price \$7.50 (instead of \$15.00).

SMALLER HOUSES AND GARDENS OF VERSAILLES, from 1680 to 1815—by Leigh H. French, Jr. and Harold Donaldson Eberlein; more than 200 pages, 9 x 12 inches, with over 250 photographs, plans and measured details. Price \$4.00 (instead of \$6.00).

PRINCIPLES OF CITY LAND VALUES, Fourth Edition—by Richard M. Hurd; 146 illustrations, including early pictures of Paris and of other foreign and 50 American cities; the principles it sets forth are sound and informative, and apply to changing conditions in all American cities. Price \$2.00 (instead of \$3.50).

To Get The Benefit Of These Special Prices Please Mail Your Order At Once!

THE ARCHITECTURAL RECORD,
119 West 40th Street, New York.

A.R. 5-35

In accordance with your special offer, send me at once, all charges prepaid, the books checked, for which I enclose \$.....

Name

Address

Profession Date

Special
Price

- | | |
|--|--------|
| <input type="checkbox"/> <i>The American Hospital</i> | \$7.50 |
| <input type="checkbox"/> <i>Polychromy</i> | 3.00 |
| <input type="checkbox"/> <i>Spanish Gardens and Patios</i> | 7.50 |
| <input type="checkbox"/> <i>Small Manor Houses, etc.</i> | 7.50 |
| <input type="checkbox"/> <i>Smaller Houses and Gardens</i> | 4.00 |
| <input type="checkbox"/> <i>Principles of City Land Values</i> ... | 2.00 |



A DESIGN BY CRANE IS NEWS


● Eighty years of manufacturing has taught that *change* lies around every corner. Crane not only meets it but is constantly anticipating it. And because every new design must be *right*, from every point of view, you can depend on it that a design by Crane is *news*. It must fulfill an important and worthy function. It must be precisely adapted to that function. It must be manufactured to Crane standards of material and workmanship. It must reach the light of day even before the need has fully asserted itself. That's why plumbing and heating materials by Crane are important to you in every undertaking.



Wall Type No. C 9158

NEW THURSTEND DRINKING FOUNTAIN

These new fountains feature the NEWERA bubbler with vandal-proof attachment, and a vitreous china receptacle. Automatic stream regulator. Provides sanitary, low-cost drinking facilities for factories, schools, railway and bus terminals, gasoline filling stations, tourist camps and public buildings.




Pedestal Type No. C 9155



CRANE

CRANE CO., GENERAL OFFICES: 836 S. MICHIGAN AVE., CHICAGO, ILLINOIS • NEW YORK: 23 W. 44TH STREET
Branches and Sales Offices in One Hundred and Sixty Cities

VALVES, FITTINGS, FABRICATED PIPE, PUMPS, HEATING AND PLUMBING MATERIAL



MONTH BY MONTH

With Dodge Reports



ROBERT W. CRANE

FAMOUS HEADQUARTERS FOR ARCHITECTS, "101 PARK," COVERED BY ROBERT CRANE

Robert W. Crane, whose forebears helped erect the first buildings constructed by white men in this country, covers, as Dodge reporter, the one building in this whole land where, probably, the greatest amount of architectural activity is concentrated—101 Park Avenue, New York City. Born in 1905, in Sewickley, Pa., Crane went to high school in Owosso, Mich., to prep school in Manlius, N. Y., and to the Carnegie Institute of Technology. He became a Dodge reporter six years ago and "broke in" covering sites. Later he was assigned to call on all architects from Fortieth Street south to the Battery, then on those whose offices were located east of Fifth Avenue, between Forty-Fourth and One Hundredth Streets. Now, covering mid-town architects, including those at "101," Crane probably knows as many architects as any one man in the country.

"101," pictured below, is perhaps the most important single center of the building industry. Among its 255 tenants are some 80 architects, 20 consulting and designing engineers, 25 general contractors, material firms of all descriptions and the Architects Samples Corp., sponsored 21 years ago by architects, where more than 300 products are on exhibition.

Designed by Ewing & Chappell, the officers and board of "101" are: S. F. Voorhees, president; Benjamin Wistar Morris, vice-president; A. J. Post, treasurer; Wm. S. Post, T. J. Vander Bent, H. C. Meyer and Kenneth M. Murchison.

Crane, typifying the more than 150 men selected by Dodge reports to call upon architects and engineers, is a student of construction and he understands the importance of construction news not only to architects, but also to all factors in the industry.



CAMERON CLARK

ARCHITECT CAMERON CLARK TELLS WHY HE GIVES NEWS OF HIS PROJECTS TO DODGE

Cameron Clark, formerly Clark & Arms, 101 Park Avenue, New York, did not give the usual economic reasons when we asked him why he gives information to Dodge Reports. Instead he said, "I have become accustomed to Dodge men and their visits over a long period of years. They have cooperated to give out the information at the right moment, they have always been courteous and friendly. Unconsciously it has become a habit. There is little more to be said—Dodge Gets the News." Thank you, Mr. Clark.

At present Mr. Clark is engaged with the restoration of the Town Hall at Fairfield, Conn. His work includes the Brooklyn Bureau of Charities building, Brooklyn Visiting Nurses Assn. building, Bryan Memorial Town Hall, Washington, Conn.; Aluminum Co. of America plant at Fairfield, Conn.; and many fine residences.



101 Park Avenue, New York

MORE ARCHITECTS USING NEW ORLEANS DODGE PLAN ROOM: PLANS INCREASE 15%

There is no doubt but that southern architects appreciate Dodge Plan Room Service. Here is the record: During 1934 a total of 228 plans were posted in our New Orleans Plan Room, an average of 19 per week. During the first quarter of 1935 a total of 65 plans were posted, an average of 22 per week. This is an increase of nearly 16%. More than 1200 estimators used the New Orleans Plan Room in 1934.

Make it standard practice to use Dodge Plan Rooms. Explain to your owners that it will enable more sub-contractors and material men to review the plans and general contractors will receive more requests for invitations to bid. A better lump



Dodge Reports Plan Room in New Orleans

sum price will result. Owners will approve the blueprinting cost.

"DODGE RENDERS REAL SERVICE"—LANG

From Mr. Clark in New York to Oscar T. Lang, Lang & Raugland, of Minneapolis, is a long way, but architectural feeling toward Dodge is the same. Mr. Lang, who is at work on the \$250,000 church illustrated below, says: "From my many years' experience with the Dodge Reports organization, I unreservedly add my congratulations for the rendering of a real service to the construction industry. I feel Dodge Reports are a convenient and accurate medium for acquainting the field with projects in


my office. Your representative, Mr. Puphal, has merited the confidence I place in him, and in saying this I feel I am expressing the sentiments of my fellow Minneapolis architects. May your fine efforts result in your continued success."

The Black store and office building and First Presbyterian Church in Fargo, N. D.; Murphy Warehouses in Minneapolis and St. Paul, and the Clayton, Minn., High School are among the many important projects designed by Lang & Raugland.

Architects Everywhere Give News to Dodge Reports

We congratulate the following architects upon their new commissions—a few selected from many:

- A. O. Clarke, Rogers, Ark., \$8,000 garage.
- A. W. Inman, Plattsburg, N. Y., \$60,000 high school addition.
- Lawrie & Green, Harrisburg, Pa., \$100,000 high school.
- P. E. Zimmerman, Longview, Texas, \$75,000 city hall.
- E. L. Harrison, Memphis, Tenn., \$30,000 sales room and warehouse.
- Porter & Lockie, Washington, D. C., \$50,000 reviewing stands.



Third Church of Christ, Scientist, Minneapolis. Construction will start this fall.
Lang & Raugland, Architects

F. W. DODGE CORPORATION, 119 W. 40th ST., NEW YORK

Specify

SPECIFICATIONS
PIPE and FITTINGS
STREAMLINE
THROUGHOUT



The STREAMLINE Fitting was the first solder type fitting utilizing the phenomena of capillary attraction to be successfully put upon the market, and it incorporates many advantages that no other solder type fitting possesses.

During the last four years STREAMLINE Fittings have been specified and used successfully in every type of building construction and in thousands of installations throughout the United States and Canada.

Under normal conditions they assure your client a non-rusting, non-clogging, trouble-free plumbing or heating system as long as the building stands. Absolute safety in concealed work, maximum efficiency in heat transference, conservation of valuable space and freedom from the harmful effects of vibration are but a few of the many advantages of this product.

A 16 PAGE CATALOG ILLUSTRATING AND DESCRIBING STREAMLINE PRODUCTS IS ALREADY ON FILE IN YOUR OFFICE. YOU WILL FIND IT IN SWEET'S CATALOG FILE, ARCHITECTURAL, 1935, SECTION 24, CATALOG 15.



STREAMLINE
PIPE AND FITTINGS
PORT HURON, CO. MICHIGAN
DIVISION OF MUELLER BRASS CO.

BOOK FORM CARDS

now cost you about

HALF!

» The latest development in *raised letter printing* puts these attractive business and social cards on a basis with the most expensive. Unless you are an expert, the only difference to you will be the price.

Run your fingers over them, and you can actually *feel* the raised letters. Look at them on the back, and you won't find the type punched through. You will have a hard time convincing others of how little they cost.

We will gladly send you a selection of these astonishing business and social cards if you ask us.

Note smooth edge when detached.



MODERN CARD CO., 2337 No. Racine Av., Chicago

We Will Pay 25 Cents Each and Postage Charges for These Numbers of THE ARCHITECTURAL RECORD if Sent Before June 1st, 1935:

OCTOBER, 1934
NOVEMBER, 1934
DECEMBER, 1934
JANUARY, 1935
FEBRUARY, 1935
MARCH, 1935

THE ARCHITECTURAL RECORD
119 West 40th Street, New York, N. Y.

**It's a small
thing...but**



... even this washer-retaining screw is of importance to the Speakman Company




To show how far we go in building quality into Speakman Showers and Fixtures we mention this washer-retaining screw which is part of all Speakman valves. It is monel metal. Any kind of a screw would hold the washer in place when the fixture is new just as any kind of a fixture will probably function satisfactorily when it is new—but many waters have a corrosive action on metal. In such

waters the head of an ordinary brass screw would deteriorate, the slot would break away, and the screw stem is liable to break off and have to be drilled out. As we said this washer-retaining screw is a small thing but it indicates the care and thought that goes into the making of all Speakman Quality Showers and Fixtures. Its been a quality line since 1869.


SPEAKMAN COMPANY • Wilmington, Delaware

Refer to Sweet's Architectural Catalogs, Section 25, Catalog 9


Speakman Showers & Fixtures



K-4585-M
Dupont Tub
Filler with Act-



Imperial motors
are built in ratings
from 1/2 to 300 hp.
in all types.



WHY YOU SHOULD BUY FROM THE "LITTLE FELLOW!"

This is the title of a new Imperial bulletin which has attracted national attention because it presents the case for the small manufacturer who must build an excellent

product and back it with *personalized* service.

Many architects, manufacturers and contractors are specifying and using Imperial motors for compressors, fans, blowers and pumps . . . and there are some mighty good reasons why they stick to Imperial after they once get to know the organization and its products.

- Write for your copy of Bulletin No. 1040 and get a new slant on just where the small manufacturer fits into the motor picture.

THE IMPERIAL ELECTRIC CO.


46 IRA AVENUE, AKRON, OHIO

QUALITY RIGHT PRICES
SINCE 1889
Imperial
SERVICE COURTEOUS TREATMENT

LEONARD



WATER · MIXING VALVES



SERIES-T

QUALITY
ECONOMY
DURABILITY

QUALITY because of fine workmanship and materials. ECONOMY because of low first cost and upkeep. DURABILITY because of simple construction. Series T Water-Mixing Valves furnished for exposed piping only. Literature describing Series T and R Valves sent on request.

LEONARD ROOKE CO., INC. PROVIDENCE R.I.

DAHLQUIST



WATER HEATING FOR MODERN HOME

The low cost of operating a DAHLQUIST TURBO Electric Automatic Heater is exemplified in the attractive home pictured above. Here a 60 gallon DAHLQUIST system was installed in 1929 to serve a family of six adults. Checked monthly for five successive years, the operating cost has averaged \$4.20 per month without occasion for repair or replacement.



Dahlquist Turbo
Super Aquatherm
on Underfire Hot
Water Storage
System

THE DAHLQUIST TURBO SYSTEM

represents one of the most outstanding developments yet achieved in the electric water heating field. This new patented improvement, when incorporated in a DAHLQUIST Automatic Storage System, keeps it constantly free from sediment. A plentiful supply of clean fresh, hot water fit for every domestic purpose, including cooking and drinking, is assured at all times and actual savings of as much as 50% of ordinary fuel costs are frequently realized by the user. DAHLQUIST TURBO equipped systems are the most modern of all hot water storage heaters and are a real scientific contribution to family health and economy. Such positive insurance against unfit, rusty hot water, freedom from care, long life and savings on original cost soon make them a valued possession.

Write for particulars.

DAHLQUIST MFG. CO.

70 West 3rd Street

South Boston, Mass.

Publisher's Statement of Circulation

This is to certify that the average circulation per issue of THE ARCHITECTURAL RECORD for the six months' period, July 1st to and including December 31st, 1934, was as follows:

Copies sold 8,394

Copies distributed free 1,596

Total 9,990

Signed F. W. DODGE CORPORATION

(Publisher)

per J. M. WILLIAMS, V.P.


Subscribed to and sworn before me on this 18th day of February, 1935.

(NOTARY'S
SEAL)

EDWIN H. FREED

NOTARY PUBLIC, Queens County
County Clerk No. 541, Register 5918
Commission Expires March 30, 1935

The NEWEST and one of the OLDEST...



BETSY ROSS HOUSE, Philadelphia, birthplace of the American flag. Built about 1720. Occupied by John and Betsy Ross as upholstery shop in Revolutionary days. Bridgeport Copper Water Tube recently installed to replace worn-out pipe. Contractor—C. F. Backler & Son.

NEW FEDERAL RESERVE BANK in Philadelphia—completed 1935. Architect—Paul Cret. General Contractors and Builders—Irwin & Leighton. Plumbing Contractors—W. M. Anderson Co. Plumrite 85% Brass Pipe installed—hot and cold water lines, refrigeration equipment, etc.

Both Choose "BRIDGEPORT"


PHILADELPHIA proves the popularity of "Bridgeport" products in a striking manner. The new Federal Reserve Bank is equipped throughout with Bridgeport Plumrite Brass Pipe. And piping in the historic Betsy Ross House has been replaced with Bridgeport Copper Water Tube . . . Unanimous approval from "Young and Old" alike!

Your selection is backed by the experience of thousands of building owners when you use Bridgeport Brass Pipe. Brass gives the utmost in quality . . . in strength . . . in rust-proof, clog-proof service for hot and cold water lines, air-conditioning systems, etc. For over fifty years Plumrite Brass Pipe has been recognized as standard wherever the finest is wanted. Especially advisable in the larger sizes.


Bridgeport Copper Water Tube, because of its flexibility in coil form, is ideal material for underground service and remodeling work. In straight lengths with soldered fittings, it is excellent for new piping for water lines, steam and hot-water heating, sprinkler systems and air conditioning. With copper water tube you can install rust-proof jobs at prices competing with rustable pipe.

Bridgeport engineers have studied plumbing problems from every angle. Bridgeport makes alloys to take care of corrosive conditions at lowest cost. This experience is at the service of every architect and owner. A line to us will bring someone qualified to advise.

"Water Pipe Sizes," a handy booklet on figuring sizes for fixtures, risers and mains, will be mailed on request.



BRIDGEPORT BRASS CO. BRIDGEPORT CONN



EVANS
"Vanishing
Door"
WARDROBE

Class J

equipped with either "Floor" type (as illustrated) or "Jamb" type hinges. This is Class D wardrobe if made with flush doors.

CLASSROOM WARDROBES *High in Quality—Low in Cost*

This type occupies a recess flush with the wall. Plaster back and ends. No partitions, but with mullions between pairs of doors. Wire mesh ceiling. Blackboards if required.


The "Vanishing Door" hinges on which the doors are hung are made with double pivoted arms and swing the doors back into the wardrobe entirely out of the way. Simple—trouble-proof—and last as long as the building.

Wardrobes are furnished complete in the knockdown, with all woodwork cut to size, and only need to be nailed in place. The hinges are easier to put on than common butt hinges. The entire cost of installation is small.

We make many other types of school wardrobes, fully illustrated and described in Catalogue "N." Send for your copy.

W. L. EVANS

WASHINGTON, INDIANA, U. S. A.



Variety.... in Grilles

In addition to the standard styles, there are many special designs . . . patented and exclusive with Hendrick. All can be furnished in any desired commercial material.


Write for the illustrated book . . . "Grilles."

HENDRICK MFG. CO.

19 Dundaff Street, Carbondale, Pa.

Offices and Representatives in principal cities. See 'phone book. Mfrs. of Mitco Open Steel Flooring, Mitco Shur-Site Treads and Mitco Armorgrids, Hendrick Perforated Metals and Screens.

SMYSER-ROYER CO.



CAST IRON VERANDAS AND RAILINGS

Smyser-Royer cast iron verandas and railings have a wide variety of applications. Write for our new catalogue.

SMYSER-ROYER COMPANY

Main Office and Works, York, Pa.
Philadelphia Office—1700 Walnut Street

When in Buffalo Make *Hotel Touraine* Your Home



Come to the Touraine—in the heart of the city—where you will enjoy *real* contentment, inspired by a complete and unobtrusive hotel service.

Main Dining Room and Coffee Shop feature "fixed-priced" meals as well as a la carte.

Rates from \$2.00 single room; \$3.00 double room

Hotel Touraine

Delaware Avenue at Johnson Park

Buffalo, N. Y.

CONSTANT UNIFORM LENGTH MAKES THIS PENCIL DRAFTSMEN'S FAVORITE



7 Other Important Facts of Interest to Draftsmen

1. Quick adjustment of lead length as work requires. 2. Positive locking of lead at any desired point. 3. Protection of point while not in use by locking lead inside barrel. 4. Hexagon to prevent rolling. 5. Correct balance. 6. Fine polished yellow finish with gilt metal parts, white celluloid tip and gold stamping. 7. Genuine Koh-I-Noor leads exactly the same as used in the famous Koh-I-Noor pencil, each lead stamped for your protection with full name and degree.

No. 1511 single end pencils are obtainable from your dealer at 50 cents each, No. 1504 double end at 75 cents in HB and 6H only. No. 2200 leads, each in a separate compartment of a cedar-lined box of six, are 10 cents each or 60 cents per box.

KOH-I-NOOR PENCIL COMPANY, INC.
373 FOURTH AVENUE • NEW YORK, N. Y.

KOH-I-NOOR
The Perfect Pencil



Bellevue-Stratford

The traditional hospitality of the Bellevue is a subject for reminiscence wherever men gather, the world over. Recent complete modernization in decoration and appointments have added even a fresher note to this famous hotel.

Rates as
low as \$3.50



CLAUDE H. BENNETT
General Manager

IN THE HEART OF PHILADELPHIA

Specify STEWART FENCE
For PERMANENT PROTECTION



THE LOW COST, per year of service, of Stewart Fences of Iron or Chain Link Wire, appeals to architects who demand quality as the basis for Fence specifications.

Stewart Fences are available in styles and weights to meet every requirement for property protection and beautification.

Specify "Stewart Fences" for your client's satisfaction—write for our Book of Designs.

Stewart IRON and WIRE
FENCES

THE STEWART IRON WORKS COMPANY, Inc.
122 STEWART BLOCK CINCINNATI, OHIO

SPECIFY *time-tested* SYSTEMS

Home owners everywhere are enthusiastic about the economy and low cost of GAR WOOD Heating and Air Conditioning Systems. Owners say GAR WOOD Heat costs less than coal. There is a GAR WOOD Automatic Oil Heating and Air Conditioning System to fit your specifications. GAR WOOD Systems are skillfully engineered and specially designed for residences. Let us cooperate with you in the economical solution of your home heating and air conditioning requirements.

Free literature is furnished Architects promptly on request. Write us today for "Heating Data."

Look for Gar Wood Systems in Sweet's Catalog 20, Section 26

Air Conditioning Division



Gar Wood INDUSTRIES, INC.

7924 Riopelle Street • Detroit, Michigan

We are cooperating with the Federal Housing Program

HOLTZER-CABOT CLOCKS «« »» SELECTED FOR CHAMPAIGN



JUNIOR HIGH SCHOOL, CHAMPAIGN, ILLINOIS

Associated Architects of Champaign, Illinois

GEO. E. RAMEY & CO. F. E. BERGER & R. L. KELLEY

Robeson Building

44 Main Street

DR. J. C. DALLENBACH

V. L. NICKELL

Pres. of Board of Education

Supt. of Schools

After careful investigation, Holtzer-Cabot Signal Systems were selected for the new Junior High School at Champaign, Ill. The Board of Education is thereby assured of having a high-grade, quality Electric Clock System, Program Bells, and Fire Alarm System.

Throughout the United States, thousands of other educational institutions are "Holtzer-Cabot equipped."

Your copy of School Signal System Bulletin awaits your request. Write to Dept. 31.

THE HOLTZER-CABOT ELECTRIC CO.
BOSTON

Offices in all Principal Cities

Pioneer Manufacturer of School Signaling Systems

We will gladly send Don Graf Data Sheets and descriptive literature to architects who are entering the 1935 *Pencil Points* Architectural Competition.

Address 3156 W. 106th Street, Cleveland, Ohio. Iron Fireman Manufacturing Co., Portland, Oregon; Cleveland; Toronto.



IRON FIREMAN

the machine that made coal an automatic fuel



Iron Fireman automatic anthracite burner feeds coal from bin to fire, removes ashes

For Every Architect
VALUABLE HELP ON VENTILATION PROBLEMS

in this New Bulletin No. V-100

SEND FOR YOUR COPY TODAY - IT'S FREE

THE SWARTWOUT COMPANY

18613 EUCLID AVENUE, CLEVELAND, OHIO




J&L JUNIOR BEAM CALCULATOR AND DATA SHEETS READY

DESIGN DATA ON RESIDENTIAL CONSTRUCTION YOURS FOR THE ASKING

THIS set of six data sheets and slide rule Calculator constitute a convenient architectural manual for the use of Jones & Laughlin Junior Beams in residential construction. The material was prepared by Don Graf, B.S., M. Arch. It is presented in Pencil Points Data Sheet form, the sheets being punched and indexed for insertion in your Notebook.

Complete design data is presented, including sizes, weights and properties of Junior Beams, details of floor framing, and other essential information.

The Junior Beam Calculator is an ingenious slide rule device for quickly and accurately determining depth of beam and spacing to use for given spans and loads. It is mounted and punched for filing as a data sheet. The Calculator is also available in card form of convenient pocket size.



FREE ON REQUEST—Your name, address and title or occupation in a letter, or on the margin below, will bring a set of J & L Junior Beam Don Graf Data Sheets, including the Calculator—without obligation. Please indicate if you want an additional Calculator in pocket size.



JONES & LAUGHLIN STEEL CORPORATION
AMERICAN IRON AND STEEL WORKS
PITTSBURGH, PENNSYLVANIA

YOUR NAME, ADDRESS, OCCUPATION BELOW.

☐ COMPLETE JUNIOR BEAM DATA.

☐ EXTRA POCKET CALCULATOR

INDEX TO ADVERTISEMENTS

A	
ALLIS-CHALMERS MFG. CO.	24
AMERICAN BLOWER CORPORATION	41
26	
AMERICAN BRASS CO.	33
7-8-24	
AMERICAN CAR & FOUNDRY CO.	14
20-21	
AMERICAN GAS PRODUCTS CORP.	65
Division of American Radiator Co.	
26	
AMERICAN SHEET & TIN PLATE CO.	2nd Cover
8	
AMERICAN STEEL & WIRE CO.	2nd Cover-2
3-14-27-30	
ARCHITECTS' ANNOUNCEMENTS	25
ARCHITECTURAL RECORD	48-50-52-56-58
1	

B	
BARBER ASPHALT COMPANY	35
8	
BARRETT COMPANY	3
8	
BELLEVUE-STRATFORD	61
BETHLEHEM STEEL COMPANY	66
5-8	
BOOK REVIEWS	21-22
BRIDGEPORT BRASS CO.	59
24	

C	
CABOT, SAMUEL, INC.	48
4-8-13-16	
CARNEGIE STEEL COMPANY	2nd Cover-4
5	
CELOTEX COMPANY	44
13	
CENTRAL PORCELAIN COMPANY	17
CRANE CO.	53
25-26	

D	
DAHLQUIST MFG. CO.	58
24	
DODGE REPORTS	54-55
1	
DURIRON COMPANY, INC.	36
24	

E	
EAGLE-PICHER LEAD COMPANY	23
13-16	
EVANS, W. L.	60
21	

F	
FEDDERS MANUFACTURING CO.	46
FITZGIBBONS BOILER COMPANY, INC.	20

G	
GENERAL ELECTRIC CO.	8-9
Air Conditioning	
26	
GENERAL ELECTRIC CO.	11
Merchandise Dept.	
27	
GRAYBAR ELECTRIC CO.	28
28-29	

H	
HENDRICK MFG. CO.	60
6-26	
HIGGINS, CHAS. M., & CO., INC.	42
HOLTZER-CABOT ELECTRIC CO.	62
29	
HOTEL TOURAINE	60

I	
ILLINOIS ELECTRIC PORCELAIN CO.	17
ILLINOIS STEEL CO.	2nd Cover-4
IMPERIAL ELECTRIC CO.	58
INTERNATIONAL NICKEL CO., INC.	10
7-19-22-23-24-25	
IRON FIREMAN MFG. CO.	62
26	

J	
JENKINS BROS.	29-30
24	

K	
KELVINATOR CORPORATION	39
22-26	
KNOX PORCELAIN CORPORATION	17
KOH-I-NOOR PENCIL CO., INC.	61
KOPPERS PRODUCTS CO.	51
8	

L	
LEONARD-ROOKE CO.	58
25	
LIBBEY-OWENS-FORD GLASS CO.	7
17	
LORD BALTIMORE HOTEL	47

M	
MASONITE CORPORATION	49
3-13	
MINNEAPOLIS-HONEYWELL REGULATOR CO.	4th Cover
26	
MODERN CARD CO.	56
MUELLER, L. J., FURNACE CO.	5
26	

N	
NATIONAL LEAD COMPANY	15
16	
NATIONAL RADIATOR CORPORATION	12
NATIONAL TUBE COMPANY	2nd Cover-37
24	

P	
PENBERTHY INJECTOR COMPANY	27
24-26	
PITTSBURGH PLATE GLASS CO.	43
17	
PORCELAIN PRODUCTS, INC.	17
22	
PUBLISHER'S PAGE	26

R	
R. C. A. MANUFACTURING CO., INC.	47
29	
READING IRON COMPANY	47
24	
ROBERTSON, H. H., CO.	16
3-8-9	
RUBEROID CO.	38
8-15	

S	
SLOANE-BLABON CORP.	19
15-20	
SMYSER-ROYER COMPANY	60
7	
SPEAKMAN COMPANY	57
25	
STANLEY WORKS	6
10-18	
STEWART IRON WORKS CO., INC.	61
23	
STREAMLINE PIPE & FITTINGS CO.	56
Division of Mueller Brass Co.	
24	
STRUCTURAL GYPSUM DIVISION, AMERICAN CY- ANAMID & CHEMICAL CORPORATION	40
3-14	
SUPERIOR PORCELAIN COMPANY	17
SWARTWOUT COMPANY	62
9	
SWEET'S CATALOG SERVICE	45
Division of F. W. Dodge Corp.	
1	


U	
U. S. STEEL CORPORATION SUBSIDIARIES	
3-5-8-14-15-24-27-30	
UNIVERSAL ATLAS CEMENT CO.	18
15	
UNIVERSAL CLAY PRODUCTS COMPANY	17

W	
WESTERN ELECTRIC CO.	28
29	
WOOD CONVERSION CO.	13
13	
WOOD, GAR, INDUSTRIES, INC.	62
26	

LINE UNDER MANUFACTURERS' NAME GIVE THE SECTION NUMBERS OF THEIR CATALOGS IN SWEET'S CATALOG FILE (Architectural) 1935



This is how the "EMPIRE" looks on your perspective



*it will look even better
when it's installed*

The world's most beautiful

Gas Boiler



THE "EMPIRE"
IDEAL

● Here is an end forever to the question: "Why doesn't it look like it did in the picture?" The basement room you design around the "Empire" Ideal Gas Boiler will not be marred by suddenly emerging pipes, flues and accessories. No arms, legs or upperworks will sprout from its lustrous gun metal jacket. All connections and controls are concealed, all pipes and flues come in at the back.

Standard equipment includes the

new Thermotor Valve, which thinks ahead of the thermostat. It maintains steam pressure or water temperature at a constant level, without overshooting on mild days or undershooting on cold days. All controls are centered in this valve.

Illustrated with the "Empire" Ideal Gas Boiler is the new "Empire" Storage Water Heater. For information and specifications on these two new gas appliances, write to —

AMERICAN GAS PRODUCTS CORPORATION

DIVISION OF AMERICAN RADIATOR COMPANY
40 WEST 40TH STREET · NEW YORK, N.Y.



Bad Luck?



THAT a black cat crossing one's path is an omen of bad luck is just another of those superstitions inherited

from an earlier day . . . Many an old, mistaken notion fades in the light of improved knowledge. For example, not long ago it was widely believed that sheets able to defy rust could be obtained only by paying a high price . . . Then along came the famous tests of the American Society for Testing Materials, showing clearly that of all commercial steels and irons copper-bearing steel ranks first in rust-resistance, by a wide margin . . . Beth-Cu-Loy Sheets are made of copper-bearing steel. They have from two to two and one-half times the rust-resistance of ordinary steel sheets, yet cost only a trifle more. Wherever sheet metal is exposed to atmospheric corrosion, Beth-Cu-Loy is the sensible, economical sheet to use.



Bethlehem District Offices are located at: Atlanta, Baltimore, Boston, Bridgeport, Buffalo, Chicago, Cincinnati, Cleveland, Dallas, Detroit, Houston, Indianapolis, Kansas City, Milwaukee, New York, Philadelphia, Pittsburgh, St. Louis, St. Paul, Washington, Wilkes-Barre, York. Pacific Coast Distributor: Pacific Coast Steel Corporation, San Francisco, Seattle, Los Angeles, Portland, Honolulu. Export Distributor: Bethlehem Steel Export Corporation, New York.



BETHLEHEM STEEL COMPANY

GENERAL OFFICES: BETHLEHEM, PA.

... Roofing for the FIRST and LAST Time!

...because the architect specified
a J-M Built-Up Asbestos Roof, insulated with J-M Rigid Roofinsul



Johns-Manville **BUILT-UP ASBESTOS ROOFS**

HERE an architect has ended his client's roof troubles at the very beginning.

Specifying a J-M Built-Up Asbestos Roof, he insures maximum resistance to the ravages of time, fire and the elements . . . Specifying J-M Rigid Roofinsul, he provides lasting protection against rot and corrosion in the roof deck.

J-M Asbestos Roofing Felts are composed of pure asbestos fibres. Even when impregnated and coated with asphalt, they absolutely will not support combustion. Furthermore, because asbestos fibre is non-capillary, the felts form a positive barrier against evaporation of the waterproofing asphalts both in and between the plies, despite the intense drying-out action of the sun.

Because asbestos itself is imperishable, J-M Asbestos Roofing is *permanent*. It is decidedly economical in first cost; it stands up for years without any expense for upkeep.

J-M Rigid Roofinsul not only prevents condensation and roof drip, thus protecting the deck against rot and corrosion . . . but it also prevents damage to roofing felts because of deck movement, it improves working conditions, and it saves fuel.

May we furnish more complete information in regard to J-M roofing materials? May we co-operate, out of our 60 years of roofing experience, in the solution of your specific roofing problems? Johns-Manville, 22 East 40th Street, New York City.



APPLYING J-M RIGID ROOFINSUL. Strong. Efficient.
Especially designed for insulating roofs of industrial, commercial
and institutional buildings.





Control

*brings the Perfect Timing
of the Crack Squad to*

AIR CONDITIONING

THE six factors* vital to year-round Air Conditioning demand even more exact timing and coordination than the crack squad. Only under the guiding hand of automatic control will they reach real effectiveness.

Minneapolis-Honeywell, pioneer and leader for fifty years in the development of Automatic Controls, manufactures the Modutrol System, which will automatically control any Air Conditioning installation, large or small. The great versatility of this system makes it readily applicable to any standard or specialized installation. Under Modutrol guidance, that installation will operate at its maximum efficiency.

Minneapolis-Honeywell has available a brief informative book on the vital subject of Air Conditioning and its Automatic Control. It is a clear explanation of a subject, the uses and terms of which are often misunderstood.

Your request on your letterhead addressed to Minneapolis-Honeywell Regulator Company, 2804 Fourth Avenue South, Minneapolis, Minn., will bring you your copy.

MINNEAPOLIS HONEYWELL

Control Systems

BROWN INSTRUMENTS FOR
INDICATING AND RECORDING



The **MODUTROL SYSTEM**